

#### PROGRAMME for ERADICATION: ANNEX II - PART A + B

Member States seeking a financial contribution from the Community for national programmes for the control and monitoring of salmonellosis (zoonotic salmonella), shall submit applications containing at least the information set out in this form.

The central data base keeps all submissions. However only the information in the last submission is shown when viewing and used when processing the data.

If encountering difficulties, please contact <u>SANCO-BO@ec.europa.eu</u>, describe the issue and mention the version of this document: 2014 1.19

Instructions to complete the form:

Your current version of Acrobat is: 10.104

- 1) Be informed that you need to have at least the Adobe Reader version 8.1.3 or higher to fill and submit this form.
- 2) To verify your data entry while filling your form, you can use the "verify form" button at the top of each page.
- 3) When you have finished filling the form, verify that your internet connection is active and then click on the submit notification button below. If the form is properly filled, the notification will be submitted to the server and a Submission number will appear in the corresponding field.
- 4) <u>IMPORTANT</u>: Once you have received the Submission number, save the form on your computer.
- 5) If the form is not properly filled, an alert box will appear indicating the number of incorrect fields. Please check your form again and try to re-submit it according to steps 3), 4) and 5). Should you still have any difficulties, please contact <u>SANCO-BO@ec.europa.eu</u>.
- 6) For simplification purposes you are invited to submit multi annual programmes
- 7) As mentioned during the Plenary Task Force of 28/2/2014, you are invited to submit your programmes in English.

IMPORTANT: <u>AFTER SUBMITTING THE FORM</u> DO NOT FORGET TO SAVE IT ON YOUR COMPUTER FOR YOUR RECORDS!

**Submission Date** 

Submission Number

Friday, September 26, 2014 12:41:52

1411728112937-3809

## *Identification of the programme*

Member state :	DANMARK	
Disease	Salmonella	
This program is multi annual	:no	
Request of Union co-financing from beginning of:	2015	

#### ANNEX II - PART A

### General requirements for the national salmonella control programmes

### (a) State the aim of the programme

(max. 32000 chars):

The aim of the programme is as defined in Commission Regulation No 200/2010 of 10 March 2010: the reduction of Salmonella spp. in breeding flocks of Gallus gallus (the Union target) shall be a reduction to 1 % or less of the maximum percentage of adult breeding flocks of Gallus gallus remaining positive for Salmonella Enteritidis, Salmonella Infantis, Salmonella Hadar, Salmonella Typhimurium including monophasic ST with antigenic type 1,4,[5],12:i:-)and Salmonella vVrchow (the relevant salmonella serotypes).

All national legislation regarding that implements Commission Regulation No 200/2010 of 10 March 2010

# (b) Animal population and phases of production which sampling must cover

Demonstrate the evidence that it complies with the minimum sampling requirements laid down in part B of Annex II to Regulation (EC) No 2160/2003 of the European Parliament and of the Council OJ L 325, 12.12.2003, p. 1. indicating the relevant animal population and phases of production which sampling must cover

Animal population Br	reeding flocks of Gallus gallus
Food business operators following phases of prod	have samples taken and analysed for Salmonella in the luction :
rearing flocks	
	∑ four-week-old birds
	$\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $
adult breeding flocks	every second week during the laying period
	every third week during the laying period

### (c) Specific requirements

Demonstrate the evidence that it complies with the specific requirements laid down in Parts C, D and E of Annex II to Regulation (EC) No 2160/2003

#### (max. 32000 chars):

The Danish programme complies with the specific requirements laid down in Parts C, D and E of Annex 2 to 2160/2003.

The National Salmonella Control Programme encompasses all serovars of salmonella (except for the host-specific Salmonella Pullorum and Salmonella Gallinarum, which cause fowl typhoid).

The sample-taking programme combines bacteriological (faecal droppings, swaps, socks, crate liners, hatcher basket liners, broken egg shells, dust, hatching dust, hens) and serological (egg) samples in order to optimize the chance of detecting infected flocks as soon as possible.

The routine sampling scheme is summarised in Table 2A (grandparent flocks) and Table 2B (parent flocks). Table 3 shows the routine sampling scheme for egg layers. All sample-taking programmes are designed to provide maximum coverage in detecting potential salmonella infection. The sampling programmes have been regularly revised, and the latest programmes have been effective from 1 January 2011.

The results are summarized in Annex 4-6.

### (d) Specification of the following points:

### (d)1. General

# (d) 1.1 A short summary referring to the occurrence of Salmonellosis (Zoonotic Salmonella)

A short summary referring to the occurrence of the salmonellosis [zoonotic salmonella] in the Member State with specific reference to the results obtained in the framework of monitoring in accordance with Article 4 of Directive 2003/99/EC of the European Parliament and of the Council OJ L 325, 12.12.2003, p. 31., particularly highlighting the prevalence values of the salmonella serovars targeted in the salmonella control programmes.

#### (max. 32000 chars):

The first Danish programme for controlling salmonella in the production of broilers and table eggs was approved by the European Commission as an implementation of the Council Directive 92/117/EEC and took effect on 1 January 1994.

An increasing number of human salmonellosis cases related to the consumption of eggs and chicken meat prompted in 1996 the Ministry of Agriculture and Fisheries to implement an extended surveillance

and control programme for the prevention of salmonella in the table egg and broiler productions. Initially, the budget of the National Salmonella Control Programme was 188.1 mill. DKK (~25 mill. €) over a 3-year period. In 1999, 62.9 mill DKK was not spent and the Danish Parliament adopted an extension of the programme by three more years (2000-2002).

From 1 January 2003 onwards the Danish Poultry Council has assumed responsibility for the daily administrative and financial aspects of the National Salmonella Control Programme under continuous monitoring and control by the Danish Veterinary and Food Administration.

Denmark has consistently informed the European Commission on the progress of the programme (intermediate and annual reports). Furthermore, historical data concerning this programme are available from the "Annual Report on Zoonoses in Denmark" which has been published by the Danish Ministry of Food, Agriculture and Fisheries (In a period from 2004-2007 the Ministry of Family and Consumer Affairs) throughout the duration of the programme. In 2004, the report "The National Salmonella Control Programme for the Production of Table Eggs and Broilers, 1996-2002" was published.

The search for historical data in the Salmonella Database is somewhat uncertain as some holdings/ houses may have converted from one type of production to another over time and therefore may be included in different production type categories than the ones in which they were registered at the time of examination. The database is structured so that if the production type of a house changes, all previously entered data concerning the production type in the house concerned will also be modified. Therefore, use of the database for historical reasons is not appropriate. The numbers of examined and infected flocks have been continuously reviewed, however, for use at steering committee meetings and for various publications.

In September 2007, Denmark has applied to The European Commission for special guaranties for Salmonella in poultry meat (Gallus gallus) and table eggs.

In April 2012, Denmark has obtained the special guaranties for Salmonella in table eggs.

## (d) 1.2 The structure and organization of the relevant competent authorities.

Please refer to the information flow between bodies involved in the implementation of the programme.

#### (max. 32000 chars):

The public administration is divided into one central and 2 regional sections (East and West). The central section is located in the headquarter of the Danish Veterinary and Food Administration, situated in Glostrup outside Copenhagen, where the Division for Feed and Food Safety is responsible for activities relating to the National Salmonella Control Programme. The Division for Feed and Food Safety is supervising and having the overall control with the programme. The central section controls among other things the regional follow-up on suspected and infected flocks.

The 2 regional sections are each divided into Regional Veterinary and Food Control Authorities (RVFCA) and are responsible for the practical accomplishment of the National Salmonella Control Programme, i.e. the administration of investigating positive salmonella results has been delegated to the RVFCA. The activities of RVFCA comprise collection of some routine samples and all samples from suspected flocks,

placing infected herds under public supervision, information to farmers about restrictions and precautions etc., as well as approval of cleaning and disinfection after removal of infected flocks. The National Veterinary Institute is national reference laboratory (NRL) performing serological and some of the bacteriological analyses. Furthermore, private laboratoris have been approved to perform certain bacteriological routine analyses. The NRL with intervals organizes collaborative testing of the approved laboratories. The NRL evaluates the laboratories on basis on results in testing of samples delivered by the NRL.

The participating laboratories located in Denmark are by routine tested for the MSRV-method. Laboratories, which apply other methods of analysis in official controls, must participate in collaborative testing in these methods as well.

The Danish Poultry Council is the industrial organization for producers, egg packing stations, hatcheries and slaughterhouses and is represented in task groups. The industry has the financial responsibility for the National Salmonella Control Programme. The Danish Poultry Council is responsible for the daily administration of the programme. The Danish Poultry Council is responsible for continuously updating the registration of all poultry producers (including farm-gate sellers) and for informing and guiding the producers, so they are fully capable of complying with the National Salmonella Control Programme and for investigating any irregularities. The Danish Veterinary and Food Administration plans to continuously monitor the Danish Poultry Council's administration and continuation of the National Salmonella Control Programme.

The Danish Poultry Council is responsible for registering new cases of suspected infection in the Salmonella Database. Laboratory results are sent direct to the producer, to the Regional Veterinary and Food Control Authorities (RVFCA) and to the Danish Poultry Council. A regional categorisation of search options within the database enables each RVFCA to follow the progression of a suspected infection in its own area. One element on which the future supervision of the National Salmonella Control Programme will be based is the internal control exercised by each enterprise. Egg packing stations are under an obligation to discard the eggs of any producers who have not taken scheduled samples as planned or who are placed under suspicion.

# (d) 1.3 Approved laboratories where samples collected within the programme are analysed.

(max. 32000 chars):

The National Veterinary Institute is national reference laboratory (NRL) performing serological and some of the bacteriological analyses.

ALcontrol, Alcontrol AB, Olaus Magnus väg 27, 583 30 Linköping, Sweden: bacteriological analyses.

Eurofins Steins Laboratorium A/S, Hjaltesvej 8, DK-7500 Holstebro, Denmark: bacteriological analyses.

One laboratorie at the East Regional Veterinary and Food Control Authorities': bacteriological analyses.

# (d) 1.4 Methods used in the examination of the samples in the framework of the programme.

#### (max. 32000 chars):

Description of the used microbiological or virological tests: Two bacteriological tests are used: ISO 6579 Annex D for samples specified in the Zoonosis Directive (pooled faecal samples, crate litter, meconium, chickens).

EiaFoss® for analyzing wet hatching dust.

Serological analyzis: ELISA method

The laboratories testing official and FBO samples are accredited to ISO 17025 a the Salmonella analytical method is within the scope of accreditation.

# (d) 1.5 Official controls (including sampling schemes) at feed, flock and/or herd level.

#### (max. 32000 chars):

The National Salmonella Control Programme encompasses all serovars of salmonella (except for the host-specific Salmonella Pullorum and Salmonella Gallinarum, which cause fowl typhoid). The sample-taking programme combines bacteriological (faecal droppings, swaps, socks, crate liners, hatcher basket liners, broken egg shells, dust, hatching dust, hens) and serological (egg) samples in order to optimize the chance of detecting infected flocks as soon as possible.

The routine sampling scheme is summarised in Table 2A (grandparent flocks) and Table 2B (parent flocks). Table 3 shows the routine sampling scheme for egg layers. All sample-taking programmes are designed to provide maximum coverage in detecting potential salmonella infection. The sampling programmes have been revised, and have been effective from 1 January 2011.

The results for 2013 are summarized in Annex 4-6.

A positive routine sample found at the hatchery causes that a district veterinary officer from the Regional Veterinary and Food Control Authorities (RVFCA) samples the flock, i.e. "suspicion sampling". If the suspicion is confirmed, the flock is declared infected with salmonella. Official veterinary supervision is imposed on all holdings with infected flocks. As soon as the flock is suspected, the official veterinary

samples the flock as soon as possible. If the suspicion is not confirmed, a new round of samples are taken not earlier than 2 weeks later. A flock can therefore be found infected as soon as the laboratory has analyzed the samples. In the meantime, the flock is placed under restrictions at least in accordance with Regulation 2160/2003, annex II (D).

Denmark only uses confirmatory sampling after finding salmonella, if the serotype found in the first sample is not S. Typhimurium, S. Enteritidis, S. Hadar, S. Infantis or S. Virchow. In that case the flock is declared "suspected". If a flock is declared suspected the Official Veterinary Officer collects samples from the flock for confirmation of the infection. If the samples turn out to be negative, sampling must be repeated once more. In the meanwhile, the flock is still regarded as suspected. However, if the second confirmatory sampling is also negative, the flock is declared free of salmonella. In order to ensure that, repeated detection of these serotypes in the same flock from time to time does not go unsanctioned, it has been decided that if the same serotype is subsequently detected at any other time during the lifespan of the same flock, from a previous flock in the same house or another flock at the same premise within the same timeframe the flock shall be considered infected and subsequently be destroyed irrespective of the fact that the flock may have tested negative once or several times between the first and second detection.

The progeny is sampled if it is suspected that the infection might have been transferred to them.

A positive result from an own-check sample is treated in the exact same way; e.g. if an own-check sample shows Salmonella Enteritidis, S. Typhimurium including monophasic ST with antigenic type 1,4,[5],12:i:-), S. Virchow, S. Infantis or S. Hadar, the herd is considered infected. The own-check samples are taken by the operator. Sampling methods are described thoroughly in the regulation and the GMP. Also, the official veterinarians supervise the operators.

Holdings with breeding flocks of poultry infected with either Salmonella Enteritidis, S. Typhimurium, S. Virchow, S. Infantis or S. Hadar, will be placed under public veterinary supervision according to Order no. 952. Hereafter, they will immediately be either slaughtered or destroyed in compliance with the Zoonoses Directive. In addition, hatching eggs are destroyed or heat-treated.

For other serovars of salmonella in breeding flocks and for all salmonella serovars in production animals, holdings with infected flocks will be subject to public veterinary supervision according to Order no. 1134 and Order no. 952. The restrictions encompass destruction or heat-treatment of eggs from the date of suspected infection at an authorised egg product plant, isolation of infected flocks, extra hygienic measures e.g. special precautionary measures for coming and going between infected and uninfected flocks, special conditions for removal of animals and eggs as well as for handling of feeding stuffs and manure etc.

In herds with broiler flocks, a requirement for the heat treatment of all poultry meat of hens and chickens testing positive for salmonella prior to slaughter was introduced in 2008. In addition, the control programme requires thorough cleaning and disinfection following detection of salmonella in a broiler flock. In the following flock the owner must take one extra pair of sock samples in order to locate the source of any possible infection. In addition, the down-time after the slaughter of the following flock shall be extended to at least 12 days in order to ensure sufficient cleaning and disinfection of the poultry house.

A district veterinary officer from the Regional Veterinary and Food Control Authority must approve cleaning and disinfection on the basis of a visual and bacteriological assessment before it is legal to place new stock in an infected poultry

We can confirm that the frame of the Salmonella control programme in breeding flocks of Gallus gallus the provisions of paragraph 1 and 2 (frequency of sampling) 4 (results and reporting) of Annex of Commission Regulation (EC) No 213/2009 are implemented

### (d)2. Food and business covered by the programme

# (d)2.1 The structure of the production of the given species and products thereof.

#### (max. 32000 chars):

The National Salmonella Control Programme includes every type of flock of the domestic fowl, Gallus gallus, in the broiler and table-eggs sectors.

The number of holdings, flocks and animals in the broiler and table egg sectors as per 31 December 2013 are shown in Table 1.

### (d)2.2 Structure of the production of feed

#### (max. 32000 chars):

Danish feed business operators producing poultry feed have implemented a Code of practice for poultry feed processing based on HACCP principles. The feed business operators must implement a Bio security Monitoring Programme, which among other things includes heat-treatment at 81°C, sampling plans, cleaning procedures and corrective actions in case of high counts of coli bacteria or detection of Salmonella. Operators following the Code of practice are inspected 4 times a year by a third party, who reports to a survey group. The survey group decides on quarterly meetings which companies that are given a certificate of approval for the following quarter. The decision is made on the basis of the status of the company, the recommendations from the third party stated in a technical report along with the discussion in the survey group.

(d)2.3 Relevant guidelines for good animal husbandry practices or other guidelines (mandatory or voluntary) on biosecurity measures defining at least

### (d)2.3.1 Hygiene management at farms

#### (max. 32000 chars):

Order no. 1450 of 23 December 2009 on poultry production deals with establishment and production in holdings with rearing for egg production and in hatcheries and any holding delivering to hatcheries. Houses must be brick-built or equivalent. Floors must be water impenetrable and with drain. There must be an entrance room, with a clean section and an unclean section separated by a grating. When a premise is empty between flocks, room and equipment must be cleaned and disinfected before a new flock is introduced

Holdings with rearing for egg production: It is specified, that the buildings including outdoor areas must be epidemiologically separated from the surroundings.

Hatcheries and holdings delivering to hatcheries: Gallus gallus must be kept indoor. Boots should be changed in the entrance room. All rooms and equipment must be kept clean and well maintained. Outdoor areas must be kept clean and vegetation should be removed in case it obstructs pest control. The rooms must be secured as well as it is possible against pest. The staff must not have contact to other poultry. In case staff members have any contact to other livestock, clothes must be changed completely.

Legislation does not impose specific biosecurity measures in table-egg producing holdings. However, the regional Veterinary and Food Control Authorities have the right to demand an extended sampling programme in holdings where the risk of infection is considered to be increased.

Order no. 1450 of 23 December 2009 on poultry production covers the area. Once a year, the Official Veterinary Officer controls the measures described in 2.3.1(d).

# (d)2.3.2 Measures to prevent incoming infections carried by animals, feed, drinking water, people working at farms

#### (max. 32000 chars):

Poultry hatcheries and breeders must have an approval from the authorities before they start production. Such an approval is based on a.o. an evaluation of the hygiene standard of the buildings and the surroundings, and protection against introduction of infectious diseases. There are also provisions for the daily operation of the production such as cleaning and disinfection of buildings and surroundings before new chicks are put into the houses as well as requirements for transport of chicks and measures taken in case of suspicion of illness among the animals. These provisions are laid down in Order No. 1450 of 23 December 2009, which implements annex II of Council Directive 90/539/EEC of 15 October 1990 on animal health conditions governing intra-Community trade in, and imports from third countries of, poultry and hatching eggs in Danish legislation.

The general requirements for hygiene measures in the primary production are specified in annex I of regulation 852/2004 apply to broiler flocks.

As a supplement to the provisions in the legislation the Industry has issued a "Guide for Good Hygienic Practice for Broiler Production", which has been in force since 1997. The latest edition is from 2013.

From 1 January 2008 the Industry is obliged in broilers as well as layers, to have an own check programme that fulfils the demands in a guideline, which must be assessed by the competent Authority to be sufficient to prevent introduction of salmonella in the production chain and to combat salmonella if already introduced.

### (d)2.3.3 Hygiene in transporting animals to and from farms

#### (max. 32000 chars):

Animals from infected flocks belonging to holdings placed under public supervision are to be kept isolated and special conditions apply for removal of animals. In this connection, the district veterinary officer from the Regional Veterinary and Food Control Authority can perform control visits, if necessary. The district veterinary officer can issue a permit enabling logistic slaughtering, i.e. salmonella-negative flocks are slaughtered prior to flocks that have been found positive in order to limit cross-contamination (cf. Orders no. 1134 and 952). It is also possible to order infected holdings with both parent flocks and production flocks to prepare an action plan that aims to reduce the risk of salmonella infection.

### (d)2.4 Routine veterinary supervision of farms

#### (max. 32000 chars):

All farms covered by Order no. 1450 are obliged to have a veterinay supervisor. This veterinary supervisor monitors that the farm keeps records of letality, mortality, laboratory results, origin and destination of the animalt etc.

Order no. 1450 of 23 December 2009 on poultry production covers the area.

Once a year, the Official Veterinary Officer controls the measures described in 2.3.1(d).

### (d)2.5 Registration of farms

#### (max. 32000 chars):

All holdings are registered in a central database, named the Central Husbandry Register (CHR) according to Order no. 1237 of 30 October 2013. The CHR is owned by The Danish Veterinary and Food Administration, and was launched in 1992. An unambiguous number registers each holding. For every holding the database covers measures and data concerning the flocks. The Danish Veterinary and Food Administration is responsible for supplying the database with information.

Furthermore, the Salmonella Database is solely used for poultry and contains information on all registered holdings as well as all laboratory results, measures and all data concerning the poultry.

### (d)2.6 Record keeping at farm

#### (max. 32000 chars):

According to legislation all holdings have to keep comprehensive records concerning purchase and sale of animals. Records also include data on a.o. illness and mortality.

### (d)2.7 Documents to accompany animals when dispatched

(max. 32000 chars):

Animals from infected flocks belonging to holdings placed under public supervision are to be kept isolated and special conditions apply for removal of animals. These rules are defined in Order no. 1512. Animals for export are followed by the relevant documents regarding export or trade.

### (d)2.8 Other relevant measures to ensure the tracebility of animals

(max. 32000 chars) :			
none.			

#### ANNEX II - PART B

### 1. Identification of the programme

Disease Salmonella

Animal population: Breeding flocks of Gallus gallus

Request of Union co-financing for the period :

From 2 015

To

2 015

#### 1.1 Contact

Name: Pernille Charlotte S. Tillisch

Phone: +45 72 27 66 15

Fax.: +45 72 27 66 01

Email: PES@FVST.DK

### 2. Historical data on the epidemiological evolution of the disease

A concise description is given with data on the target population (species, number of herds and animals present and under the programme), the main measures (testing, testing and slaughter, testing and killing, qualification of herds and animals). The information is given for distinct periods if the measures were substantially modified. The information is documented by relevant summary epidemiological tables, graphs or maps.

#### (max. 32000 chars) :

The National Salmonella Control Programme includes every type of flock of the domestic fowl, Gallus gallus, in the broiler and table-eggs sectors. The only exception is hobby flocks.

The number of holdings, flocks and animals in the broiler and table egg sectors as per 31 December 2013 are shown in Table 1.

In 2013, the prevalence in breeding flocks was 0,3%, in 2012 it was 0%, and in 2011 it was 0%. The prevalence has every year been below 1%.

From 1 January 2010, the Union target, as referred to in Article 4(1) of Regulation (EC) No 2160/2003, for

the reduction of Salmonella spp. in breeding flocks of Gallus gallus (the Union target) shall be a reduction to 1 % or less of the maximum percentage of adult breeding flocks of Gallus gallus remaining positive for Salmonella enteritidis, Salmonella infantis, Salmonella hadar, Salmonella typhimurium including monophasic ST with antigenic type 1,4,[5],12:i:-) and Salmonella virchow (the relevant salmonella serotypes). The target has been achieved, as the prevalence of the serotypes above is 0,3% in Danish breeding flocks.

### 3. Description of the submitted programme

A concise description of the programme is given with the main objective(s) (monitoring, control, eradication, qualification of herds and/or regions, reducing prevalence and incidence), the main measures (testing, testing and slaughter, testing and killing, qualification of herds and animals, vaccination), the target animal population and the area(s) of implementation and the definition of a positive case.

(max. 32000 chars):

The main objectives of the control programme are:

- a) To further reduce the incidence of infected table egg layer flocks
- b) To further reduce the prevalence of infected broiler flocks/batches of birds
- c) To further reduce the occurrence of human salmonellosis related to Danish-produced poultry products.

The programme is described in Annexes 2A, 2B and 3 The results for 2013 are summarized in Annex 4-6

The National Salmonella Control Programme includes every type of flock of the domestic fowl, Gallus gallus, in the broiler and table-eggs sectors. The only exception is hobby flocks

The number of holdings, flocks and animals in the broiler and table egg sectors as per 31 December 2013 are shown in Table 1.

The programme is implemented in Denmark, which is considered to be one region.

### 4. Measures of the submitted programme

Measures taken by the competent authorities with regard to animals or products in which the presence of Salmonella spp. have been detected, in particular to protect public health, and any preventive measures taken, such as vaccination.

(max. 32000 chars):

Holdings with breeding flocks of poultry infected with either Salmonella Enteritidis, S. Typhimurium, S. Virchow, S. Infantis or S. Hadar, will be placed under public veterinary supervision according to Order no. 1463. Hereafter, they will immediately be either slaughtered or destroyed in compliance with the Zoonoses Directive. In addition, hatching eggs are destroyed or heat-treated.

For other serovars of salmonella in breeding flocks and for all salmonella serovars in production animals, holdings with infected flocks will be subject to public veterinary supervision according to Order no. 1134 and Order no. 952. The restrictions encompass destruction or heat-treatment of eggs from the date of suspected infection at an authorised egg product plant, isolation of infected flocks, extra hygienic measures e.g. special precautionary measures for coming and going between infected and uninfected flocks, special conditions for removal of animals and eggs as well as for handling of feeding stuffs and manure etc.

At the same holding where infected flocks have been found, samples are taken in other table egg layer flocks by the DVFA.

In herds with broiler flocks, a requirement for the heat treatment of all poultry meat of hens and chickens testing positive for salmonella prior to slaughter was introduced in 2008. In addition, the control programme requires thorough cleaning and disinfection following detection of salmonella in a broiler flock. In the following flock the owner must take one extra pair of sock samples in order to locate the source of any possible infection. In addition, the down-time after the slaughter of the following flock shall be extended to at least 12 days in order to ensure sufficient cleaning and disinfection of the poultry house.

A district veterinary officer from the Regional Veterinary and Food Control Authority must approve cleaning and disinfection on the basis of a visual and bacteriological assessment before it is legal to place new stock in an infected poultry house.

We can confirm that the frame of the Salmonella control programme in breeding flocks of Gallus gallus the provisions of paragraph 1 and 2 (frequency of sampling) 4 (results and reporting) of Annex of Commission Regulation (EC) No 213/2009 are implemented

If Salmonella is found in products already on the market (Meat of poultry (Gallus gallus) a withdrawal process is immediately initiated, and the products withdrawn are put under official supervision and are to be heat treated or destroyed.

### 4.1 Summary of measures under the programme

Period of imp	lementation of the	programme:	2015 - 2015	

Measures
Slaughter of animals tested positive
⊠ Killing of animals tested positive
Vaccination
☑ Disposal of products
Monitoring or surveillance

## 4.2 Designation of the central authority in charge of supervising and coordinating the departments responsible for implementing the programme

Describe the authorities in charge of supervising and coordinating the departments responsible for implementing the programme and the different operators involved. Descrive the responsabilities of all involved.

#### (max. 32000 chars):

Other, please specify

The public administration is divided into one central and 2 regional sections. The central section is located in the headquarter of the Danish Veterinary and Food Administration, situated in Glostrup outside Copenhagen, where the Division for Food and Feed Safety is responsible for activities relating to the National Salmonella Control Programme. The Division for Food and Feed Safety is supervising and having the overall control with the programme. The central section controls among other things the regional follow-up on suspected and infected flocks.

The 2 Regional Veterinary and Food Control Authorities (RVFCA) are responsible for the practical accomplishment of the National Salmonella Control Programme, i.e. the administration of investigating positive salmonella results has been delegated to the RVFCA. The activities of RVFCA comprise collection of some routine samples and all samples from suspected flocks, placing infected herds under public supervision, information to farmers about restrictions and precautions etc., as well as approval of cleaning and disinfection after removal of infected flocks.

The National Veterinary Institute is national reference laboratory (NRL) performing serological and some of the bacteriological analyses. Furthermore, some private laboratories have been approved to perform certain bacteriological routine analyses. The NRL with intervals organizes collaborative testing of the approved laboratories. The NRL evaluates the laboratories on basis on results in testing of samples

delivered by the NRL.

The participating laboratories are by routine tested for the MSRV-method. Laboratories, which apply other methods of analysis in official controls, must participate in collaborative testing in these methods as well.

The Danish Poultry Council is the industrial organization for producers, egg packing stations, hatcheries and slaughterhouses and is represented in task groups. The industry has the financial responsibility for the National Salmonella Control Programme. The Danish Poultry Council is responsible for the daily administration of the programme. The Danish Poultry Council is responsible for continuously updating the registration of all poultry producers (including farm-gate sellers) and for informing and guiding the producers, so they are fully capable of complying with the National Salmonella Control Programme and for investigating any irregularities. The Danish Veterinary and Food Administration plans to continuously monitor the Danish Poultry Council's administration and continuation of the National Salmonella Control Programme.

The Danish Poultry Council is responsible for registering new cases of suspected infection in the Salmonella Database. Laboratory results are sent directly to the producer, to the Regional Veterinary and Food Control Authorities (RVFCA) and to the Danish Poultry Council. A regional categorisation of search options within the database enables each RVFCA to follow the progression of a suspected infection in its own area. One element on which the future supervision of the National Salmonella Control Programme will be based is the internal control exercised by each enterprise. Egg packing stations are under an obligation to discard the eggs of any producers who have not taken scheduled samples as planned or who are placed under supervision for suspicion of infection.

The steering committee and two technical task groups work continuously, thereby providing continuous monitoring of the continuation of the programme. The steering committee is given the executive responsibility for the wording and scientific veterinary content of the National Salmonella Control Programme and for approving all amendments. The Danish Veterinary and Food Administration is represented in these groups and has the chairmanship of the steering committee.

## 4.3 Description and delimitation of the geographical and administrative areas in which the programme is to be implemented

Describe the name and denomination, the administrative boundaries, and the surface of the administrative and geographical areas in which the programme is to be applied. Illustrate with maps.

(max. 32000 chars):

The programme is implemented in Denmark, which is considered to be one region. NUTS-region DK 1.

### 4.4 Measures implemented under the programme

Where appropriate Community legislation is mentioned. Otherwise the national legislation is mentioned.

#### 4.4.1 Measures and applicable legislation as regards the registration of holdings

(max. 32000 chars):

Order no. 1237 of 30. October 2013 on Registration of Holdings in the Central Husbandry Register.

## 4.4.2 Measures and applicable legislation as regards the identification of animals

Not applicable for poultry

(max. 32000 chars):

Not applicable for poultry

## 4.4.3 Measures and applicable legislation as regards the notification of the disease

(max. 32000 chars):

Order no. 1134 of 27 September 2013 on the Control of Salmonella in Table Egg Flocks and Pullets Reared for them

- Order no. 952 of 10 July 2013 on the Control of Salmonella in Hatching Egg Layer Hens and Pullets Reared for them
- Order no. 1512 of 13 December 2013 on salmonellosis in poultry and Salmonella and Campylobacter in slaughter poultry
- Order no. 1450 of 23 December 2009 on poultry production and turnover of poultry

## 4.4.4 Measures and applicable legislation as regards the measures in case of a positive result

A short description is provided of the measures as regards positive animals (slaughter, destination of carcasses, use or treatment of animal products, the destruction of all products which could transmit the disease or the treatment of such products to avoid any possible contamination, a procedure for the disinfection of infected holdings, a procedure for the restocking with healthy animals of holdings which have been depopulated by slaughter

#### (max. 32000 chars):

Measures and applicable legislation as regards the measures in case of a positive result fulfil the provisions of as Commission Regulation (EC) No 213/2009.

A positive routine sample found at the hatchery causes that a district veterinary officer from the Regional Veterinary and Food Control Authorities (RVFCA) samples the flock, i.e. "suspicion sampling". If the suspicion is confirmed, the flock is declared infected with salmonella. Official veterinary supervision is imposed on all holdings with infected flocks.

During the period between suspicion and the result of the official sample, the flock that delivered the eggs is placed under public veterinary supervision. The measures taken in these flocks, are at least equal to the mandatory control measures stipulated by Regulation 2160/2003, annex II (D). Additional measures are taken as specified below:

- Isolation of the flock and movement restrictions.
- Animals and eggs for human consumption must be used for heat-treated products only.
- No introduction of new animals into the flock.
- Sanitary measures are imposed to reduce the risk of spread of salmonella.

At the hatchery, eggs are to be kept out of incubators, and eggs already in the incubator at the beginning of the suspicion-period are destroyed.

If a flock is declared suspected the Official Veterinary Officer collects samples from the flock for confirmation of the infection. If the samples turn out to be negative, sampling must be repeated once more. In the meanwhile, the flock is still regarded as suspected. However, if the first official sampling is negative, eggs must be put in incubators, as they will not hatch before the results are known. If the second official sampling is positive, the eggs are destroyed.

Denmark only uses confirmatory sampling after finding salmonella, if the serotype found in the first sample is not S. Typhimurium, S. Enteritidis, S. Hadar, S. Infantis or S. Virchow. In that case the flock is declared "suspected". If a flock is declared suspected the Official Veterinary

Officer collects samples from the flock for confirmation of the infection. If the samples turn out to be negative, sampling must be repeated once more. In the meanwhile, the flock is still regarded as suspected. However, if the second confirmatory sampling is also negative, the flock is declared free of salmonella. In order to ensure that, repeated detection of these serotypes in the same flock from time to time does not go unsanctioned, it has been decided that if the same serotype is subsequently detected at any other time during the lifespan of the same flock, from a previous flock in the same house or another flock at the same premise within the same timeframe the flock shall be considered infected and subsequently be destroyed irrespective of the fact that the flock may have tested negative once or several times between the first and second detection.

The progeny is sampled if it is suspected that the infection might have been transferred to them.

In case of confirmatory sampling, samples are taken for antimicrobial testing. Five hens pr. flock pr. testing are sampled.

The method is a determination of antimicrobials in meat by LC/MS-MS. The analytical method is within the scope of accreditation of the laboratory.

The use of antibiotics for the prevention of the spread of salmonella is not allowed as part of the strategy of the control programme. If the test shows use of such substances, the owner will be fined, and the flock will be declared infected no matter the results of the official sampling.

The control on the use of antimicrobials is performed via VetStat, a system all veterinarians must use when prescribing medicine, including antibiotics. Antibiotics are not allowed for the prevention of spread of salmonella.

All substances in the plan are monitored in Denmark by aid of screening methods, which are validated according to Decision 2002/657/EC or other specific regulation in the case of contaminants. When confirmation is needed, it will be performed by aid of validated analytical methods in Denmark or in another Member State.

In 2013, as part of routine controls, 175 samples of poultry were taken at the slaughterhouses. They were tested by kidney LC/MS-MS for approx. 30 different antibiotics. In 2014, 175 samples have been planned, and they are being tested for approx. 50 antibiotics by muscle LC/MS-MS.

No results above MRL have been found several years back.

Holdings with breeding flocks of poultry infected with either Salmonella Enteritidis, S. Typhimurium, S. Virchow, S. Infantis or S. Hadar, will be placed under public veterinary supervision according to Order no. 1463. Hereafter, they will immediately be either slaughtered or destroyed in compliance with the Zoonoses Directive. In addition, hatching eggs are destroyed or heat-treated.

For other serovars of salmonella in breeding flocks and for all salmonella serovars in production animals, holdings with infected flocks will be subject to public veterinary supervision according to Order no. 1134 and Order no. 952. The restrictions encompass destruction or heat-treatment of eggs from the date of suspected infection at an authorised egg product plant, isolation of infected flocks, extra hygienic measures e.g. special precautionary measures for coming and going between infected and uninfected flocks, special conditions for removal of animals and eggs as well as for handling of feeding stuffs and manure etc.

At the same holding where infected flocks have been found, samples are taken in other table egg layer flocks by the DVFA.

In herds with broiler flocks, a requirement for the heat treatment of all poultry meat of hens and chickens testing positive for salmonella prior to slaughter was introduced in 2008. In addition, the control programme requires thorough cleaning and disinfection following detection of salmonella in a broiler flock. In the following flock the owner must take one extra pair of sock samples in order to locate the source of any possible infection. In addition, the down-time after the slaughter of the following flock shall be extended to at least 12 days in order to ensure sufficient cleaning and disinfection of the poultry house.

A district veterinary officer from the Regional Veterinary and Food Control Authority must approve cleaning and disinfection on the basis of a visual and bacteriological assessment before it is legal to

place new stock in an infected poultry house.

4.4.5 Measures and applicable legislation as regards the different qualifications of animals and herds

(max. 32000 chars):

•Order no. 1134 of 29 September 2013 on the Control of Salmonella in Table Egg Flocks and Pullets Reared for them

•Order no. 952 of 10 July 2013 on the Control of Salmonella in Hatching Egg Layer Hens and Pullets Reared for them

4.4.6 Control procedures and in particular rules on the movement of animals liable to be affected or contaminated by a given disease and the regular inspection of the holdings or areas concerned

A short description of the control procedures and in particular rules on the movement of animals liable to be affected or contaminated by a given disease and the regular inspection of the holdings or areas is provided

(max. 32000 chars):

Animals from infected flocks belonging to holdings placed under public supervision are to be kept isolated and special conditions apply for removal of animals. In this connection, the district veterinary officer from the Regional Veterinary and Food Control Authority can perform control visits, if necessary. The district veterinary officer can issue a permit enabling logistic slaughtering, i.e. salmonella-negative flocks are slaughtered prior to flocks that have been found positive in order to limit cross-contamination (cf. Orders no. 952 and 1134). It is also possible to order infected holdings with both parent flocks and production flocks to prepare an action plan that aims to reduce the risk of salmonella infection.

4.4.7 Measures and applicable legislation as regards the control (testing, vaccination, ...) of the disease

National legislation relevant to the implementation of the programmes, including any national provisions concerning the activities set out in the programme.

(max. 32000 chars):

Order no. 1134 of 27 September 2013 on the Control of Salmonella in Table Egg Flocks and Pullets

Reared for them.

- Order no. 952 of 10 July 2013 on the Control of Salmonella in Hatching Egg Layer Hens and Pullets Reared for them
- Order no. 1512 of 13 December 2013 on salmonellosis in poultry and Salmonella and Campylobacter in slaughter poultry
- Order no. 1450 of 23 December 2009 on poultry production and turnover of poultry
- Order no. 239 of 12 April 1991 on Expenses and Compensation by Combating and Preventing Animal Diseases.
- Order no. 812 of 29 October 1999 to amend Order no. 239 of 12 April 1991
- Order no. 1237 of 30 October 2013 on Registration of Holdings in the Central Husbandry Register

Legislation on the use of antimicrobials and vaccines are in accordance with Commission Regulation No1177/2006/EC

It is prohibited to vaccinate poultry against salmonella in Denmark. It is not allowed to use antibiotics against a salmonella-infection.

Tests used and sampling schemes: See annexes Tables 2A, 2B and 3

The results for 2013 are summarized in Annex 4-6

## 4.4.8 Measures and applicable legislation as regards the compensation for owners of slaughtered and killed animals

Any financial assistance provided to food and feed businesses in the context of the programme.

(max. 32000 chars):

From 1 January 2001, the poultry industry has been covering all expenses for routine analyses. From 1 February 2003 expenses in connection with routine and suspicion samples and analysis have been covered by the poultry industry.

No national funding exists except for compensation for slaughter or destruction of breeding flocks infected with either Salmonella Enteritidis, S. Typhimurium, S. Virchow, S. Infantis or S. Hadar, and ordered destruction or heat-treatment of hatching eggs in compliance with the Zoonosis Directive. According to Order no. 239 and 812, there will be a compensation for the value of the animals and the destruction costs as well as a 20% compensation for the owners operating loss. Furthermore, compensation is also given for the value of killed hens for control of use of antimicrobials at salmonella suspicion.

4.4.9 Information and assessment on bio-security measures management and infrastructure in place in the flocks/holdings involved

#### (max. 32000 chars):

Poultry hatcheries and breeders must have an approval from the authorities before they start production. Such an approval is based on a.o. an evaluation of the hygiene standard of the buildings and the surroundings, and protection against introduction of infectious diseases. There are also provisions for the daily operation of the production such as cleaning and disin-fection of buildings and surroundings before new chicks are put into the houses as well as re-quirements for transport of chicks and measures taken in case of suspicion of illness among the animals. These provisions are laid down in Order No. 1450 of 23 December 2009, which implements annex II of Council Directive 90/539/EEC of 15 October 1990 on animal health conditions governing intra-Community trade in, and imports from third countries of, poultry and hatching eggs in Danish legislation.

The general requirements for hygiene measures in the primary production are specified in annex I of regulation 852/2004 apply to broiler flocks.

As a supplement to the provisions in the legislation the Industry has issued a "Guide for Good Hygienic Practice for Broiler Production", which has been in force since 1997. The latest edition is from 2013.

From 1 January 2008 the Industry is obliged in broilers as well as layers, to have an own check programme that fulfils the demands in a guideline, which must be assessed by the competent authority to be sufficient to prevent introduction of salmonella in the production chain and to combat salmonella if already introduced.

Guides are available to the public in printed versions and on the internet. The official veterinarian will use the same checklists as the operator when supervising the programme.

Order no. 1450 of 23 December 2009 on poultry production covers the area. Once a year, the Official Veterinary Officer controls the measures described in 2.3.1(d).

### 5. General description of the costs and benefits of the programme

A description is provided of all costs for the authorities and society and the benefits for farmers and society in general

#### (max. 32000 chars):

For many years it has been known that poultry in general often harbour latent infections of salmonella. Under proper management this is rarely associated with outbreaks of disease in poultry flocks. However, this latent infection in poultry may pose a serious human health risk. The overall aim of the National Salmonella Control Programme is to control the occurrence of salmonella in the poultry sector on a very low level and thereby protect humans against infection with food-borne salmonellas. Salmonella Enteritidis causes the major part of salmonella infections in commercial egg layer flocks and human infections with S. Enteritidis are mainly associated with infected eggs.

It is not possible direct to compare cost and benefit in connection with the effort. But in Denmark the

consumers demand that the outermost possible is done to secure the quality of food-stuffs. Even if there was no public demand about salmonella, the egg packing stations and poultry slaughterhouses would presumably be forced to do a lot of effort anyhow.

In April 2012, Denmark has obtained special guaranties for Salmonella in table eggs by The European Commission.

The results for 2013 are summarized in Annex 4-6

### 6. Data on the epidemiological evolution during the last five years

Data already submitted via the onlir	16
system for the years 2009 - 2012 :	



The data on the evolution of zoonotic salmonellosis are provided according to the tables where appropriate

#### 6.1 Evolution of the zoonotic Salmonella

#### 6.1.1 Data on evolution of zoonotic Salmonella for year:

Total Serotype (c) to egg product Region 1 080 1 080 000 Breeding flocks o 275 318 Any targeted serotype 208 890 **Total** 318 275 1 080 000 1 080 000 420 120 208 890 **ADD A NEW ROW** 

2013

Ctandard	requirement	for the cu	ibmission of	programma	for oradication	control and	d manitarin
Standard	requirement	for the su	apmission of	programme	for eradication	. control and	a monitorir

(a) Including eligible and non eligible flocks for the programme

(b) Check means to perform a flock level test under the porgramme for the presence of Salmonella. In this column a flock must not be counted twice even if it has been checked more than one.

 $(c) \ Salmonella \ Enteritidis = SE \qquad Salmonella \ Typhimurium = ST \qquad Salmonella \ Hadar = SH \qquad Salmonella \ Infantis = SI \qquad Salmonella \ Virchow = SV$ 

#### 6.2 Stratified data on surveillance and laboratory tests

### 6.2.1 Stratified data on surveillance and laboratory tests for year: 2013

As per EU regulation No.200/2010, article 1.

Region	Test Type	Test Description	Number of samples tested	Number of positive samples	
Denmark	bacteriological test	ISO 6579 Annex D/ Eia-Foss	11 352	1	х
Denmark	serotyping test	Serological test (Antigen-mix E	5	0	х
Total			11 357	1	
			ADD A NEW ROW		

#### 6.3 Data on infection for year: **2013**

	Region	Number of flocks infected	Number of animals infected	
Denmark		1	33 946	x
	Total	1	33 946	
			Add a new row	

### 6.4 Data on vaccination programmes for year:

2013

	Region	Total number of flocks	Total number of animals	Number of flocks in vaccination programme	Number of flocks vaccinated	Number of animals vaccinated	Number of doses of vaccine administered	
Denmark		0	0	0	0	0	0	х
	Total	0	0	0	0	0	0	
						Add a new row		

## 7. Targets

### 7.1 Targets related to flocks official monitoring

#### 7.1.1 Targets on laboratory tests for year:

2015

Region	Type of the test (description)	Target population (categories and species targeted)	Type of sample	Objective	Number of planned tests		
Denmark	Bacteriological detection test in frame of official samplir	Breeding flocks of Gallus gallus	environmental sample	routine and confirmatory	588	х	
Denmark	Antimicrobial detection test	Breeding flocks of Gallus gallus	animals	routine test	1	х	
Denmark	Test for verification of the efficacy of disinfection	Breeding flocks of Gallus gallus	environmental sample	verification	2	х	
Denmark	Serotyping in frame of official sampling	Breeding flocks of Gallus gallus	animals or hatchers	confirmatory	5	х	
		'		Total	596		
			Total An	timicrobial detection test	1		
		Total Test for	verification of th	ne efficacy of disinfection	2		
	588						
Total SEROTYPING IN THE FRAME OF OFFICIAL SAMPLING							
Add a new row							

#### 7.1.2 Targets on official sampling of flocks for year:

#### 2015

Region	Type of flock	Total number of flocks (a)	Number of flocks in to the programme	Number of flocks checked (b)	Number of flocks where official samples taken (d)	Number of official samples taken	Targeted serotypes (c)	Possible number of positive flocks	Number of flocks to be depopulated	Total number of animals to be slaughtered or destroyed	Quantity of eggs to be destroyed (number)	Quantity of eggs to be channelled to egg product (number)	
Denmark	Breeding flocks	275	275	318	318	640	SE+ST+SH+SI+SV	2	2	100 000	1 000 000	400 000	х
Total		275	275	318	318	640		2	2	100 000	1 000 000	400000	
		•	•			•				Add a new row			

2015

#### Targets on vaccination 7.2

#### 7.2.1 Targets on vaccination for year:

Page 30 of 36

<sup>(</sup>a) Including eligible and non eligible flocks for the programme

<sup>(</sup>b) Check means to perform a flock level test under the porgramme for the presence of Salmonella. In this column a flock must not be counted twice even if it has been checked more than one.

<sup>(</sup>c) Salmonella Enteritidis + Salmonella Typhimurium = SE + ST Salmonella Enteritidis + Salmonella Typhimurium + Salmonella Hadar + Salmonella Infantis + Salmonella Virchow = SE + ST + SH + SI + SV

<sup>(</sup>d) Each visit for the purpose of taking official samples shall be counted

			Targets on vaccination or treatment programme				
NUTS Region	Total number of flocks in vaccination programme	Total number of animals in vaccination programme	Number of herds or flocks in vaccination programme	Number of herds or flocks expected to be vaccinated	Number of animals expected to be vaccinated	Number of doses of vaccine expected to be administered	
DK 1	0	0	0	0	0	0	X
Total	0	0	0	0	0	ó	
					Add a new row		

- 8. Detailed analysis of the cost of the programme
- 8.1 Costs of the planned activities for year: 2015

1. Testing						
Cost related to	<u>Specification</u>	Number of tests	Unitary cost in EUR	Total amount in EUR	Union funding requested	
Cost of analysis	Test for verification of the efficacy of disinfection	2	16.72	33.44	no	X
Cost of analysis	Serotyping in frame of official sampling	5	38.38	191.9	no	X
Cost of analysis	Bacteriological detection test in frame of official sampling	588	18.19	10695.72	no	X
Cost of analysis	Antimicrobial detection test	1	3.43	3.43	no	X
				Add a	new row	
2. Vaccination (if you ask cofinancing for	or purchase of vaccins, you should also	fill in 6.4 and 7.2)				
Cost related to	<u>Specification</u>	Number of vaccine dosis	Average cost per dose in EUR	Total amount in EUR	Union funding requested	
Vaccination	Purchase of vaccine doses	0	0	0	no	X
Add a new row						
3. Slaughter and destruction (without any salaries)						
Cost related to	Compensation of	Number of units	Unitary cost in EUR	Total amount in EUR	Union funding requested	
Slaughter and destruction	Animals culled or slaughtered	100 000	8	800,000	yes	X

Slaughter and destruction	Table eggs/hatching eggs destroyed	1 000 000	0.4	400,000	yes	X
Slaughter and destruction	Heat treated hatching eggs	400 000	0.2	80000	yes	Х
				Add a	new row	
4.Cleaning and disinfection						
Cost related to	<u>Specification</u>	Number of units	Unitary cost in EUR	Total amount in EUR	Union funding requested	
		'		Add a	new row	
5.Other costs						
Cost related to	<u>Specification</u>	Number of units	Unitary cost in EUR	Total amount in EUR	Union funding requested	
	Add a new row		new row			
6. Cost of official sampling						
Cost related to	<u>Specification</u>	Number of units	Unitary cost in EUR	Total amount in EUR	Union funding requested	
Cost of official sampling	Official sampling of poultry flocks	318	0	0	no	X
				Add a	new row	
	Total	1 500 914		1,290,924.49		

Standard requirement for the submission of programme for eradication, control and monitoring
8.2 Co-financing rate:
The maximum co-financing rate is in general fixed at 50%. However based on provisions of Article 5.2 and 5.3 of the Common Financial Framework, we request that the co-financing rate for the reimbursement of the eligible costs would be increased:
Oup to 75% for the measures detailed below
CUp to 100% for the measures detailed below
8.3 Source of national funding  Please specify the source of the national funding:
□other
Please provide details on the source of national funding (max 32000 characters)
The Danish Veterinary and Food Administration has financed all costs regarding salmonella, in areas where the Commission reimburses costs.
The Danish Veterinary and Food Administration has financed all costs regarding salmonella, in areas where the Commission reimburses costs.
The Danish Veterinary and Food Administration has financed all costs regarding salmonella, in areas where the Commission reimburses costs.

Standard requirement for the submission of progra	ımme for eradication, control and ı	monitoring
	Page 35 of 36	

#### **Attachments**

#### **IMPORTANT:**

- 1) The more files you attach, the longer it takes to upload them .
- 2) This attachment files should have one of the format listed here: jpg, jpeg, tiff, tif, xls, xlsx, doc, docx, ppt, pptx, bmp, pna, pdf.
- 3) The total file size of the attached files should not exceed 2 500Kb (+- 2.5 Mb). You will receive a message while attaching when you try to load too much.
- 4) IT CAN TAKE <u>SEVERAL MINUTES TO UPLOAD</u> ALL THE ATTACHED FILES. Don't interrupt the uploading by closing the pdf and wait until you have received a Submission Number!
- 5) Only use letters from a-z and numbers from 1-10 in the attachment names, otherwise the submission of the data will not work.

#### List of all attachments

Attachment name	File will be saved as (only a-z and 0-9 and):	File size
3809_3374.doc	3809_3374.doc	32 kb
3809_3375.doc	3809_3375.doc	36 kb
3809_3376.doc	3809_3376.doc	80 kb
3809_3377.doc	3809_3377.doc	34 kb
3809_3378.doc	3809_3378.doc	33 kb
	Total size of attachments :	215 kb