

# EuropaBio Monitoring WG

## Farmer Questionnaire

**Product: insect protected YieldGard® maize**

### Farmer personal and confidential data

Name of farmer: \_\_\_\_\_

Address of farmer: \_\_\_\_\_

City: \_\_\_\_\_

Postal code: \_\_\_\_\_

Name of interviewer: \_\_\_\_\_

Date of interview (DD / MM / YYYY): \_\_\_\_\_/\_\_\_\_\_/\_\_\_\_\_

The personal data of the farmer will be handled in accordance with applicable data protection legislation. The personal data of the farmers may be used for the purpose of interviews necessary for the survey if the farmers have authorised this use as per the data protection legislation.

The questionnaires will be encoded to protect farmers' identity in the survey and confidentiality agreements will be put in place between the different parties (i.e. authorisation holders, licensees, interviewers and analyst) to further enforce this. The identity of a farmer will only be revealed to the authorisation holders if an adverse effect linked to their trait has been identified and needs to be investigated.

Furthermore, the agreements between the different parties will also ensure that any information collected in the questionnaires will not be improperly shared or used.

\_\_\_\_\_

Code:

Year  Event  Partner  Country  Interviewer   
Farmer

---

Coding explanations:

2	0	2	0	-	0	1	-	M	A	R	-	E	S	-	0	1	-	1	1	1	1	1	1
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Year                      Event Code                      Partner<sup>1</sup> Code                      Country Code                      Interviewer<sup>2</sup> Code                      Farmer Code

**Codes:**

Event:      01    MON 810  
              02    ...

Partner<sup>1</sup>:    MAR    Markin  
              AGR    Agro.Ges  
              ...    ...

Country:    ES    Spain  
              PT    Portugal  
              RO    Romania  
              ...

Interviewer<sup>2</sup>: 01 A  
                  02 B  
                  03 ...

Farmer: unique ID for each farmer

---

<sup>1</sup> Partner is the organization that implements the survey

<sup>2</sup> Interviewer is the employee from the Partner that is contacting the farmers

<b>1 Maize grown area</b>
<b>1.1 Location:</b>
Country: _____
County: _____
<b>1.2 Surrounding environment:</b>
Which of the following would best describe the land usage in the surrounding of the areas planted with YieldGard® maize
<input type="radio"/> Farmland <input type="radio"/> Forest or wild habitat <input type="radio"/> Residential or industrial
<b>1.3 Size and number of fields of the maize cultivated area:</b>
Total area of all maize cultivated on farm (ha) _____
Total area of YieldGard® maize cultivated on farm (ha) _____
Number of fields cultivated with YieldGard® maize _____
<b>1.4 Maize varieties grown:</b>
List up to five YieldGard® maize varieties planted this season:
1. _____
2. _____
3. _____
4. _____
5. _____
List up to five conventional varieties planted this season:
1. _____
2. _____
3. _____
4. _____
5. _____
Are you growing any other GM maize varieties this season? <sup>3</sup>
<input type="radio"/> Yes <input type="radio"/> No

<sup>3</sup> Note: This question does not need to be asked in the 2013 season.

**1.5 Soil characteristics of the maize grown area:**

Mark the predominant soil type of the maize grown area (soil texture):

- very fine (clay)
- fine (clay, sandy clay, silty clay)
- medium (sandy clay loam, clay loam, sandy silt)
- medium-fine (silty clay loam, silt loam)loam)
- coarse (sand, loamy sand, sandy loam)
- no predominant soil type (too variable across the maize grown area on the farm)
- I do not know

Characterize soil quality of the maize grown area (fertility):

- below average - poor
- average - normal
- above average -good

Organic carbon content ( %) \_\_\_\_\_

**1.6 Local pest and disease pressure in maize:**

Characterize this season's general pest pressure on the maize cultivated area:

- |                                   |                           |                                |                            |
|-----------------------------------|---------------------------|--------------------------------|----------------------------|
| Diseases (fungal, viral)          | <input type="radio"/> Low | <input type="radio"/> As usual | <input type="radio"/> High |
| Pests (insects, mites, nematodes) | <input type="radio"/> Low | <input type="radio"/> As usual | <input type="radio"/> High |
| Weeds                             | <input type="radio"/> Low | <input type="radio"/> As usual | <input type="radio"/> High |

**2 Typical agronomic practices to grow maize on your farm**

**2.1 Irrigation of maize grown area:**

- Yes
- No

If yes, which type of irrigation technique do you apply:

- Gravity
- Sprinkler
- Pivot
- Other

**2.2 Major rotation of the maize grown area:**

previous year: \_\_\_\_\_

two years ago: \_\_\_\_\_

**2.3 Soil tillage practices:**

- No
- Yes (mark the time of tillage:  Winter  Spring)

**2.4 Maize planting technique:**

- Conventional planting
- Mulch
- Direct sowing

**2.5 Mark all typical weed and pest control practices in maize at your farm:**

Herbicide(s)

1

Insecticide(s)

If box checked, do you treat against maize borers?  Yes  No

Fungicide(s)

Mechanical weed control

Use of bio control treatments (e.g. Trichogramma)

Other, please specify: \_\_\_\_\_

**2.6 Application of fertilizer to maize grown area:**

Yes

No

**2.7 Typical time of maize sowing range (DD:MM – DD:MM):**

\_\_\_\_\_/\_\_\_\_/\_\_\_\_ -- \_\_\_\_/\_\_\_\_/\_\_\_\_

**2.8 Typical time of maize harvest range (DD:MM – DD:MM):**

Grain maize: \_\_\_\_/\_\_\_\_/\_\_\_\_ -- \_\_\_\_/\_\_\_\_/\_\_\_\_

Forage maize: \_\_\_\_/\_\_\_\_/\_\_\_\_ -- \_\_\_\_/\_\_\_\_/\_\_\_\_

**3 Observations of YieldGard® maize**

**3.1 Agricultural practices in YieldGard® maize (compared to conventional maize)**

Did you change your agricultural practices in YieldGard® maize compared to conventional maize? If any of the answers is different from «As usual», please specify the change.

How did you perform your crop rotate for YieldGard® maize compared with conventional maize?

As usual  Changed, because ( describe the rotation): \_\_\_\_\_

Did you plant YieldGard® maize earlier or later than conventional maize?

As usual  Earlier  Later, because: \_\_\_\_\_

Did you change your soil tillage or maize planting techniques to plant YieldGard® maize?

As usual  Changed, because: \_\_\_\_\_

Full commercial name of insecticides you applied in YieldGard® maize field, including seed treatments:

1. \_\_\_\_\_
2. \_\_\_\_\_
3. \_\_\_\_\_
4. \_\_\_\_\_

Full commercial name of herbicides you applied in YieldGard® maize field:

1. \_\_\_\_\_
2. \_\_\_\_\_
3. \_\_\_\_\_
4. \_\_\_\_\_

Full commercial name of fungicides you applied in YieldGard® maize field:

1. \_\_\_\_\_
2. \_\_\_\_\_
3. \_\_\_\_\_
4. \_\_\_\_\_

In 2013, how were the weed and pest control practices in YieldGard® maize when compared to conventional maize?

Insecticides:  Similar     Different, because: \_\_\_\_\_

Herbicides:  Similar     Different, because: \_\_\_\_\_

Fungicides:  Similar     Different, because: \_\_\_\_\_

In 2013, did you change maize borer control practices in YieldGard® maize when compared to conventional maize?

Similar     Changed, because: \_\_\_\_\_

In 2013, how were the fertilizer application practices in YieldGard® maize when compared to conventional maize?

Similar     Changed, because: \_\_\_\_\_

In 2013, how were the irrigation practices in YieldGard® maize when compared to conventional maize?

- Similar       Changed, because: \_\_\_\_\_

Did you harvest YieldGard® maize earlier or later than conventional maize?

- Similar     Earlier     Later      Because: \_\_\_\_\_

**3.2 Characteristics of YieldGard® maize in the field (compared to conventional maize)**

- |  |                                |                                     |                                     |
|--|--------------------------------|-------------------------------------|-------------------------------------|
| Germination vigour   | <input type="radio"/> As usual | <input type="radio"/> More vigorous | <input type="radio"/> Less vigorous |
| Time to emergence  | <input type="radio"/> As usual | <input type="radio"/> Accelerated   | <input type="radio"/> Delayed       |
| Time to male flowering   | <input type="radio"/> As usual | <input type="radio"/> Accelerated   | <input type="radio"/> Delayed       |
| Plant growth and development                                       | <input type="radio"/> As usual | <input type="radio"/> Accelerated   | <input type="radio"/> Delayed       |
| Incidence of stalk/root lodging                                    | <input type="radio"/> As usual | <input type="radio"/> More often    | <input type="radio"/> Less often    |
| Time to maturity   | <input type="radio"/> As usual | <input type="radio"/> Accelerated   | <input type="radio"/> Delayed       |
| Yield  | <input type="radio"/> As usual | <input type="radio"/> Higher yield  | <input type="radio"/> Lower yield   |
| Occurrence of volunteers from previous year planting (if relevant) | <input type="radio"/> As usual | <input type="radio"/> More often    | <input type="radio"/> Less often    |

If any of the answers above is different from «As usual», please specify:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Please detail any additional unusual observations regarding the YieldGard® maize during its growth: \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_

**3.3 Characterise the YieldGard® maize susceptibility to disease (compared to conventional maize)**

Overall assessment of disease susceptibility of YieldGard® maize compared to conventional maize (fungal, viral diseases):

- As usual       More susceptible<sup>4</sup>       Less susceptible<sup>4</sup>

If the above answer is different from «As usual», please specify the difference in disease susceptibility in the list and the commentary section below:

- |  |                            |                            |
|--|----------------------------|----------------------------|
| 1. <i>Fusarium</i> spp                     | <input type="radio"/> More | <input type="radio"/> Less |
| 2. <i>Ustilago maydis</i> = <i>U. zeae</i> | <input type="radio"/> More | <input type="radio"/> Less |
| 3. xxx                                     | <input type="radio"/> More | <input type="radio"/> Less |
| 4. xxx                                     | <input type="radio"/> More | <input type="radio"/> Less |
| 5. xxx                                     | <input type="radio"/> More | <input type="radio"/> Less |
| 6. Other: _____                            | <input type="radio"/> More | <input type="radio"/> Less |

Additional comments: \_\_\_\_\_

**3.4 Characterise the INSECT pest control in YieldGard® maize fields (compared to conventional maize)**

On the two insects controlled by YieldGard® maize, overall efficacy of the GM varieties on:

1. European corn borer (*Ostrinia nubilalis*):
- Very good     Good     Weak     Don't Know
2. Pink borer (*Sesamia* spp):
- Very good     Good     Weak     Don't Know

Additional comments: \_\_\_\_\_

**3.5 Characterise the YieldGard® maize susceptibility to OTHER pests susceptibility (compared to conventional maize)**

Except the two insects mentioned above, overall assessment of pest susceptibility of YieldGard® maize compared to conventional maize (insect, mite, nematode pests):

- A usual       More susceptible       Less susceptible

<sup>4</sup> More susceptible than conventional maize or Less susceptible than conventional maize



If the above answer is different from «As usual», please specify the difference in pest susceptibility in the list and the commentary section below:

- |          |       |                            |                            |
|----------|-------|----------------------------|----------------------------|
| 1. _____ | _____ | <input type="radio"/> More | <input type="radio"/> Less |
| 2. _____ | _____ | <input type="radio"/> More | <input type="radio"/> Less |
| 3. _____ | _____ | <input type="radio"/> More | <input type="radio"/> Less |
| 4. _____ | _____ | <input type="radio"/> More | <input type="radio"/> Less |
| 5. _____ | _____ | <input type="radio"/> More | <input type="radio"/> Less |

Additional comments: \_\_\_\_\_

**3.6 Characterise the weed pressure in YieldGard® maize fields (compared to conventional maize)**

Overall assessment of the weed pressure in YieldGard® maize compared to conventional maize:

- As usual       More weeds       Less weeds

List the three most abundant weeds in your YieldGard® maize field:

- |          |       |
|----------|-------|
| 1. _____ | _____ |
| 2. _____ | _____ |
| 3. _____ | _____ |

Were there any unusual observations regarding the occurrence of weeds in YieldGard® maize? \_\_\_\_\_

**3.7 Occurrence of wildlife in YieldGard® maize fields (compared to conventional maize)**

General impression of the occurrence of wildlife (insects, birds, and mammals) in YieldGard® maize compared to conventional maize fields:

Occurrence of insects (arthropods):

- As usual       More       Less       Do not know

If the answer above is «More» or «Less», please specify your observation:

\_\_\_\_\_

\_\_\_\_\_

Occurrence of birds:

- As usual     
  More     
  Less     
  Do not know

If the answer above is «More» or «Less», please specify your observation:

---



---

Occurrence of mammals:

- As usual     
  More     
  Less     
  Do not know

If the answer above is «More» or «Less», please specify your observation:

---



---

**3.8 Feed use of YieldGard® maize (if previous year experience with this event)**

Did you use the YieldGard® maize harvest for animal feed on your farm?

- Yes     
  No

If “Yes”, please give your general impression of the performance of the animals fed YieldGard® maize compared to animals fed conventional maize.

- As usual     
  Different     
  Do not know

If the answer above is «Different», please specify your observation:

---



---

**3.9 Any additional remarks or observations [e.g. from fields planted with event xxxx that were not selected for the survey]**

---



---



---



---

**4 Implementation of Bt-maize specific measures**

**4.1 Have you been informed on good agricultural practices for YieldGard® maize?**

- Yes       No

Only if you answered "Yes", would you evaluate these technical sessions as:

- Very useful       Useful       Not useful

**4.2 Seed**

Was the seed bag labelled with accompanying specific documentation indicating that the product is genetically modified maize YieldGard® maize?

- Yes       No

Did you comply with the label recommendations on seed bags?

- Yes  
 No, because: \_\_\_\_\_
- \_\_\_\_\_
- \_\_\_\_\_

**4.3 Prevention of insect resistance**

Did you plant a refuge in accordance to the technical guidelines?

- Yes  
 No, because the surface of YieldGard® maize planted on the farm is < 5 ha  
 No, because \_\_\_\_\_
- \_\_\_\_\_
- \_\_\_\_\_