

# **Better Training for Safer Food**

*Initiative* 

#### Dr Paulius Bušauskas

#### AFRICAN SWINE FEVER

This presentation is delivered under contract with the Consumers, Health, Agriculture and Food Executive Agency (http://ec.europa.eu/chafea). The content of this presentation is the sole responsibility of Opera S.u.r.l., the Istituto Zooprofilattico Sperimentale Lombardia e Emilia Romagna and the State Food and Veterinary Service of Latvia and it can in no way be taken to reflect the views of the Consumers, Health, Agriculture and Food Executive Agency or any other body of the European Union. The Consumers, Health, Agriculture and Food Executive Agency or any other body of the European Union will not be responsible under any circumstances for the contents of communication items prepared by the contractors.





# **Hunting wild boar under biosecurity**



# Risk of spread after introduction of the ASF virus in to wild boar population

- Delayed diagnosis;
- Wild boar population size and density;
- Forest connectivity;
- Inappropriate hunting methodologies;
- Infected wild boar carcasses available for healthy wild boars;
- Poaching

# Lack of biosecurity measures applied during hunting



## **BIOSECURITY**

# **Definition: General**

Biosecurity can be understood as a <u>series of disease mitigation</u> <u>strategies</u>, <u>processes and knowledge</u> to <u>prevent disease incursion</u> <u>ant the spread of infectious pathog</u>ens in a range of domains where disease <u>occurs amongst humans</u>, <u>animals and plants</u> or more broadly within an environment (Koblentz 2010).

#### **Livestock Farming**

Biosecurity refers to those measures taken to keep diseases out of populations, herds, or groups of animals where it does not currently exist or to limit the spread of disease within the herd... (EC Health and consumer protection directorate general 2007).



# **Biosecurity during hunting?**

When ASF is confirmed in the wild boar population, infected countries have to develop an eradication plan, which has to address the measures to be applied in the infected area including a set of appropriate biosecurity procedures to be applied when hunting.

It's recommended, that **countries at risk** <u>develop and implement</u> **basic hunting biosecurity measures before arrival of ASF**, since proper planning and implementation of hunting biosecurity measures requires time and resources and might be difficult to arrange in an emergency situation...



## **Biosecurity during hunting?** WHY?

- > When dealing with ASF in wild boar the main task is to REDUCE the virus load in the environment (!)
- > It means to reduce as much as possible the presence of the virus and thus reducing the probabilities of further spread in both wild boar and in domestic pigs.



## How to achieved that?

Biosecurity requirements should be foreseen on legislation!!!

# Do we have it?





## African Swine Fever Strategy for the EU



#### EUROPEAN COMMISSION

DIRECTORATE-GENERAL FOR HEALTH AND FOOD SAFETY

Directorate G - Crisis management in food, animals and plants Unit G3 - Official controls and eradication of diseases in animals

> Brussels SANCO G3/FB (19.04.2018)

SANTE/7113/2015 - Rev 9

WORKING DOCUMENT

African Swine Fever Strategy for the EU



# African Swine Fever Strategy for the EU

- Minimum biosecurity requirements for the hunters should be foreseen by the competent authority;
- At least these aspects should be included;
  - dedicated authorised dressing facility should be available in each hunting ground;
  - For each hunting ground a facility/premise should be equipped with refrigerator (or procedures reaching equivalent results in terms of keeping the carcass until laboratory results are available;
  - hunted wild boar should remain in the premises of the hunting ground until tested.



# African Swine Fever Strategy for the EU

- Offal from hunted wild boar should not be removed from the animal in the field;
- Shot wild boar should be brought to dedicated authorised dressing facilities limiting loss of body fluids (including blood);
- After dressing the wild boar, the place and equipment used (including transport vehicles) should be washed and disinfected with authorized disinfectants;
- > Animal by products should be collected and processed in accordance with Regulation (EC) No 1069/2009.

9



## African Swine Fever Strategy for the

EU

**Biosecurity** measures shall be applied when searching for and handling wild boar carcasses to avoid possible contamination of vehicles, yards and houses.




Food safety




## How to achieved that?

Each hunter in the area at risk or in the infected area must be well trained on



**Basic** biosecurity requirements





Hunting hygiene

11



## **HUNTERS SHOULD BE CARRY OUT WITH**

**Disinfection** material

**Special equipment** for disinfection

Knowledge












## **Transport of hunted animals**


- Private cars should be left outside the hunting ground;
- Special cars should be designated;
- Each hunted wild boar has to be treated as ASF positive in the infected country.

























## **CHALLENGES???**

- □ Difficult to ask and thus to achieve...
- □ Cars could be highly involved in spreading indirectly the ASF virus..



#### **DRESSING AREA**

- To be used in order to minimize the risk of ASF viral contamination of the environment;
- Open air or closed facilities;
- Designated exclusively for animal dressing;
- Authorized by Competent Authority, recognized by hunters and ensure the basic biosecurity...
- > Equipment used for dressing should not be used in any other places or moved to the animal keeping places;
- Authorized disinfectants should be used.

20




#### **DRESSING AREA**

# Could be a source of infection and a high risk area for the ASF virus (lot of blood)




# Open air or closed facilities







European Commission





#### **GENERAL RULE**

Hunted wild boar should never leave the hunting area unless tested for ASF and the carcasses released only when resulted negative to ASF.













## **BIOSAFETY**

Hunters should process hunted wild boars in special designated places and all ABPs should not be moved outside but kept in special tightly closed animal

waste pits or containers.









#### **GENERAL RULE**

Ground pits for offal disposal should be at least 3 meter deep, fenced and closed with a locked closure. Pits should be located in close proximity to the dressing room.



# SAMPLING UNDER BIOSECURITY IS CRUSIAL

All samples (Blood, Spleen, Tonsils, Kidney, Lymph nodes should be packed in special material trying to avoid liquids

spreading out.





Food safety



European





# POSITIVE RESULTS FROM THE LAB? What to do?

In case of positive results all stored carcasses have to be disposed under veterinary supervision and the whole dressing area cleaned and disinfected.





#### **BIOSECURITY DURING FOUND DEAD WILD BOAR**





# Handbook on African swine fever in wild boar and biosecurity during hunting

This handbook was prepared following recommendations of Standing Group of Experts on

African swine fever in the Baltic and Eastern Europe region (hereafter referred as 'SGE ASF') was

set up under the GF-TADs umbrella to build up a closer cooperation among countries affected by

**African swine fever (ASF)** and thereby, address the disease in a more collaborative and

harmonised manner across the Baltic and Eastern Europe sub-region.



Standing Group of Experts on African swine fever in Europe under the GF-TADs umbrella



Handbook on African Swine Fever in wild boar and biosecurity during hunting



# Handbook on African swine fever in wild boar and biosecurity during hunting

http://web.oie.int/RR-Europe/eng/eng/Regprog/docs/docs/GF-TADs%20Handbook\_ASF\_WILDBOAR%20version%202018-09-25.pdf



#### **HOME MESSAGE**

- Biosecurity is the simple rule how to avoid the disease;
- ➤ It is recommended that the countries at risk develop and implement basic hunting biosecurity measures before the arrival of ASF;
- Without the human factor the ASF spread is very slowly



# Thank you Questions, suggestions?





This presentation is delivered under contract with the Consumers, Health, Agriculture and Food Executive Agency (http://ec.europa.eu/chafea). The content of this presentation is the sole responsibility of Opera S.u.r.l., the Istituto Zooprofilattico Sperimentale Lombardia e Emilia Romagna and the State Food and Veterinary Service of Latvia and it can in no way be taken to reflect the views of the Consumers, Health, Agriculture and Food Executive Agency or any other body of the European Union. The Consumers, Health, Agriculture and Food Executive Agency or any other body of the European Union will not be responsible under any circumstances for the contents of communication items prepared by the contractors.

#### **OPERA**

Viale Parioli 96, 00197 Roma - Italy Tel +39 06 96042652- / +39 06 8080111 Fax +39 06 89280678 info@opera-italy.it; www.btsftraining.com; http://opera-italy.eu/

© Copyright holder: European Commission (2018)

# Better Training for Safer Food BTSF

European Commission Consumers, Health and Food Executive Agency DRB A3/042 L-2920 Luxembourg

Food safety