MONITORING REPORT FOR GMO USES OTHER THAN CULTIVATION

CNL1301 SHD-27531-4 Florigene®MoonteaTM

| Page | Content | | |
|----------|--|--|--|
| Complete | Completed form | | |
| 1 | 1. General information | | |
| 2 | 2. Executive summary | | |
| 2 | 3. Uses of GMOs other than cultivation | | |
| 9 | 4. Summary of results and conclusions | | |
| 9 | 5. Adaptation of the monitoring plan and associated methodology for future years | | |
| Attachme | ents | | |
| 11 | Attachment 1. Breeders and experts contacted | | |
| 12 | Attachment 2. Mail out summary 2022 | | |
| 17 | Attachment 3. Importer questionnaire response | | |
| 18 | Attachment 4. Summary of survey data | | |
| 21 | Attachment 5. Literature review methodology | | |
| 29 | Attachment 6. Database information | | |

1. General information

1.1 Crop/traits

Carnation (*Dianthus caryophyllus*) with modified flower colour, variety Florigene®MoonteaTM.

1.2 Decision authorisation number pursuant to Directive 2001/18/EC and number and date of consent pursuant to Directive 2001/18/EC

Florigene®MoonteaTM

Decision authorisation number; C/NL/13/01 Number of consent; C/NL/13/01/00 bes1 Date of consent; February 2, 2017

1.3 Decision authorisation number and date of authorisation pursuant to Regulation (EC) No. 1829/2003

Not applicable.

1.4 Unique identifier

SHD-27531-4

1.5 Report period from

July 1, 2021 to June 30, 2022

1.6 Other monitoring reports have been submitted in respect of cultivation

YES □ NO ■

2. Executive summary

Approximately 12 tonnes (0.6 million flowers) of Florigene® Moontea[™] were imported into the EU from July 1, 2021 to June 30, 2022, through a single importer in the Netherlands. Flowers were imported from Colombia.

Results of general monitoring for the occurrence of genetically modified carnation in the EU were:

- The importer and a breeder reported that they were not aware of any illegal growing. Neither they nor consumers have reported any adverse effects of handling the flowers.
- No reports were provided via the Florigene website. Florigene/Suntory received one question from EU-based public, distributors, or retailers in the period. This query related to business opportunities in Australia.
- Information on survey work was provided by three botanical experts, covering work in 10 European countries. There was no evidence of the establishment of any carnation populations in the wild, or of hybridisation between carnation and wild *Dianthus* species.
- 33 responses were received from 153 emails sent to botanical gardens and previously contacted entities. None of the respondents reported collecting or observing carnation populations established outside of cultivation. Wild type *Dianthus caryophyllus* records were noted.
- A review of literature related to *Dianthus* was carried out. No escape populations of cultivated carnation or hybrids with other *Dianthus* species in wild populations were identified.
- Botanical and floral databases were searched for records of carnation and *Dianthus caryophyllus* made since the last monitoring report. New records of *Dianthus caryophyllus* L. were found from Germany, Norway, France, Portugal and Switzerland. Photographs of the observations (where available) and follow up communication indicated observations to be 5-petal wild *Dianthus caryophyllus* or non-transgenic varieties of carnation.

The overall results are consistent with previous monitoring reports and indicate carnation is not established in nature in Europe. The monitoring this year supports previous observations that wild type *Dianthus caryophyllus* is rare and is most commonly found in France.

3. Uses of GMOs other than cultivation

3.1 Commodity imports into the community

3.1.1 Commodity crop (GM and non-GM) imports into the community by country of origin

GM product

GM product was imported from Colombia and Ecuador. Table 1 provides information on the imports of all transgenic carnation varieties imported into the EU in this reporting period. Information on the specific variety covered by this report is highlighted in red font.

Table 1. Tonnes of GM carnation imported into the EU from July 1 2021 to June 30 2022

| GM carnation variety | Quantity (tonnes) | |
|------------------------------------|-----------------------|------------------------|
| | Imported from Ecuador | Imported from Colombia |
| Florigene®Moonaqua TM | 31 | 13 |
| Florigene®Moonlite TM | 24 | 11 |
| Florigene®Moontea TM | 0 | 12 |
| Florigene®Moonberry TM | 0 | 3 |
| Florigene®Moonvelvet TM | 0 | 3 |
| Florigene®Moonvista TM | 13 | 8 |
| All GM carnation varieties | 68 | 50 |

GM and non-GM product

When the EUROSTAT database was accessed in late July information on import of carnation flowers was only shown to the end of April 2022. In order to estimate the percentage of imports which are GM we have therefore chosen to use data for the 12-month period from May 2021 to April 2022. Table 2 shows the data for imports of the GM carnation varieties over this period. Table 3 shows the combined total of GM and non-GM carnation flower imports¹ over the same period.

Table 2. Tonnes of GM carnation imported into the EU from May 2021 to April 2022.

| GM carnation variety | Quantity (tonnes) | | |
|------------------------------------|-----------------------|------------------------|--|
| | Imported from Ecuador | Imported from Colombia | |
| Florigene®Moonaqua TM | 33 | 11 | |
| Florigene®Moonlite TM | 25 | 11 | |
| Florigene®Moontea TM | 0 | 11 | |
| Florigene®Moonberry TM | 0 | 3 | |
| Florigene®Moonvelvet TM | 0 | 3 | |
| Florigene®Moonvista TM | 14 | 7 | |
| All GM carnation varieties | 72 | 46 | |

Table 3. Estimated import of carnation flowers (total of GM plus non-GMO) into the EU, May 2021 to April 2022.

| 11th y 2021 to 11pt tt 2022. | | | | |
|------------------------------|--------------------|--------------------|--|--|
| Country of origin | Quantity (tonnes)* | | | |
| | NL imports | EU27 total imports | | |
| Ecuador | 309 | 356 | | |
| Colombia | 11,761 | 14,232 | | |
| Other countries | 17,538 | 20,353 | | |
| Total ² | 29,608 | 34,941 | | |

^{*} From EUROSTAT (code 06031200; fresh cut carnations, DS-016890 trade since 1988 by CN8).

² Reporter; EU27 2020 EXTRA

Page 3 of 36

¹ http://epp.eurostat.ec.europa.eu/newxtweb/setupdimselection.do

Percentage of import which is GM

Table 4 shows the percentage of carnation flower import into the EU which is GM.

Table 4. Percentage of carnation flower import into the EU which were GM flowers.

Data is calculated from tables 2 and 3.

| GM carnation variety | Percentage of carnation imports | | | |
|------------------------------------|---------------------------------|------------|-----------------|--|
| | From | From | From all extra- | |
| | Ecuador# | Colombia## | EU countries* | |
| Florigene®Moonaqua TM | 9.19% | 0.08% | 0.13% | |
| Florigene®Moonlite TM | 7.11% | 0.08% | 0.10% | |
| Florigene®Moontea TM | 0.00% | 0.08% | 0.03% | |
| Florigene®Moonberry TM | 0.00% | 0.02% | 0.01% | |
| Florigene®Moonvelvet TM | 0.00% | 0.02% | 0.01% | |
| Florigene®Moonvista TM | 3.91% | 0.05% | 0.06% | |
| All varieties | 20.21% | 0.33% | 0.34% | |

[#] GM imports into the EU27 from Ecuador as a percentage of total GM plus non-GM product imported from Ecuador

3.1.2 Commodity crop (GM and non-GM) imports into the community by country of destination

All imports of the GM product were into the Netherlands. Table 5 shows the percentage of carnation flower imports into the Netherlands which were GM.

Table 5. Percentage of carnation flower import into the Netherlands which were GM flowers. Data calculated from tables 2 and 3.

| jion eist zata catematea ji ont taotes z ana et | | | |
|---|---------------------------------|------------|-----------------|
| GM carnation variety | Percentage of carnation imports | | |
| | From | From | From all extra- |
| | Ecuador# | Colombia## | EU countries* |
| Florigene®Moonaqua TM | 10.59% | 0.10% | 0.04% |
| Florigene®Moonlite TM | 8.19% | 0.10% | 0.04% |
| Florigene®Moontea TM | 0.00% | 0.09% | 0.04% |
| Florigene®Moonberry TM | 0.00% | 0.03% | 0.01% |
| Florigene®Moonvelvet TM | 0.00% | 0.02% | 0.01% |
| Florigene®Moonvista TM | 4.51% | 0.06% | 0.02% |
| All varieties | 23.28% | 0.40% | 0.16% |

[#] GM imports into NL from Ecuador as a percentage of total GM plus non-GM product imported from Ecuador

3.1.3 Analysis of data provided in 3.1.1 and 3.1.2

Approximately 12 tonnes of the GM event Florigene®MoonteaTM were imported in the monitoring period (July 2021 to June 2022). Imports were from Colombia (table 2). The transgenic carnation event represents approximately 0.08% of total imports of carnation into

^{##} GM imports into the EU27 from Colombia as a percentage of total GM plus non-GM product imported from Colombia

^{*}GM imports into the EU27 from all extra-EU countries (including Ecuador plus Colombia) as a percentage of total GM plus non-GM product

^{##} GM imports into NL from Colombia as a percentage of total GM plus non-GM product imported from Colombia

^{*}GM imports into NL from all extra-EU countries (including Ecuador and Colombia) as a percentage of total GM plus non-GM product

the EU from Colombia (table 4). As the Netherlands dominates the import of extra-EU27 imports of carnation, similar percentages were recorded for import into the Netherlands alone. The transgenic carnation event represents approximately 0.09% of total imports of carnation into the Netherlands from Colombia (table 5).

3.2 General surveillance

3.2.1 Description of general surveillance

The general surveillance plan consisted of;

- 1. Importer questionnaire.
- 2. Survey reports. Florigene contacted a breeder and engaged the services of botanists to alert us to any wild carnation populations or unusual *Dianthus* hybrids. This year we have received information from three experts and the breeder.
- 3. Mail out. An email survey was carried out, in multiple languages. 153 contacts were made in 2022, in accordance with the revision of the mail out strategy proposed last year.
 - Contact was made with 128 entities that have never responded by letter. The enquiry was not accompanied by a brochure or pamphlet.
 - Contact was made with 25 entities who have responded regularly advising them that a) though a mail out will no longer be made the general monitoring will continue b) provide contact details for them to voluntarily advise of any observations of escape carnation populations in future years.
- 4. Literature review (attachment 5) and database review (attachment 6).

The same general monitoring plan was applied to all the transgenic carnation varieties which are imported into the EU. Accordingly, the information provided in attachments 1 to 6 is similar in the monitoring reports for each transgenic carnation event imported into the EU.

3.2.2 Details of industry, environmental, food and/or feed related surveillance networks used during general surveillance

Attachment 1. Breeders and experts contacted in 2022.

Attachment 2. Institutions contacted in 2022.

Attachment 6. Databases reviewed in 2022.

3.2.3 Details of information and/or training provided to importers, handlers, processors

No training was provided.

3.2.4 Results of general surveillance

Importer questionnaire

See attachment 3. The importer reported that they were not aware of any illegal growing and that neither they nor their consumers have reported any adverse effects of handling the flowers.

Website feedback

Three queries were made to the Florigene website during the year. Two were from outside Europe and one was seeking industry leads in Australia.

Survey reports

Florigene received survey reports from three expert botanists. The results, summarised in attachment 4, reported no evidence of escape populations of transgenic carnation and no evidence of putative hybrids.

Mail out

The results of the 128 emails to entities that have never responded by letter were;

- 17 emails were returned as undeliverable. Access to contact information was via web search and we assume these email addresses were not updated by webmasters.
- 16 responses were received (14.4% response rate). The response rate was lower than the 40 - 50% normal response rate to emails, but acceptable given the entities had not responded to multiple letter requests in the past. The majority of responses were unable to assist or confirmed no records of D. caryophyllus or carnation. No entity had any record of carnation naturalisation. Two institutions had recent records of wild type Dianthus caryophyllus (all collected in France). One herbarium had a wild type specimen from 1550.

Replies were received from 16 of the other 25 entities contacted (64% response rate). All but one of the responses was to indicate no records or no change since the last monitoring report. The single other response was a new herbarium record of carnation, which based on colour and record details was a non-transgenic variety in cultivation.

In summary, the responses to the mail out did not provide evidence of "escape" or naturalised populations of carnation.

Literature review

Attachment 5 summarises the output from the literature review. A summation is provided in section to 3.2.6.

Database review

Attachment 6 lists the details of the 73 databases examined. No databases identified transgenic carnation, or hybrids between transgenic carnation and wild *Dianthus* populations. Sixteen databases (listed in table 1 of attachment 6) provided records of *Dianthus* caryophyllus (or synonyms) in Europe that were made since the last monitoring report. Where photographs were available, or collectors were able to be contacted it was established the records were of wild type D. caryophyllus or non-transgenic carnation in or adjacent to cultivation (refer table 1, attachment 6).

3.2.5 Additional information

No adverse or unanticipated effects associated with production or sale of flowers of the transgenic event have been observed or reported. Additional information relevant to the transgenic event is summarised below.

Production sites

In May 2022 the transgenic carnation production area in Colombia was surveyed for the possible presence of escaped populations of cultivated transgenic carnation. No carnation plants were found outside of cultivation.

Phenotypic stability

Off-type percentage in the event was measured in Colombia in May 2022. The flower colour modification phenotype remains stable with no observed off-type.

3.2.6 Review of peer-reviewed publications – Attachment 5

Attachment 5 provides details of the methodology and outcome of the literature review. Papers cited numerically in this section are listed in the reference list in attachment 5 and cross referenced by those numbers.

Evidence for escape of carnation from cultivation

None of the literature identified cultivated carnation, escape populations of cultivated carnation or hybrids with other *Dianthus* species in wild populations.

Vegetation survey data

Of the 255 papers read, 125 were vegetation surveys, local floras or plant checklists. No *Dianthus* species were identified in 58 of those papers. In the other 67 papers [1-67] one or more *Dianthus* species were found but not *Dianthus caryophyllus*. A total of 150 records of 69 different *Dianthus* species were noted in the 67 papers with *D.armeria D. deltoides*, and *D. carthusianorum* the three most widely reported species (table 6).

Table 6. The number of citations noted in references 1-67 (attachment 5) in which one or more Dianthus species were recorded

| GM carnation variety | Number of citations |
|---|---------------------|
| Dianthus armeria L. | 14 |
| Dianthus deltoides L. | 13 |
| Dianthus carthusianorum L. | 9 |
| Dianthus sylvestris Wulfen | 8 |
| Dianthus superbus L. | 7 |
| Dianthus barbatus L. | 6 |
| Dianthus hyssopifolius L. | 5 |
| Dianthus pinifolius Sm. subsp. pinifolius | 4 |
| Dianthus petraeus Waldst. & Kit. | 4 |
| Dianthus longicaulis Ten. | 4 |

Wild *Dianthus* species whose synonym names are subspecies of *D. caryophyllus*³ were noted in Italy and France. *These species were D. longicaulis* [16, 22, 33, 61], *D. saxicola* [43], *D. siculus* [27] and *D. tarentinus* [63]. Cultivated *Dianthus* species other than carnation (for example sweet william, *D. barbatus*) were recorded in surveys in Romania [50], the UK [58] and Germany [89].

In a review of plant distribution in European Alps and the Caucasus [80], wild *D.caryophyllus* was stated to occur in the Alps only.

Dianthus taxonomy

Papers discussing the genetic relatedness, ploidy, taxonomy and lectotypification of *Dianthus* species related to and synonymous with *Dianthus caryophyllus* have been published in this reporting period [70, 75, 76, 77, 78, 91, 92]. Several of the authors had been contacted in earlier mail outs as part of this monitoring process. These papers show that the wild *Dianthus* species with synonyms to wild *Dianthus caryophyllus* are now well characterised and are not likely to be confused with *D. caryophyllus* in the literature, let alone be confused with cultivated carnation. For this reason, the synonyms to *D. caryophyllus* will be removed from literature review and database review in future monitoring reports.

Published literature on the transgenic event

No literature relating to the transgenic events was identified.

Carnation molecular biology

Evidence for a role of transcription factor expression in interruption of anthocyanin biosynthesis in carnation has been published [73, 93]. Transcription factor mediated variation to the anthocyanin pathway is one possible cause of the variation in flower colour sometimes observed in transgenic carnation.

³ Bacchetta, G., Brullo, S., Casti, M., & Pietro Giusso del Galdo, G. (2010). Taxonomic revision of the Dianthus sylvestris group (Caryophyllaceae) in central–southern Italy, Sicily and Sardinia. Nordic Journal of Botany, 28(2), 137-173.

A second carnation genome sequence has been generated for carnation using the non-transgenic variety "scarlet queen" [93]. The nucleotide sequences have been made available⁴ and data includes mapping of certain loci to the anthocyanin biosynthesis pathway in carnation [93].

Other information

other relevant papers were;

- A phylogenetic analysis [85] carried out on flavonoid 3'5' hydroxylase the colour modification gene in the transgenic carnation.
- Photo-luminescence (dye treated flowers) carnation has been described [86]. Potentially these are new, non-transgenic, carnation varieties.
- *Dianthus caryophyllus* was shown to be sensitive to cadmium and not suitable for reclamation vegetation [83].
- A review of edible flower use in Europe includes non-transgenic cultivated carnation [68]
- A review on the health benefits of delphinidin (the novel anthocyanin in the transgenic carnation flowers) has been published [81].
- Further evaluation and characterisation of the delphinidin-enhanced transgenic crimson tomato and indigo tomato has been made [69,71].
- Wild *D.pavonius* and *D.carthusianorum* genotypes from mountain areas have been identified as potential nursery species [72].
- Dianthus campestris has been identified as an indicator species for soil type [74].
- Additional evidence has been provided for enthno-medical use of carnation to treat health problems [84].
- More background information on pollination biology, ecology and climate adaptation in *Dianthus* species other than *Dianthus caryophyllus* has been published [24, 70, 82, 87, 88].
- Methods for conservation of rare *Dianthus* species has been described [11,13, 79].
- The persistence of cultivated *Dianthus* species other than carnation in abandoned rural areas has been presented [21, 39, 40, 90].

3.3 Case-specific monitoring

3.3.1 Description and results of case-specific monitoring (if applicable) Not applicable.

Processing (if applicable)

| EU member state | Point of entry/point of cultivation | Point of processing | Distance from point of entry/site of cultivation | Transport used | |
|--------------------|-------------------------------------|---------------------|--|-------------------|--|
| Not applicable | | | | | |

3.3.2 Monitoring and reporting of adverse effects resulting from accidental spillage (if applicable)

Not applicable.

_

⁴ https://www.ncbi.nlm.nih.gov/assembly/GCA_023091065.1 https://www.ncbi.nlm.nih.gov/genome/?linkname=pubmed_genome&from_uid=35247284

3.4 Concluding remarks

There was no evidence of the establishment of the transgenic carnation event in the wild, or of introgression with wild *Dianthus* species. There has been no evidence of unexpected adverse effects on human health or the environment.

The general monitoring of the literature and databases again generated more relevant records than the mail out, which will be discontinued from 2023, as proposed and adopted in November 2021⁵.

4. Summary of results and conclusions

Results

- 1. The importer reported that they were not aware of any illegal growing and that neither their staff nor consumers have reported any adverse effects of handling the flowers.
- 2. Reports from surveys carried out by three experts failed to identify Florigene® MoonteaTM in the wild and no evidence of hybridisation to this variety.
- 3. A final mail out was carried out. None of the responses received identified any plants which could have been Florigene® MoonteaTM.
- 4. A review of recent peer-reviewed literature failed to identify any variety of cultivated carnation outside of cultivation in Europe.
- 5. Sixteen databases (listed in table 1 of attachment 6) provided records of *Dianthus caryophyllus* (or synonyms) in Europe that were made since the last monitoring report. Where photographs were available, or collectors were able to be contacted it was established the records were of wild type *D. caryophyllus* or non-transgenic carnation in or adjacent to cultivation.

Conclusions

There was no evidence of the establishment of carnation of any variety in the wild, or of introgression. The data collected was consistent with the distribution in nature in Europe of wild-type unimproved *Dianthus caryophyllus* only, primarily in France.

5. Adaptation of the monitoring plan and associated methodology for future years

The literature and database review will be continued. Publicly available flora databases and research vegetation databases are the most relevant source of information and efforts will continue to be made to ensure all relevant European databases have been identified, expanding the current list of databases. Larger "citizen scientist" on-line depositories of observations, particularly *i*-naturalist, are a very useful resource. Though the mail out part of the monitoring plan has been discontinued, there are a number of European herbaria that have not yet been contacted. Next year we plan to contact these as part of the literature review, using the contact information in the *Index Herbariorum* database.⁶

The synonym names for *Dianthus caryophyllus* will not be included as search words in future literature and database reviews. We have not found any instances where these species have been used as the Latin name for carnation and have only found examples of wild type *Dianthus* when records of such synonyms have been found in databases. In the scientific literature *Dianthus* species are carefully defined and carnation is universally known as *Dianthus caryophyllus*.

Page 9 of 36

⁵https://webgate.ec.europa.eu/fip/GMO_Registers/GMO_Part C.php

⁶ http://sweetgum.nybg.org/science/ih/

We will continue to carry out the literature and database reviews with sufficient time to contact authors and collectors if necessary.

We will continue to work with experts in the Balkans and continue to try and find botanical experts based in Italy and France.

Dated..... August 3, 2022

Attachment 1. Breeders and experts contacted

| Breeders | |
|----------------------------------|-------------------------------------|
| Selecta Klemm GmbH and Co. | Hanfäcker 10 |
| | 70378 Stuttgart, Germany |
| Botanists | |
| Ss. Cyril and Methodius | Department of Botany and Dendrology |
| University in Skopje | Faculty of Forestry in Skopje |
| | MK-1000 Skopje |
| | Republic of North Macedonia |
| Slovak University of Agriculture | Department of Botany |
| in Nitra | Tr. A. Hlinku 2, 949 76 Nitra |
| | Slovakia |
| University of Zagreb | Department of Biology |
| | Rooseveltov trg 6 |
| | 10000 Zagreb |
| | Croatia |

Attachment 2. Mail out summary 2022

A list of institutions contacted in 2022 is shown below.

| Organisation | City | Country |
|--|---------------|------------------------|
| University of Vienna | Vienna | Austria |
| Alpengarten Villacher Alpe | Villach | Austria |
| Sarajevo Botanical Garden | Sarajevo | Bosnia And Herzegovina |
| The Institute of Introduction and Plant Resources "K.Malkov" | Sadovo | Bulgaria |
| National Museum of Natural History | Sofia | Bulgaria |
| Faculty of Agronomy | Plovdiv | Bulgaria |
| School Botanic Garden 'Ostrog' | Kastel Luksic | Croatia |
| The Agricultural Research Institute | Nicosia | Cyprus |
| Botanická zahrada PřF Masarykovy univerzity v Brně | Brno | Czech Republic |
| Botanická Zahrada PřF UP | Olomouc | Czech Republic |
| Dept of Biology | Ostrva | Czech Republic |
| Botanická Zahrada hl.m. Prahy | Prague | Czech Republic |
| Klub Skalničkářů Prague | Prague | Czech Republic |
| Botanická Zahrada Petra Albrechta | Prostejov | Czech Republic |
| Botanická Zahrada při SZeŠ Rakovník | Rakvnik | Czech Republic |
| Vedoucí Botanické Zahrady Botanická Zahrad | Prague | Czech Republic |
| Botanická Zahrada Při Voš a SzeŠ v Táboře | Tabor | Czech Republic |
| Talinn Botanic garden | Talinn | Estonia |
| Botanical garden, University of Tartu | Tartu | Estonia |
| Institut National d'Horticulture Herbier | Angers | France |
| Floralpina | Arras | France |
| Jardin botanique de Marnay sur Seine | Aube | France |
| Museum Requien | Avignon | France |
| Centre Régional de Phytosociologie Herbier | Bailleul | France |

| Association Jardin Botanique Du Val D'yser | Bambecqu | France |
|---|--------------------|---------|
| Jardin Botanique de la Ville et de l'Universite de Besancon | Besancon | France |
| Natural History Museum | Bordeaux | France |
| Jardin Botanique de la Ville de Caen | Caen | France |
| Les Jardins D'eau | Carsac - Aillac | France |
| Jardin Botanique De La Villa | Chemin | France |
| Jardin Botanique des Olfacties | Coëx | France |
| Parc Botanique de Cornouaille | Combrit | France |
| Jardin des Paradis | Cordes Sur Ciel | France |
| Museum Jardin des Sciences de l'Arquebuse | Dijon | France |
| Muséum National d'Histoire Naturelle Herbier | Dinard | France |
| Les jardiniers du Dimanche | Genay | France |
| Univ. Grenoble Alpes | Grenoble | France |
| Église de Saint-Xist et Jardin Botanique | Le Clapier | France |
| Jardin Botanique de la Faculte des Sciences Pharmaceutiques, Universté de Lille | Lille | France |
| Conservatoire Ethnologique de Haute-Provence | Mane | France |
| Jardins Botanique EMHeckel | Marseille | France |
| Les Jardiniers de Maubeuge et de la Vallée de la Sambre | Maubeuge | France |
| Parc Zoologique et Botanique de la Ville de Mulhouse | Mulhouse | France |
| Le Parc Botanique de Neuvic | Neuvic-Sur-L'isle | France |
| Parc Botanique du Château d'Ouge | Ouge | France |
| Parc et Roseraie du Château de Rambures | Rambures | France |
| Jardin Botanique de l'Universite de Rennes | Renens | France |
| Jardin Botanique de la Ville de Rennes (Jardin Botanique "Le Thabor") | Rennes | France |
| Jardin Botanique des Pyrenees-Occidentales | Saint-Jammes | France |
| Jardin Botanique Paul Jovet | Saint-Jean De Luz | France |
| Université de Lyon I (Claude Bernard) | Villeurbanne | France |
| Jardin botanique de la Presle | Nanteuil La Floret | France |
| Freien Universität Berlin | Berlin | Germany |


| Botanical garden of the Humboldt-Universität zu Berlin | Berlin | Germany |
|---|-----------------------|-----------|
| Technische Universitat | Dresden | Germany |
| Botanischer Garten der Universität Karlsruhe (TH) | Karlsruhe | Germany |
| Botanischer Garten der Stadt | Langensalza | Germany |
| Botanischer Garten der Universität Leipzig | Leipzig | Germany |
| Botanischer Garten München-Nymphenburg | Munich | Germany |
| Botanischer Garten der Universität Osnabrück | Osnabrück | Germany |
| Botanischer Garten der Universität Halle | Wittenberg | Germany |
| Botanischer Garten der Stadt Wuppertal | Wuppertal | Germany |
| Gibraltar Botanic Gardens | Gibraltar | Gibraltar |
| Natural History Museum of Crete, University of Crete | Heraklion | Greece |
| Botanic Garden of Stavroupoli | Thessaloniki | Greece |
| Hungarian Academy of Sciences - Botanic Garden | Vacratot | Hungary |
| University of Debrecen | Debrecen | Hungary |
| University of West Hungary, Botanic Garden | Sopron | Hungary |
| Museo Regionale di Scienze Naturali della Valle d'Aosta Erbario | Alba | Italy |
| Università di Ancona | Ancona | Italy |
| Giardino Botanico Gole del Sagittario | Anversa Degli Abruzzi | Italy |
| Istituto Ortobotanico | Bari | Italy |
| Università di Camerino | Barisciano | Italy |
| Orto Botanico de Bergamo | Bergamo | Italy |
| University of Bologna | Bologna | Italy |
| The Reiza Alpine Botanical Gardens Bormio | Bormio | Italy |
| Museo Civico di Scienze Naturali | Brescia | Italy |
| Università di Camerino | Camerino | Italy |
| Giardino Botanico di Valbonella Via della Foresta | Corniolo | Italy |
| Orto Botanico dell'Università di Genova | Genova | Italy |
| Giardino Botanico alpino "Castel Savoia" | Gressoney-Saint-Jean | Italy |
| Università degli Studi di Torino | Grugliasco | Italy |

| University of Molise | Isernia | Italy |
|---|-------------|-----------------|
| Universita' degli Studi di L'Aquila | L'Aquila | Italy |
| Museo di storia naturale del Mediterraneo | Livorno | Italy |
| Comune di Lucca | Lucca | Italy |
| Università Degli Studi di Napoli Federico II | Napoli | Italy |
| Orto Botanico dell'Universitá di Palermo | Palermo | Italy |
| Università degli Studi di Parma | Parma | Italy |
| Università di Perugia | Perugia | Italy |
| Università degli Studi di Napoli | Portici | Italy |
| Università di Sassari | Sassari | Italy |
| Giardino dei semplici Facoltà di Farmacia Dipartimento di Scienze del Farmaco | Scalo | Italy |
| Giardino Esperia Club Alpino Italiano Localita' Passo Del Lupo | Sestola | Italy |
| Museo di Storia Naturale | Torino | Italy |
| Museo Tridentino di Scienze Naturali | Trento | Italy |
| University of Trieste | Trieste | Italy |
| University of Latvia | Riga | Latvia |
| Institute of Botany | Vilnius | Lithuania |
| Arboretum Radigojno | Kolasin | Montenegro |
| Botanic Garden Groningen \'Domies Toen\' | Groningen | The Netherlands |
| Botanic Garden | Kerkrade | The Netherlands |
| The Botanical Garden | Oslo | Norway |
| Jardim Botanico da Ajuda, Lisboa | Lisbon | Portugal |
| Jardim Botânico da Universidade de Lisboa | Lisbon | Portugal |
| Jardim Botânico da Universidade de Trás-os-Montes e Alto Douro, Vila Real | Vila Real | Portugal |
| Gradina Botanica a Universitatii din Craiova | Craiova | Romania |
| Gradina botanica a Complexului Muzeal de Stiintele Naturii din Galati | Galati | Romania |
| Gradina Botanica Targu Mures | Tirgu-Mures | Romania |
| Comenius University Faculty of Pharmacy, Garden of Medicinal Plants | Bratislava | Slovakia |
| Agricultural University of Nitra Botanic Garden | Nitra | Slovakia |


| Maribor University Botanic Garden | Ноčе | Slovenia |
|--|------------|----------------|
| University of Ljubljana | Ljubljana | Slovenia |
| Botanical Garden TAL 2000 | Pragerskem | Slovenia |
| Botanical Garden Sežana | Sezana | Slovenia |
| Universidad de Castilla | Albacete | Spain |
| Jardín Botánico Atlántico | Gijón | Spain |
| Arboretum i Jardí Botànic de Lleida Dr. Pius Font i Quer | Lleida | Spain |
| Institut d'Estudis Ilerdencs | Lleida | Spain |
| Escuela Técnica Superior de Ingenieros Agrónomo | Madrid | Spain |
| Universidad de Murcia | Murcia | Spain |
| University of Navarra | Pamplona | Spain |
| Universidad de Salamanca | Salamanca | Spain |
| Universidad de Sevilla Herbario | Sevilla | Spain |
| Universidad Politécnica Herbario | Valencia | Spain |
| Isole de Brissago Botanic Garden | Brissago | Switzerland |
| Jardin Botanique de l\'Université de Fribourg | Fribourg | Switzerland |
| Botanischer Garten Sankt Gallen | Gallen | Switzerland |
| Actuakky garden of the ville Neuchâtel | Neuchâtel | Switzerland |
| Alpine Garden Society | Pershore | United Kingdom |

Attachment 3. Importer questionnaire response

December 2021



June 2022



Attachment 4. Summary of survey data

Florigene received reports from three experts, covering work in seven Balkan countries, Austria, Greece and Italy. None of the experts found any indication of hybrids with transgenic carnations, populations of carnation or populations of wild *Dianthus caryophyllus*. Restrictions to movement imposed by the Covid-19 pandemic remained in place for some of this period (until the end of June 2022 in some places).

Slovakia

One expert provided data for Slovakia. Dates and locations of sampling are listed in table 1, with *Dianthus* species identified. Five *Dianthus* species were recorded, but not *Dianthus caryophyllus*.

| Month | Location | Species |
|-----------|---|-----------------------|
| August | Slovakia, Štiavnické vrchy Mts., Banská Belá | Dianthus |
| 2021 | village, meadows at site "Pod Kramiarom" near | carthusianorum L. |
| | train lines, 48°29'11.4"N 18°56'58.5"E | |
| September | Slovakia, Štiavnické vrchy Mts., Banský Studenec | Dianthus |
| 2021 | village, meadows west from the Kolbašský tajch | carthusianorum L. |
| | pool, 48°27'08.0"N 18°58'24.5"E | |
| September | Kremnické vrchy, Veľká Stráž hill, rocky clifs | Dianthus |
| 2021 | upper the R1 highway, 48°33'34.9"N 19°05'33.3"E | carthusianorum L. |
| June 2022 | Slovakia, Štiavnické Vrchy Mts., Vyhne village, | Dianthus |
| | dry grasslands near Kamenné more Nature | carthusianorum L. |
| | Monument, 48°30'35.9"N 18°47'38.6"E | Dianthus deltoides L. |
| June 2022 | Hungary, Tihany, Porta Pacis, 46°54'51.5"N | Dianthus |
| | 17°53'21.8"E | carthusianorum L. |
| June 2022 | Slovakia, Biele Karpaty Mts., Bohunice village, | Dianthus |
| | Babiná hill, dry grasslands, 49°02'07.0"N | carthusianorum L. |
| | 18°10'38.9"E | |
| June 2022 | Slovakia, Podunajská nížina Lowland, Nesvady, | Dianthus serotinus W. |
| | calvary hill in the village, 47°55'38.5"N | & K. |
| | 18°07'28.4"E | |
| July 2022 | Slovakia, Borská nížina Lowland, Borský Mikuláš | Dianthus serotinus W. |
| | village, abandoned Jewish cemetery W from the | & K. |
| | village, 48°37'42.7"N 17°11'22.9"E | |
| July 2022 | Slovakia, Myjavská pahorkatina Hills, Myjava, | Dianthus |
| | Holičov vrch Hill, dry grasslands, 48°44'03.6"N | carthusianorum L. |
| | 17°33'17.7"E | |
| July 2022 | Slovakia, Myjavská pahorkatina Hills, Myjava, | Dianthus armeria L. |
| | ruderalized grassland near re-cultivated waste | |
| Y 1 0000 | deposit, 48°44'20.4"N 17°33'06.8"E | D. 1 |
| July 2022 | Slovakia, Malé Karpaty Mts., Plavecké Podhradie | Dianthus praecox |
| | village, ruin of the Plavecký Hrad castle, | subsp. lumnitzeri |
| T 1 2022 | 48°29'37.1"N 17°16'07.2"E | D: I |
| July 2022 | Slovakia, Myjavská pahorkatina Hills, Podbranč - | Dianthus |
| | Podzámok, ruin of the Branč castle, dry grasslands, | carthusianorum L. |
| Y 1 2025 | 48°43'59.6"N 17°28'06.9"E | D. 1 |
| July 2022 | Slovakia, Malé Karpaty Mts., Brezová pod | Dianthus armeria L. |

| | Bradlom, Mníchova úboč Nature Reserve, dry | Dianthus |
|-----------|--|-------------------|
| | grasslands, 48°38'56.7"N 17°29'57.7"E | carthusianorum L. |
| July 2022 | Slovakia, Malé Karpaty Mts., Brezová pod | Dianthus |
| | Bradlom, Kysel'ová Nature Reserve, dry grasslands, | carthusianorum L. |
| | 48°38'39.8"N 17°30'01.0"E | |

Republic of North Macedonia

One expert provided data for North Macedonia. Dates and locations of surveys are listed in table 2.

Table 2. Details of field work in Republic of North Macedonia

| Month | Location | Species |
|-----------|--------------------------------------|--------------------------------|
| Sep 2021 | Skopska Crna Gora mountains | No Dianthus species identified |
| June 2022 | Jakupica mountain range | Dianthus kapinaensis and |
| | (Skopje region) Dianthus deltoides s | |
| | | degenii were identified |
| June 2022 | Demir Kapija region | No Dianthus species identified |
| Informal | Urban and peri-urban sites in the | No Dianthus species identified |
| | city of Skopje | |

Six populations of *Dianthus* species were also identified in North Macedonia, by a third expert. The species found were *Dianthus integer*, *D. deltoides* and *D.sylvestris*.

<u>Italy</u>

Table 3 lists the *Dianthus* species identified in Italy. The records of *D. caryophyllus* were wild type.

| Month | Location | Species | |
|-----------|---------------------------|-------------------------------|--|
| June 2021 | Pesaro E Urbino, Marche | Complex Dianthus | |
| | | caryophyllus | |
| June 2021 | Province of Ascoli Piceno | Dianthus ciliatus | |
| June 2021 | Province of L'Aquila | Dianthus sylvestris | |
| June 2021 | Province of Pesaro and | Dianthus ciliatus, | |
| | Urbino | Complex Dianthus | |
| | | caryophyllus | |
| June 2021 | Province of Teramo | Dianthus deltoides, Dianthus | |
| | | sylvestris | |
| July 2021 | Altipiani di Arcinazzo, | Dianthus sylvestris | |
| | Metropolitan City of Rome | | |
| July 2021 | Province of Avellino | Dianthus sylvestris | |
| July 2021 | Province of Campobasso | Dianthus ciliatus | |
| July 2021 | Province of Chieti | Dianthus ciliatus, Dianthus | |
| | | sylvestris | |
| July 2021 | Province of Foggia | Dianthus sylvestris, Dianthus | |
| | | tarentinus | |
| July 2021 | Province of Frosinone | Dianthus sylvestris | |
| July 2021 | Province of L'Aquila | Dianthus deltoides | |
| July 2021 | Province of Salerno | Dianthus sylvestris | |

Other countries

Table 4 lists the *Dianthus* records provided by the third expert for the other countries where records were made. Record dates are from August 2021 to July 2022.

| Country | Number | Species identified | |
|----------------------|------------|--|--|
| | of records | | |
| Albania | 7 | Dianthus ciliates, D.deltoides, D.sylvestris | |
| Austria | 7 | Dianthus alpinus, D. carthusianorum, | |
| | | D. superbus, D.barbatus, D.sylvestris | |
| Bosnia - Herzegovina | 6 | Dianthus ciliates, D. integer, D.sylvestris | |
| Bulgaria | 8 | Dianthus petraeus, D. microlepis | |
| Croatia | 27 | Dianthus ciliates, D.deltoides, D.sylvestris, | |
| | | D. carthusianorum, D. armeria, | |
| | | D. hyssopifolius, D. petraeus, D.barbatus, | |
| | | D.sylvestris | |
| Greece | 13 | Dianthus caucaseus, D. integer, D. orientalis, | |
| Montenegro | 5 | D. ciliates, D.sylvestris | |

Attachment 5. Literature review methodology

Source databases and journals

Literature searches were carried out using the following databases.

- AGRICOLA Article citation (NAL)
- Proquest -biological sciences
- Science Direct (Elsevier)
- Google Scholar

All papers published since January 2021 in these five journals were also reviewed;

- Preslia
- Journal of vegetation science
- Vegetation classification and survey
- PhytoKeys
- Hladnikia

Search terms

Search terms used were carnation, carnation biology, Dianthus, Dianthus biology, Dianthus fertilization, Dianthus gene, Dianthus genome, Dianthus medicinal, Europe flora, Europe plant survey, Europe plant checklist, Europe botany survey, Dianthus caryophyllus, vegetation survey, Europe vegetation, Dianthus arrosti, Dianthus caryophyllus var. coronarius, Dianthus gasparrinii Guss., Dianthus godronianus Jord, Dianthus longicaulis Ten., Dianthus saxicola, Dianthus siculus, Dianthus sylvestris subsp. longibracteatus, Dianthus sylvestris subsp. boissieri, Dianthus tarentinus, Dianthus virgatus.

Search terms were each used exactly as listed in normal font, with use of suitable filters to remove papers published before the beginning of 2021. The primary focus of the literature review was seeking information on carnation and *Dianthus* populations outside of cultivation.

Citation search

48 key citations from literature reviews from previous monitoring reports were searched in google scholar for citing literature, which was then screened.

Literature review short list

The initial review identified hundreds of abstracts. Papers not considered for further review covered the chemistry of secondary products, essential oil preparation and analysis, non-European studies, horticultural studies relating to carnation production and breeding, physiological and biochemical studies relating to post-harvest care in carnation, herbicide resistance and plant pathology studies. Abstracts concerning the coral species Dianthus or clove oil use were ignored.

Following the initial cull, 256 papers were read, including any supplementary information files provided with the papers. No naturalised populations of cultivated carnation were identified in any of the papers.

93 papers with relevance to carnation or *Dianthus caryophyllus* distribution, identification of other *Dianthus* species, potential weediness, possible biosafety implications, taxonomy and/or genetic modification are cited in the reference list below. The reference list excludes 58 papers (out of the 256 read) which provided data from vegetation surveys but where no *Dianthus* species were identified.

Reference list

Vegetation surveys and checklists in which Dianthus species were found

- 1. Antonova, V., & Marinov, M. P. (2021). Red wood ants in Bulgaria: distribution and density related to habitat characteristics. Journal of Hymenoptera Research, 85, 135-159. doi:10.3897/jhr.85.61431
- 2. Apostolova, I., Sopotlieva, D., Valcheva, M., Ganeva, A., Shivarov, V., Velev, N., ... Nekhrizov, G. (2022). First survey of the vascular and cryptogam flora on Bulgaria's ancient mounds. Plants, 11, 705. doi:10.3390/plants11050705
- 3. Asatryan, A., Nersesyan, A. & Rudov, A. (2022). Centaurea fenzlii, a new record for the flora of the South Caucasus. Iran. J. Bot. 28, 51-56.
- 4. Bartolucci, F., Domina, G., Andreatta, S., Argenti, C., Astuti, G., Ballelli, S., . .. Lastrucci, L. (2022). Notulae to the Italian native vascular flora: 13. Italian Botanist, 13, 67-84. doi:10.3897/italianbotanist.13.86403
- 5. Braithwaite, M.E. (2021). The discovery of the local flora as reflected in BSBI vice-county datasets – a case study for Berwickshire v.c.81. British & Irish Botany 3, 279-288.
- 6. Calvia, G., Bonari, G., Angiolini, C., Farris, E., Fenu, G., & Bacchetta, G. (2022). Classification of the Sardinian pine woodlands. Mediterranean Botany, 43, e72699. doi:10.5209/mbot.72699
- 7. Canas, R. Q., Cano-Ortiz, A., Spampinato, G., Del Rio, S., Raposo, M., Fuentes, J. C. P., & Gomes, C. P. (2021). Contribution to the knowledge of rocky plant communities of the SouthWest Iberian Peninsula. Plants, 10, 1590. doi:10.3390/plants10081590
- 8. Cattaneo, C., & Grano, M.(2021) Kasos: an unexpected island. Floristic and ecological analysis of Kasos Island (SE Aegean, Dodecanese, Greece), with noteworthy floristic additions. *Phytologia Balcanica*, 27, 345 – 371.
- 9. Charmillot, K., Hedinger, C., Babbi, M., Widmer, S., & Dengler, J. (2021). Vegetation change in meso-xeric grasslands of the Swiss Jura Mts. over 40 years. Tuexenia, 41, 441-457.
- 10. Cheminal, A., Kokkoris, I. P., Zotos, A., Strid, A., & Dimopoulos, P. (2022). Assessing the ecosystem services potential of endemic floras: a systematic review on the Greek endemics of Peloponnese. Sustainability, 14, 5926. doi:10.3390/su14105926
- 11. Chiarucci, A., Guarino, R., Pasta, S., Rosa, A. L., Cascio, P. L., Médail, F., . . . Zannini, P. (2021). Species-area relationship and small-island effect of vascular plant diversity in a young volcanic archipelago. Journal of Biogeography, 48, 2919-2931. doi:10.1111/jbi.14253
- 12. Cianfaglione, K., Bartolucci, F., Ciaschetti, G., Conti, F., & Pirone, G. (2022). Characterization of *Thymus vulgaris* subsp. *vulgaris* community by using a multidisciplinary approach: a case study from central Italy. Sustainability, 14, 3981. doi:10.3390/su14073981
- 13. Csontos, P., Tamas, J., Kovacs, Z., Schellenberger, J., Penksza, K., Szili-Kovacs, T., & Kalapos, T. (2022). Vegetation dynamics in a loess grassland: plant traits indicate stability based on species presence, but directional change when cover is considered. Plants, 11,763. doi:10.3390/plants11060763
- 14. Danko, H., Lukash, O., Morozova, I., Boiko, V., & Yakovenko, O. (2021). The meadow, psammophytic and ruderal plant communities with Solidago

- canadensis L. in Chernihiv Polesie (Ukraine). Studia Quaternaria, 38, 149-158
- 15. de Pasquale, G., & Spinelli, E. (2021). The alpine rural landscape as a cultural reserve: the case study of Teglio in Valtellina. *Biodiversity and Conservation*. doi:10.1007/s10531-021-02298-1
- 16. De Santis, E. (2022). Sulle tracce di Cesare Sibilia. Ricerche floristiche sul territorio di Anagni (FR) cento anni dopo. *Acta Plantarum Notes*, 8, 31 65.
- 17. Dengler, J. & Seiler, H. (eds.) 2022. Report from the Master Summer School "Biodiversity Monitoring", Preda, Parc Ela, Switzerland, 12–22 August 2021. Institute of Natural Resource Sciences (IUNR), Zurich University of Applied Sciences, Wädenswil, CH.
- 18. Dolinar, B. (2022). Pregled flore Ponikovske, dobrepoljske in struške doline v občini dobrepolje (Dolenjska, Slovenija). *Hladnikia*, 49, 30 61.
- 19. Doumas, P., Goula, K., & Constantinidis, T. (2022). Thirty-two new and noteworthy floristic records from North-Eastern Greece. *Biodivers. Data J.*, 10, e81817. doi:10.3897/BDJ.10.e81817
- 20. Duistermaat, H., Sparrius, L. B., & Denters, T. (2021). Standaardlijst van de Nederlandse flora 2020. *Gorteria Dutch Botanical Archives*, 43, 109-156.
- 21. Eriksson, O., & Glav Lundin, L. (2020). 'Gooseberry is the only thing left' a study of declining biological cultural heritage at abandoned crofts in the province of Södermanland, Sweden. *International Journal of Heritage Studies*, 26,1061-1076. doi:10.1080/13527258.2020.1731704
- 22. Fanelli, G., La Montagna, D., Attorre, F., De Sanctis, M., & Masucci, P. (2022). Phytosociology and taxonomic notes on some endemic-rich associations of the Naples gulf. *Hacquetia*, *21*, 1-14. doi:10.2478/hacq-2021-0029
- 23. Farris, E., Carta, M., Circosta, S., Falchi, S., Papuga, G., & de Lange, P. (2018). The indigenous vascular flora of the forest domain of Anela (Sardinia, Italy). *PhytoKeys 113*, 97-143. doi:10.3897/phytokeys.113.28681
- 24. Fois, M., Farris, E., Calvia, G., Campus, G., Fenu, G., Porceddu, M., & Bacchetta, G. (2022). The endemic vascular flora of Sardinia: A dynamic checklist with an overview of biogeography and conservation status. *Plants*, *11*, 601. doi:10.3390/plants11050601
- 25. Gallé, R., Tölgyesi, C., Torma, A., Bátori, Z., Lörinczi, G., Szilassi, P., . . . Batáry, P. (2022). Matrix quality and habitat type drive the diversity pattern of forest steppe fragments. *Perspectives in Ecology and Conservation*, 20, 60-68. doi:10.1016/j.pecon.2021.11.004
- 26. García-Mijangos, I., Berastegi, A., Biurrun, I., Dembicz, I., Janišová, M., Kuzemko, A., . . . Dengler, J. (2021). Grasslands of Navarre (Spain), focusing on the Festuco-Brometea: classification, hierarchical expert system and characterisation. *Vegetation Classification and Survey*, 2, 195-231. doi:10.3897/vcs/2021/69614
- 27. Giordano, M., Troia, A., & Ilardi, V. (2021). Floristic survey of the former royal hunting reserve of Renda, near Palermo (Sicily, Italy). *Biodiversity Journal*, 12, 403-433. doi:10.31396/Biodiv.Jour.2021.12.2.403.433
- 28. Hæggström, C.-A. & Hæggström, E. (2022). Florula Nåtöensis an annotated checklist. *Memoranda Societatis pro Fauna et Flora Fennica*, 98, Suppl.1, 1–132.

- 29. Hardeep, K. (2021) The effect of habitat fragmentation and road verges on composition of plants and invertebrates in the great Hungarian plain. PhD thesis, Department of Ecology, University of Szeged, Szeged.
- 30. Heinken, T., Diekmann, M., Liira, J., Orczewska, A., Schmidt, M., Brunet, J., . . . Botta-Dukát, Z. (2022). The European forest plant species list (EuForPlant): concept and applications. Journal of Vegetation Science, 33, e13132. doi:10.1111/jvs.13132
- 31. Hubackova, B. (2021). The effect of habitat continuity and management on species composition and diversity. MSc. thesis, Faculty of Science, Charles University in Prague, Prague.
- 32. Jandt, U., Bruelheide, H., Berg, C., Bernhardt-Roemermann, M., Blueml, V., Bode, F., ... & Wulf, M. (2022). ReSurveyGermany: Vegetation-plot timeseries over the past hundred years in Germany. bioRxiv.doi:10.1101/2022.05.25.493323 (in peer review).
- 33. Jiménez-Alfaro, B., Carlón, L., Fernández-Pascual, E., Acedo, C., Alfaro-Saiz, E., Alonso Redondo, R., . . . Vázquez, V. M. (2021). Checklist of the vascular plants of the Cantabrian Mountains. *Mediterranean Botany*, 42, e74570. doi:10.5209/mbot.74570
- 34. Kaulfuss, F., & Reisch, C. (2021). Restoration of species-rich grasslands by transfer of local plant material and its impact on species diversity and genetic variation- findings of a practical restoration project in southeastern Germany. Ecol. Evol., 11, 12816-12833. doi:10.1002/ece3.8029
- 35. Kolomiychuk, V., & Shynder, O. (2021). Addition to the spontaneous flora of O. V. Fomin Botanical Garden (Kyiv). Bulletin of Taras Shevchenko National *University of Kyiv. Series: Biology, 87*, 18-26. doi:10.17721/1728.2748.2021.87.18-26
- 36. Koniakin, S., & Gubar, L. (2022). Spontaneous flora of the local landscape Feofaniya (Kyiv, Ukraine). Plant Introduction, 93, 46-61.
- 37. Krigas, N., Karapatzak, E., Panagiotidou, M., Sarropoulou, V., Samartza, I., Karydas, A., ... & Maloupa, E. (2022). Prioritizing plants around the crossborder area of Greece and the Republic of North Macedonia: integrated conservation actions and sustainable exploitation potential. *Diversity*, 14, 570. doi.org/10.3390/d14070570
- 38. Lenzin, H. (2021). Beiträge zur flora des naturschutzgebietes petite Camargue Alsacienne (St-Louis, F). Bauhinia, 28, 1-14.
- 39. Lübben, M., & Erschbamer, B. (2021). Long term changes of the inner-alpine steppe vegetation: the dry grassland communities of the Vinschgau (South Tyrol, Italy) 40–50 years after the first vegetation mapping. Vegetation Classification and Survey, 2, 117-131. doi:10.3897/vcs/2021/65217
- 40. Magnes, M., Willner, W., Janišová, M., Mayrhofer, H., Afif Khouri, E., Berg, C., ... Dembicz, I. (2021). Xeric grasslands of the inner-alpine dry valleys of Austria – new insights into syntaxonomy, diversity and ecology. Vegetation Classification and Survey, 2, 133-157. doi:10.3897/vcs/2021/68594
- 41. Meier, T., Hensen, I., & Partzsch, M. (2021). Floristic changes of xerothermic grasslands in central Germany: A resurvey study based on quasi-permanent plots. Tuexenia, 41, 203-226.
- 42. Memedemin, D., & Marusca, T. (2022). Contributions to the evaluation of the productivity of grasslands from the silvopastoral system with oriental hornbeam (Carpinus orientalis) from Dobrogea. Romanian Journal of *Grassland and Forage Crops*, 25, 73 - 80.

- 43. Ménard O. (2022). Connaissance des ZNIEFF de la Montagne d'Arrièrecôte (21). CBN du Bassin parisien-MNHN, délégation Bourgogne, Paris. 36p.
- 44. Milović, M., Pandža, M., Jasprica, N., Tafra, D., & Krpina, V. (2021). The vascular flora of Mt Svilaja (Outer Dinarides, South Croatia). Nat. Croat. 30, 85 - 144.
- 45. Nakhutsrishvili, G., Batsatsashvili, K., Bussmann, R. W., Ur Rahmen, I., Hart, R. E., & Haq, M. (2022). The subalpine and alpine vegetation of the Georgian Caucasus - a first ethnobotanical and phytosociological synopsis. *Ethnobotany* Research and Applications, 23, 1–60. Retrieved from https://ethnobotanyjournal.org/index.php/era/article/view/3509
- 46. Olejková, D., Košťál, J., Ďurišová, Ľ., & Eliáš Jr, P. (2022). Yellow vetchling (Lathyrus aphaca L.) and round-seeded vetchling (Lathyrus sphaericus Retz.) - two species rediscovered for the flora of Slovakia. Thaiszia- J. Bot., Kosice, 32, 55 - 65. doi:10.33542/tjb2022-1-04
- 47. Özhatay, F. N., Özbil, E., & Ögmen, S. (2022). Richness of wild flowering plants and ferns in Northern Cyprus. EMU Journal of Pharmaceutical Sciences, 5, 21 - 44. doi:10.54994/emujpharmsci.1084562
- 48. M. Papadimitriou, Y. Tsougrakis & V. P. Papanastasis (2021). Vegetative and reproductive plant height of species populations in relation to land use changes in Mediterranean rangeland ecosystems In: Capone, R., F. Bottalico, H. El Bilali, G. Ottomano Palmisano, G. Cardone, A. Acquafredda (eds). Pastoralism and sustainable development. proceedings of an international eworkshop organized in the framework of PACTORES project, Valenzano, Bari, 14-15 July 2021. - Bari: CIHEAM (Centre International de Hautes Etudes Agronomiques Méditerranéennes), pp 120-124.
- 49. Papković, D., & Alegro, A. (2021). Vascular flora of the geomorphological nature monument Crveno Jezero (Dalmatia, Croatia). Nat. Croat., 30, 191-205. doi:10.20302/nc.2021.30.11
- 50. Pricop., E. Valeriu, S. L., & Bogdan-Mihai, N. (2021). Review regarding the distribution and impact of some non-native plant species from Bistrita river basin; a comprehensive species inventory. Scientific Annals of the Danube Delta Institute, 26, 69 - 96. doi.org/10.7427/DDI.26.07
- 51. Răduțoiu, D., & Măceșeanu, D. M. (2021). Preliminary data regarding the flora and vegetation from Fratoștița area, Dolj county, Romania Oltenia. Studii și comunicări. Științele Naturii, 37, 53 - 60.
- 52. Ravetto, E., S., Petrella, F., Ungaro, F., Zavattaro, L., Mainetti, A., Lombardi, G., & Lonati, M. (2021). Relative importance of plant species composition and environmental factors in affecting soil carbon stocks of alpine pastures (NW Italy). Agriculture, 11, 1047. doi:10.3390/agriculture11111047
- 53. Saura-Mas, S., & Carrionb, G. (2021). The protected and threatened fauna and flora of the Cap de Creus Natural Park. Annals de l'Institut d'Estudis Empordanesos, 52, 135-156. doi:10.2436/20.8010.01.306
- 54. Schmotzer Bükk, A., Takács, A., & Koscsó, J. (2021). A newcomer from the East: naturalisation of Gypsophila perfoliata L. around the city of Miskolc (Northeast Hungary). Thaiszia- J. Bot., Kosice, 31, 171 - 194. doi:10.33542/tjb2021-2-02
- 55. Seiler, H., Küry, D., Billeter, R., & Dengler, J. (2021). Regional typology of spring vegetation in Parc Ela (Grisons, Switzerland). Vegetation Classification and Survey, 2, 257-274. doi:10.3897/vcs/2021/69101

- 56. Shapoval, V., & Kuzemko, A. (2021). Syntaxonomy of steppe depression vegetation of Ukraine. Vegetation Classification and Survey, 2, 87-108. doi:10.3897/vcs/2021/62825
- 57. Sienkiewicz-Paderewska, D., Paderewski, J., Klarzyńska, A., Wolański, P., & Rogut, K. (2021). Floristic diversity versus utilization value of selected seminatural central-European grassland communities: a study from Poland. Ecological Indicators, 132, 108316. doi:10.1016/j.ecolind.2021.108316
- 58. Swan, A.R. (2022). The flora of the Haslemere area. *Haslemere Natural* History Society Science Paper, March 2022. Available at http://www.haslemerenaturalhistorysociety.org.uk
- 59. Tan, K.., & Kofinas, G. (2022). Notes on *Centaurea vandasii* and *C*. wettsteinii (Asteraceae), two rare and little-known species in the Balkan Peninsula. *Phytologia Balcanica*, 28, 61 - 67. doi:10.7546/PhB.28.2022.5
- 60. Tasinazzo, S., Zanatta, K., Lasen, C., & Fiorentin, R. (2022). Dry grasslands on fluvial terraces of the middle reaches of river Piave in the North East Italy. Hacquetia, 21, 15-40. doi:10.2478/hacq-2021-0017
- 61. Tesei, G., Allegrezza, M., Ballelli, S., Ciaschetti, G., Console, C., Montecchiari, S., . . . Frattaroli, A. (2021). The oldest *Pinus nigra* plantations in the central Apennines: distribution and floristic-vegetational characterisation. *Plant Sociology*, 58, 15-28. doi:10.3897/pls2021582/02
- 62. Tomaselli, M., Carbognani, M., Foggi, B., Adorni, M., Petraglia, A., Forte, T. a. G. W., . . . Gennai, M. (2021). Scree vegetation in the Northern Apennines (N-Italy). *Phytocoenologia*, 51, 39-94. doi:10.1127/phyto/2021/0391
- 63. Tomaselli, V., Silletti, G., & Forte, L. (2021). A new association of Satureja montana L. subsp. montana dominated garrigues in Puglia (SE Italy). Plant Sociology, 58, 1-14. doi:10.3897/pls2021582/01
- 64. Tsakiri, M., Koumoutsou, E., Kokkoris, I. P., Trigas, P., Iliadou, E., Tzanoudakis, D., . . . Iatrou, G. (2021). National park and unesco global geopark of Chelmos-Vouraikos (Greece): Floristic diversity, ecosystem services and management implications. Land, 11, 33. doi:10.3390/land11010033
- 65. Vajna, F., Szigeti, V., Harnos, A., & Kis, J. (2020). A kis apollólepke (Parnassius mnemosyne (Linnaeus, 1758)) nektárnövényfajok közti választása. Állattani Közlemények, 106, 5-31. doi:10.20331/AllKoz.2021.106.1-2.1
- 66. Vannucchi, F., Lazzeri, V., Rosellini, I., Scatena, M., Caudai, C., & Bretzel, F. (2022). Short-term abandonment versus mowing in a mediterranean-temperate meadow: effects on floristic composition, plant functionality, and soil properties—a case study. Agriculture, 12, 78. doi:10.3390/agriculture12010078
- 67. Zukal, D., & Biurrun, I. (2022) Calcicolous rock-outcrop lime forests in the Cantabrian Mountains and the Western Pyrenees. Tuexenia, 42. doi:10.14471/2021.42.001

Other references

68. Amrouche, T. A., Yang, X., Capanoglu, E., Huang, W., Chen, Q., Wu, L., . . . Lu, B. (2022). Contribution of edible flowers to the Mediterranean diet: phytonutrients, bioactivity evaluation and applications. *Food Frontiers*. 1–39. https://doi.org/10.1002/fft2.142

- 69. Bassolino, L., Petroni, K., Polito, A., Marinelli, A., Azzini, E., Ferrari, M., . . . Cattivelli, L. (2022). Does plant breeding for antioxidant-rich foods have an impact on human health? *Antioxidants*, 11, 794. doi:10.3390/antiox11040794
- 70. Bauer, G. A. W., Greimler, J., & Reich, D. (2021). Genetic structure and diversity in carnations of *Dianthus plumarius* subsp. *blandus* in the eastern Alps. *Flora*, 279, 151809. doi:10.1016/j.flora.2021.151809
- 71. Butelli, E., Bulling, K., Hill, L., & Martin, C. (2021). Beyond purple tomatoes: combined strategies targeting anthocyanins to generate crimson, magenta, and indigo fruit. *Horticulturae*, 7, 327. doi:10.3390/horticulturae7090327
- 72. Caser, M., Demasi, S., Mozzanini, E., Chiavazza, P. M., & Scariot, V. (2022). Germination performances of 14 wildflowers screened for shaping urban landscapes in mountain areas. *Sustainability*, *14*, 2641. doi:10.3390/su14052641
- 73. Deguchi, A., Tatsuzawa, F., Ishii, K., Abe, T., & Miyoshi, K. (2022). Localized repression of two bHLH genes is involved in the formation of white margins and white abaxial surfaces in carnation petals by inducing the absence of anthocyanin synthesis. *The Horticulture Journal*, *91*, 68-84. doi:10.2503/hortj.UTD-313
- 74. Dimitrov, G., & Kirilov, I. (2021). Comparative characteristics of ferric leptosols. *Bulgarian Journal of Soil Science*, *6*, 125 132.
- 75. Domina, G., Astuti, G., Bacchetta, G., Barone, G., Resetnik, I., Terlevic, A., . . Peruzzi, L. (2021). Typification of 14 names in the *Dianthus virgineus* group (Caryophyllaceae). *PhytoKeys*, 187, 1-14. doi:10.3897/phytokeys.187.75534
- 76. Domina, G., Astuti, G., Barone, G., Gargano, D., Minuto, L., Varaldo, L., & Peruzzi, L. (2021). Lectotypification of the Linnaean name *Dianthus virgineus* (Caryophyllaceae) and its taxonomic consequences. *Taxon*, 70, 1096-1100. doi:10.1002/tax.12563
- 77. Fassou, G., Korotkova, N., Nersesyan, A., Koch, M. A., Dimopoulos, P., & Borsch, T. (2022). Taxonomy of *Dianthus* (Caryophyllaceae) overall phylogenetic relationships and assessment of species diversity based on a first comprehensive checklist of the genus. *PhytoKeys*, *196*, 91-214. doi:10.3897/phytokeys.196.77940
- 78. Gallego, P. P. F. (2021). Tipificación de seis nombres en el género *Dianthus* L.(Caryophyllaceae). *Flora Montiberica*, 79, 9-27.
- 79. Hashani, Z., Maxhuni, Q., Zeneli, L., & Ferizi, R. (2021). *Ranunculus degenii* and *Verbascum scardicola* new records from the Restelica and Vraca valleys (NP Sharri) in Kosovo. *Thaiszia- J. Bot., Kosice, 31*, 195 204. doi:10.33542/tjb2021-2-03
- 80. Hübl, E.(2021). Caucasus and Alps a floristical comparison. *Bocconea*, 29, 121-156.
- 81. Husain, A., Chanana, H., Khan, S. A., Dhanalekshmi, U. M., Ali, M., Alghamdi, A. A., & Ahmad, A. (2022). Chemistry and pharmacological actions of delphinidin, a dietary purple pigment in anthocyanidin and anthocyanin forms. *Front. Nutr.*, *9*, 746881. doi:10.3389/fnut.2022.746881
- 82. Krickl, P. (2021). The significance of connectivity by livestock for restoration and conservation of calcareous grasslands. *PhD thesis, Faculty of Biology and pre-clinical medicine, Universität Regensburg, Regensburg.*
- 83. Liu, Z., Chen, M., Lin, M., Chen, Q., Lu, Q., Yao, J., & He, X. (2022). Cadmium uptake and growth responses of seven urban flowering plants:

- hyperaccumulator or bioindicator? *Sustainability, 14*, 619. doi:10.3390/su14020619
- 84. Martínez, G. J. (2021). Medicinal plants of ethnopharmacological relevance in Sierra de Ancasti, Catamarca, Argentina. *Journal of Medicinal Herbs and Ethnomedicine*, 7,18-46. doi:10.25081/jmhe.2021.v7.7106
- 85. McClean, P. E., Lee, R., Howe, K., Osborne, C., Grimwood, J., Levy, S., . . . Miklas, P. N. (2022). The common bean V gene encodes flavonoid 3'5' hydroxylase: a major mutational target for flavonoid diversity in angiosperms. *Front. Plant Sci.*, 13, 869582. doi:10.3389/fpls.2022.869582
- 86. Pace, A., Dunn, B. L., Fontanier, C., Goad, C., & Singh, H. (2022). Cut-flower carnation photoluminescence: potential new value-added product. *HortScience*, 57, 491-496. doi:10.21273/hortsci16402-21
- 87. Passaseo, A., Rochefort, S., Pétremand, G., & Castella, E. (2021). Pollinators on green roofs: diversity and trait analysis of wild bees (Hymenoptera: Anthophila) and hoverflies (Diptera: Syrphidae) in an urban area (Geneva, Switzerland). *Cities and the Environment*, 14, Vol. 2, art 1. doi:10.15365/cate.2021.140201
- 88. Sanchez-DaVila, J., Molina, J. A., & Cabrero-Sanudo, F. J. (2022). Distribution of butterflies (Lepidoptera) in a successional mosaic of Mediterranean mountain habitats. *European Journal of Entomology*, 119, 159-169. doi:10.14411/eje.2022.018
- 89. Seitz, B., Buchholz, S., Kowarik, I., Herrmann, J., Neuerburg, L., Wendler, J., . . . Egerer, M. (2022). Land sharing between cultivated and wild plants: urban gardens as hotspots for plant diversity in cities. *Urban Ecosystems*, *25*, 927-939. doi:10.1007/s11252-021-01198-0
- 90. Szirmai, O., Saláta, D., Benedek, L. K., & Czóbel, S. (2022). Investigation of the secondary succession of abandoned areas from different cultivation in the Pannonian biogeographic region. *Agronomy*, 12,773. doi:10.3390/agronomy12040773
- 91. Terlević, A., & Rešetnik, I. (2020). Inventory of the historical *Dianthus sylvestris* herbarium materials from Herbarium Croaticum and Herbarium Ivo and Marija Horvat. *Glasnik Hrvatskog Botaničkog Društva*, 8, 8-14. doi:10.46232/glashbod.8.1.2
- 92. Terlevic, A., Bogdanovic, S., Frajman, B., & Resetnik, I. (2022). Genome size variation in *Dianthus sylvestris* Wulfen *sensu lato* (Caryophyllaceae). *Plants* 11, 1481. doi:10.3390/plants11111481
- 93. Zhang, X., Lin, S., Peng, D., Wu, Q., Liao, X., Xiang, K., . . . Fu, X. (2022). Integrated multi-omic data and analyses reveal the pathways underlying key ornamental traits in carnation flowers. *Plant Biotechnol. J.*, *20*, 1182-1196. doi:10.1111/pbi.13801

Attachment 6. Database information

Search terms

Databases previously identified were re-examined for any new entries listing *Dianthus* caryophyllus or *Dianthus godronianus* since the last monitoring report. In the event neither of these species were found, the databases were checked for the following species;

- Dianthus arrosti C.Presl
- Dianthus caryophyllus var. coronarius L.
- Dianthus gasparrinii Guss.
- *Dianthus longicaulis* Ten.
- Dianthus saxicola Jord
- Dianthus siculus C.Presl
- Dianthus sylvestris subsp. longibracteatus (Maire) Greuter and Burdet
- Dianthus sylvestris subsp. boissieri (Willk.) Dobignard
- Dianthus tarentinus Lacaita
- *Dianthus virgatus* Pasq.

Results

Results of the database survey are summarized in tables 1 and 2 of this attachment, Each table has the following information:

| Site no. | Internal number allocated to each website for cross reference. | | | |
|----------------------------|--|--|--|--|
| URL | Address of the website | | | |
| Site name | Title of the website, database, flora or checklist according to | | | |
| | the website | | | |
| Site geographical coverage | Area and/or country covered by website | | | |
| Site description | Brief description of the information provided at the website | | | |
| Access date | Date the website was reviewed for this report | | | |
| Search outcome | Table 1 - Websites in which observations of carnation or | | | |
| | Dianthus caryophyllus are described. For existing websites, | | | |
| | the observations described have been made since the 2021 | | | |
| | monitoring report was compiled. Websites reviewed for the | | | |
| | first time are noted. | | | |
| | Table 2 - Websites in which no observations of carnation or | | | |
| | Dianthus caryophyllus are described. For websites we have | | | |
| | previously reviewed and no observations of carnation or | | | |
| | Dianthus caryophyllus have been made since the last | | | |
| | monitoring report, we have noted the search outcome as No | | | |
| | new information. For websites we have reviewed for the first | | | |
| | time, this fact is noted and a brief description is provided of | | | |
| | the coverage of the <i>Dianthus</i> genus provided at the website. | | | |

Table 1. Websites in which observations of carnation or *Dianthus caryophyllus* were described.

| Site | URL | Site name | Site | Site description | Access date | Search outcome |
|------|---|--|---|--|--------------|---|
| no. | | | geographical coverage | - | | |
| 1 | www.gbif.org | Global biodiversity information Network | Worldwide | Searchable collation of multiple datasets. | 10 July 2022 | Two Europe observations of <i>Dianthus</i> caryophyllus both in 2022 and both from Norway ⁷ . |
| 2 | https://www.inaturalist.or g/observations | i-naturalist | Worldwide | Searchable dataset with access to record photos and IDs. | 11 July 2022 | 432 records for <i>Dianthus caryophyllus</i> , including synonyms. since July 2021. All wild type apart from 6 cultivated, nontransgenic, carnation. |
| 3 | https://www- mittelmeerflora-de | Mediterranean and Alpine flora | Europe | Checklist with superb photographs. | 12 July 2022 | Newly identified database. <i>D.caryophyllus</i> is illustrated with images of cultivated carnation or other wild type <i>Dianthus</i> species. 113 <i>Dianthus</i> species are listed. |
| 4 | https://hirc.botanic.hr/fcd/ | Flora Croatica database | Croatia | Searchable dataset of herbaria, bibliographies and images. | 12 July 2022 | Dianthus caryophyllus ssp. godronianus is listed with an image of a five-petal flower. |
| 5 | http://www.cbn-alpin- icono.fr/Phototheque/cate gories | National Alpine botanical conservatory | Alps and foothills, France | Searchable datasets of herbaria sheets and photographic images, with collector ID. | 11 July 2022 | Newly identified website. Images of <i>Dianthus gordorianus</i> are of five petal wild type. |
| 6 | http://www.tela- botanica.org with links to http://siflore.fcbn.fr | Tela botanica | France and Corsica | Searchable datasets and bibliography with access to record photos and IDs. | 10 July 2022 | Two observations of <i>D. caryophyllus</i> and two of <i>D. godronianus</i> . Three are five petal wild type. |
| 7 | https://nature.silene.eu | Silene nature | Provence- Alpes-Côte d'Azur, France | Searchable datasets and bibliography with access photos and distribution. There are no means to access the record IDs. | 13 July 2022 | New additions are of <i>Dianthus</i> species synonymous to <i>D. caryophyllus</i> , Photos are of five petal wild type. |
| 8 | http://www.naturedugard. org | Observatoire du patrimoine naturel du Gard | Languedoc- Roussillon, France | Searchable dataset with access to record photo gallery and record IDs. | 10 July 2022 | Five observations of <i>D.caryophyllus</i> . Sites were Saint-Martin-de-Valgalgues, Mons, Canaules-et-Argentières, Gailhan and Saint-Dionizy. |

⁷ Refer site no. 14

| Site | URL | Site name | Site | Site description | Access date | Search outcome |
|------|---|---|--|--|--------------|--|
| no. | | | geographical coverage | | | |
| 9 | https://www.cbnbrest.fr/o bservatoire-plantes/cartes- de-repartition/ecalluna | Conservatoire botanique national de Brest (CBN). | Nouvelle- Aquitaine Basse- Normandie, Bretagne and Pays, France | Searchable distribution dataset with access to record locations. | 10 July 2022 | Two records of <i>D. caryophyllus</i> in 2021. |
| 10 | https://www.flora- germanica.de | Flora of Germany | Germany | Searchable flora with photographs and distribution. | 11 July 2022 | Newly identified website. 15 <i>Dianthus</i> species are described including <i>D. caryophyllus</i> . Carnation examples are clearly in cultivation. |
| 11 | https://nabu- naturgucker.de/natur. | Naturgucker citizen science project ("Enjoy nature") | Germany | Searchable dataset with access to photo gallery and record IDs. | 10 July 2022 | Three observations of <i>D. caryphyllus</i> since June 2021. One record wild type <i>Dianthus</i> . |
| 12 | http://dryades.units.it/Ro ma | Flora of city of Rome | Udine, Italy | Species list with links to further information. | 12 July 2022 | D. virgineus is listed, Images are all five petal flowers. |
| 13 | http://urdis.unicam.it/crfa/ | Centro Ricerche Floristiche dellÂ'Appennino (CRFA) | Central Apennines, Italy | List of plant species with distribution details. | 11 July 2022 | Newly identified website. <i>Dianthus longicaulis</i> Ten is listed with 15 other <i>Dianthus</i> species, none of which are endemic. |
| 14 | www.artsdatabanken.no | Norwegian biodiversity information centre | Norway | Searchable datasets with access to record photos and IDs. | 10 July 2022 | Two <i>D. caryophyllus</i> records added in 2022. Both show five petal <i>Dianthus</i> plants. |
| 15 | http://azoresbioportal.uac. pt/azores-species | Azorean biodiversity portal | Azores, Portugal | Species list with links to records and distribution maps. | 11 July 2022 | A D. caryophyllus record from June 2021 is a five petal Dianthus species. |
| 16 | www.infoflora.ch | National database of the flora of Switzerland | Switzerland | Searchable atlas with access to record dates. | 11 July 2022 | Two observations of <i>Dianthus</i> caryophyllus after 2021. |

Table 2. Websites in which no observations of carnation or Dianthus caryophyllus were described.

| Site | URL | Site name | Site geographical | Site description | Access date | Search outcome |
|------|---|--|-------------------|--|--------------|--|
| no. | | | coverage | The second secon | | |
| 17 | http://plants.jstor.org | JSTOR global plants | Worldwide | Herbarium specimens sortable by date and species. | 12 July 2022 | No new information. |
| 18 | https://www.synbiosys.alterra .nl/evc | European vegetation survey | Europe | Searchable link of diagnostic species in EuroVeg database. | 11 July 2022 | No new information. |
| 19 | http://www.nobanis.org/searc h.asp | European network on invasive alien species | Europe | Searchable database of invasive species definitions by country | 11 July 2022 | No new information. |
| 20 | https://easin.jrc.ec.europa.eu | European alien species information network | Europe | Checklist with descriptions and maps. Linked to GBIF and <i>i</i> naturalist. | 13 July 2022 | No new information. |
| 21 | http://herbarium.univie.ac.at/database/search.php | Herbarium WU | Austria | Database of herbarium specimens. | 12 July 2022 | No new information. |
| 22 | http://flora.nhm- wien.ac.at/Seiten- Allgemein/Pflanzengattungen .html | Botanik im Bild | Austria | A collection of photographs of the wild plants of Austria. | 11 July 2022 | Newly identified database. 17 Dianthus species are shown, but not D.caryophyllus. |
| 23 | http://waarnemingen.be | Belgian branch of the observation.org portal | Belgium | Searchable dataset with access to record photos and IDs. | 10 July 2022 | No new information. |
| 24 | http://www.plantcol.be/searc h-plants.php | Belgian living plants collection | Belgium | Searchable dataset of living plant collections in nine botanical institutions in Belgium. | 11 July 2022 | No new information. |
| 25 | https://alienplantsbelgium.my species.info/ | Manual of the alien plants of Belgium | Belgium | Searchable dataset with maps and record IDs. | 12 July 2022 | No new information. |
| 26 | http://www.prirodoslovni.co m/inventarna/en/search.php# | Natural history museum Rijeka | Croatia | Searchable dataset of herbarium images. | 13 July 2022 | No new information. |
| 27 | http://www.flora-of- cyprus.eu | Flora of Cyprus | Cyprus | Checklist with photographs. | 12 July 2022 | No new information. |
| 28 | http://www.biolib.cz/en/main | BioLib biological library | Czech Republic | Checklist and linked datasets with photographs. | 12 July 2022 | No new information. |

| Site | URL | Site name | Site geographical | Site description | Access date | Search outcome |
|------|----------------------------------|-----------------------|----------------------|----------------------------|--------------|---|
| no. | | | coverage | | | |
| 29 | http://www.florius.cz | Catalogue Florius | Czech Republic | Checklist and linked | 12 July 2022 | No new information. |
| | | | | Europe-wide collection | | |
| | | | | with collector ID. | | |
| 30 | https://pladias.cz/en/ | Database of the | Czech Republic | Searchable database of | 13 July 2022 | No new information. |
| | | Czech flora and | | plant species with | | |
| | | vegetation | | distribution. record IDs | | |
| | | | | and some photographs. | | |
| | | | | Links to Flora of Czech | | |
| | | | | Republic. | | |
| 31 | https://ottluuk.github.io/atlas/ | Estonian atlas of | Estonia | Searchable database of | 12 July 2022 | No new information. |
| | | vascular plants | | plant species and their | | |
| | | | | distribution with record | | |
| | | | | IDs and some photographs. | | |
| 32 | https://elurikkus.ee | Estonia biodiversity | Estonia | Searchable database with | 12 July 2022 | No new information. |
| | | database | | photographs. | | |
| 33 | https://kasviatlas.fi/ | Database of the | Finland | Searchable database of | 11 July 2022 | No new information. |
| | | Finnish museum of | | plant species and their | | |
| | | natural history | | distribution. | | |
| 34 | http://www.sivim.info/sivi/ | On-line database of | France, Portugal and | Searchable database of | 12 July 2022 | No new information. |
| | | Iberian and | Spain | plant species and their | | |
| | | Micronesian | | distribution with record | | |
| | | vegetation | | IDs and some photographs. | | |
| 35 | https://inpn.mnhn.fr/accueil/a | National inventory | France and French | Dataset compilation | 10 July 2022 | No new information. |
| | -propos-inpn | of natural heritage | territories | providing atlas searchable | | |
| | | (INPN) | | by species. | | |
| 36 | http://cbnmc.fr/cartoweb3/Ch | Atlas of flora | Allier, Puy-de- | On line atlas with | 10 July 2022 | No new information. |
| | loris | d'Auvergne | Dôme, Cantal and Ha | distribution maps. | | |
| | /atlas_auv/menu_auv.php | | ute-Loire, France | Searchable for species | | |
| | | | | only. | | |
| 37 | http://azunpeche.free.fr/flore. | Flora of the Pyrenees | Val d' Azun, France | Checklist with | 12 July 2022 | Newly identified website. 3 <i>Dianthus</i> |
| | htm | | | photographs. | | species are listed but not <i>D</i> . |
| | | | | | | caryophyllus or synonyms. |
| 38 | http://www.florealpes.com | FloreAlpes | Hautes-Alpes, | Searchable flora with | 11 July 2022 | No new information. |
| | | | Corsica, Pyrenees, | photos and distribution | | |
| | | | Provence, France | maps. | | |

| Site | URL | Site name | Site geographical | Site description | Access date | Search outcome |
|------|--|---|--|--|--------------|---|
| no. | | | coverage | | | |
| 39 | http://biodiversity- georgia.net/ | Georgian biodiversity database | Georgia | Searchable database with observations linked to GBIF ⁸ . | 11 July 2022 | Newly identified website. 21 <i>Dianthus</i> species are listed but not <i>D. caryophyllus</i> or synonyms. |
| 40 | http://daten.bayernflora.de/de/info_pflanzen | Botanical information node Bavaria | Bavaria, Germany | Checklist with distribution maps. | 13 July 2022 | No new information. |
| 41 | http://www.floraweb.de | Floraweb – German wild plants | Germany | Floral descriptions and distribution maps. | 11 July 2022 | No new information. |
| 42 | http://filotis.itia.ntua.gr/home | FILOTIS - database for the natural environment of Greece | Greece | Searchable dataset with access to distribution maps and record IDs. | 12 July 2022 | No new information. |
| 43 | http://portal.cybertaxonomy.org/flora-greece/intro | Flora of Greece | Greece | Checklist with images of some species. | 13 July 2022 | No new information. |
| 44 | https://maps.biodiversityirela nd.ie | National biodiversity data centre of Ireland | Republic of Ireland | Searchable collation of datasets with maps and botanical information. Collector ID accessible. | 13 July 2022 | No new information. |
| 45 | http://www.wildflowersofirel and.net/ | Wild flowers of Ireland | Republic of Ireland | Photographic flora. | 11 July 2022 | Newly identified website. No <i>Dianthus</i> species in the species list. |
| 46 | http://dryades.units.it/trieste | Flora of city of Trieste | Trieste, Italy | Species list with links to further information. | 11 July 2022 | No new information. |
| 47 | http://dryades.units.it/casenti | Flora of National Parks Casentinesi forests, Monte Falterona and Campagna | Casentinesi forests, Monte Falterona and Campagna, Italy | Species list with links to further information. | 11 July 2022 | No new information. |
| 48 | http://dryades.units.it/prealpi giulie | Flora of Julian pre- Alps natural park | Julian Pre-Alps Natural Park, Italy | Species list with links to further information. | 11 July 2022 | No new information. |
| 49 | http://dryades.units.it/dolomit ifriulane | Flora of Friulian Dolomites natural park | Friulian Dolomites Natural Park, Italy | Species list with links to further information. | 11 July 2022 | No new information. |
| 50 | http://dryades.units.it/udine | Flora of city of Udine | Udine, Italy | Species list with links to further information. | 11 July 2022 | No new information. |

⁸ Site no. 1. Refer row 1

| Site | URL | Site name | Site geographical | Site description | Access date | Search outcome |
|------|--|---|---|---|--------------|---|
| no. | | | coverage | | | |
| 51 | http://dryades.units.it/euganei | Flora of Euganean Hills | Euganean Hills, Italy | Species list with links to further information. | 11 July 2022 | No new information. |
| 52 | http://dryades.units.it/valerio | Flora of Monte Valerio | Monte Valerio, Trieste, Italy | Species list with links to further information. | 11 July 2022 | No new information. |
| 53 | http://www.anarchive.it | Flora of Italy | Italy | Searchable botanical data archive, with maps and sample dates. | 11 July 2022 | No new information. |
| 54 | https://www.actaplantarum.or g/flora/flora | Flora of Italy | Italy | Searchable collation of datasets of herbaria specimens, photographs, maps and botanical information. Collector ID accessible. | 11 July 2022 | Newly identified website. <i>D.</i> caryophyllus is not listed and all Dianthus sp. in the gallery are five petal wild type. |
| 55 | http://www.floramarittime.it | Floral catalogue of maritime Alps | Italy and France | Searchable photographs catalogue. | 12 July 2022 | No new information. |
| 56 | https://cambriasalvatore.wixsi te.com/flora-della-sicilia | Flora of Sicily | Sicily, Italy | On line plant species list. | 11 July 2022 | Newly identified website. <i>D.</i> caryophyllus is not listed and all Dianthus in gallery are five petal wild type, including synonyms species <i>D.</i> arrostii and <i>D. siculus</i> . |
| 57 | http://www.maltawildplants.c om/wildplants | Malta wild plants | Malta | Plant list with linked distribution information. | 11 July 2022 | No new information. |
| 58 | http://waarneming.nl | Dutch citizen science-based nature observations | The Netherlands | Searchable dataset with access to photo gallery and record IDs. | 11 July 2022 | No new information. |
| 59 | http://www.verspreidingsatlas .nl/planten | FLORON – wild flora of the Netherlands | The Netherlands | Searchable dataset with access to distribution and photo gallery. | 11 July 2022 | No new information. |
| 60 | http://www.iop.krakow.pl/ias/en | Alien species in Poland | Poland | Searchable dataset with species description. | 12 July 2022 | No new information. |
| 61 | http://www.florasilvestre.es/ mediterranea | Mediterranean and Micronesian wild flora | Portugal, Spain, France, Balearic Islands | Checklist with photographs. | 12 July 2022 | Newly identified website. 23 Dianthus species listed but not D. caryophyllus. D.arrostii is only synonym. |

| Site | URL | Site name | Site geographical | Site description | Access date | Search outcome |
|------|---|---|------------------------------------|---|--------------|--|
| no. | | | coverage | | | |
| 62 | http://www.flora-on.pt/ | Flora of Portugal | Portugal | Checklist with photographs. | 12 July 2022 | Newly identified website. Nine <i>Dianthus</i> species listed but not <i>D. caryophyllus</i> or synonyms. |
| 63 | http://dryades.units.it/triglav_ita | Flora of Triglav National Park | Triglav National Park, Slovenia | Species list with links to further information. | 11 July 2022 | No new information. |
| 64 | http://www.floraiberica.es | Flora Iberica | Spain | Species list with links to further information. | 11 July 2022 | No new information. Flora does not currently include <i>D. caryophyllus</i> or synonyms. |
| 65 | http://biodiver.bio.ub.es/bioca t/ | Biodiversity databank of Catalonia | Catalonia, Spain | Searchable dataset with species description, maps and underlying citations. | 12 July 2022 | No new information. |
| 66 | http://www.anthos.es, Anthos | Spanish plants information system | Spain | Species list with links to further information. | 11 July 2022 | No new information. Flora does not currently include <i>D. caryophyllus</i> or synonyms. |
| 67 | http://flora- aragon.blogspot.fr/ | Flora of Aragon | Spain | Check list with photographs. | 12 July 2022 | Newly identified website. Four Dianthus species listed but not D. caryophyllus or synonyms. |
| 68 | http://www.almerinatura.com/joyas/ | Flora of Almeria | Spain | Check list with photographs. | 12 July 2022 | Newly identified website. The only <i>Dianthus</i> species listed is <i>D. charmed</i> . |
| 69 | https://www.floravascular.co m | Flora of Western Andalucía | Spain | Check list with photographs and maps (some species). | 12 July 2022 | Newly identified website. Fifteen <i>Dianthus</i> species listed but not <i>D. caryophyllus</i> or synonyms. |
| 70 | RJB colecciones www. csic.es | Herbarium of royal botanic garden Madrid | Spain | Species list and images searchable by date. | 13 July 2022 | No new information. |
| 71 | https://www.artportalen.se | Species observation system | Sweden | Searchable dataset with access to record IDs. | 10 July 2022 | No new information. |
| 72 | https://www.wsl.ch/land/prod ucts/webflora/floramodul1- en.html | Swiss web flora | Switzerland | Checklist with distribution maps. | 12 July 2022 | No new information. |
| 73 | http://www.bsbimaps.org.uk/atlas | Botanical society of British Isles – flora of British Isles | United Kingdom | Atlas searchable by species. | 11 July 2022 | No new information. |