



Standard requirements for the submission of programmes of eradication and monitoring of TSE

Member States seeking a financial contribution from the Community for national programmes for the control and monitoring of transmissible spongiform encephalopathies (TSEs), shall submit applications containing at least the information set out in this form.

The central data base keeps all submissions. However only the information in the last submission is shown when viewing and used when processing the data.

If encountering difficulties, please contact SANCO-VET-PROG@ec.europa.eu, describe the issue and mention the version of this document: 2014 PROD 1.32

Instructions to complete the form:

Your current version of Acrobat is: 10.104

- 1) Be informed that you need to have at least the Adobe Reader version 8.1.3 or higher to fill and submit this form.
- 2) To verify your data entry while filling your form, you can use the "verify form" button at the top of each page.
- 3) When you have finished filling the form, verify that your internet connection is active and then click on the submit notification button below. If the form is properly filled, the notification will be submitted to the server and a Submission number will appear in the corresponding field.
- 4) **IMPORTANT: Once you have received the Submission number, save the form on your computer.**
- 5) If the form is not properly filled, an alert box will appear indicating the number of incorrect fields. Please check your form again and try to re-submit it according to steps 3), 4) and 5). Should you still have any difficulties, please contact SANCO-BO@ec.europa.eu.
- 6) For simplification purposes you are invited to submit multi annual programmes
- 7) As mentioned during the Plenary Task Force of 28/2/2014, you are invited to submit your programmes in English.

IMPORTANT: AFTER SUBMITTING THE FORM DO NOT FORGET TO SAVE IT ON YOUR COMPUTER FOR YOUR RECORDS!

Submission date

Tuesday, September 02, 2014 12:09:21

Submission number

1409656162654-3661

Standard requirements for the submission of programmes of eradication and monitoring of TSE

1. Identification of the programme

Member state: IRELAND

Disease Transmissible spongiform encephalopathies (TSEs)

This program is multi annual: no

Request of Union co-financing
from beginning of:

2015

Standard requirements for the submission of programmes of eradication and monitoring of TSE

1.1 Contact

Name : Shay Wright

Phone : 00 353 1 6072483

Fax. : 00 353 1 6072763/4

Email : shay.wright@agriculture.gov.ie

2. Description of the programme

(max. 32000 chars) :

BSE

Ireland's Programme is intended to monitor, control and ultimately eradicate BSE from the national herd. It includes the identification and slaughter of cohort and progeny animals outside of the food chain associated with a positive BSE case. The programme also includes active surveillance of all fallen bovine animals greater than 48 months of age, casualty and emergency slaughtered animals in slaughter houses as well as BSE clinical suspects identified at slaughter house plants on ante mortem inspection and on farm through passive surveillance in accordance with Regulation (EC) No. 999/2001 of the European Parliament and the Council as amended. In 2015 discriminatory tests on historical BSE cases will be performed in order to provide more solid epidemiological knowledge on both types of Atypical BSE.

Scrapie

This is a Programme for monitoring, control and eradication of scrapie involving genotyping and partial depopulation of (classical) infected sheep flocks and full depopulation of infected sheep flocks in exceptional circumstances and goat herds, active surveillance in slaughter plants, fallen animals at intermediate plants (knackerries) and the continued implementation of a National Genotyping Programme. Control and Eradication is also achieved by passive surveillance on farm and on ante mortem examination at slaughter plants.

3. Description of the epidemiological situation of the disease

Standard requirements for the submission of programmes of eradication and monitoring of TSE

(max. 32000 chars) :

BSE

The situation with regard to BSE in Ireland continues to improve. In 2013, 1 case of BSE was confirmed. This compares with 3 cases in 2012 and 3 cases in 2011 and represents a reduction of over 99% in case numbers since the peak of 333 cases in 2002. Ireland continues to see an upward shift in the age profile in BSE cases. The shift in the age profile of BSE cases as well as the reduction in the prevalence of test positives provides clear evidence that the additional controls introduced in Ireland since 1996 have been effective at controlling the disease. It is expected that the incidence of disease will continue to decline as older cows leave the system. A small number of cases have occurred in animals born after the introduction of the EU wide feed –ban in 2001. Detailed investigations were carried out on each of these cases. No breaches of the control programme have been detected. The continued implementation of SRM controls and the feed- ban controls ensure these cases do not pose a risk to human or animal health. Ireland is now typing positive cases of BSE into classical and atypical BSE.

Scrapie

Scrapie has been known internationally for over 200 years. In common with other TSEs it has a long incubation period. Peak incidence of clinical signs for classical scrapie is seen in 3 to 4 year old sheep. There is evidence that significant infection of the tissues of infected animals with the scrapie agent occurs months before clinical signs appear. The course of the clinical disease may be weeks or months. The signs of scrapie are variable and non-specific and can include itchiness (resulting in “scraping” against fences etc.), nervous signs (including lack of co-ordination, head pressing and teeth grinding) and change in temperament. Weight loss may be variable. The disease is non-febrile. A confirmatory diagnosis is made on histological examination, immunohistochemistry or immunoblotting of tissues after death.

Lambs can be infected by their infected dams and other dams around the time of birth with the placenta and foetal fluids being a major source of infectious agent.

The incubation period of scrapie is determined by the size of the infective dose and genetic make-up of the host animal. Sheep of certain genetic types have a shorter incubation period from infection to when clinical signs of the disease become apparent than do others. It has been shown that the single autosomal gene which determines the length of the incubation period in mice is similar to, if not in fact the same as, the gene which codes for the prion protein. It has also been recognised that (normal) PrP gene in sheep is a major factor controlling the development of the clinical signs of scrapie. Variations in the coding areas of the PrP gene in sheep (at locations 136, 154 and 171) determine susceptibility (or “resistance”) to the clinical signs of classical scrapie and variations in the coding areas of the PrP gene in sheep (at locations 136, 141, 154 and 171) determine susceptibility (or “resistance”) to the clinical signs of atypical scrapie.

A total of 178 flocks were restricted from October 2003 to date with 156 of these flocks now de-restricted. There were 8 flocks (4 atypical) restricted in 2013. In 2014 to date there have been 9 restrictions (4 atypical).

In 2013 an Active Surveillance Programme involved the testing of 10,128 sheep over 18 months of age at slaughter plants and 10,441 fallen sheep at knackeries.

Standard requirements for the submission of programmes of eradication and monitoring of TSE

4. Measures included in the programme

4.1 Designation of the central authority in charge of supervising and coordinating the departments responsible for implementing the programme

(max. 32000 chars):

Department of Agriculture, Food and the Marine

4.2 Description and delimitation of the geographical and administrative areas in which the programme is to be applied

(max. 32000 chars):

Ireland to be treated as a single area

4.3 System in place for the registration of holdings

(max. 32000 chars):

BSE

Each holding containing bovine animals is registered with the Department and is identified by a specific herd number allocated following a satisfactory inspection by DAFM staff to ensure compliance with certain criteria and standards of animal welfare. Slaughter of BSE cohort and progeny animals currently takes place at a designated slaughterhouse outside of the food chain, which is licensed by DAFM. Slaughterhouses and knackeries where sampling is carried out are also approved by DAFM.

Scrapie

All farms and slaughter plants involved with the programme are registered with DAFM. Larger ovine slaughter houses are approved and operate under the control of DAFM while smaller ones are operated under the control of the Local Authorities

4.4 System in place for the identification of animals

Standard requirements for the submission of programmes of eradication and monitoring of TSE

(max. 32000 chars) :

BSE

A very extensive range of measures is now in place to ensure the integrity of the national herd and cattle presented for slaughter. These include a computerised animal traceability system. All calves are tagged at birth with a unique identification number, registered at a central registration database and issued with a passport. This passport records all movements and it accompanies the bovine animal throughout its life. The Herdowner also maintains a Herd Register which contains information on all births, purchases, sales and deaths of bovine animals including all movements of animals into and out of holdings. Information in relation to all births, deaths, and bovine animal movements in Ireland is also captured and maintained on a central electronic database. This system became fully operational at the beginning of 2000 and was subsequently enhanced by the Animal Identification and Movement System (AIMS). At slaughterhouses, strict procedures are in place to verify both the origin and health status of the animals presented for slaughter. These include checks of ear tags and documentation (including checks against the Department's database) and ante mortem inspections. In addition each individual animal is assigned a carcass number which can be cross - referenced to its individual tag number and therefore back to the farm of origin.

Scrapie

The National Sheep Identification System-(NSIS)

Ireland has had a sheep identification system in place since 2001. The National Sheep Identification System (NSIS) is based on the individual tagging of sheep, the keeping of flock registers by the flock owners and the use of dispatch documents for all movements of sheep between holdings, to the markets or to slaughterhouses. In accordance with Council Regulation (EC) 21/2004, introducing a harmonised EU wide system for sheep ID, electronic identification (EID) of sheep was introduced in Ireland in 2010.

Regulation (EC) 21/2004 also provided for a derogation whereby sheep intended for slaughter before they are 12 months old are permanently exempted from electronic tagging requirements. Given that the NSIS was delivering well on individual sheep traceability, Ireland opted to retain as much of the system as possible and therefore opted to apply this derogation. However, the use of EID is increasing and DAFM is encouraging the use of the EID in all cases where the animals are not going from the primary holding directly to the slaughter plant. EID is also used in all sheep destined for live export.

The following changes have been made to NSIS as a result of the introduction of EID:

- (a) a new numbering system has been put in place to accommodate electronic tagging and a number of companies have been approved by DAFM to supply EID tags to Irish flockowners,
- (b) the Irish tagging system is based on the principle of one ID tag for life from the holding of origin,
- (c) the electronic tagging of breeding animals and of live animals being exported

Census:

An annual census of the national flock is now a requirement. Flockowners are requested to submit the number of sheep in specific categories on their holding to DAFM within a specified time frame. This information is then correlated and retained electronically by DAFM which formulates the national census register.

The National Goat Identification System (NGIS) was introduced in Ireland in 2005 to provide for a national system of goat identification vital for disease control, traceability and consumer assurance. The

Standard requirements for the submission of programmes of eradication and monitoring of TSE

system is based on:

- Double tagging of all goats by the age of six months or on movement from a holding, whichever comes first
- Use of herd registers to record details of numbers of goats on a holding and details of movements
- Use of dispatch documents to record all movements.

Goats continue to be double tagged with conventional tags on their holding of birth with one ID number for life by 6 months of age or when they leave the holding of origin whichever comes first.

4.5 Measures in place as regards the notification of the disease

(max. 32000 chars) :

BSE

S.I. 101 2008 stipulates that “a person who has in his possession or under his charge an affected or a suspected animal, or the carcass of such an animal, and any veterinary surgeon or other person who, in the course of his duties, examines or inspects any such animal or carcass shall, with all practicable speed, notify the fact to (a) the Secretary, Department of Agriculture, Food and the Marine or (b) an inspector at a District Veterinary Office of the Department of Agriculture, Food and the Marine or to the Surveillance, ABP and TSE Division (SAT).

Scrapie

The Disease is compulsorily notifiable under EU and National Legislation. Additionally, on completion of all active surveillance results are notified to the relevant TSE staff/section within the Department.

Monitoring by Active Surveillance

Regulation (EC) 999/2001 as amended by Regulation (EC) 727/2007 requires the annual testing of slaughter sheep over 18 months of age and fallen sheep over 18 months of age. The Commission proposed a level of testing of 10,000 for healthy slaughtered animals over 18 months and 10,000 for fallen animals in 2007 subject to the requirement that in successive sampling years all officially registered holdings with more than 100 animals and where TSE cases have never been detected are subject to TSE testing. It is anticipated that 10,000 healthy slaughtered sheep and 10,000 fallen sheep will be tested for TSE's in 2015 where the sheep population is greater than 750,000 breeding animals.

Ireland's surveillance programme for 2015 will involve:

- Targeted active surveillance which will involve rapid testing a sample of animals over 18 months of age which die (fallen animals) or which are slaughtered for human consumption, this will provide additional information in relation to the incidence of scrapie in the general sheep population. Ireland will, at minimum, conduct the number of tests provided for under EU law.
- Discriminatory Western blotting of all index cases testing positive for scrapie and the first two subsequent cases in each restricted flock each year
- Genotyping of individual sheep which have tested positive for scrapie at the four codons;
- Genotyping of animals in scrapie positive flocks at the three codons
- Rapid testing of all animals (>18 months of age) depopulated from scrapie positive flocks.
- TSE testing of fallen animals (>18months of age) and cull animals (>18mths) from scrapie positive flocks.
- TSE testing of fallen animals (>18months of age) in scrapie monitored flocks

Standard requirements for the submission of programmes of eradication and monitoring of TSE

Diagnostic TSE Tests Used

For the programmes described above Ireland will use one or more rapid tests approved in accordance with the provisions of commission Regulation (EC) 999/2001 as amended. These will be performed in private laboratories that have been approved by the Central Veterinary Research Laboratory (CVRL) of the DAFM i.e. The National Reference Laboratory (NRL). Positive or inconclusive results from these tests will be verified at the CVRL by the NRL using histopathology and immunohistochemistry and/or immunoblotting (where appropriate).

Taking and Analysing the Samples

Samples for rapid testing are taken by the Food Business Operator (FBO) under the supervision of DAFM officers at slaughter plants. Sampling at knackeries, veterinary college, regional veterinary laboratories is carried out by veterinarians. These samples are analysed using an approved rapid test in accordance with Council Regulation 999/2001 as amended.

The recording and reporting of test results (fully automated system) is carried out in compliance with the practices and procedures in place at the laboratory.

The Department's National Reference Laboratory will genotype the animals from infected flocks in 2015.

4.6 Testing

4.6.1 Rapid tests in bovine animals

Targets for year **2015**

	Age (in months) above which animals are tested	Estimated number of animals to be tested	Estimated number of rapid tests, including rapid tests used for confirmation	
Animals referred to in Annex III, Chapter A, Part I, point 2.1, 3 and 4 of Regulation (EC) No 999/2001 of the European Parliament and of the Council	48	61 500	61 515	
Animals referred to in Annex III, Chapter A, Part I, point 2.2 of Regulation (EC) No 999/2001	0	0	0	
Animals referred to in Annex VII, Chapter B, Point I, of Regulation (EC) No 999/2001	48	100	100	X
		Add a new row		

4.6.2 Rapid tests in ovine animals

Estimated population of adult ewes and ewe lambs put to the ram .

2 500 000

Standard requirements for the submission of programmes of eradication and monitoring of TSE

Targets for year **2015**

	Estimated number of animals to be tested	
Ovine animals referred to in Annex III, Chapter A, Part II, point 2 of Regulation (EC) No 999/2001	10 000	
Ovine animals referred to in Annex III, Chapter A, Part II, point 3 of Regulation (EC) No 999/2001	10 000	
Ovine animals referred to in Annex III, Chapter A, Part II, point 5 of Regulation (EC) No 999/2001	0	
Ovine animals referred to in Annex VII, Chapter B, point 2.2.2. (b) and (c) of Regulation (EC) No 999/2001	3 000	
Ovine animals referred to in Annex VII, Chapter B, point 3.1. of Regulation (EC) No 999/2001	1 200	
Ovine animals referred to in Annex VII, Chapter B, point 4.1. of Regulation (EC) No 999/2001	0	
Ovine animals referred to in Annex VII, Chapter B, point 2.2.3. of Regulation (EC) No 999/2001	2 000	
Other please specify here		X
	Add a new row	

4.6.3 Monitoring in caprine animals

Estimated population of female goats and female kids mated .

8 500

Targets for year **2015**

	Estimated number of animals to be tested	
Caprine animals referred to in Annex III, Chapter A, Part II, point 2 of Regulation (EC) No 999/2001	20	
Caprine animals referred to in Annex III, Chapter A, Part II, point 3 of Regulation (EC) No 999/2001	100	
Caprine animals referred to in Annex III, Chapter A, Part II, point 5 of Regulation (EC) No 999/2001	0	
Caprine animals referred to in Annex VII, Chapter B, point 2.2.2. (b) and (c) of Regulation (EC) No 999/2001	0	
Caprine animals referred to in Annex VII, Chapter B, point 3.1. of Regulation (EC) No 999/2001	0	
Caprine animals referred to in Annex VII, Chapter B, point 4.1 of Regulation (EC) No 999/2001	0	
Caprine animals referred to in Annex VII, Chapter B, point 2.2.3. of Regulation (EC) No 999/2001	0	

Standard requirements for the submission of programmes of eradication and monitoring of TSE

Other please specify here		X
	ADD A NEW ROW	

4.6.4 Confirmatory tests **other than rapid tests** as referred to in Annex X Chapter C of Regulation (EC) No 999/2001

Targets for year **2015**

	Estimated number of tests
Confirmatory tests in Bovine animals	15
Confirmatory tests in Ovine and Caprine animals	50

4.6.5 Discriminatory tests

Targets for year **2015**

	Estimated number of tests
Primary molecular testing referred to in Annex X, Chapter C, point 3.2(c)(i) of Regulation (EC) No 999/2001	240

4.6.6 Genotyping of positive and randomly selected animals

Targets for year **2015**

	Estimated number
Animals referred to in Annex III, Chapter A, Part II, point 8.1 of Regulation (EC) No 999/2001	50
Animals referred to in Annex III, Chapter A, Part II, point 8.2 of Regulation (EC) No 999/2001	650

4.7 Eradication

4.7.1 Measures following confirmation of a BSE case

4.7.1.1 Description

(max. 32000 chars) :

Dealing with BSE Infected Flocks
Following the confirmation of BSE in a herd, tracing of cohorts - as defined by Regulation (EC) No.

Standard requirements for the submission of programmes of eradication and monitoring of TSE

999/2001 - and any progeny born within 2 years of the date of onset of BSE to the dam. Any live animals identified under this tracing programme are slaughtered at a designated slaughterhouse outside of the food chain after the value attributed to the specific animal/s has been agreed with the herd owner. All animal by-products (ABP) produced by the slaughter of BSE cohorts and progeny animals are treated as Category 1 ABP material and are disposed of in accordance with Regulation (EC) 1069/2009 and implemented by Regulation (EU) 142/2011. The number of animals slaughtered under this regime is a function of the number of cases in which the disease is identified and the year of birth of the positive case. It is estimated that the number of animals to be slaughtered under this part of the programme in 2014 should not exceed 100. However, it is difficult to predict this number with accuracy as one case of BSE may have less than ten or multiple cohort animals.

4.7.1.2 Summary table

Targets for year **2015**

	Estimated number
Animals to be killed under the requirements of Annex VII, Chapter B, point 2.1 of Regulation (EC) No 999/2001	50

4.7.2 Measures following confirmation of a scrapie case

4.7.2.1 Description

(max. 32000 chars):

Dealing with Scrapie Infected Flocks

- Ireland operated a Scrapie Depopulation Policy from December 2001 to 1st October 2003. Since 1st October, 2003 Ireland operates a genotyping and partial depopulation policy. Flockowners are permitted to retain Category 1 rams and ewes and Category 2 ewes. Farmers are required to dispose of Category 2 rams, and all Category 3, 4 and 5 animals. Flockowners may opt to avail of the concession to dispose of all un-genotyped male lambs outside the food chain (applicable to male lambs born immediately following restriction date). Additionally, the competent authority has retained the option to fully depopulate where warranted. Since 15th July 2007, positive flocks are restricted following the removal and disposal of the last susceptible animal.

In recent years, there has been an increase in the number of flocks diagnosed with Atypical Scrapie while the overall number of flocks diagnosed with a TSE remains constant in single digits. In 2013 there were 4 atypical and 7 classical Scrapie positive flocks confirmed. The competent authority deals with flocks with atypical scrapie as per 999/2001, Annex VII, 2.2.3

4.7.2.2 Summary table

Targets for year **2015**

	Estimated number
--	------------------

Standard requirements for the submission of programmes of eradication and monitoring of TSE

Animals to be culled and destroyed under the requirements of Annex VII, Chapter B, point 2.2.2 of Regulation (EC) No 999/2001	3 000
Animals to be sent for compulsory slaughter in application of the provisions of Annex VII, Chapter B, point 2.2.2. (b) and (c) of Regulation (EC) No 999/2001	0
Animals to be genotyped under the requirements of Annex VII, Chapter B, point 2.2 of Regulation (EC) No 999/2001	3 000

4.7.3 Breeding programme for resistance to TSEs in sheep

4.7.3.1 General description

Description of the programme according to the minimum requirements set out in Annex VII, Chapter B of Regulation (EC) No 999/2001

(max. 32000 chars) :

Genotyping/Breeding Programmes:

- The Department established a National Genotyping Programme, (NGP) which has been available to farmers since 2004. Both pedigree and commercial flocks have availed of the Programme and although the focus is primarily on rams, farmers may also elect to have ewes genotyped. This is a voluntary programme and is fully financed by the flockowner. It is anticipated that the take up in 2015 is likely to be low.
- The testing component of the NGP will be delivered by an approved commercial laboratory. Official NGP Certificates are issued by the competent authority to applicants in respect of tests carried out in the approved laboratory for sheep showing categories 1 to 3. A computerised database is maintained to include a result reporting system and also facilitates the tracking of change of ownership of genotyped sheep.

4.7.3.2 Summary table

Targets for year **2015**

	Estimated number
Ewes to be genotyped under the framework of a breeding programme referred to in Article 6a of Regulation (EC)	240
Rams to be genotyped under the framework of a breeding programme referred to in Article 6a of Regulation (EC)	370

Standard requirements for the submission of programmes of eradication and monitoring of TSE

5. Costs

5.1 Detailed analysis of the costs

(max. 32000 chars) :

BSE

The costs of this programme will include costs of sampling, collection and testing of samples, and the provision of compensation to farmers in respect of the partial depopulation of herds from this programme. Estimated Costs (net of VAT) in 2015 may be broken down roughly as follows:

Active surveillance at factories - Casualty and Emergency animals O48M

1,500 tests @ €7.40 per test = €11,100

Active Surveillance – Fallen Animals: 60,000 tests

60,000 x €9.45 per test = €567,000

Active Surveillance – Monitoring Cohort /Progeny animals:

200 tests at €9.45 per test = €1,890

Additional costs associated with testing

(Sampling, Equipment, Protective Clothing etc.) = € 400,000

Partial Depopulation Compensation (115 animals)

(Based on average price of animal/s slaughtered in 2013 (x € 1,038) = €119,370

Haulage, Slaughter and other costs associated with Depopulation = €130,000

Total: €1.229m

Standard requirements for the submission of programmes of eradication and monitoring of TSE

Scrapie

The cost of the Scrapie programme (net of VAT) in 2015 is estimated as follows:

Active Surveillance at factories: 10,000 tests + 20 goats @ €0.00 per test = €0.0

Active Surveillance - fallen animals - 10,000 tests + 100 goats @ €9.45 per test = €95,445

Rapid testing of susceptible animals in infected flocks - 3,000 tests @ €9.45 per test = €28,350

Rapid testing of cull animals in infected flocks - 3,200 tests @ €9.45 per test = €28,350

Cost of animals culled and destroyed in positive flocks 3,000 @ €81 = €243,000

Genotyping of scrapie positive flocks - 3,000 tests @ €12.00 = €36,000

Haulage , tagging, certification, sampling = €0.50m

Laboratory consumables for pyrosequencing equipment = €0.50m

Total - €1.431m

5.2 Detailed analysis of the cost of the programme for year :

2015

1. Testing in bovine animals (as referred to in point 4.6.1)						
Costs related to	Specification	Number of units	Unitary cost in EUR	Total amount in EUR	Community funding requested	
1.1. Rapid tests	IDEXX HerdCheck	60 100	9.45	567,945	yes	X

Standard requirements for the submission of programmes of eradication and monitoring of TSE

1.1. Rapid tests	IDEXX HerdCheck	1 500	7.4	11100	yes	X
				Add a new row		
2. Testing in ovine and caprine animals (as referred to in point 4.6.2 and 4.6.3)						
Costs related to	Specification	Number of units	Unitary cost in EUR	Total amount in EUR	Community funding requested	
2.1. Rapid tests	IDEXX HerdChek BSE-Scrapie Antigen	10 000	0	0	no	X
2.1. Rapid tests	IDEXX HerdChek BSE-Scrapie Antigen	10 000	9.45	94500	yes	X
2.1. Rapid tests	IDEXX HerdChek BSE-Scrapie Antigen	1 200	9.45	11340	yes	X
2.1. Rapid tests	IDEXX HerdChek BSE-Scrapie Antigen	2 000	9.45	18900	yes	X
2.1. Rapid tests	IDEXX HerdChek BSE-Scrapie Antigen	20	0	0	no	X
2.1. Rapid tests	IDEXX HerdChek BSE-Scrapie Antigen	100	9.45	945	yes	X
2.1. Rapid tests	IDEXX HerdChek BSE-Scrapie Antigen	3 000	9.45	28350	yes	X
				Add a new row		
3. Confirmatory testing (as referred to in point 4.6.4)						
Costs related to	Specification	Number of units	Unitary cost in EUR	Total amount in EUR	Community funding requested	
3.1. Confirmatory tests in Bovines	Immunohistochemistry Histopathology Western blot	15	743	11145	yes	X
				Add a new row		

Standard requirements for the submission of programmes of eradication and monitoring of TSE

Costs related to	Specification	Number of units	Unitary cost in EUR	Total amount in EUR	Community funding requested	
3.2. Confirmatory tests in Ovines and Caprines	Immunohistochemistry Histopathology Western blot	50	743	37150	yes	X
				Add a new row		
4. Discriminatory testing (as referred to in point 4.6.5)						
Costs related to	Specification	Number of units	Unitary cost in EUR	Total amount in EUR	Community funding requested	
4.1. Primary molecular tests	Annex X, Chapter C, 3.(c)	40	371	14840	yes	X
4.1. Primary molecular tests	Annex X, Chapter C, 3.(c) - Historical	200	194	38800	yes	X
				Add a new row		
5. Genotyping						
Costs related to	Specification	Number of units	Unitary cost in EUR	Total amount in EUR	Community funding requested	
5.1 Determination of genotype of animals in the framework of the monitoring and eradication measures laid down by Regulation (EC) No 999/2001 (as referred to in point 4.6.6 and 4.7.2.2)	Scrapie Positive Flocks	3 050	12	36600	yes	X
5.1 Determination of genotype of animals in the framework of the monitoring and eradication measures laid down by Regulation (EC) No 999/2001 (as referred to in point 4.6.6 and 4.7.2.2)	Random Sub Sample	650	12	7800	yes	X
				Add a new row		
Costs related to	Specification	Number of units	Unitary cost in EUR	Total amount in EUR	Community funding requested	

Standard requirements for the submission of programmes of eradication and monitoring of TSE

5.2 Determination of genotype of animals in the framework of a breeding programme (as referred to in point 4.7.3.2)	Voluntary Programme	610	0	0	no	X
				Add a new row		
6. Compulsory culling/slaughter						
Costs related to	Specification	Number of units	Unitary cost in EUR	Total amount in EUR	Community funding requested	
6.1 Compensation for bovine animals to be culled and destroyed under the requirements of Annex VII, Chapter B, point 2.1 of Regulation (EC) No 999/2001 (as referred to in point 4712)	BSE Cohorts and Progeny	50	1038	51900	yes	X
				Add a new row		
Costs related to	Specification	Number of units	Unitary cost in EUR	Total amount in EUR	Community funding requested	
6.2 Compensation for ovine and caprine animals to be culled and destroyed under the requirements of Annex VII, Chapter B, point 2.2.2 of Regulation (EC) No 999/2001 (as referred to in point 4722)	Market Value Based on Average Cost of Ovines slaughtered in 2013	3 000	81	243,000	yes	X
				Add a new row		
6.3 Compensation for ovine and caprine animals to be sent for compulsory slaughter in application of the provisions of Annex VII, Chapter B, point 2.2.2 (b) and (c) of Regulation (EC) No 999/2001 (as referred to in point 4722)	See 6.2	0	0	0	yes	X
				Add a new row		
Total				1 174 315,00 €		

Standard requirements for the submission of programmes of eradication and monitoring of TSE

5.3 Co-financing rate:

The maximum co-financing rate is in general fixed at 50%. However based on provisions of Article 5.2 and 5.3 of the Common Financial Framework, we request that the co-financing rate for the reimbursement of the eligible costs would be increased:

- Up to 75% for the measures detailed below
- Up to 100% for the measures detailed below
- Not applicable

5.4 Source of national funding

Please specify the source of the national funding:

- public funds*
- food business operators participation*
- other*

Standard requirements for the submission of programmes of eradication and monitoring of TSE

Please provide details on the source of national funding (max 32000 characters)

Provision is made under National Exchequer Funds to cover the following costs associated with TSE testing each year; Sampling costs including Consumables, Tagging and Certification, Haulage, PPE Equipment, Testing Equipment, Slaughter and Compensation in respect of suspect animals, and costs associated with the Slaughter of animals from positive flocks/herds.

Standard requirements for the submission of programmes of eradication and monitoring of TSE

Attachments

IMPORTANT :

- 1) The more files you attach, the longer it takes to upload them .
- 2) This attachment files should have one of the format listed here : jpg, jpeg, tiff, tif, xls, xlsx, doc, docx, ppt, pptx, bmp, pna, pdf.
- 3) The total file size of the attached files should not exceed 2 500Kb (+- 2.5 Mb). You will receive a message while attaching when you try to load too much.
- 4) IT CAN TAKE **SEVERAL MINUTES TO UPLOAD** ALL THE ATTACHED FILES. Don't interrupt the uploading by closing the pdf and wait until you have received a Submission Number!
- 5) Only use letters from a-z and numbers from 1-10 in the attachment names, otherwise the submission of the data will not work.

List of all attachments

	Attachment name	File will be saved as (only a-z and 0-9 and -_):	File size
		Total size of attachments :	No attachmen