

USA

Table of information provided by non-EU countries on phytosanitary import requirements

Information provided by countries of origin and National Plant Protection Organisms concerning Annex VII of Commission Implementing Regulation (EU) 2019/2072 establishing uniform conditions for the implementation of Regulation (EU) 2016/2031 of the European Parliament and the Council, as regards protective measures against pests of plants, and repealing Commission Regulation (EC) No 690/2008 and amending Commission Implementing Regulation (EU) 2018/2019 "

✓: information communicated to European Commission
n.a.: not applicable

		<i>Agilus planipennis</i> Fairmaire		
			36 - pest free areas	Date of latest communication
36	Plants of <i>Chionanthus virginicus</i> L. and <i>Fraxinus</i> * L., other than fruit, pollen, seeds and plants in tissue culture originating in Belarus, Canada, China, Democratic People's Republic of Korea, Japan, Mongolia, Republic of Korea, Russia, Taiwan, Ukraine and United States	<i>Chionanthus virginicus</i> L.		
	* Banned from 14 December 2019 onwards, under Regulation (EU) 2018/2019. Countries that would like to resume exports have to submit a technical dossier according to Regulation (EU) 2018/2018 for EFSA to perform the risk assessment. The EU will decide if and under which conditions the country can export the specified plant, after EFSA has carried out the risk assessment	<i>Fraxinus</i> L.*		
		<i>Grapholita packardii</i> Zeller		
			43 (a) - pest free areas	Date of latest communication
43	Plants for planting, other than plants in tissue culture and seeds, of <i>Crataegus</i> L.*, <i>Cydonia</i> Mill., <i>Malus</i> Mill.*, <i>Prunus</i> L.*, <i>Pyrus</i> L. and <i>Vaccinium</i> L. originating in Canada, Mexico and United States	<i>Crataegus</i> L.*		
		<i>Cydonia</i> Mill.		
		<i>Malus</i> Mill.*		
		<i>Prunus</i> L.*		
		<i>Pyrus</i> L.		
		<i>Vaccinium</i> L.		

<i>Candidatus Liberibacter africanus</i>				
		Plant species	51 - country freedom	Date of latest communication
51	Plants of <i>Aegle</i> Corrêa, <i>Aeglopsis</i> Swingle, <i>Afraegle</i> Engl, <i>Atalantia</i> Corrêa, <i>Balsamocitrus</i> Stapf, <i>Burkhillanthus</i> Swingle, <i>Calodendrum</i> Thunb., <i>Choisya</i> Kunth, <i>Clausena</i> Burm. f., <i>Limonia</i> L., <i>Microcitrus</i> Swingle., <i>Murraya</i> J. Koenig ex L., <i>Pamburus</i> Swingle, <i>Severinia</i> Ten., <i>Swinglea</i> Merr., <i>Triphasia</i> Lour. and <i>Vepris</i> Comm., other than fruit (but including seeds); and seeds of <i>Citrus</i> L., <i>Fortunella</i> Swingle and <i>Poncirus</i> Raf., and their hybrids originating in third countries			

<i>Candidatus Liberibacter americanus</i>				
		Plant species	51 - country freedom	Date of latest communication
51	Plants of <i>Aegle</i> Corrêa, <i>Aeglopsis</i> Swingle, <i>Afraegle</i> Engl, <i>Atalantia</i> Corrêa, <i>Balsamocitrus</i> Stapf, <i>Burkhillanthus</i> Swingle, <i>Calodendrum</i> Thunb., <i>Choisya</i> Kunth, <i>Clausena</i> Burm. f., <i>Limonia</i> L., <i>Microcitrus</i> Swingle., <i>Murraya</i> J. Koenig ex L., <i>Pamburus</i> Swingle, <i>Severinia</i> Ten., <i>Swinglea</i> Merr., <i>Triphasia</i> Lour. and <i>Vepris</i> Comm., other than fruit (but including seeds); and seeds of <i>Citrus</i> L., <i>Fortunella</i> Swingle and <i>Poncirus</i> Raf., and their hybrids originating in third countries			

<i>Candidatus Liberibacter asiaticus</i>				
		Plant species	51 - country freedom	Date of latest communication
51	Plants of <i>Aegle</i> Corrêa, <i>Aeglopsis</i> Swingle, <i>Afraegle</i> Engl, <i>Atalantia</i> Corrêa, <i>Balsamocitrus</i> Stapf, <i>Burkhillanthus</i> Swingle, <i>Calodendrum</i> Thunb., <i>Choisya</i> Kunth, <i>Clausena</i> Burm. f., <i>Limonia</i> L., <i>Microcitrus</i> Swingle., <i>Murraya</i> J. Koenig ex L., <i>Pamburus</i> Swingle, <i>Severinia</i> Ten., <i>Swinglea</i> Merr., <i>Triphasia</i> Lour. and <i>Vepris</i> Comm., other than fruit (but including seeds); and seeds of <i>Citrus</i> L., <i>Fortunella</i> Swingle and <i>Poncirus</i> Raf., and their hybrids originating in third countries			

<i>Xanthomonas citri</i> pv. <i>aurantifolia</i> (Schaad et al.) Constantini et al.					
		54(a) - country freedom	54(b) - pest free areas	Date of latest communication	
54	Plants of <i>Microcitrus</i> Swingle, <i>Naringi</i> Adans. and <i>Swinglea</i> Merr., other than fruits and seeds, originating in third countries	✓		Dec-2017	
<i>Xanthomonas citri</i> pv. <i>citri</i> (Hasse) Constantini et al.					
		54(a) - country freedom	54(b) - pest free areas	Date of latest communication	
54	Plants of <i>Microcitrus</i> Swingle, <i>Naringi</i> Adans. and <i>Swinglea</i> Merr., other than fruits and seeds, originating in third countries		see Annex Ia	Dec-2017	
<i>Xanthomonas citri</i> pv. <i>aurantifolia</i> (Schaad et al.) Constantini et al.					
		58 (a) - country freedom	58 (b) - pest free areas	58 (d) - post harvest treatment	Date of latest communication
58	Fruits of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., <i>Microcitrus</i> Swingle, <i>Naringi</i> Adans., <i>Swinglea</i> Merr., and their hybrids, originating in third countries	✓			Dec-2017
<i>Xanthomonas citri</i> pv. <i>citri</i> (Hasse) Constantini et al.					
		58 (a) - country freedom	58 (b) - pest free areas	58 (d) - post harvest treatment	Date of latest communication
58	Fruits of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., <i>Microcitrus</i> Swingle, <i>Naringi</i> Adans., <i>Swinglea</i> Merr., and their hybrids, originating in third countries		see Annex Ia	sodium hypochlorite	Dec-2017
				peroxyacetic acid	Dec-2017
<i>Pseudocercospora angolensis</i> (T. Carvalho & O. Mendes) Crous & U. Braun					
		59 (a) - country freedom	59 (b) - pest free areas	Date of latest communication	
59	Fruits of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, originating in third countries	✓		Dec-2017	
<i>Phyllosticta citricarpa</i> (McAlpine) Van der Aa					
		60 (a) - country freedom	60 (b) - pest free areas	Date of latest communication	
60	Fruits of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruits of <i>Citrus aurantium</i> L. and <i>Citrus latifolia</i> Tanaka, originating in third countries		see Annex Ib	Sep-2018	

		Tephritidae of point 77 of Annex II, to which fruits of point 61 are known to be susceptible				
61		61 (a) - country freedom	61 (b) - pest free areas	61 (d)-systems approach	61(d)-post harvest treatment	Date of latest communication
	Fruits of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, <i>Mangifera</i> L. and <i>Prunus</i> L., originating in third countries		see Annex Ic	see Annex Id	cold treatment	Aug 2019
	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrid			see Annex Id	hot water treatment (Puerto Rico)	March 2020
	<i>Mangifera</i> L.			see Annex Id		Aug 2019
	<i>Prunus</i> L.		see Annex Ic	see Annex Id		

		<i>Thaumatotibia leucotreta</i> (Meyrick)						
62		62 (a) - country freedom	62 (b) - pest free areas	62(c) - Codes of places of production	62(d)-systems approach + documentary evidence of effectiveness	62(d) - Codes of sites of production	62 (d)-post harvest treatment + documentary evidence of effectiveness	Date of latest communication
	Cut flowers of <i>Rosa</i> L. (applicable from 26 April 2025)	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	
	<i>Capsicum</i> (L.)	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	
	Cut flowers of <i>Rosa</i> L., fruits of <i>Capsicum</i> (L.), <i>Citrus</i> L., other than <i>Citrus aurantifolia</i> (Christm.) Swingle, <i>Citrus limon</i> (L.) Osbeck, and <i>Citrus sinensis</i> Pers., <i>Prunus persica</i> (L.) Batsch and <i>Punica granatum</i> L. originating in countries of the African continent, Cape Verde, Saint Helena, Madagascar, La Reunion, Mauritius and Israel	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	
	<i>Citrus</i> L., other than <i>Citrus aurantifolia</i> (Christm.) Swingle, <i>Citrus limon</i> (L.) Osbeck, and <i>Citrus sinensis</i> Pers.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	
	<i>Prunus persica</i> (L.) Batsch	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	
	<i>Punica granatum</i> L.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	

		<i>Thaumatotibia leucotreta</i> (Meyrick)						
62.1		62.1 (a) - country freedom	62.1 (b) - pest free areas	62.1 (c) - Codes of places of production	62.1 (d)-systems approach + documentary evidence of effectiveness	62.1 (d) - Codes of sites of production	62.1 (d)-post harvest treatment + documentary evidence of effectiveness	Date of latest communication
	Fruits of <i>Citrus sinensis</i> Pers., originating in countries of the African continent, Cape Verde, Saint Helena, Madagascar, La Reunion, Mauritius and Israel	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	
	<i>Citrus sinensis</i> Pers.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	

		<i>Grapholita packardii</i> Zeller			
		63 (a) - pest free areas	63 (c)-systems approach	63 (c)-post-harvest treatment	Date of latest communication
63	Fruits of <i>Malus</i> Mill., <i>Prunus</i> L., <i>Pyrus</i> L. and <i>Vaccinium</i> L., originating in Canada, Mexico and the United States	<i>Malus</i> Mill.		see Annex Id	Aug 2019
		<i>Prunus</i> L.		see Annex Id	Aug 2019
		<i>Pyrus</i> L.		see Annex Id	Aug 2019
		<i>Vaccinium</i> L.		see Annex Id	Aug 2019

		<i>Botryosphaeria kuwatsukai</i> (Hara) G.Y. Sun and E. Tanaka				
		64 (a) - country freedom	64 (b) - pest free areas	64 (d)-systems approach	64 (d)-post-harvest treatment	Date of latest communication
64	Fruits of <i>Malus</i> Mill. and <i>Pyrus</i> L., originating in third countries	<i>Malus</i> Mill.	✓			Aug 2019
		<i>Pyrus</i> L.	✓			Aug 2019

		<i>Anthonomus quadrigibbus</i> Say				
		65 (a) - country freedom	65 (b) - pest free areas	65 (d)-post-harvest treatment	65 (d)- systems approach	Date of latest communication
65	Fruits of <i>Malus</i> Mill. and <i>Pyrus</i> L., originating in third countries	<i>Malus</i> Mill.			see Annex Id	Aug 2019
		<i>Pyrus</i> L.			see Annex Id	Aug 2019

		<i>Grapholita prunivora</i> (Walsh)				
		66 (a) - country freedom	66 (b) - pest free areas	66 (d)-systems approach	66 (d) - post-harvest treatment	Date of latest communication
66	Fruits of <i>Malus</i> Mill. originating in third countries			see Annex Id		Aug 2019

		<i>Grapholita inapinata</i> (Heinrich)				
		66 (a) - country freedom	66 (b) - pest free areas	66 (d)-systems approach	66 (d)-post-harvest treatment	Date of latest communication
66	Fruits of <i>Malus</i> Mill. originating in third countries	✓				Aug 2019
		<i>Rhagoletis pomonella</i> (Walsh)				
		66 (a) - country freedom	66 (b) - pest free areas	66 (d)-systems approach	66 (d)-post-harvest treatment	Date of latest communication
66	Fruits of <i>Malus</i> Mill. originating in third countries		See annex Ic	see Annex Id	cold treatment	Aug 2019
		<i>Bactericera cockerelli</i> (Sulc.)				
		Solanaceae species	67 (a) - country freedom	67 (b) - pest free areas	Date of latest communication	
67	Fruits of <i>Solanaceae</i> originating in Australia, the Americas and New Zealand					
		<i>Neoleucinodes elegantalis</i> (Guenée)				
			68 (a) - country freedom	68 (b) - pest free areas	Date of latest communication	
68	Fruits of <i>Capsicum annuum</i> L., <i>Solanum aethiopicum</i> L., <i>Solanum lycopersicum</i> L. and <i>Solanum melongena</i> L., originating in third countries	<i>Capsicum annuum</i> L.	✓		Aug 2019	
		<i>Solanum aethiopicum</i> L.	✓		Aug 2019	
		<i>Solanum lycopersicum</i> L.	✓		Aug 2019	
		<i>Solanum melongena</i> L.	✓		Aug 2019	
		<i>Prodiplaxis longifolia</i> Gagné				
			68.1 (a) - pest free areas	68.1 (d)-systems approach	68.1(d)-post harvest treatment	Date of latest communication
68.1	Fruits of <i>Capsicum</i> L. and <i>Solanum lycopersicum</i> L. originating in Bolivia, Colombia, Ecuador, Peru, and United States	<i>Capsicum</i> L.				
		<i>Solanum lycopersicum</i> L.				

		<i>Momardica</i> species	<i>Thrips palmi</i> (Sulc.)			
			71 (a) - country freedom	71 (b) - pest free areas	Date of latest communication	
71	Fruits of <i>Momardica</i> L. originating in third countries other than Honduras, Mexico, Sri Lanka, and Thailand					
		<i>Momardica</i> species	<i>Thrips palmi</i> (Sulc.)			
			71.1 (a) - pest free areas	71.1(c)(ii) - cultural control measures	Date of latest communication	
71.1	Fruits of <i>Momardica</i> L. originating in Honduras, Mexico, Sri Lanka, and Thailand		n.a	n.a		
		<i>Bactrocera latifrons</i> (Hendel)				
		72.1(a)-country freedom	72.1 (b) - pest free areas	72.1(d)-systems approach	72.1 (d)-post-harvest treatment	Date of latest communication
72.1	Fruits of <i>Capsicum</i> L. and <i>Solanum</i> L, originating in the relevant countries of point 72.1 of Annex VII *	<i>Capsicum</i> L.	n.a	n.a	n.a	n.a
		<i>Solanum</i> L.	n.a	n.a	n.a	n.a
		<i>Bactrocera dorsalis</i> (Hendel)				
		72.2(a)-country freedom	72.2 (b) - pest free areas	72.2(d)-systems approach	72.2 (d)-post-harvest treatment	Date of latest communication
72.2	Fruits of <i>Annona</i> L. and <i>Carica papaya</i> L., originating in the relevant countries of point 72.2 of Annex VII *	<i>Annona</i> L.	n.a	n.a	n.a	n.a
		<i>Carica papaya</i> L.	n.a	n.a	n.a	n.a
		<i>Bactrocera dorsalis</i> (Hendel)				
		72.3(a)-country freedom	72.3 (b) - pest free areas	72.3(d)-systems approach	72.3 (d)-post-harvest treatment	Date of latest communication
72.3	Fruits of <i>Psidium guajava</i> L., originating in the relevant countries of point 72.3 of Annex VII *	n.a	n.a	n.a	n.a	
		<i>Bactrocera zonata</i> (Saunders)				
		72.3(a)-country freedom	72.3 (b) - pest free areas	72.3(d)-systems approach	72.3 (d)-post-harvest treatment	Date of latest communication
72.3	Fruits of <i>Psidium guajava</i> L., originating in the relevant countries of point 72.3 of Annex VII *	n.a	n.a	n.a	n.a	
<p>Algeria, Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Congo, Côte d'Ivoire, Djibouti, Egypt, Equatorial Guinea, Eritrea, Eswatini, Ethiopia, Gabon, Gambia, Ghana, Guinea, Guinea-Bissau, Kenya, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, Niger, Nigeria, Réunion, Rwanda, Sao Tome and Principe, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, South Sudan, Sudan, Tanzania, The Democratic Republic of the Congo, Togo, Tunisia, Uganda, Zambia, Zimbabwe, Afghanistan, Bahrain, Bangladesh, Bhutan, Brunei Darussalam, Cambodia, China, India, Indonesia, Iran, Iraq, Japan, Jordan, Kazakhstan, Kuwait, Kyrgyzstan, Laos, Lebanon, Malaysia, Maldives, Mongolia, Myanmar, Nepal, North Korea, Oman, Pakistan, Philippines, Qatar, Russia (only the following parts: Far Eastern Federal District (Dalnevostochny federalnyy okrug), Siberian Federal District (Sibirsky federalnyy okrug), and Ural Federal District (Uralskiy federalnyy okrug)), Saudi Arabia, Singapore, South Korea, Sri Lanka, Syria, Tajikistan, Thailand, Timor-Leste, Turkmenistan, United Arab Emirates, Uzbekistan, Vietnam, and Yemen</p>						

<i>Agrilus planipennis</i> Fairmaire			
		87 (a) - pest free areas	Date of latest communication
87	Wood of <i>Chionanthus virginicus</i> L. and <i>Fraxinus</i> L., other than in the form of: — chips, particles, sawdust, shavings, wood waste and scrap, obtained in whole or part from these trees, — wood packaging material, in the form of packing cases, boxes, crates, drums and similar pack ings, pallets, box pallets and other load boards, pallet collars, dunnage, whether or not actu ally in use in the transport of objects of all kinds, except dunnage support ing consignments of wood, which is constructed from wood of the same type and quality as the wood in the con signment and which meets the same Un ion phytosanitary requirements as the wood in the con signment, but in cluding wood which has not kept its natural round surface, and other objects made of untreated wood originating in Belarus, China, Democratic People's Republic of Korea, Japan, Mongolia, Republic of Korea, Russia, Taiwan and Ukraine	<i>Chionanthus virginicus</i> L.	n.a.
		<i>Fraxinus</i> L.	n.a.

<i>Agrilus planipennis</i> Fairmaire			
		87.1 (a) - pest free areas	Date of latest communication
87.1	Wood of <i>Fraxinus</i> L. other than in the form of — chips, particles, sawdust, shavings, wood waste and scrap, obtained in whole or part from these trees, — wood packaging material, in the form of packing cases, boxes, crates, drums and similar pack ings, pallets, box pallets and other load boards, pallet collars, dunnage, whether or not actually in use in the transport of objects of all kinds, except dunnage support ing consignments of wood, which is constructed from wood of the same type and quality as the wood in the con signment and which meets the same Un ion phytosanitary requirements as the wood in the con signment, but including wood which has not kept its natural round surface, and other objects made of untreated wood. originating in Canada and United States	<i>Fraxinus</i> L.	

<i>Agrilus planipennis</i> Fairmaire			
		87.2 (a) - pest free areas	Date of latest communication
87.2	Wood of <i>Chionanthus virginicus</i> L., other than in the form of — chips, particles, sawdust, shavings, wood waste and scrap, obtained in whole or part from these trees, — wood packaging material, in the form of packing cases, boxes, crates, drums and similar pack ings, pallets, box pallets and other load boards, pallet collars, dunnage, whether or not actu ally in use in the transport of objects of all kinds, except dunnage support ing consignments of wood, which is constructed from wood of the same type and quality as the wood in the con signment and which meets the same Un ion phytosanitary requirements as the wood in the con signment, but in cluding wood which has not kept its natural round surface, and other objects made of untreated wood originating in Canada and United States	<i>Chionanthus virginicus</i> L.	

<i>Agrilus planipennis</i> Fairmaire			
		88 - pest free areas	Date of latest communication
88	Wood in the form of chips, particles, shav ings, wood waste and scrap obtained in whole or in part from <i>Chionanthus virginicus</i> L. and <i>Fraxinus</i> L. originating in Belarus, Canada, China, Democratic People's Republic of Korea, Japan, Mongolia, Republic of Korea, Russia, Taiwan, Ukraine and United States	<i>Chionanthus virginicus</i> L. <i>Fraxinus</i> L.	

<i>Agrilus planipennis</i> Fairmaire			
		89 - pest free areas	Date of latest communication
89	Isolated bark and objects made of bark of <i>Chionanthus virginicus</i> L. and <i>Fraxinus</i> L. originating in Belarus, Canada, China, Democratic People's Republic of Korea, Japan, Mongolia, Republic of Korea, Russia, Taiwan, Ukraine and United States	<i>Chionanthus virginicus</i> L. <i>Fraxinus</i> L.	

Annex Ia

U.S. States free from <i>Xanthomonas citri</i> pv. <i>citri</i> (Citrus canker)		
Alabama	Maine	Oklahoma
Alaska	Maryland	Oregon
Arizona	Massachusetts	Pennsylvania
Arkansas	Michigan	Puerto Rico
California	Minnesota	Rhode Island
Colorado	Mississippi	South Carolina
Connecticut	Missouri	South Dakota
Delaware	Montana	Tennessee
Georgia	Nebraska	Texas *
Hawaii	Nevada	United States Virgin Islands
Idaho	New Hampshire	Utah
Illinois	New Jersey	Vermont
Indiana	New Mexico	Virginia
Iowa	New York	Washington
Kansas	North Carolina	West Virginia
Kentucky	North Dakota	Wisconsin
Louisiana *	Ohio	Wyoming

*Louisiana Parishes free from <i>Xanthomonas citri</i> pv. <i>citri</i> (Citrus canker)		
Acadia	Evangeline	Sabine
Allen	Franklin	Saint Helena
Ascension	Grant	Saint Landry
Assumption	Iberia	Saint Martin
Avoyelles	Iberville	Saint Mary
Beauregard	Jackson	Saint Tammany
Bienville	Jefferson Davis	Tangipahoa
Bossier	La Salle	Tensas
Caddo	Lafayette	Terrebonne
Calcasieu	Lincoln	Union
Caldwell	Livingston	Vermilion
Cameron	Madison	Vernon
Catahoula	Morehouse	Washington
Claiborne	Natchitoches	Webster
Concordia	Ouachita	West Baton Rouge
De Soto	Pointe Coupee	West Carroll
East Baton Rouge	Rapides	West Feliciana
East Carroll	Red River	Winn
East Feliciana	Richland	

***Texas Counties free from *Xanthomonas citri* pv. *citri* (Citrus canker)**

Anderson	Crockett	Hemphill	Madison	Scurry
Andrews	Crosby	Henderson	Marion	Shackelford
Angelina	Culberson	Hidalgo	Martin	Shelby
Aransas	Dallam	Hill	Mason	Sherman
Archer	Dallas	Hockley	Matagorda	Smith
Armstrong	Dawson	Hood	Maverick	Somervell
Atascosa	Deaf Smith	Hopkins	Medina	Starr
Austin	Delta	Houston	Menard	Stephens
Bailey	Denton	Howard	Midland	Sterling
Bandera	DeWitt	Hudspeth	Milam	Stonewall
Bastrop	Dickens	Hunt	Mills	Sutton
Baylor	Dimmit	Hutchinson	Mitchell	Swisher
Bee	Donley	Irion	Montague	Tarrant
Bell	Duval	Jack	Montgomery	Taylor
Bexar	Eastland	Jackson	Moore	Terrell
Blanco	Ector	Jasper	Morris	Terry
Borden	Edwards	Jeff Davis	Motley	Throckmorton
Bosque	Ellis	Jefferson	Nacogdoches	Titus
Bowie	El Paso	Jim Hogg	Navarro	Tom Green
Brazoria	Erath	Jim Wells	Newton	Travis
Brazos	Falls	Johnson	Nolan	Trinity
Brewster	Fannin	Jones	Nueces	Tyler
Briscoe	Fayette	Karnes	Ochiltree	Upshur
Brooks	Fisher	Kaufman	Oldham	Upton
Brown	Floyd	Kendall	Orange	Uvalde
Burleson	Foard	Kenedy	Palo Pinto	Val Verde
Burnet	Franklin	Kent	Panola	Van Zandt
Caldwell	Freestone	Kerr	Parker	Victoria
Calhoun	Frio	Kimble	Parmer	Walker
Callahan	Gaines	King	Pecos	Waller
Camp	Galveston	Kinney	Polk	Ward
Carson	Garza	Kleberg	Potter	Washington
Cass	Gillespie	Knox	Presidio	Webb
Castro	Glasscock	Lamar	Rains	Wharton
Chambers	Goliad	Lamb	Randall	Wheeler
Cherokee	Gonzales	Lampasas	Reagan	Wichita
Childress	Gray	La Salle	Real	Wilbarger
Clay	Grayson	Lavaca	Red River	Willacy
Cochran	Gregg	Lee	Reeves	Williamson
Coke	Grimes	Leon	Refugio	Wilson
Coleman	Guadalupe	Liberty	Roberts	Winkler
Collin	Hale	Limestone	Robertson	Wise
Collingsworth	Hall	Lipscomb	Rockwall	Wood
Colorado	Hamilton	Live Oak	Runnels	Yoakum
Comal	Hansford	Llano	Rusk	Young
Comanche	Hardeman	Loving	Sabine	Zapata
Concho	Hardin	Lubbock	San Augustine	Zavala
Cooke	Harrison	Lynn	San Jacinto	
Coryell	Hartley	McCulloch	San Patricio	
Cottle	Haskell	McLennan	San Saba	
Crane	Hays	McMullen	Schleicher	

Annex Ib

U.S. States free from <i>Phyllosticta citricarpa</i>		
Alabama	Maine	Oregon
Alaska	Maryland	Pennsylvania
Arizona	Massachusetts	Puerto Rico
Arkansas	Michigan	Rhode Island
California	Minnesota	South Carolina
Colorado	Mississippi	South Dakota
Connecticut	Missouri	Tennessee
Delaware	Montana	Texas
Florida*	Nebraska	United States Virgin Islands
Georgia	Nevada	Utah
Hawaii	New Hampshire	Vermont
Idaho	New Jersey	Virginia
Illinois	New Mexico	Washington
Indiana	New York	West Virginia
Iowa	North Carolina	Wisconsin
Kansas	North Dakota	Wyoming
Kentucky	Ohio	
Louisiana	Oklahoma	

*Florida Counties free from <i>Phyllosticta citricarpa</i>			
Alachua	Gadsden	Liberty	Saint Johns
Baker	Gilchrist	Madison	Saint Lucie
Bay	Gulf	Manatee	Santa Rosa
Bradford	Hamilton	Marion	Sarasota
Brevard	Hardee	Martin	Seminole
Broward	Hernando	Miami-Dade	Sumter
Calhoun	Highlands	Monroe	Suwannee
Citrus	Hillsborough	Nassau	Taylor
Clay	Holmes	Okaloosa	Union
Columbia	Indian River	Okeechobee	Volusia
De Soto	Jackson	Orange	Wakulla
Dixie	Jefferson	Osceola	Walton
Duval	Lafayette	Palm Beach	Washington
Escambia	Lake	Pasco	
Flagler	Leon	Pinellas	
Franklin	Levy	Putman	

Annex 1c

<i>Rhagoletis pomonella</i> (apple maggot) Pest Free Areas by U.S. State and County	
State	County
California	Contra Costa, El Dorado, Fresno, Imperial, Kern, Kings, Los Angeles, Marin, Merced, Monterey, Orange, Riverside, Sacramento, San Benito, San Joaquin, San Bernardino, San Luis Obispo, San Diego, San Francisco, Santa Barbara (in part), Santa Clara, Solano, Stanislaus, Tulare, Ventura, Yolo
Oregon	Umatilla (in part; Milton-Freewater Production Area), Malheur (in part; Ontario Production Area)
Washington	Adams, Asotin, Benton, Columbia, Douglas, Franklin, Grant, Klickitat, Walla Walla, Chelan (in part), Kittitas (in part), Okanogan (in part), Yakima (in part)
Idaho	Boundary, Canyon, Nez Perce, Owyhee, Payette, Gem (in part), Washington (in part)

Non-European Tephritidae Pest Free Areas Associated with U.S. Citrus	
State	County
California	(entire state; all counties)
Arizona	(entire state; all counties)

<i>Rhagoletis mendax</i> (blueberry maggot) Pest Free Areas by U.S. State	
State	County
California	(entire state; all counties)
Oregon	(entire state; all counties)
Washington	(entire state; all counties)

Annex Id

Commodities	Systems Approach
Apples	U.S. Pacific Northwest (Oregon, Washington, Idaho)
	Massachusetts
	New York
Blueberry	North eastern US
Citrus fruit	Florida (2019.11.01 - <u>updated version</u>)
	Texas
	For the whole US
Cranberries	Massachusetts
	Wisconsin
Mango	Puerto Rico
Pear	U.S. Pacific Northwest (Oregon, Washington, Idaho)
Stone fruit	California – <i>Prunus</i> ssp. (peaches, plums, nectarines)
	U.S. Pacific Northwest (Oregon, Washington, Idaho) – <i>Prunus</i> ssp. cherries