

EUROPEAN COMMISSION

HEALTH & CONSUMERS DIRECTORATE-GENERAL

Unit 04 - Veterinary Control Programmes

SANCO/12964/2010

Programmes for the eradication, control and monitoring of certain animal diseases and zoonoses

Monitoring and eradication programme of TSE, BSE and scrapie

Approved* for 2011 by Commission Decision 2010/712/EU

Czech Republic

^{*} in accordance with Council Decision 2009/470/EC



Programme for eradication and monitoring of TSE's

Member State:

Czech Republic

Disease:

TSE's

Year of implementation:

2011

Organisation responsible for the programme:

State Veterinary Administration of the Czech Republic

Department of Animal Health and Welfare

Slezská 7

120 56 Prague 2

Contact person

Name:

Petr Šatrán, MVD., Ph.D.

Phone:

+420227010150

Fax:

+420227010195

E-mail:

epiz@svscr.cz

Date sent to the Commission: 30.4.2010, updated 16.7.2010



2. Description of the programme

The aim of the programme is to detect any case of TSE and prevent them from entering the food or feed chain thus, eventually, eradicating the diseases and preventing them from causing hazard to public or animal health. The program is lay down in accordance with Regulation (EC) No 999/2001 as amended of the European Parliament and of the Council.

3. Description of the epidemiological situation of the disease

First occurrence of BSE was reported in the Czech Republic during the year 2001. Since this time a comprehensive national surveillance programme has been adjusted and applied thirty positive cases of BSE have been recorded in the CR to the end of the year 2009.


The number of positive findings

ine number of positi	ve jina	ings		·	
date of result	No	sex	age/year of birth	origin	district
5.6.2001	1	female	68 months/1995	CZE	Jihlava
21.8.2001	2	female	72 months/1995	CZE	Zdar nad Sazavou
25.9.2002	3	female	65 months/1997	CZE	Brno Venkov
2.10.2002	4	female	81 months/1995	CZE	Praha Vychod
6.5.2003	5	female	76 months/1996	CZE	Trebic
17.10.2003	6	female	100 months/1995	CZE	Prachatice
21.10.2003	7	female	42 months/2000	CZE	Semily
14.11.2003	8	female	46 months/2000	CZE	Breclav
17.1.2004	9	female	61 months/1998	CZE	Svitavy
16.4.2004	10	female	80 months/1997	CZE	Usti n.Orlici
6.5.2004	11	male	67 months/1998	CZE	Ceský Krumlov
9.6.2004	12	female	53 months/2000	CZE	Semily
21.7.2004	13	female	59 months/1999	CZE	Jicín
27.8.2004	14	female	99 months/1996	CZE	Písek
25.10.2004	15	female	82 months/1997	CZE	Svitavy
25.1.2005	16	female	60 months/2000	CZE	Uherske Hradiste
1.2.2005	17	female	52 months/2000	CZE	Jihlava
4.4.2005	18	female	59 months/2000	CZE	Benesov
6.6.2005	19	female	56 months/2000	CZE	Opava
22,6.2005	20	female	73 months/1999	CZE	Semily
20.10.2005	21	female	64 months/2000	CZE	Tabor
25.10.2005	22	female	58 months/2000	CZE	Pribram
20.11.2005	23	female	57 months/2001	CZE	Pribram
30. 1. 2006	24	female	81 months/1999	CZE	Svitavy
23. 11. 2006	25	female	72 months/2000	CZE	Semily
4.12.2006	26	female	80 months/2000	CZE	Mladá Boleslav
10.9.2007	27	female	136 months/1996	CZE	Usti n. Orlici
19.12.2007	28	female	119 monhts/1998	CZE	Teplice
25.3.2009	29	female	66 months/2003	CZE	Semily
4.5.2009	30	female	60 months/2004	CZE	Opava



Total fifty five positive cases of scrapie in six herds were detected in the CR up to date 31.12.2008. The first case was found in January 2002. Details see below in the table.

Date of examination	Sex	Age	Origin	District	Region
3.1.2002	Female	18 months	CZE	Ústí nad Orlicí	Pardubice
14.1.2002	Female	57 months	CZE	Ústí nad Orlicí	Pardubice
19.2.2002	Male	21 months	CZE	Kroměříž	Zlín
15.3.2002	Female	36 months	CZE	Ústí nad Orlicí	Pardubice
21.3.2002	Female	84 months	CZE	Ústí nad Orlicí	Pardubice
3.4.2002	Male	36 months	CZE	Zlín	Zlín
11.5.2002	Female	26 months	CZE	Ústí nad Orlicí	Pardubice
23.9.2002	Female	24 months	CZE	Rychnov nad	Hradec Králové
				Kněžnou	
25.10.2002	Female	19 months	CZE	Ústí nad Orlicí	Pardubice
30.10.2002	Female	19 months	CZE	Ústí nad Orlicí	Pardubice
30.10.2002	Female	19 months	CZE	Ústí nad Orlicí	Pardubice
20.11.2002	Female	20 months	CZE	Ústí nad Orlicí	Pardubice
5.12.2002	Female	21 months	CZE	Ústí nad Orlicí	Pardubice
5.12.2002	Female	21 months	CZE	Ústí nad Orlicí	Pardubice
5.12.2002	Female	21 months	CZE	Ústí nad Orlicí	Pardubice
19.12.2002	Male	21 months	CZE	Ústí nad Orlicí	Pardubice
13.1.2003	Male	20 months	CZE	Ústí nad Orlicí	Pardubice
15.1.2003	Male	22 months	CZE	Ústí nad Orlicí	D. 11.1
					Pardubice
15.1.2003	Male	22 months	CZE	Ústí nad Orlicí	Pardubice
29.1.2003	Female	18 months	CZE	Ústí nad Orlicí	Pardubice
17.5.2003	Female	46 months	CZE	Ústí nad Orlicí	Pardubice
17.5.2003	Female	43 months	CZE	Ústí nad Orlicí	Pardubice
16.5.2003	Female	41 months	CZE	Ústí nad Orlicí	Pardubice
27.6.2003	Female	16 months	CZE	Ústí nad Orlicí	Pardubice
25.6.2003	Male	27 months	CZE	Kroměříž	Zlín
3.9.2003	Female	17 months	CZE	Ústí nad Orlicí	Pardubice
16.9.2003	Female	29 months	CZE	Ústí nad Orlicí	Pardubice
7.11.2003	Female	20 months	CZE	Ústí nad Orlicí	Pardubice
20.1.2004	Female	23 months	CZE	Ústí nad Orlicí	Pardubice Pardubice
22.1.2004	Female	22 months	CZE	Ústí nad Orlicí	
12.5.2004	Female	25 months	CZE	Usti nad Orlici	Pardubice
13.5.2004	Female	13 months	CZE	Usti nad Orlici	Pardubice
21.7.2004	Female	27 months	CZE	Usti nad Orlici	Pardubice
21.7.2004	Female	28 months	CZE	Usti nad Orlici	Pardubice
21.7.2004	Female	52 months	CZE	Usti nad Orlici	Pardubice
11.12.2004	Female	21 months	CZE	Usti nad Orlici	Pardubice
11.12.2004	Female	21 months	CZE	Usti nad Orlici	Pardubice
4.8.2005	Female	30 months	CZE	Usti nad Orlici	Pardubice
16.7.2007	Female	117 months	CZE	Benešov	Central Bohemia
19.1.2008	Female	21 months	CZE	Liberec	Liberec
22.1.2008	Female	21 months	CZE	Liberec	Liberec
26.1.2008	Female	20 months	CZE	Liberec	Liberec
27.1.2008	Female	21 months	CZE	Liberec	Liberec
6.2.2008	Female	22 months	CZE	Liberec	Liberec



6.2.2008	Female	22 months	CZE	Liberec	Liberec
6.2.2008	Female	11 months	CZE	Liberec	Liberec
6.2.2008	Female	22 months	CZE	Liberec	Liberec
6.2.2008	Female	22 months	CZE	Liberec	Liberec
6.2.2008	Female	21 months	CZE	Liberec	Liberec
6.2.2008	Female	22 months	CZE	Liberec	Liberec
6.2.2008	Female	22 months	CZE	Liberec	Liberec
6.2.2008	Female	12 months	CZE	Liberec	Liberec
6.2.2008	Female	11 months	CZE	Liberec	Liberec
6.2.2008	Female	11 months	CZE	Liberec	Liberec
6.2.2008	Female	60 months	CZE	Liberec	Liberec

2009 BSE tests of cattle carried out by using of rapid tests

	Total in 2009		
	CZ origin	Import	Total
Killed&destroyed animals	94	0	94
Suspected animals	0	0	0
Fallen stock animals	27 085	66	27 151
Emergency slaughters	2 676	7	2 683
Sick at slaughter	19	0	19
Slaughtered animals	124 860	1 665	126 525
Total	154 742	1 738	156 472

2008 BSE tests of cattle carried out by using of rapid tests

	Total in 2008		
	CZ origin	Import	Total
Killed&destroyed animals	26	0	26
Suspected animals	0	0	0
Fallen stock animals	30 603	67	30 670
Emergency slaughters	10 256	34	10 290
Sick at slaughter	99	0	99
Slaughtered animals	114 800	1384	116 184
Total	155 784	1485	157 269

2007 BSE tests of cattle carried out by using of rapid tests

	Total in 2007		
	CZ origin	Import	Total
Killed&destroyed animals	164	0	164
Suspected animals	0	0	0
Fallen stock animals	29 831	73	29 904
Emergency slaughters	32 007	69	32 076
Sick at slaughter	85	0	85
Slaughtered animals	97 615	576	98 191
Total	159 702	718	160 420

2006 BSE tests of cattle carried out by using of rapid tests

	Total in 2006		
	CZ origin	Import	Total
Killed&destroyed animals	271	0	271
Suspected animals	0	0	0
Fallen stock animals	32 176	46	32 222
Emergency slaughters	33 116	36	33 452
Sick at slaughter	15	0	15
Slaughtered animals	108 433	377	108 810
Total	174 011	459	174 470



2005 BSE tests of cattle carried out by using of rapid tests

	Total in 2005		
	CZ origin	Import	Total
Killed&destroyed animals	1 142	0	1 142
Suspected animals	0	0	0
Fallen stock animals	31 913	25	31 938
Emergency slaughters	28 549	26	28 575
Sick at slaughter	16	0	16
Slaughtered animals	108 725	461	109 186
Total	170 345	512	170 857

2004 BSE tests of cattle carried out by using of rapid tests

Total in 2004						
	CZ origin	Import	Total			
Killed&destroyed animals	1 135	0	1 135			
Suspected animals	0	0	0			
Fallen stock animals	35 852	13	35 865			
Emergency slaughters	33 494	37	33 531			
Sick at slaughter	61	1	62			
Slaughtered animals	129 391	733	130 124			
Total	199 933	784	200 717			

TSE investigation in goats and sheep

Since January 2008 only sheep and goats older than 18 months fallen or killed stock are tested.

TSE investigations in goats and sheep in the year 2009

		Sheep	Goats
Eradication	Number	0	0
1.3	Positive	0	0
	Pending	0	0
Risk animals1	Number	581	172
	Positive	0	0
	Pending	0	0
Healthy animals ²	Number	1	0
	Positive	0	0
	Pending	0	0
TSE suspects ³	Number	0	0
	Positive	0	0
	Pending	0	0
Total	Number	582	172
	Positive	0	0
·	Pending	0	0

^{1 &}gt;99% on farms deads, some emergency slaughtered animals and some with clinical signs ad ante mortem

healthy animals subject to normal slaughter

³ Animals reported as TSE clinical suspect

TSE investigations in goats and sheen in the year 2008

1SE investigations in goats and sneep in the year 2008					
vapor (a revincia de la carro)		Sheep	Goats		
Eradication	Number	80	0		
	Positive	14	0		
***	Pending	0	0		
Risk animals ¹	Number	906	326		
	Positive	2	0		
	Pending	0	0		
Healthy animals ²	Number	. 5	2		
	Positive	0	0		
	Pending	0	0		
TSE suspects ³	Number	0	0		
•	Positive	0	0		
	Pending	0	0		
Total	Number	991	328		
	Positive	16	0		
	Pending	0	0 .		

Pending 0 0

3 > 99% on farms deads, some emergency slaughtered animals and some with clinical signs ad ante mortem

Since January 2002 all sheep and goats older than 18 months slaughtered, emergency slaughtered and fallen or killed stock are tested.

TSE investigations in goats and sheep in the year 2007

10D Hivestigation			
		Sheep	Goats
Eradication	Number	59	0
	Positive	0	0
	Pending	0	0
Risk animals ¹	Number	1 172	108
	Positive	0	0
	Pending	0	0
Healthy animals ²	Number	1 608	55
	Positive	1	0
	Pending	0	0
TSE suspects ³	Number	0	0
*	Positive	0	0
	Pending	0	0
Total	Number	2 839	163
	Positive	1	0
	Pending	0	0

² healthy animals subject to normal slaughter
3 Animals reported as TSE clinical suspect

healthy animals subject to normal slaughter
Animals reported as TSE clinical suspect



TSE investigations in goats and sheep in the year 2006

		Sheep	Goats
Eradication	Number	3	0
	Positive	0	0
	Pending	0	0
Risk animals ¹	Number	495	91
	Positive	0	0
	Pending	. 0	0
Healthy animals ²	Number	599	22
	Positive	0	0
	Pending	0	0
TSE suspects ³	Number	0	0
1	Positive	0	0
	Pending	0	0
Total	Number	1 097	113
4	Positive	0	0
	Pending	0	0

^{1 &}gt;99% on farms deads, some emergency slaughtered animals and some with clinical signs ad ante mortem
healthy animals subject to normal slaughter
Animals reported as TSE clinical suspect

TSE investigations in goats and sheep in the year 2005

MANUAL MA		Sheep	Goats
Eradication	Number	0	0
	Positive	0	0
*.	Pending	0	0
Risk animals ¹	Number	411	177
	Positive	1	0
	Pending	0	0
Healthy animals ²	Number	. 35	39
•	Positive	0	0
	Pending	0	0
TSE suspects ³	Number	. 0	0
	Positive	. 0	0
•	Pending	0	0
Total	Number	446	216
	Positive	1	0
	Pending	0	0

^{1 &}gt;99% on farms deads, some emergency slaughtered animals and some with clinical signs ad ante mortem

healthy animals subject to normal slaughter
Animals reported as TSE clinical suspect



TSE investigations in goats and sheep in the year 2004

13L investigations in goats and sheep in the year 2004							
		Sheep	Goats				
Eradication	Number	78	0				
	Positive	2	0				
	Pending	0	0				
Risk animals ¹	Number	896	76				
	Positive	7	0				
	Pending	0	0				
Healthy animals ²	Number	55	. 9				
•	Positive	0	0				
4.5	Pending	0	0				
TSE suspects ³	Number	7	1				
•	Positive	0	0				
•	Pending	0	0				
Total	Number	1 036	86				
***	Positive	9	0				
	Pending	0	0				

Pending 0 0


1 >99% on farms deads, some emergency slaughtered animals and some with clinical signs ad ante mortem
healthy animals subject to normal slaughter
Animals reported as TSE clinical suspect

Total number of sheep and goats in the Czech Republic

	2004	2005	2006	2007	2008	2009
Ovine Animals	115 852	156 952	158 412	168 910	198 660	203 351
Caprine Animals	11 912	12 794	14 402	16 222	23 530	23 843

Total number of genotyped animals in the year 2009

Genotype	Number of Animals
AHQ/AHQ	5
AHQ/ARH	2
AHQ/VRQ	1
ARH/ARH	3
ARH/VRQ	8
ARQ/AHQ	53
ARQ/ARH	26
ARQ/ARQ	551
ARQ/VRQ	29
ARR/AHQ	128
ARR/ARH	62
ARR/ARQ	1 487
ARR/ARR	1 496
ARR/VRQ	96
VRQ/VRQ	1
Other	9
TOTAL	3 957





Total number of genotyped animals in the year 2008

1 Ottal IIa	mode of general pod annihals in
Genotype	Number of Animals
AHQ/AHQ	12
AHQ/ARH	5
AHQ/VRQ	4
ARH/ARH	2
ARH/VRQ	· 1
ARQ/AHQ	66
ARQ/ARH	22
ARQ/ARQ	605
ARQ/VRQ	56
ARR/AHQ	122
ARR/ARH	86
ARR/ARQ	1 470
ARR/ARR	1 453
ARR/VRQ	102
VRQ/VRQ	11
Other	14
TOTAL	4 031

Total number of genotyped animals in the year 2007

10tal number of	genotyped annhais in the year 2
Genotype	Number of Animals
AHQ/AHQ	12
AHQ/ARH	3
AHQ/VRQ	2
ARH/ARH	4
ARH/VRQ	1
ARQ/AHQ	103
ARQ/ARH	28
ARQ/ARQ	845
ARQ/VRQ	61
ARR/AHQ	137
ARR/AHR	3 3
ARR/ARH	78
ARR/ARQ	1 826
ARR/ARR	1 618
ARR/VRQ	124
VRQ/VRQ	7
TOTAL	4 852



Total number of genotyped animals in the year 2006

<u> 1 otai number e</u>	or genotyped animais in
Genotyp	total
AHQ/AHQ	92
AHQ/ARH	13
AHQ/VRQ	9
AHR/AHR	1
AHR/ARH	5
AHR/ARQ	. 7
ARH/ARH	20
ARH/VRQ	14
ARQ/AHQ	352
ARQ/ARH	159
ARQ/ARQ	2346
ARQ/VRQ	220
ARR/AHQ	216
ARR/AHR	18
ARR/ARH	. 121
ARR/ARQ	2996
ARR/ARR	1724
ARR/VRQ	236
VRQ/VRQ	25
TOTAL	8 574

Total number of genotyped animals in the year 2005

Total number of gener	, pea ammada m me jear z
Genotype	Number of Animals
AHQ/AHQ	14
AHQ/ARH	2
AHQ/VRQ	3
ARH/ARH	3
ARH/VRQ	· 1
ARQ/AHQ	64
ARQ/ARH	33
ARQ/ARQ	539
ARQ/VRQ	81
ARR/AHQ	41
ARR/ARH	42
ARR/ARQ	708
ARR/ARR	505
ARR/VRQ	95
VRQ/VRQ	6
TOTAL	2137



Total number of genotyped animals in the year 2004

I Otal Hullioci Oi	genotypeu animais in the
Genotype	Number of Animals
AHQ/AHQ	15
AHQ/ARH	1
AHQ/VRQ	4
ARH/ARH	3
ARH/VRQ	2
ARQ/AHQ	47
ARQ/ARH	31
ARQ/ARQ	544
ARQ/VRQ	172
ARR/AHQ	38
ARR/ARH	34
ARR/ARQ	522
ARR/ARR	349
ARR/VRQ	66
VRQ/VRQ	22
TOTAL	1850

Genotypes in random sampled ovine animals in accordance with point 8.2 of Chapter A.II of Annex III to the TSE Regulation

			Distribution of ge	enotypes in ra	ndom sampl	ed sheep	
	NSP 1	NSP 2	NS	P 3	NSP 4	NSP 5	Total
			ARQ/ARQ	Others			
No of samples	16	. 49	27	8	2	6	108
%	14,83	45,37	25	7,40	1,85	5,55	100

			Distribution of go	enotypes in ra	ndom sampl	ed sheep	
	NSP 1	NSP 2	NS	P 3	NSP 4	NSP 5	Total
		ARQ/ARQ	Others		NSP 6		
No of samples	-	-	-	-	-	100	100
%	-	-		-	-	100	100

		I	Distribution of go	enotypes in ra	ndom sampl	ed sheep	
	NSP 1	NSP 2	NS	P 3	NSP 4	NSP 5	Total
			ARQ/ARQ	Others			
No of samples	19	35	40	7	0	8	109
%	17,50	32	36,50	6,50	0	7,50	100

	Disti	ibution of genotypes in ra	ndom sample	ed sheep	
NSP 1	NSP 2	NSP 3	NSP 4	NSP 5	Total

		1 1 4	ARQ/ARQ	Others			
No of samples	40	55	25	1	1	11	133
%	30	41	19	1	1	8	100

2005

	New Car	D	istribution of ge	notypes in ra	ndom samp	led sheep	
	NSP 1	NSP 2	NS	P 3	NSP 4	NSP 5	Total
是这些不可以是			ARQ/ARQ	Others			The state of the s
No of samples	23	36	24	5	4	6	98
%	23	37	25	5	4	6	100

2004

New York States of the		D	istribution of ge	notypes in ra	ndom samp	led sheep	
	NSP 1	NSP 2	NS	P 3	NSP 4	NSP 5	Total
美国企业的			ARQ/ARQ	Others			
No of samples	91	167	149	7	26	67	507
%	18	33	30	1	5	13	100

4. Measures included in the programme

4.1. Designation of the central authority charred with supervising and coordinating the departments responsible for implementing the programme:

The central authority competent for supervising and coordinating all activities in veterinary care is the State Veterinary Administration, which performs its powers at the whole territory of the Czech Republic (§ 47, Veterinary Act No 166/1999 Col. of Acts). SVA of the CR coordinates the activities of Regional Veterinary Administrations.

The competent authority confirms its commitment to submit a complete report on actions and expenditures in the framework of this programme and to provide additional information when request by the Commission.


4.2. Description and delimitation of the geographical and administrative areas in which the programme is to be applied:

The program will be applied in all territory of the Czech Republic.

Regions in the Czech Republic

CZ011 CAPITAL CITY PRAGUE	CZ052 REGION OF HRADEC KRALOVE
CZ021 CENTRAL BOHEMIAN REGION	CZ053 REGION OF PARDUBICE
CZ031 SOUTHERN BOHEMIAN REGION	CZ061 REGION OF VYSOCINA
CZ032 REGION OF PLZEN	CZ062 SOUTHERNMORAVIAN REGION
CZ041 REGION OF KARLOVY VARY	CZ071 REGION OF OLOMOUC
CZ042 REGION OF USTI N. LABEM	CZ072 REGION OF ZLIN
CZ051 REGION OF LIBEREC	CZ081 MORAVIA-SILESIAN REGION





Districts in the Czech Republic



Area of Regions and Districts

Region	District	Area in km ²
·	CB České Budějov	ice 1626,00
	CK Český Krumlov	1616,00
	JH Jindřichův Hrad	dec 1944,00
South Bohemian	PI Písek	1162,00
	PT Prachatice	1337,00
	ST Strakonice	1030,00
	TA Tábor	1296,00



Total			10011,00
	BK	Blansko	940,00
	ВМ	Brno - město	181,00
Couth Morovic	ВО	Brno - venkov	1143,00
South Moravia	BV	Břeclav	1189,00
	НО	Hodonín	1087,00
	VY	Vyškov	810,00
	ZN	Znojmo	1636,00
Total			6986,00
	CH	Cheb	1686,00
Karlovy Vary	KV	Karlovy Vary	1629,00
	SO	Sokolov	752,00
Total			4067,00
	HB	Havlíčkův Brod	1287,00
	JI	Jihlava	1181,00
	PE	Pelhřimov	1293,00
	TR	Třebíč	1519,00
Vysočina	ZR	Žďár nad Sázavou	1672,00
Total .			6952,00
	НК	Hradec Králové	875,00
	nınımnınınını	Jičín	886,00
Hradec Králové	NA	Náchod	861,00
madec Kialove	RK	Rychnov nad Kněžnou	997,00
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Trutnov	1137,00
Fotal			4756,00
MANAGEMENT OF THE STATE OF THE	CL	Česká Lípa	1149,00
Liberec	inininininini	Jablonec nad Nisou	402,00
	LB	Liberec	1325,00
	SM	Semily	700,00
Fotal		-	3576,00
	BR	Bruntál	1745,00
		Frýdek-Místek	1298,00
M		Karviná	347,00
Moravia – Silesian		Nový Jičín	935,00
		Opava	1172,00
	o/www.income	Ostrava - město	142,00
[otal			5639,00
-,	JE	Jeseník	0,00
	· · · · · · · · · · · · · · · · · · ·	Olomouc	1449,00
Nomous		Prostějov	848,00
Olomouc	·	Přerov	883,00
		Šumperk	1952,00
Total			5132,00
L V + 64 A	CR	Chrudim	1030,00
1X1-2	ununmmem	Pardubice	890,00
Pardubice		Svitavy	1335,00
		Ústí nad Orlicí	1265,00
Fotal			4520,00
Plzeň	DO	Domažlice	1140,00
IIIVII	wininmnime	Klatovy	1936,00
	1.7.1	I X I G I U V Y	1,00,00



	PJ	Plzeň - jih	1104,00
		Plzeň - město	187,00
	PS	Plzeň - sever	1339,00
	RO	Rokycany	575,00
	TC	Tachov	1379,00
Total			7660,00
Prague	AB	Prague Capital	496,20
Total			496,20
	BN	Benešov	1464,00
	BE	Beroun	687,00
	KL	Kladno	715,00
	КО	Kolín	819,00
	KH	Kutná Hora	943,00
	ME	Mělník	712,00
	MB	Mladá Boleslav	1069,00
	NB	Nymburk	880,00
Cantual Bahamian	PY	Praha - východ	706,00
Central Bohemian	PZ	Praha - západ	580,00
	PB	Příbram	1684,00
	RA	Rakovník	930,00
Total			11189,00
	DC	Děčín	909,00
	СН	Chomutov	936,00
**************************************	LT	Litoměřice	1032,00
Ústí nad Labem	LN	Louny	1118,00
	MO	Most	467,00
	TP	Teplice	469,00
	UL	Ústí nad Labem	404,00
Total		,	5335,00
-////	KM	Kroměříž	799,00
Zlín	UH	Uherské Hradiště	996,00
E	VS	Vsetín	1143,00
	ZL	Zlín	1028,00
Total	777		3966,00

4.3. System in place for the registration of holdings:

Holdings in the Czech Republic are registered in the database of farms in accordance to the provisions of the act No. 154/2000, as amended, Breeding Act and corresponding Decree No. 136/2004 laying down details for identification of animals and their registration and registration of holdings and person established by Breeding Act.

4.4. System in place for identification of animals:

Bovine animals in the Czech are identify by eartags and they are registered in the Central Bovine Database. Animals in the Czech Republic are registered in the database in accordance to the provisions of the act No. 154/2000, as amended, Breeding Act and corresponding Decree No. 136/2004 laying down details for identification of animals and their registration and registration of holdings and person established by Breeding Act.



4.5. Measures in place as regards the notification of the disease:

Measures in place are to the provisions of the Veterinary Act No. 166/1999, as amended that is in accordance with Regulation (EC) No 999/2001 as amendment. In the case of positive test result all the measures required by the EC legislation will be applied. Positive animal in the herd as well as cohort animals and progeny of the positive animal are killed and completely destroyed. No parts of the animals can end up at the food or feed chain. Food that may transmit the disease are traced and pulled back from retail.

4.6. Monitoring

The monitoring is performing in accordance with (EC) No 999/2001, as amended.

The monitoring have already started in 1991, when the TSE Reference Laboratory has been established. Up to the year 1996 the number of tests performed was limited due to the fact that only animals revealing clinical symptoms of nervous diseases undergone examinations. Tests performed were based on traditional histological techniques.

A passive monitoring based on the same diagnostic approaches was used there after on the whole territory. Sampling, based on principles given by the Commission Decision 98/272/EC on the surveillance for TSEs, was performed in older cattle categories or animals displaying clinical symptoms of nervous diseases.

An active monitoring using rapid immunodiagnostic method was introduced in the end of the year 2000. Starting from 1st February, 2001 the systematic testing by means of above mentioned methods was introduced mainly in bovine groups at risk.

Diagnostic tests used

TSE rapid tests were carried out by three approved laboratories within the framework of the State Veterinary Administration in accordance with the provisions of the Regulation (EC) No 999/2001 of the European Parliament and of the Council of 22 May 2001, as amended. The confirmatory tests and sheep genotyping were done by the NRL. The laboratories involved and tests used are listed below.

 National reference laboratory for bovine spongiform encephalopathy (BSE) and transmissible encephalopathies of animals (TSE)
 State Veterinary Institute Jihlava

Rapid testing methods

SOP BSE.07 Prionics-Check PrioSTRIP

BSE testing

SOP BSE.06 Idexx HerdChek BSE, BSE/scrapie

BSE, small ruminant TSE

SOP BSE.03 Enfer TSE

reference purposes and specialty testing only

Batch Release Testing



\$

SOP BSE.04 Prionics-Check LIA

specialty testing only

SOP BSE.01 Prionics-Check Western, Western SR

confirmatory BSE and scrapie testing, BSE/scrapie discriminatory

testing in small ruminants

Confirmatory methods

SOP PAT.02 histology (H&E)

SOP PAT.01 immunohistochemistry

Sheep scrapie genotyping methods

SOP BSE.02 SSCP, real-time PCR

2. TSE laboratory, State Veterinary Institute Prague

Rapid testing methods

SOP 21 Prionics-Check PrioSTRIP

BSE testing

SOP 25 Idexx HerdChek BSE, BSE/scrapie

BSE, small ruminant TSE

3. TSE laboratory, State Veterinary Institute Olomouc

Rapid testing methods

SOP VIR 01/01 Enfer TSE

BSE, small ruminant TSE

SOP VIR 01/06 Prionics-Check PrioSTRIP

BSE testing

SOP VIR 01/07 Idexx HerdChek BSE, BSE/scrapie

BSE, small ruminant TSE

4.6.1. Monitoring in Bovine Animals

The tests used recently are the Western blot (Prionics check) and the ELISA (Enfer TSE, Prionics LIA).

In accordance with provisions issued in this programme, the following categories of cattle are subject to compulsory BSE testing:

- all bovine animals over 30 months of age slaughtered at the normal slaughter
- all bovine animals over 24 months of age emergency slaughtered
- all bovine animals over 20 months of age clinically suspected of BSE
- fallen stock older that 24 months

	Estimated Number of tests
Animals referred to in Annex III, Chapter A, Part I, points 2.1 and 3 of regulation (EC) 999/2001	35 000
Animals referred to in Annex III, Chapter A, Part I, points 2.2 of regulation (EC) 999/2001	130 000
Others	0



4.6.2. Monitoring in Ovine animals

All sheep and goats older than 18 months slaughtered, emergency slaughtered and fallen or killed stock to be tested.

	Estimated Number of tests
Ovine animals referred to in Annex III, chapter A, Part II, point 2 of Regulation (EC) 999/2001	0
Ovine animals referred to in Annex III, chapter A, Part II, point 3 of Regulation (EC) 999/2001	1 500
Ovine animals referred to in Annex III, chapter A, Part II, point 5 of Regulation (EC) 999/2001	100
Ovine animals referred to in Annex VII, Chapter A, point 3.4(d) of Regulation (EC) No 999/2001	100
Ovine animals referred to in Annex VII, Chapter A, point 5(b)(ii) of Regulation (EC) No 999/2001	100
Other (specify)	-

4. 6. 3. Monitoring in Caprine animals

	Estimated Number of tests
Caprine animals referred to in Annex III, chapter A, Part II, point 2 of Regulation (EC) 999/2001	0
Caprine animals referred to in Annex III, chapter A, Part II, point 3 of Regulation (EC) 999/2001	300
Caprine animals referred to in Annex III, chapter A, Part II, point 5 of Regulation (EC) 999/2001	50
Caprine animals referred to in Annex VII, Chapter A, Part II, point 3.3(c) of Regulation (EC) No 999/2001	0
Caprine animals referred to in Annex VII, Chapter A, Part II, point 5(b)(ii) of Regulation (EC) No 999/2001	0
Other (specify)	-

4. 6. 4. Discriminatory tests

	Estimated Number of tests
Primary molecular testing referred to in Annex X, Chapter C, point 3.2 (c) (i) of Regulation (EC) 999/2001	10

4.6.5. Genotyping of positive and randomly selected animals

The prion protein genotype is determined for each positive TSE in sheep.

The prion protein genotype of a random sub sample of ovine animals is determined. This sub sample represent at least one per cent of the total sample and can not be less than 100 animals. By derogation, State Administration may choose to genotype an equivalent number of live animals of a similar age.

	Estimated number of tests
Animals referred to in Annex III, Chapter A, Part II, point 8.1 of Regulation (EC) 999/2001	30
Animals referred to in Annex III, Chapter A, Part II, point 8.2 of Regulation (EC) 999/2001	100



4.7. Eradication

Eradication is to the provisions of the Veterinary law No. 166/1999 as amended and Decree No 299/2003 in accordance to Regulation (EC) No 999/2001.

Both BSE and Scrapie are mandatory modifiable diseases, as stated in the Czech legislation. Owners and veterinarians are obliged to notify any suspect of TSEs. Symptoms of the diseases have been pointed out at several training occasions and releases.

4.7.1. Measures following confirmation of a BSE:

4. 7. 1. 1. Description

- all parts of the body of the animal shall be completely destroyed
- an inquiry shall be carried out to identify all animals at risk

The inquiry must be identifying:

- All other ruminants on the holding of the animal in which the disease confirmed
- Where the disease was confirmed in a female animal, its progeny born within two years prior to, or after, clinical onset of the disease
- All animals of the cohort of the animal in which the disease was confirmed
- The possible origin of the disease
- Other animals on the holding of the animal in which the disease was confirmed or on other holdings, which have may become infected by TSE agent or been exposed to the same feed or contamination sours
- The movement of potentially contaminated feeding stuffs, of other material or any other means of transmission, which may have transmitted TSE agent to or from the holding in question
- All animals and products of animal origin that have been identified as being at risk by the inquiry shall be killed and completely destroyed.

4. 7. 1. 2. Summary table

	Estimated number
Animals to be killed under the requirements of Annex VII, Point 2 (a) of Regulation (EC) 999/2001:	100

4.7.2. Measures following confirmation of a Scrapie case

4.7.2.1. Description:

In the case of confirmation of TSE in an ovine or caprine animal:

- (a) either the killing and complete destruction of all animals, embryos and ova
- (b) the killing and complete destruction of all animals, embryos and ova with the exception of:
- breeding rams of the ARR/ARR genotype,
- breeding ewes carrying at least one ARR allele and no VRQ allele, and
- sheep carrying at least one ARR allele which is intended solely for slaughter;

In the case of confirmation of BSE in an ovine or caprine animal, killing and complete destruction of all animals, embryos and ova identified.

- all ruminants other than ovine and caprine animals on the holding of the animal in which the disease was confirmed,
- in so far as they are identifiable, the parents, and in the case of females all embryos, ova and the last progeny of the female animal in which the disease was confirmed,
- all other ovine and caprine animals on the holding of the animal in which the disease was confirmed in addition to those referred to in the second indent,
- the possible origin of the disease and the identification of other holdings on which there are animals, embryos or ova which may have become infected by the TSE agent or been exposed to the same feed or contamination source,
- the movement of potentially contaminated feeding stuffs, other material or any other means of transmission, which may have transmitted the BSE agent to or from the holding in question.

4.7.2.2. Summary table

	Estimated number
Animals to be killed under the requirements of Annex VII, Point 2 (b) of Regulation (EC) 999/2001:	100
Animals to be genotyped under the requirements of Annex VII, Point 2 (b) of Regulation (EC) 999/2001:	70

4.7.3. Breeding programme for resistance to TSEs in Sheep

4.7.3.1. General description

Only the following animals may be introduced to the holding(s) where destruction has been undertaken.

- (a) male sheep of the ARR/ARR genotype;
- (b) female sheep carrying at least one ARR allele and no VRQ allele;
- (c) caprine animals provided that:
- no breeding ovine animals other than those referred to in points (a) and (b) are present on the holding,
- thorough cleaning and disinfection of all animal housing on the premises has been carried out following destocking,
- the holding shall be subjected to intensified TSE monitoring, including the testing of all culled and dead-on-farm caprine animals over the age of 18 months.

Only the following ovine germinal products may be used in the holding(s) where destruction has been undertaken:

- (a) semen from rams of the ARR/ARR genotype;
- (b) embryos carrying at least one ARR allele and no VRQ allele.

During a transitional period until 1 January 2006 at the latest may State Veterinary Administration decide to allow non-pregnant ewe lambs of an unknown genotype to be introduced to the holdings.



Following the application

- (a) movement of ARR/ARR sheep from the holding shall not be subject to any restriction;
- (b) sheep carrying only one ARR allele may be moved from the holding only to go directly for slaughter for human consumption or for the purposes of destruction; however, ewes carrying one ARR allele and no VRQ allele may be moved to other holdings which are restricted.
- (c) sheep of other genotypes may only be moved from the holding for the purposes of destruction.

4.7.3.2. Summary table

	Estimated number
Ewes to be genotyped under the framework of a breeding programme as established in Commission Decision 2003/100/EC ¹	3800
Rams to be genotyped under the framework of a breeding programme as established in Commission Decision 2003/100/EC	700



5. Costs

5.1. Detailed analysis of the costs:

There were about 1 380 090 cattle animals in the Czech Republic at 31. 12. 2009. The overall structure of the cattle population has remained the same during the last few years and no major changes. The number of adult sheep and goats animals is 227 000. The number of sheep and goats is growing. Thus the number of animals subjected to TSE testing in 2011 is not expected to change dramatically from the year 2009 and 2010 unless the EC monitoring programmes will be amended.

An estimate of 165 000 bovines, 1 200 sheeps and 350 goats are to be tested for TSEs during 2011. All fallen stock and emergency slaughtered cattle over 24 months of age and all normally slaughtered cattle over 30 months of age will be tested. All sheep and goats older than 18 months fallen or killed stock to be tested in the framework of the national scrapie control programme.

An estimated of 4 700 sheep are planned to be subject to prion protein genotyping.

Detailed calculation of the costs is in tables below.





Summary of the costs

5.7.

The competent authority wishes 50% of co-financing of the total cost to be considered by the Commission.

Costs related to	Specification	Number of units	Unitary cost in E	Total amount in E	Community funding requested (ves/no)
1. BSE testing ²					
1.1. Rapid tests	Prionics check Western blot, Prionics check PrioSTRIP, Enfer TSE, Prionics LIA, CediTect BSE test, Idexx HerdChek BSE,	165 000	40,7	6 715 500,-	yes
2. Scrapie testing ³					
2.1. Rapid tests	Idexx HerdChek scrapie, Prionics-Check Western, Enfer TSE	2 150	40,7	87 505,-	yes
2. Discriminatory testing ⁴					
	Histology (H&E), Immunohistochemistry	01	168,4	I 684,-	yes

5 K 4

As referred in point 4.6.1. As referred in point 4.6.2. and 4.6.3. As referred in point 4.6.4.



4

3.	Genotyping					
3.1.	Determination of genotype of animals in the framework of the measures laid down by Regulation 999/2001 ⁵	SSCP, real-time PCR	200	35,4	7 080,-	səá
3.2.	Determination of genotype of animals in the framework of a breeding programme as established in Commission Decision 2003/100/EC ⁶	SSCP, real-time PCR	4 500	35,4	159 300,-	yes
4.	Compulsory Slaughter					
4.1.	Compensation for bovine animals to be killed under the requirements of Annex VII, Point 2 (a) of Regulation (EC) 999/2001	compensation for farmer	100	1500	150 000	yes
4.2.	Compensation for ovine and caprine animals to be killed under the requirements of Annex VII, Point 2 (b) of Regulation (EC) 999/2001	compensation for farmer	100	400	40 000	yes
5.	CWD tests					
5.1.	5.1. Wild life animals - ELISA, Western Blot				and the state of t	
To	TOTAL				7 161 069,-€	

 $1 \in 25, 44 \text{ CZK } (2010/\text{C87/05})$

As referred in points 4.6.5 and 4.7.2.2. As referred in point 4.7.3.2.