2015 Eradication Programme for Bovine Tuberculosis CROATIA

Standing Committee on Plants, Animals and Food and Feed (SCoPAFF)

July 2016

MAIN MEASURES IN 2015

Routine tuberculin skin test

- ✓ Annual testing of all bovine animals from 6 weeks of age with the exception of fattening animals
- ✓ Goats kept for milk production in mixed herds (2287 goats tested all negative)

Premovement testing

- Testing of animals older than 6 weeks before movement, except fattening animals moving between fattening herds
- ✓ Biannual premovement testing of animals before and after the common pasture season

MAIN MEASURES IN 2015


Routine post-mortem slaughterhouse monitoring

✓ All lesions suspicious on bTB are bacteriologically investigated


Wildlife monitoring

- ✓ 2013-2015 (in one county with the most BTB cases since 2010).
- ✓ 2015- 94 samples (roe deer, lymph nodes) bacteriologically examined
- ✓ Mycobacterium tuberculosis complex was never confirmed in wildlife


Positive herds and animals 2010 - 2015




Positive herds and animals 2010 - 2015



Confirmed infection herds and animals 2010 - 2015



Annual % of infected herds 2010-2015



FUTURE

- ✓ Program on the whole population since 2010
- ✓ December 31 2015 -> 99,9 bTB officially free herds
- ✓ 2015 last year of EU co-financing
- ✓ From 2016 interval between routine tests increased to 3 years (animals older than 6 weeks)
- ✓ Additional attention to slaughterhouse surveillance (reporting) and the procedures for suspension and withdrawal of officially tuberculosis-free statuses
- ✓ 2020 possible application for officially free member state

MINISTRY OF AGRICULTURE VETERINARY AND FOOD SAFETY DIRECTORATE

Thank you for your attention!