

Standard requirements for the submission of programme for eradication, control and monitoring PROGRAMME for ERADICATION: ANNEX I

Member States seeking a financial contribution from the Union for national programmes for the eradication, control and monitoring of animal diseases and zoonosis listed below, shall submit applications containing at least the information set out in this form.

Bovine brucellosis, bovine tuberculosis, ovine and caprine brucellosis (B. melitensis), bluetongue in endemic or high risk areas, african swine fever, swine vescicular disease, classical swine fever, rabies.

The central data base keeps all submissions. However only the information in the last submission is shown when viewing and used when processing the data.

If encountering difficulties, please contact <u>SANCO-BO@ec.europa.eu</u>, describe the issue and mention the version of this document: 2014 1.09

Instructions to complete the form: Your current version of Acrobat is: 10.104

- 1) Be informed that you need to have at least the Adobe Reader version 8.1.3 or higher to fill and submit this form.
- 2) To verify your data entry while filling your form, you can use the "verify form" button at the top of each page.
- 3) When you have finished filling the form, verify that your internet connection is active and then click on the submit notification button below. If the form is properly filled, the notification will be submitted to the server and a Submission number will appear in the corresponding field.
- 4) <u>IMPORTANT</u>: Once you have received the Submission number, save the form on your computer.
- 5) If the form is not properly filled, an alert box will appear indicating the number of incorrect fields. Please check your form again and try to re-submit it according to steps 3), 4) and 5). Should you still have any difficulties, please contact <u>SANCO-BO@ec.europa.eu</u>.
- 6) For simplification purposes you are invited to submit multi annual programmes
- 7) As mentioned during the Plenary Task Force of 28/2/2014, you are invited to submit your programmes in English.

IMPORTANT: <u>AFTER SUBMITTING THE FORM</u> DO NOT FORGET TO SAVE IT ON YOUR COMPUTER FOR YOUR RECORDS!

Submission date

Submission number 1414678246052-3915

Thursday, October 30, 2014 15:10:31

1. Identification of the programme

Member state :	HRVATSKA	
Disease	Classical swine fever	
Species :	Domestic pigs	
This program is multi annual	no	
Request of Union co-financing from beginning of:	2015	

1.1 Contact

Name: Ljupka Maltar

Phone: + 385 1 6443 840

Fax.: + 385 1 6443 899

Email: ljupka.maltar@mps.hr

2. Historical data on the epidemiological evolution of the disease

Provide a concise description on the target population (species, number of herds and animals present and under the programme), the main measures (sampling and testing regimes, eradication measures applied, qualification of herds and animals, vaccination schemes) and the main results (incidents, prevalence, qualification of herds and animals). The information is given for distinct periods if the measures were substantially modified. The information is documented by relevant summary epidemiological tables (point 6), complemented by graphs or maps (to be attached).

(max. 32000 chars):

Pig production in the country:

According to the information provided from the Pig database, there are around 1.5 million pigs are kept on 95.135 holdings.

An information on pig production at holding /animal level is as follows:

- 97% percent of holdings keep up to 50 pigs (out of that number 78% of holdings keep up to 10 pigs, while 22% holdings keep 11 to 50 pigs) and on such holdings 48% of pigs is produced.
- 1.2 % of holdings keep 51 to 100 pigs. These holdings produce 5,6% of pigs.
- 1 % of holdings keep more than 100 pigs, and these holdings produce 47% of pigs.

It is also relevant to mention that around 85% of holdings keeping pigs, are mixed herds while 15% of holdings keep pigs only.

CSF preventive vaccination is prohibited in Croatia from January 1, 2005.

The last case of CSF was confirmed in March 2008.

Taking into account risk factors associated with the last CSF epidemic in Croatia, e.g. state of implementation of preventive biosecurity measures at small commercial farms, movement patterns of

- 1. Component I: Commercial pig farms containing 100 or more fattening pigs in territory of counties Karlovac, Sisak-Moslavina, Slavonski Brod-Posavina and Vukovar-Srijem
- 2. Component II: Farms keeping 5 or more sows in territory of counties Karlovac, Sisak-Moslavina, Slavonski Brod-Posavina and Vukovar-Srijem
- 3. Component III: Mixed herds keeping 10 or more pigs in territory of counties Karlovac, Sisak-Moslavina, Slavonski Brod-Posavina and Vukovar-Srijem

4. Component IV: Mixed herds keeping 10 or more pigs in territory of 17 counties where during the final veterinary inspection of holding was found partly satisfactory or unsatisfactory implementation of biosecurity measures.

The above mentioned pig populations are considered to be target populations to which results of CSF surveillance will be applicable. From this population the study population will be drown.

I. CSF serological surveillance

CSF serological surveillance on farms as mentioned under points 1 to 4 in this Section, is an important, active element of CSF surveillance in 2015. However, in order to achieve objectives of CSF surveillance in 2015, this needs to be complemented with virological surveillance in case of suspicion of CSF.

II. CSF virological surveillance

Virological testing (for the purpose of ruling out CSF) should be the most sensitive approach to allow for early detection. It is very much associated with awareness of both pig keepers and veterinarians. Virological testing will be performed on:

- blood samples taken from pigs showing clinical symptoms associated with CSF and organ samples (at least the tonsils, spleen or kidneys) taken from pigs that died or killed for diagnostic purposes;
- virological testing of organ samples of pigs in which signs leading to the suspicion of CSF were observed during the ante-mortem or post-mortem examination;
- virological testing of blood samples taken from pigs when antibacterial treatment failed to lower body temperature and to improve the health state of pigs in 5 days (or it had resulted only in a temporary drop in body temperature of the pig(s), and afterwards it increased again).

On all farms in territory of counties Karlovac, Sisak-Moslavina, Slavonski Brod-Posavina and Vukovar-Srijem included in movements of pigs or fresh pigmeat and meat preparation and meat product consisting of or containing meat of pigs, control of the implementation of PBM (by using the Questionnaire prepared in accordance with item VIII of annual Order on measures to protect animals from infectious and parasitic diseases and the financing thereof) will be performed.

3. Description of the submitted programme

Provide a concise description of the programme with its main objective(s) (monitoring, control, eradication, qualification of herds and/or regions, reducing prevalence and incidence), the main measures (sampling and testing regimes, eradication measures to be applied, qualification of herds and animals, vaccination schemes), the target animal population, the area(s) of implementation and the definition of a positive case.

(max. 32000 chars):

Objectives of Active and passive CSF surveillance

The specific objectives of the CSF Surveillance Programme are:

- 1. To early detect CSF infection/disease in order to ensure that at the end of the high-risk period, i.e. the period from the time the CSF virus had been introduced until the first case was detected, the number of infected farms is as low as possible.
- 2. To detect possible illegal use of vaccines against CSF.
- 3. Keep awareness among pig keepers and veterinarians on CSF risks and prevention. Serological testing may not significantly contribute to the achievement of the objective 1. mentioned above. However, serological examination is necessary for detecting illegal vaccination of pigs against CSF. In addition, in the case of clinically inapparent infections and difficulties associated with differential

diagnosis, serological examination may also be an efficient surveillance method for CSF detection. The infection of pigs with other pestiviruses may significantly complicate a surveillance strategy based on serology. Antibodies to bovine viral diarrhoea virus (BVDV) and antibodies to Border disease virus (BDV) can give positive results in serological tests for CSF, due to common antigens. Therefore, serological cross-reactivity with other pestiviruses will be taken into consideration when determining seropostive reactions for CSF or interpreting data from serological examination.

CSF serological surveillance

Number of holdings in each target population (Components I, II and III), will allow for detection of at least 1 seropositive holding (with 0.95 CI and assuming perfect tests at a herd level) if the prevalence of seropositives is at least 1%. Number of animals to be sampled per holding will allow for detection of 20 % seroconversion with 95 % confidence in Component I.; and 10 % seroconversion, with 95 % confidence, in Components II and III.

Number of holdings in target population in Component IV will allow for detection of at least 1 seropositive holding (with 0.95 Cl and assuming perfect tests at a herd level) if the prevalence of seropositives is at least 2%. Number of animals to be sampled per holding will allow for detection 10 % seroconversion, with 95 % confidence.

Only pigs older than 4 months are eligible for CSF serological testing.

On each holding included in the study, samples will be taken once a year.

Based on the design, the following number of farms/animals (and frequency of sampling) will be included in the program:

- 1. Component I: 122 farms / 14 pigs per farm / 1 x a year. (Expected number of samples: 1708)
- 2. Component II: 145 farms / 29 pigs per farm / 1 x a year. (Expected number of samples: 4205)
- 3. Component III: 286 farms / 29 pigs per farm / 1 x a year. (Expected number of samples: 8294)
- 4. Component IV: 148 farms / 29 pigs per farm / 1 x a year. (Expected number of samples: 4292)

Holdings to be included in the study will be randomly selected from the list of all holdings in each Component.

Sampling is to be performed by an authorised veterinarian.

An authorised veterinarian must ensure that pig samples are sent to a diagnostic laboratory in a rapid and appropriate manner, which means that at least the following guidelines must be observed:

- Blood is taken into sterile test tubes. It is sufficient to take about 5 ml of blood (the upper level of the blood sample contained in the test tube must be about 2 cm below the bottom of the test tube stopper).
- After taking blood samples, test tubes must be tightly stoppered (if possible, they should be additionally sealed with adhesive tape wrapped around the outside of the stopper) and marked with the number of the Sampling Form which contains details on a pig from which the blood sample was taken;
- Each test-tube must be wrapped in absorbent material (cellular or tissue paper) and placed in a leak proof container in such a way as to prevent the sample from escaping from the tube;
- The samples taken and the accompanying Sampling Forms must be sent by the authorised veterinarian to an official laboratory as soon as possible; Samples should be stored at a refrigerator temperature of 4 oC to 8 oC (the samples must not be frozen).
- REMARK: No anticoagulant needs to be added to a test tube containing blood for serological testing;
- -The blood samples for virological and serological examination and organ samples are sent by the competent veterinary organization to:

Croatian Veterinary Institute

Virology Department

Diagnostic Laboratory for Classical Swine Fever

10 000 Zagreb, Savska cesta 143.

Blood samples for serological examination, could be also send to the Veterinary Institute -branch in Vinkovci and Veterinary Institute -branch in Križevci.

Blood samples are sent by the competent veterinary organization.

The outside of the package, in which samples are sent to the laboratory, must be clearly labelled with the exact address of the recipient laboratory, the address of the sender and the following message: "Animal pathological material; Perishable; Fragile; Do not open before arrival to a CSF laboratory". The samples must be accompanied with a Sampling Form for Investigation for CSF in Domestic Pigs (Copy for the laboratory).

When submitting/transporting the samples to the approved laboratory, other provisions of Chapter V, item C, of the Ordinance on the diagnostic manual for CSF (Official Gazette 16/05, 62/08) must also be complied with.

For any additional clarification as to the sampling and/or submission of samples for testing, the authorised veterinarian who will carry out the sampling under this Programme or the county veterinary inspector may contact the CVI, Virology Department, phone: + 385 1 6123 645.

Virological testing

A blood sample for virological testing is taken into a test tube with an anticoagulant.

When samples of pig organs are sent, it is sufficient to send a part of the organ (5 cm2 in size). The tonsils are submitted as a whole organ. Samples must be placed in small (plastic) boxes. The samples are further handled (marked, packed and stored) in the same way as blood samples.

It is expected that samples taken from up to 300 pigs will be virological tested for the purpose of ruling out CSF as a primary or secondary diagnosis.

This number is sensitive to a continuous communication and control of adequate response of pig keepers and veterinarians in case of findings as described under point II in Section 2. of this document.

It is expected that the results of CSF virological surveillance will allow for drawing conclusion on CSF awareness of farmers and veterinarians but also additional direct evidence on status of CSF infection in the country.

The area of implementation

All farms in Components I, II and III included in the Program, are located on the area of Vukovar-Srijem, Sisak-Moslavina, Slavonski Brod-Posavina and Karlovac county.

Farms from Component IV are mainly distributed in the North parts of the country where pig production is mainly situated. However, considering the random selection of farms, generalization of findings will also apply to other areas of the country.

Farms to be subject of virological testing may be distributed all over the country.

CSF case definition

For the purposes of this Programme, a CSF case is defined as the presence of the CSF virus as demonstrated directly by virus isolation, the detection of virus antigen or virus nucleic acid, or indirectly by seroconversion which is not the result of vaccination.

- 4. Measures of the submitted programme
- 4.1 Summary of measures under the programme

Duration of the programme: 2015
First year :
Control
Slaughter and animals tested positive
⊠ Killing of animals tested positive
Vaccination
Treatment
Disposal of products
Eradication, control or monitoring

4.2 Organisation, supervision and role of all stakeholders involved in the programme

Describe the authorities in charge of supervising and coordinating the departments responsible for implementing the programme and the different operators involved. Descrive the responsabilities of all involved.

(max. 32000 chars):

Veterinary and Food Safety Directorate of the Ministry of Agriculture is the national competent authority responsible for supervision and coordination of implementation of the Program.

Animal Health Sector of the Veterinary and Food Safety Directorate (VFSD) is responsible for developing the Program in coordination with the Laboratory for CSF, molecular virology and genetics, within the Croatian veterinary institute, Virology Department, (10 000 Zagreb, Savska cesta 143, Croatia) which is the national reference laboratory for CSF. NRL provides for testing according to this Program, reporting on test results (report on individual test results, monthly report and yearly report). Any sample submitted to the laboratory but proved to be unsuitable for testing must be reported by the laboratory to the VFSD and to the authorised veterinarian who sent the sample concerned for testing.

The Program is implemented by authorised veterinarians who provide for sampling and submission of samples to the CSF diagnostic laboratory.

Supervision of implementation of the Program on the field is carried out by veterinary inspectors of VFSD.

Control of the implementation of PBM required by the annual Order on measures to protect animals from infectious and parasitic diseases and the financing thereof is carried out by authorized veterinarians, using for that purpose the Questionnaire provided in the attachment to this document.

4.3 Description and demarcation of the geographical and administrative areas in which the programme is to be implemented

Describe the name and denomination, the administrative boundaries, and the surface of the administrative and geographical areas in which the programme is to be applied. Illustrate with maps.

(max. 32000 chars):

CSF serological surveillance:

- Components I, II and III: in territory of counties Karlovac, Sisak-Moslavina, Slavonski Brod-Posavina and Vukovar-Srijem
- Component IV: in all others counties in country (17 county).

Throughout the country has a total number of 21 county - See map in attachment

For further reference please see DG SANCO website, SCOFCAH presentation (from April 3, 2012) http://ec.europa.eu/food/committees/regulatory/scfcah/animal_health/index_en.htm .

CSF virological surveillance:

- the whole territory of the country.

4.4 Description of the measures of the programme

A comprehensive description needs to be provided of all measures unless reference can be made to Union legislation. The national legislation in which the measures are laid down is mentioned.

4.4.1 Notification of the disease

(max. 32000 chars):

A keeper of pigs shall, in accordance with Article 18 of the Veterinary Act (Official Gazette 82/13, 148/13), immediately report any occurrence of an infectious disease or of signs leading to a suspicion that an animal have become sick or died because of the infectious disease. The pig keeper shall immediately restrict the movement of pigs suspected of being infected with the infectious disease.

Every person engaged in veterinary activities must report a suspected case of CSF immediately upon having learned about it, in accordance with Article 19 paragraph 2 of the Veterinary Act (Official Gazette 82/13, 148/13).

Disease notification procedures and forms are prescribed in details in the Ordinance on the notification of animal diseases (Official Gazette No 62/11, 114/11).

Data about reports of suspected and/or confirmed cases of CSF shall be kept by the VFSD. The VFSD, after receiving notification of a suspected primary case of CSF immediately sets in motion the CSF Epidemiological Group which makes a field investigation together with competent veterinary inspector with the purpose of implementing measures to confirm or rule out CSF.

When CSF is suspected, the measures provided for in Article 4 of the Ordinance on measures for the detection, control and eradication of CSF (Official Gazette 187/04 and 123/08) and the measures provided for in Chapter IV, item A, of the Ordinance on the diagnostic manual for CSF (Official Gazette 16/05 and 62/08) shall be carried out to confirm or rule out the presence of CSF. This is immediately done by the competent veterinary inspector.

When CSF is confirmed in domestic pigs, the measures provided for in Articles 5 to 12 of the Ordinance on measures for the detection, control and eradication of CSF (Official Gazette 187/04 and 123/08) and the measures provided for in Chapter IV, item B, of the Ordinance on the diagnostic manual for CSF (Official Gazette 16/05 and 62/08) shall be implemented.

The authorized veterinarian must keep records of notifications of suspected cases of infectious disease received by pig keepers. The authorized veterinarian must notify the competent veterinary inspector in writing of any action taken following any notification of the presence of signs indicative of CSF in pigs. The above mentioned legislation is fully aligned with relevant EU legislation (Council Directive 2001/89/EC and Commission Decision 2002/106/EC).

4.4.2 Target animals and animal population

(max. 32000 chars):

The following population are consider to be population at high risk so target populations to which result of CSF surveillance are to be applicable:

- 1. Component I: Commercial pig farms containing 100 or more fattening pigs in territory of counties Karlovac, Sisak-Moslavina, Slavonski Brod-Posavina and Vukovar-Srijem.
- 2. Component II: Farms keeping 5 or more sows in territory of counties Karlovac, Sisak-Moslavina, Slavonski Brod-Posavina and Vukovar-Srijem
- 3. Component III: Mixed herds keeping 10 or more pigs in territory of counties Karlovac, Sisak-Moslavina, Slavonski Brod-Posavina and Vukovar-Srijem (farms with lower biosecurity measures according to the

data based on veterinary check of farms)

4. Component III: Mixed herds keeping 10 or more pigs in all territory of Croatia (farms with lower biosecurity measures according to the data based on veterinary check of farms)

Pig farm in Component I, II and III situated in in the vicinity of the hunting grounds in which the presence or new introductions of CSFV can not be fully excluded taking into account Order (Official Gazette No 16/2014, 34/14) which is fully aligned with Commission implementing Decision 2013/764/EU. Relevant localities bordering on the countries in which CSF in domestic pigs have been confirmed in the last four years, and where the CSF status of wild boar is either unfavorable or not sufficiently known.

The study population will be drown from the above mentioned subpopulations. For serological testing target animals are pigs older than 4 months.

For virological testing target population includes all herds and establishments where:

- clinical symptoms associated with CSF are observed;
- clinical or pathomorphological signs associated with CSF were observed during the ante-mortem or post-mortem examination;
- holdings where antibacterial treatment of pigs failed to lower body temperature and improve the health state of pigs in 5 days (or resulted only in a temporary drop in body temperature of the pig(s), after which it increased again).

4.4.3 Identification of animals and registration of holdings

(max. 32000 chars):

The Veterinary and Food Safety Directorate (VFSD) is the competent authority responsible for the identification and registration of animals, which has entered into contract with the Croatian Agricultural Agency (CAA) delegating to it a keeping and maintenance of the database (Central Register of Domestic Animals /CRDA/, which includes the Central Register of Bovine Animals, the Central Register of Pigs / CRP/, the Central Register of Sheep and Goats, and the Farms Register).

Supervision of the implementation of the requirements for the identification of animals and registration of holdings and their movements is carried out by the Veterinary Inspection.

Official Gazette 99/07. Checklists for inspections in relation to the identification and registration of bovine animals on holdings have been prepared and the results are recorded in the database. In order to update the database, to educate the keepers of bovine animals and to control the efficiency of the system, annual veterinary checks of holdings, which are financed from the State Budget and carried out by authorised veterinarians from authorised veterinary organisations, began in September 2008.

Animal identification number is unique for cattle, sheep and goats, and entered into the database. For pigs a UFIN is used.

Pursuant to the provisions of Article 40 of the Veterinary Act (Official Gazette No 82/13, 148/13), pigs are subject to compulsory identification that is carried out by an animal keeper, authorized veterinary organizations and CAA in accordance with the prescribed requirements.

The Ordinance on the compulsory identification and registration of pigs, aligned with Directive 92/102 EEC, Directive 64/432 EEC, Regulations (EC) No 21/2004 and 2000/15/EC, and Decision 2000/678/EC, was published in the Official Gazette 51/07 of 21 May 2007.

It is the responsibility of the keeper of animals to ensure that the animals are properly identified and registered, to keep the required records and to ensure the traceability of animals in case of their movement.

Keepers may identify pigs on their own holdings on the condition they are qualified and certified for identification by the person approved by the VFSD and the data on these holders shall be entered into CRP. In a case the pig is lost or stolen, the holder shall, within three days, the keeper must inform thereof an approved veterinarian or the competent veterinary inspector who shall then record the mentioned information.

A pig shall be identified as soon as possible, and the latest prior to shipment (movement) from the holding.

Pigs are marked by an ear tag (the right ear) or tattooed (the right ear).

If tatoo is the option, pigs have to be marked as soon as possible, not later than 15 days after they were born.

Ear tagging for breeding animals is carried out by CAA staff.

Holding keeping pigs identified by tattooed number shall be entered into a special records administrated by the Central Register of Livestock (CLC) upon receiving the request for identifying pigs by a tattooed number submitted to the CLC by the keeper with more then five sows.

The keeper shall keep a Holding pig register (HPR) and make all the updates in a timely manner and by chronological order, no later then within three days from the date on which the changes occurred. In the territory of Republic of Croatia, the pigs in the transport shall be accompanied by movement document (MD). Every has its own serial number. The holder of the destination holding shall deliver, within three days of the pigs' arrival, the data on the transport of pigs, that is, arrival of pigs on the holding, to the approved veterinary organization by using the form of MD, and in case of import, by using the form of Veterinary certificate and the MD. The approved veterinary organization shall record the data on the transport of pigs in the URP no later then three days from receiving the MD from the holder and shall record the date of the MD receipt.

Farm register represents the main data base on all farms and locations on which domestic animals are kept or on which they dwell on the whole territory of the country.

VFSD has delegated to CAA the following tasks:

- farm registration procedure
- operating the database which includes the Farm Register;
- distribution of forms and ear tags.

Each farm keeping more than 1 pig must be registered.

Each farm in the Register is entered in under a unique identification number of the farm (UINF) which is assigned by the CAA. The UINF contains two lettered sign of the country (HR) and eight number numerical sign. Data on a farm contained in the Farm register are: UNIF, address of a farm, information about the keeper (name, title, address, personal identification number, contact details, details on person responsible for farm, geographical location of a farm (x, y coordinates)). Additional details on a farm, collected on the day of the registration of a farm and entered into the database are: animal species, farm production system, number of animals on the farm per species, maximum capacity of a farm. A veterinarian details: General details about authorized veterinary organization/authorized veterinarians are also available in Farm Register.

A keeper must to keep and regularly update a Farm book (FB) in which all the changes have to be entered with an update and in chronological order, three days after the change occurred at the latest. The following details are entered in the FB:

- The address of the farm
- the name of the keeper, the address of the keeper, if it is different from the address of the farm; personal identification number/identification number of the keeper

In FB a keeper must update on the total number of the pigs on the farm and must record pig deaths; pig slaughter for personal consumption; a note on the control of the farm by veterinary inspector, the name and signature and the date of control.

4.4.4 Qualifications of animals and herds

(max. 32000 chars):			
n/a			

4.4.5 Rules of the movement of animals

(max. 32000 chars):

Movement rules

According to the Ordinance on compulsory identification and registration of pigs (Official Gazette No 51/2007), each movement of pigs shall be recorded in the CRDA in a manner enabling identification of their farm of origin.

Keepers are responsible that pigs movements are notified.

Movement registration is performed only by an Authorized Veterinary Organization (AVO).

A movement means:

- each purchase and sale of a pig,
- taking the pig to the market or pig show,
- import and export of pigs,
- movement pigs to slaughter.

The owner is obligated to report any movement of pigs to the AVO within three days of the movement. The details on pig movement are entered in CPR by AVO within three days.

From Jan 1, 2008, AVO are obligated to record every pig movement from all the registered farms in the CPR.

From 1 July 1, 2009 movement of pigs is not allowed if the farm is not registered.

The Movement document (MD) contains the following information:

The serial number of the MD;

- the number of pigs with the accompanying UINF/tattoo number and the total number of pigs;
- details on the farm from which the pigs are moved (UINF, FIC serial number, name and address of the farm) and details are copied from FIC;
- details on the farm, that is, the slaughter house to which the pigs are moved (UINF/the number of the slaughterhouse, the name/title/address). If one pig is moved to a holding that is not registered, for s personal consumption, than details on name and surname of the owner and personal identification number is kept.
- number of Animal health certificate (AHC);
- date of arrival;
- signature of keepers;
- transporters name and surname;
- date of delivery of pigs at the destination and the signature recipient pigs;

- registration number of vehicle.

AHC must be issued prior animal movement (e.g. prior movement to an animal market, other holding, slaughterhouse, sport events, fair, common pasture). AHC contains information on: identity of the owner; identity and place of origin of the animal; and health status and eligibility to be placed on the market or to be moved according to the relevant legal requirements.

The competent veterinary inspector supervise the issuing of AHC.

4.4.6 Tests used and sampling schemes

(max. 32000 chars):

In Croatia, from January 2005, the Diagnostic manual that describes establishing diagnostic procedures, sampling methods and criteria for evaluation of the laboratory tests for the confirmation of classical swine fever, published in the Official Gazette N0 16/2005), is in force. It is harmonized with the EU Decision 2002/106/EC.

The Croatian veterinary institute in Zagreb, Laboratory for classical swine fever (CSF) diagnosis, molecular virology and genetics is responsible for CSF diagnosis.

It is accredited according to HRN EN ISO/IEC 17025:2007, and appointed by the Competent authority within the Ministry of Agriculture as the National Reference Laboratory for CSF and African swine fever diagnosis. The Laboratory would be involved in carrying out the entire laboratory testing within the eradication, control and monitoring program.

For serological testing the primary method used is antibody enzyme linked immunosorbent assay (AB ELISA), that is commercially available and based on the detection of CSF antibodies that are specific for the E2 CSF viral glycoprotein (gp).

For virological testing the primary method used is real time polymerase chain reaction with the previous reverse transcription step (QRT-PCR), based on the detection of a specific fragment within the ORF coding region of the viral RNA.

Both methods have been validated and their specificity and sensitivity is 98/99% and 100/100%, respectively.

Confirmation of the presence of antibody positive samples is to be performed by virus neutralization test (Reference: EURL Hannover; OIE Manual-Chapter 2.8.3.). The use of different CSF viral strains such as Alfort 187 and isolates from the 2.3. genotype subgroup, as well as other pesitiviral strains, such as Moredun BDV and NADL for BVDV strain, will allow the differentiation among antibody titers of different pestiviruses in order to obtain a more precise insight in the epidemiology of the infection.

Furthermore, if serological tests gain a positive result additional testing will be performed by using a virule giral mothods (e.g., ORT PCR). In case of clinical suggistions of CSE samples would be tested by ORT.

virological methods (e.g. QRT PCR). In case of clinical suspicious of CSF, samples would be tested by QRT PCR and when necessary by virus isolation on cell culture (PK-15) followed by the immunoperoxidase staining procedure (Reference: EURL Hannover; OIE Manual-Chapter 2.8.3., Conjugate: C16/RAMPO) and classical RT-PCR (for the differentiation of other pestiviruses). The panpestivirus protocol used is described by Paton et al., 2000, whereas the E2 gene detection protocol is according to Sandvik et al., 1997.

The PCR products would be the basis for further sequencing and detailed genotype analysis.

4.4.7 Vaccines used and vaccination schemes

(max. 32000 chars):		
n/a		

4.4.8 Information and assessment on bio-security measures management and infrastructure in place in the holdings involved.

(max. 32000 chars):

All pig holdings are required to implement specific biosafety measures to prevent an introduction of a infection or a disease. This is stipulated in point VIII of the Order on measures to protect animals from infectious and parasitic diseases and the financing there of (Official Gazette No 160/2013). Veterinary check of implementation of stipulated PBM (by using a Questionnaire) has been in place since 2009.

In line with the obligation according the Commission Implementing Decision 2013/764/EU on all farms in territory of counties Karlovac, Sisak-Moslavina, Slavonski Brod-Posavina and Vukovar-Srijem included in movements of pigs or fresh pigmeat and meat preparation and meat product consisting of or containing meat of pigs, control of the implementation of PBM (by using the Questionnaire prepared in accordance with item VIII of annual Order on measures to protect animals from infectious and parasitic diseases and the financing thereof) will be performed by approved veterinarians.

4.4.9 Measures in case of a positive result

A short description is provided of the measures as regards positive animals (slaughter, destination of carcasses, use or treatment of animal products, the destruction of all products which could transmit the disease or the treatment of such products to avoid any possible contamination, a procedure for the disinfection of infected holdings, the therapeutic or preventive treatment chosen, a procedure for the restocking with healthy animals of holdings which have been depopulated by slaughter and the creation of a surveillance zone around infected holding)

(max. 32000 chars):

Positive serological finding (where no clinical or epidemiological evidence of CSF is observed) will be considered as a suspect CSF case. In such a case holding will be placed under restriction and measures as stipulated in Article 4 of the Ordinance on measures for the detection, control and eradication of CSF (Official Gazette 187/04, 123/08).

Also, immediately after being notified of the suspicion of an infectious disease in pigs, and when symptoms are indicative of CSF, the authorized veterinarian must carry out a clinical examination of the pigs, which must include the taking of the body temperature, in accordance with the Ordinance on the diagnostic manual for CSF (Official Gazette 16/05 and 62/08). It means that the body temperature of the following animals must be taken of:

- sick pigs and pigs with insufficient food intake (anorexic);
- pigs recovering from other diseases;
- pigs recently introduced from areas where CSF has been confirmed or from other places of suspect / unknown CSF status;
- pigs kept in sub-units/compartments visited by persons who had contact with pigs infected or suspected of being infected with CSF;
- pigs already serologically tested for CSF, but the results of the serological tests do not allow to rule out

CSF.

CSF Epidemiological Group will make a field investigation in order to assure that all stipulated measures are implemented in order to confirm or rule out CSF.

In the event of a confirmed CSF case strict stamping-out measures are implemented in accordance with the Ordinance on measures for the detection, control and eradication of CSF (Official Gazette 187/04, 123/08) and the Ordinance on the diagnostic manual for CSF (Official Gazette 16/05, 62/08). The aforementioned legislation is fully aligned with relevant EU legislation (Council Directive 2001/89/EC and Commission Decision 2002/106/EC).

Contingency Plan for CSF has been developed and tested in real time, in the field during the CSF epidemic in 2007. In case of confirmation of CSF outbreak, CSF contingency plan will be activated. CSF contingency plan has been approved according to the Decision 2013/347/EC.

4.4.10 Compensation scheme for owners of slaughtered and killed animals

(max. 32000 chars):

According to the Veterinary Act, article 34. after the estimation of the value of an animal killed, slaughtered or perished due to the implementation of a prescribed measure, and for objects damaged or destroyed due to the implementation of prescribed measures, the proprietor of the animal or object has a right to compensation in the amount equal to the market price as of the day the measure was implemented.

An estimate of the value of an animal or object is determined by a Commission appointed by the director of the VFSD. One of the Commission members must be a competent veterinary inspector. A Decision on the right and the amount of compensation is issued by the Director of the VFSD, based on the assessment and the recommendation issued by the above mentioned Commission, within a 60 days. A payment must be ensued within and no later than 90 days from the date of the implementation of the measures.

4.4.11 Control on the implementation of the programme and reporting

(max. 32000 chars):

Veterinary and Food Safety Directorate of the Ministry of Agriculture is the national competent authority responsible for supervision and coordination of implementation of the Program.

Supervision of implementation of the Program on the field is carried out by veterinary inspectors, who are obliged to inform VFSD on the findings.

All the activities undertaken in accordance with the 2015 CSF surveillance programme must be fully implemented and appropriately documented by authorized veterinarians, the Croatian Veterinary Institute and the competent veterinary inspection service, in respect of any task performed in accordance with this Programme.

5. Benefits of the programme

A description is provided of the benefits of the programme on the economical and animal and public health points of view.

(max. 32000 chars):

CSF control policy without preventive vaccination has been implemented in the Croatia since 1 January 2005.

Croatia is free form CSF infection in domestic pigs, without vaccination.

The implementation of the 2015 Surveillance Programme for CSF in pigs must ensure an early detection of the CSF infection/disease as well as to shorten the time lag between the introduction of the CSF virus and the confirmation of the disease. i.e. the reduction in the number of infected farms at the end of the high-risk period.

The Programme must also contribute to maintaining a favorable status of the country in relation to CSF in domestic pigs and to reducing the risk of possible occurrence of new CSF outbreaks to an acceptable level (which involves the rapid implementation and efficient management of measures to eradicate the CSF virus in case of an outbreak, thus minimizing economic damage).

The CSF Surveillance Programme must also contribute to maintaining awareness and alertness among pig keepers and veterinarians. Furthermore, due to the fact that CSF preventive vaccination has still been implemented in three neighboring countries other than those EU MS, the Program will also provide evidence of no use of illegal vaccination.

The 2015 Surveillance Programme for CSF in domestic pigs is targeted to both large and small commercial pig farms.

The Program will allow for detection of direct or indirect evidence of CSF. It will contribute to maintaining awareness among pig keepers of risks for CSFV introduction and spread, as well as of the obligation of pig keepers to report any suspicion of infectious disease.

In the areas where there has been an increased likelihood of a CSF outbreak (e.g. because of their spatial connection with areas where CSF was confirmed in wild boar, such as certain settlements in the Vukovar-Srijem County and in the Siska-Moslavina County) or those bordering on the neighboring country where CSF has recently been confirmed in domestic pigs, surveillance is conducted regardless of whether a farms is commercial or non-commercial.

The Program also allow for virological testing in order to rule out CSF, which is the most important element for early detection and response. It is expected that the results of CSF virological surveillance will allow for drawing conclusion on CSF awareness of farmers and veterinarians but also additional direct evidence on status of CSF infection in the country.

Implementation of PBM on pig farms also contribute to maintaining a favorable status of the country in relation to CSF in domestic pigs, taking into account that PBM have a direct impact on a reduction of risk of CSFV introduction.

For brucellosis (bovine and small ruminants) and tuberculosis, if an annual programme is submitted, please provide also the targets for herd incidence and prevalence, and the animal prevalence for at least 3 years (including the year for which the programme is submitted).

Standard	d requirements for the submission of programme for eradication, control and monitori	ng
6.	Data on the epidemiological evolution during the last five years	
	no	
6.1	Evolution of the disease	
	Evolution of the disease : Not applicable Applicable	
6.2	Stratified data on surveillance and laboratory tests	
	Page 17 of 31	

6.2.1 Stratified data on surveillance and laboratory tests for year: 2013

Region	Animal Species	Test Type	Test Description	Number of samples tested	Number of positive samples	
Croatia	Domestic pigs	serological test	AbELISA	35 343	0	х
Croatia	Domestic pigs	microbiological or virological tes	AgELISA	52	0	х
Croatia	Domestic pigs	microbiological or virological tes	Q RT PCR	2 528	0	х
Total				37 923		
				ADD A N	EW ROW	

6.2.1 Stratified data on surveillance and laboratory tests for year: 2012

Region	Animal Species	Test Type	Test Description	Number of samples tested	Number of positive samples	
Croatia	Domestic pigs	serological test	Ab ELISA	26 161	1	х
Croatia	Domestic pigs	microbiological or virological tes	Ag ELISA	98	0	х
Croatia	Domestic pigs	microbiological or virological tes	Q RT PCR	12 060	0	х
Total				38 319		
				ADD A N	EW ROW	

6.2.1 Stratified data on surveillance and laboratory tests for year: 2011

Region	Animal Species	Test Type	Test Description	Number of samples tested	Number of positive samples	
Croatia	Domestic pigs	serological test	Ab ELISA	25 303	24	Х
Croatia	Domestic pigs	microbiological or virological tes	Ag ELISA	145	0	х
Croatia	Domestic pigs	microbiological or virological tes	RT PCR	52	0	х
Croatia	Domestic pigs	microbiological or virological tes	Q RT PCR	16 670	0	х
Total				42 170		
				ADD A N	EW ROW	

6.2.1 Stratified data on surveillance and laboratory tests for year: 2010

Region	Animal Species	Test Type	Test Description	Number of samples tested	Number of positive samples	
Croatia	Domestic pigs	serological test	Ab ELISA	40 123	91	x
Croatia	Domestic pigs	microbiological or virological tes	Ag ELISA	408	0	х
Croatia	Domestic pigs	microbiological or virological tes	RT PCR	75	0	х
Croatia	Domestic pigs	microbiological or virological tes	Q RT PCR	1 181	0	х

Croatia	Domestic pigs	microbiological or virological tes	VI	81	0	x
Total				41 868		
				ADD A N	EW ROW	

6.2.1 Stratified data on surveillance and laboratory tests for year: 2009

Region	Animal Species	Test Type	Test Description	Number of samples tested	Number of positive samples	
Croatia	Domestic pigs	serological test	Ab ELISA	12 013	23	х
Croatia	Domestic pigs	microbiological or virological tes	Ag ELISA	253	0	х
Croatia	Domestic pigs	microbiological or virological tes	RT PCR	2	0	х
Croatia	Domestic pigs	microbiological or virological tes	Q RT PCR	196	0	х
Total				12 464		
				ADD A N	EW ROW	

6.3	Data on infection

Standar	d requirements for the sub	mission of prograr	nme for eradication, control and monitoring	
6.4	Data on the status of herds			
	Data on the status of herds :	○ Not applicable	○ Applicable	
			Page 21 of 31	

Standard	d requireme	ents for the subm	ission of programn	me for eradication, contr	ol and monitoring
6.5	Data on vac	ccination or treatment	programmes		
Data or	n vaccination	or treatment program	mes is \(\capplicat	ble ⊖Applicable	
6.6	Data on wild	dlife			
Data on	Wildlife is :	Not applicable	○ Applicable		

7. Targets

The blocks 7.1.1, 7.1.2.1, 7.1.2.2, 7.2, 7.3.1 and 7.3.2 are repeated multiple times in case of first year submission of multiple program.

7.1 Targets related to testing (one table for each year of implementation)

7.1.1 Targets on diagnostic tests for year: **2015**

Region	Type of the test	Target population	Type of sample	Objective	Number of planned tests	
CROATIA	Ab ELISA	Pigs	blood	surveillance	18 700	X
Croatia	Ag Elisa	Pigs	blood	confirmation of suspected cases	300	х
Croatia	Q RT PCR	Pigs	organs	confirmation of suspected cases	200	х
Croatia	VI	Pigs	organs	confirmation of suspected cases	100	х
Croatia	VNT	Pigs	serum	confirmation of suspected cases	100	х
Croatia	Q RT PCR	Pigs	blood	confirmation of suspected cases	100	х
				Total	19 500	

Add a flew fow

7.1.2 Targets on testing herds and animals

7.1.2.1 Targets on testing herds

○ Not applicable

○ *Applicable...*

7.1.2.1 Targets on the testing of herds for year: **2015**

										Target indicators		
Region	Animal species	Total number of herds	Total number of herds under the programme	herds expected	Number of expected positive herds	Number of expected new positive herds	Number of herds expected to be depopulated	% positive herds expected to be depopulated	Expected % herd coverage	% positive herds Expected period herd prevalence	% new positive herds Expected herd incidence	
Croatia	Domestic pigs	90 135	15 000	800	2	2	2	100	5,33	0,25	0,25	X
Total	1	90 135	15 000	800	2	2	2	100	5,33	0,25	0,25	
									Ad	d a new r	ow	

	Standard requirements for	the submission of	f programme for	eradication.	control and	d monitoring
--	---------------------------	-------------------	-----------------	--------------	-------------	--------------

7.1.2.2 Targets on testing animals

○ Not applicable

○ Applicable...

7.1.2.2 Targets on the testing of animals for year:

							Slaugl	ntering	Target ir	ndicators	
Region	Species	Total number of animals	Number of animals under the programme	Number of animals expected to be tested	Number of animals to be tested individually	Number of expected positive animals	Number of animals with positive result expected to be slaughtered or culled	Total number of animals expected to be slaughtered	Expected % coverage at animal level	% positive animals (Expected animal prevalence)	
Croatia	Domestic pigs	1 526 000	1 000 000	18 700	18 700	5	5	10	1,87	0,03	Х
Total		1 526 000	1 000 000	18 700	18 700	5	5	10	1,87	0,03	
								Ac	ld a new ro)W	

7.2 Targets on qualification of herds and animals

Targets on qualification of herds and animals $\ \ \, \cap \, Not \, applicable$

○Applicable...

Standa	ard requirements for the submission of	f programme for e	radication, control and monitoring
7.0			
7.3	Targets on vaccination or treatment		
	7.3.1 Targets on vaccination or treatment is	○ Not applicable	⊂ Applicable
	7.3.2 Targets on vaccination or treatment of wildlife is	○ Not applicable	○ Applicable

Page 26 of 31

8. Detailed analysis of the cost of the programme

8.1 Costs of the planned activities for year:

2015

The blocks are repeated multiple times in case of first year submission of multiple program.

To facilitate the handling of your cost data, you are kindly requested to:

- 1. Fill-in the text fields IN ENGLISH
- 2. Limit as much as possible the entries to the pre-loaded options where available.
- 3. If you need to further specify a pre-loaded option, please keep the pre-loaded text and add your clarification to it in the same box.

1. Testing							
Cost related to	<u>Specification</u>	Unit	Number of units	Unitary cost in EUR	Total amount in EUR	Union funding requested	
Cost of sampling	Domestic animals	Individual animal sample/test	18 700	7	130 900	yes	X
Cost of analysis	Elisa (antibody)	Individual animal sample/test	18 700	8	149 600	yes	X
Cost of analysis	PCR	Individual animal sample/test	300	46	13800	yes	Х
Cost of analysis	VI	Individual animal sample/test	100	26	2600	yes	х
Cost of analysis	Virus neutralisation test	Individual animal sample/test	100	40	4000	yes	х
					Add a new	row	
2. Vaccines							
Cost related to	Specification	Unit	Number of units	Unitary cost in EUR	Total amount in EUR	Union funding requested	

					Add a new	/ row
3. Compensation paid to owners						
Cost related to	Specification	Unit	Number of units	Unitary cost in EUR	Total amount in EUR	Union funding requested
					Add a new	/ row
4. Cleaning and disinfection						
Cost related to	Specification	Unit	Number of units	Unitary cost in EUR	Total amount in EUR	Community funding requested
					Add a new	row .
5. Slaughtering/culling costs						
Cost related to	Specification	Unit	Number of units	Unitary cost in EUR	Total amount in EUR	Union funding requested
					Add a new	/ row
6.Other costs						
Cost related to	Specification	Unit	Number of units	Unitary cost in EUR	Total amount in EUR	Union funding requested
					Add a new	/ row
	Total				300 900,00 €	

Standard requirements for the submission of programme for eradication, control and monitorin	ng
8.2 Co-financing rate:	
The maximum co-financing rate is in general fixed at 50%. However based on provisions of Article 5.2 and 5.3 of the Common Financial Framework, we request that the co-financing rate for the reimbursement of the eligible costs would be increased: © Up to 75% for the measures detailed below C Up to 100% for the measures detailed below Not applicable	
Please explain for which measures and why co-financing rate should be increased (max 32000 characters) Croatia gross national income per inhibitant based on the latest Eurostat data is less than 90% of the Union average	
Page 29 of 31	

Standard requirements for the submission of programme for eradication, control and monitoring
8.3 Source of national funding
Please specify the source of the national funding:
<i>⊠public funds</i>
□ food business operators participation
□ other
Please give details on the source of the national funding (max 32000 characters)
Source of National funding is provided in State budget in Ministry of Agriculture.

Page 30 of 31

Attachments

IMPORTANT:

- 1) The more files you attach, the longer it takes to upload them .

- 2) This attachment files should have one of the format listed here: jpg, jpeg, tiff, tif, xls, xlsx, doc, docx, ppt, pptx, bmp, pna, pdf.

 3) The total file size of the attached files should not exceed 2 500Kb (+- 2.5 Mb). You will receive a message while attaching when you try to load too much.

 4) IT CAN TAKE SEVERAL MINUTES TO UPLOAD ALL THE ATTACHED FILES. Don't interrupt the uploading by closing the pdf and wait until you have received a
- 5) Only use letters from a-z and numbers from 1-10 in the attachment names, otherwise the submission of the data will not work.

List of all attachments

Attachment name	File will be saved as (only a-z and 0-9 and):	File size
3915_3458.doc	3915_3458.doc	33 kb
3915_3459.doc	3915_3459.doc	19 kb
	Total size of attachments :	52 kb