

### EUROPEAN COMMISSION HEALTH & CONSUMERS DIRECTORATE-GENERAL

Unit 04 - Veterinary Control Programmes

SANCO/3860/2008

Programmes for the eradication, control and monitoring of certain animal diseases and zoonoses

### Survey programme for Avian Influenza in poultry and wild birds

Approved\* for 2009 by Commission Decision 2008/897/EC



\* in accordance with Commission Decision 90/424/EEC





### 1. Identification of the programme

Member State:

Czech Republic

Disease:

Avian influenza (low and high pathogenic)

Animal population: Poultry and wild birds

Year of implementation:

2009

### Reference of this document:

State Veterinary Administration of the Czech Republic

Department of Animal Health and Welfare

Slezská 7

120 56 Prague

### Contact person:

Petr Šatrán

State Veterinary Administration of the Czech Republic

Department of Animal Health and Welfare

Slezská 7

120 56 Prague 2

Phone: +420 227 010 150

Fax: +420 227 010 195

Email: epiz@svser.cz

Date sent to the Commission: 29, 4, 2008



### 2. Description of the surveillance programme in poultry

### 2.1 Objectives, general requirements and criteria Objectives

Serological surveillance for LPAI subtypes H5 and H7 in poultry is aim at:

- Detecting sub-clinical infections with LPAI of subtypes H5 and H7 thereby complementing early detection systems and subsequently preventing possible mutation of these viruses to HPAI.
- Detecting infections of LPAI H5 and H7 subtypes in specifically targeted poultry populations at specific risk for infection due to their husbandry system or the susceptibility of specific species.
- Contributing to the demonstration of a free status of a certain country, region
  or compartment from notifiable avian influenza in the frame of international
  trade according to OIE rules.

### General requirements and criteria

- Sampling will be carry out during the whole year 2009 and will not extend beyond 31 December 2009 and for poultry will cover a period appropriate to production periods for each poultry category as required.
- Testing of samples will be carried out in laboratories at State Veterinary Institute (SVI) Prague (NRL), SVI Jihlava and SVI Olomouc.
- All results (both serological and virological) will be sent to the Community Reference Laboratory for Avian Influenza (CRL) for collation. The NRL in SVI Prague will closely collaborate with CRL.
- 5. All avian influenza virus isolates will be submitted to the CRL in accordance with Community legislation, unless a derogation according to paragraph 4 of Chapter V (Differential diagnosis) in the diagnostic manual laid down in Decision 2006/437/EC<sup>1</sup> is granted. Viruses of H5/H7 subtype to be submitted without delay and to be subjected to the standard characterisation tests (nucleotide sequencing/IVPI) according to that Diagnostic Manual.



 Whenever possible, NRL will submit to the CRL, H5 or H7 positive sera collected from Anseriformes.

### 2.2 Design and implementation

- All positive findings will be retrospectively investigated at the holding and the conclusions of this investigation will be reported to the Commission and the CRL.
- NRL will use specific protocols to accompany the sending of material to the CRL
  and reporting tables for collection of surveillance data. Protocols and tables are
  provided by the CRL. In those tables the laboratory testing methods used will be
  indicated.
- 3. Blood samples for serological examination will be collected from all species of poultry including those reared in free-range systems, 10 birds (except ducks geese and quail) per holding, and from the different sheds, if more than one shed is present on a holding. In case of several sheds the sample size per holding will be increased appropriately. It is recommended to take at least 5 birds per shed 4. Sampling will be stratified throughout the territory of the whole Czech Republic. The stratification will be carry out by the State Veterinary Administration, taking into account:
  - (a) the number of holdings to be sampled (excluding ducks, geese and turkeys); that number is defined so as to ensure the identification of at least one infected holding if the prevalence of infected holdings is at least 5%, with a 95% confidence interval; and
  - (b) the number of birds sampled from each holding shall be defined so as to ensure 95% probability of identifying at least one positive bird if the prevalence of sero-positive birds is ≥ 30%.
- Based on a risk assessment and the specific situation the sampling design will also consider:
  - (a) The types of production and their specific risks, to be targeted to free range production, outdoor keeping plus taking into account other factors such as multi age, use of surface water, a relatively longer life span, the presence of more than one species on the holding or other relevant factors



- (b) The number of turkey, duck and goose holdings to be sampled is defined to ensure the identification of at least one infected holding if the prevalence of infected holdings is at least 5%, with a 99% confidence interval.
- (c) All holdings producing captive mallards for restocking will be tested by PCR. Cloacal swabs for virological testing to be taken preferably from birds which are kept outside in fields.
- (d) The time period for sampling will coincide with seasonal production. However, where appropriate, sampling will be adapted to other identified periods.
- (e) Backyard flocks are not included into the surveillance programme.

## Surveillance programme for avian influenza in the Czech Republic 1, 1, - 31, 12, 2009

Table 2.2.1 POULTRY HOLDINGS (a) (except ducks and geese) TO BE SAMPLED

Serological investigation according to point B of Annex 1 to Commission Decision 2007/268/EC on holdings of laving hens

NUTS (3) code <sup>(b)</sup>	Total number of holdings <sup>(c)</sup>	Total number of boldings to be sampled	Number of samples ner holding	Total number of tests to be performed per method	Methods of laboratory analysis.
CZ010 CAPITAL CITY PRAGUE	0	0	0	0	
CZ020 CENTRAL, BOHEMIAN REGION	22	5	01	50	ELISA
CZ031 SOUTHERN BOHEMIAN REGION	11	7	10	70	ELISA
CZ032 REGION OF PLZEN	8	2	10	20	ELISA
CZ041 REGION OF KARLOVY VARY	য	_	01	01	HLISA
CZ042 REGION OF USTI N. LABEM		3	01	30	HUSA
CZ051 REGION OF LIBEREC	2	0	e	0	
CZ052 REGION OF HRADEC KRALOVE	15	S	01	\$0	ELISA
CZ053 REGION OF PARDUBICE	22	6	10	06	ELISA
CZ061 REGION OF VYSOCINA	13	3	10	30	ELISA
CZ062 SOUTHERN MORAVIAN REGION	18	8	10	08	ELJSA
CZ071 REGION OF OLOMOUC	91	3	10	30	ELISA
CZ072 REGION OF ZLIN	11	2	10	20	ELISA
CZ080 MORAVIA-SILESIAN REGION	21	s	01	20	ELISA
Total	181	53	01	530	FLISA

Holdings equals flocks or establishments as appropriate. Refers to the location of the holding of origin. Nuts 3 code is used. Total number of holdings of one category of poultry in concerned NUTS 3 region ඔළම



## Surveillance programme for avian influenza in the Czech Republic 1, 1, -31, 12, 2009

# Serological investigation according to point B of Annex I to Commission Decision 2007/268/EC on holdings of turkeys

					11
NUTS (3) code <sup>(b)</sup>	Total number of holdings <sup>(c)</sup>	Total number of holdings to be sampled	Number of samples per holding	Total number of tests to be performed per method	Methods of laboratory analysis.
CZ010 CAPITAL CITY PRAGUE	0	0	0	0	
CZ020 CENTRAL BOHEMIAN REGION	10	33	10	80	HJSA
CZ031 SOUTHERN BOHEMIAN REGION	ę	2	10	20	ELISA
CZ032 REGION OF PLZEN	91	01	<u></u>	100	ELISA
CZ041 REGION OF KARLOVY VARY	ŧn.	2	01	20	ELISA
CZ042 REGION OF USTI N. LABEM	0	0	0	0	
CZ051 REGION OF LIBEREC	4	!         	101	01	
CZ052 KEGION OF HRADEC KRALOVE	٣.	1	01	01	ELISA
CZ053 REGION OF PARDUBICE	4	3	100	36	ELISA
CZ061 REGION OF VYSOCINA	7	7	01	70	ELISA
CZ062 SOUTHERN MORAVIAN REGION	22	£1	01	130	ELISA
CZ071 REGION OF OLOMOUC	-		01	101	ELISA
C2072 REGION OF ZLIN	4	3	10	30	ELISA
CZ080 MORAVIA-SILESIAN REGION	12	æ	10	98	E1,15.A
[fota]	92	65	10	590	ELISA

@එම

Holdings equals flocks or establishments as appropriate.
Refers to the location of the holding of origin. Nurs 3 code is used.
Total number of holdings of one category of poultry in concerned NUTS 3 region



## Surveillance programme for avian influenza in the Czech Republic 1, 1, +31, 12, 2009

# Table 2.2.2 DUCK AND GEESE HOLDINGS TO BE SAMPLED (a) according to point C of Annex I to Decision 2007/268/EC

### Serological investigation

NUTS (3) code <sup>(0)</sup>	Total number of	Total number of duck and	Number of samples per	Total number of tests	Methods of
	duck and geese boldings <sup>(c)</sup>	geese holdings to be sampled	holding	to be performed per raethod	laboratory analysis,
CZ010 CAPITAL CITY PRAGUE	0	0	0	0	
CZ020 CENTRAL BOHEMIAN REGION	2	2	40	08	HILT
CZ031 SOUTHERN BOHEMIAN REGION	[3	13	40	520	(JII)
CZ032 REGION OF PLZEN	1	     	40	40	IIIT
CZ041 REGION OF KARLOVY VARY	0	e e	0	0	
CZ042 REGION OF USTI N. LABEM	0	0	0	0	
CZ051 REGION OF LIBEREC	0	0	0	0	
CZ052 REGION OF HRADEC KRALOVIS	7	7	40	280	HIT
CZ053 REGION OF PARDUBICE	1		40	40	LIH
CZ061 REGION OF VYSOCINA	2	*	40	80	IIIT
CZ062 SOUTHERN MORAVIAN REGION	4	4	40	091	::
CZ071 REGION OF OLOMOUC	£	3	40	021	H
C2072 REGION OF 2LIN	0	0		0	
CZ080 MORAVIA-SILISIAN REGION	Û	0	0	0	:
Total	33	33	40	1 320	HIT

<u>ତ୍</u>ର

Holdings equals flocks or establishments as appropriate. Refers to the location of the holding of origin. Nuts 3 code is used. Total number of holdings of one category of poultry in concerned NUTS 3 region.



## Surveillance programme for axian influenza in the Czech Republic 1, 1, -31, 12, 2009

## HOLDINGS PRODUCING CAPTIVE MALLARDS FOR RESTOCKING TO BE SAMPLED:

NUTS (3) code <sup>(b)</sup>	Total number of duck and geese holdings <sup>(c)</sup>	Total number of duck and geese haldings to be sampled	Number of samples per holding	Total number of tests to be performed per method	Methods of laboratory analysis.
CZ010 CAPITAL CITY PRAGUE	0	0	0	0	
CZ020 CENTRAL BOILEMIAN REGION	0	0	0	0	PCR
CZ031 SOUTHERN BOHEMIAN REGION	5	5	20	001	PCR
CZ032 REGION OF PLZEN	7	73	20	80	PCR
C2041 REGION OF KARLOVY	0	0	0	Φ	
CZ042 REGION OF USTI N. LABEM	9	0	0	0	
CZ051 REGION OF LIBEREC	0	0	0	0	
CZ052 REGION OF HRADISC KRALOVE	<b>-</b>	-	20	20	PCR
CZ053 REGION OF PARDUBICE			20	20	
CZ061 REGION OF VYSOCINA	0	0	0	0	PCK
C2062 SOUTHERN MORAVIAN REGION	0	0	0	Q	PCR
CZ071 REGION OF OLOMOUC	0	0	<b>P</b>	0	PCK
C2072 REGION OF ZLIN	0	0	0	0	
CZ080 MORAVIA-SILESIAN REGION	-	1	20	20	PCR
Total	12	12	20	240	PCR

Holdings equals. flocks or establishments as appropriate. Refers to the location of the holding of origin. Nuts 3 code is used. Total number of holdings in concerned NUTS 3 region **⊕**⊕⊕





### 2.3 Laboratory testing: description of the laboratory tests used

- Laboratory tests will be carried out in accordance with the avian influenza diagnostic manual (Commission Decision 2006/437/EC) laying down the procedures for the confirmation and differential diagnosis of avian influenza (including examination of sera from ducks and geese by haemagglutinationinhibition (HI) test).
- All positive serological findings shall be confirmed by the NRL at SVI Prague for avian influenza by a haemagglutination-inhibition test, using designated strains supplied by the Community Reference Laboratory for Avian Influenza;
  - H5 (a) Initial test using Ostrich/Denmark/72420/96 (H5N2)
    - (b) Test all positives with Duck/Denmark/64650/03 (H5N7) to eliminate N2 cross reactive antibody.
  - H7 (a) Initial test using Turkey/England/647/77 (H7N7)
    - (b) Test all positives with African Starling/983/79 (H7N1) to eliminate N7 cross reactive antibody.

Testing of samples will be carried out in the National Reference Laboratory (NRL) in the State Veterinary Institute (SVI) in Prague and in SVIs in Olomouc and Jihlava. The NRL cooperates with Community Reference Laboratory for Avian Influenza (CRL) in Weybridge and the laboratories in SVIs Olomouc and Jihlava are under control of the NRL.

All results to be sent to the Community Reference Laboratory for Avian influenza (CRL) for collation.

All avian influenza virus isolates of primary cases in wild birds will be submitted to the CRL in accordance with Community legislation.



### Description of the surveillance programme in wild birds:

### 3.1 Objectives, general requirements and criteria

Virological surveys for avian influenza in wild birds aim at identifying the risk for introduction of AI viruses (LPAI and HPAI) to domestic poultry by:

- ensuring an early detection of HPAI H5N1 by investigating sick and dead wild birds and increased mortalities, in particular in selected "higher risk" species.
- Anseriformes (wild fowl) to be the main sampling targets to assess if they carry LPAI viruses of H5 and H7 subtypes (which will in any case also detect HPAI H5N1 and other HPAI, if present).
- in case HPAI H5N1 is detected in wild birds in an area, assessing specifically the risk for
  the introduction of HPAI H5N1 to poultry by investigating dead and living wild birds of
  other bird species to possibly identify asymptomatic carriers and the risk that species
  coming in close contact with domestic poultry holdings might function as "bridge species".
- intensification of surveillance of HPALH5N firstly in those areas where its presence has been confirmed

### 3.2 Design and implementation

Passive surveillance on sick and dead wild birds to be targeted on:

birds belonging to identified "higher risk" species

COMMON NA	ME	SCIENTIFIC NAME
Bewick's Swan	(Labuť malá)	Cygnus columbianus
Mute Swan	(Labuť velká)	Cygnus alor
Whooper Swan	(Labuť zpěvná)	Cygnus cygnus
Greylag Goose	(Husa veiká)	Anser anser
Mallard	(Kachna divokā)	Anas plathyrhynchos
Cormorant	(Kormorán velký)	Phalacracorax curbo
Негол	(Volavka popelavá)	Ardea cinerea
Common Gull	(Racek chchtavý)	Larus rhidibundus



- areas where increased mortalities occur
- areas close to the ponds, lakes and waterways where birds were found dead; and in particular when these areas are in proximity to domestic poultry farms

### Active surveillance on hunted birds to be targeted on:

- migratory birds belonging to the order of Anseriformes (water fowls)
- areas which were identified due to the concentration and mixing of high number of wild fowl involving different species and in particular when these areas are in proximity to domestic poultry farms

In addition, investigations of dead wild birds to be targeted on birds:


- in areas where cases of HPAI H5N1 have been identified in wild birds or poultry to possibly identify asymptomatic carriers
- · in areas epidemiologically linked to these cases
- coming possibly in close contact to domestic poultry holdings.

## Migratory paths, risk water areas and poultry holdings with free range production

△ geese (breeding), A geese (fatening), duck (breeding), mallards for restocking, duck (fattening), durkeys (fattening),

laying hens (free range), 🖈 risk water areas with main assembling places of migratory wild birds,

main migratory paths





## Surveillance programme for axian influenza in the Czech Republic 1, 1, -31, 12, 2009

Table 3.2.1 WILD BIRDS - investigation according with the programme for surveillance of avian influenza in wild hirds set out in Annex II to Decision 2007/268/EC

NUTS (3) code <sup>(9)</sup>	Wild birds to be sampled (b)	Total number of samples to be taken for active surveillance	Total number of samples to be taken for passive surveillance
CZ010 CAPITAL CITY PRAGUE	10	0	01
CZ020 CENTRAL BOHEMIAN REGION	100	20	150
CZ031 SOUTHERN BOHEMIAN REGION	200	200	400
CZ032 REGION OF PLZEN		, , , , , , , , , , , , , , , , , , ,	
CZ041 REGION OF KARLOVY VARY		0	
CZ042 REGION OF USTI N. LABEM	25	0	
CZ051 REGION OF LIBEREC	25		25
CZ052 REGION OF HRADEC KRALOVE	80	50	150
CZ053 REGION OF PARDUBICE	961	50	195
CZ061 REGION OF VYSOCINA		0	] G
CZ062 SOUTHERN MORAVIAN REGION	300	200	400
CZ071 REGION OF OLOMOUC	75	0	75
CZ080 MORAVIA-SILESIAN REGION	30	0	
Total	1 000	550	1 550

**@ ©** 

Refers to the place of collection of birds/samples. Nuts 3 code is used.
General description of the wild birds are intended to be sampled in the framework of the active and passive surveillance.



### 3.3 Laboratory testing: description of the laboratory tests used

### Sampling procedures

Taking samples, wrapping and packaging of samples and their transport to the NRL will be arranged by an official veterinarian from the relevant Regional Veterinary Administration.

- In the case of mortality increase (more than 5 birds) at least 5 carcasses to be taken. In the case of higher amounts of dead birds, cloacal and tracheal/oropharyngeal swabs form other birds can be taken as well.
- Cloacal swabs and tracheal/oropharyngeal swabs and/or tissues (namely the brain, heart, lung, kidney and intestines) from wild birds found dead or shot to be sampled for virus isolation and molecular detection (PCR).
- Swabs must be chilled immediately on ice or with frozen gel packs and submitted to the laboratory as quickly as possible.

### Laboratory testing

- Laboratory tests to be carried out in accordance with the avian influenza diagnostic manual.
- All samples collected in the survey for avian influenza in wild birds will be tested as soon as possible by molecular techniques and according to the diagnostic manual.
- 3. Initial screening using M gene PCR will be used, with rapid testing of positives for H5 (but within 2 weeks) and in case of a positive finding analysis of the cleavage site should be undertaken as soon as possible to determine whether or not it has a highly pathogenic avian influenza (IPAI) or a low pathogenic avian influenza (LPAI) motif.
- All samples positive for M gene to be tested by virus isolation test on eggs.
- 5. At the laboratory pooling of up to five samples taken from the same species collected at the same site and same time is permitted when it can be ensured that, in case of a positive finding, the individual samples can be identified and retested.

### 4. <u>Description of the epidemiological situation of the disease in poultry during the last five years</u>

Highly pathogenic avian influenza (HPAI) of serotype H5N1 was detected in a commercial poultry flock in the Czech Republic for the first time in the course of months June – August 2007. One year before, i.e. on 27 March 2006, HPAI-H5N1 was detected in wild birds (mute swans – Cygnus olor) at several places in South-Bohemian and South-Moravian Regions.

4 holdings owned by two different farmers were affected in the year 2007; all holdings were situated in Pardubice Region, district Ústí nad Orlicí.

Due to animal health reasons, 103 378 head of poultry (4 586 turkeys and a 98 792 head of species Gallus gallus) of total weight of 358 262 kg were killed in commercial flocks and another two contact holdings with the total number of poultry 67 879 head (54 125 broilers and 13 754 turkeys) were depopulated preventively. Furthermore, it was decided to kill preventively poultry kept in non-commercial flocks in municipalities situated in cadastral territories of HPAI outbreaks (2 026 head of poultry).

Within the surveillance in wild birds, 649 wild birds in total were examined during the period from 1 January 2007 to 31 December 2007 and one positive virological finding was detected in wild swan in South-Moravian Region, in the cadastral territory of municipality Lednice.

In order to rule out HPAI, 281 head of poultry were examined at mass deaths of poultry.

The first outbreak was confirmed in a turkey flock in **Tisová** (farmer: ZOD Zálší) on 21 June 2007, the second outbreak was confirmed in a broiler flock in **Nořín** (the same farmer) on 27 June 2007, the third outbreak was confirmed in a reproduction poultry flock of species Gallus gallus in **Netřeby** (farmer: Mach Drůbež, a.s.) and the fourth outbreak was confirmed in a reproduction poultry flock of species Gallus gallus in **Choceň** (farmer: Mach Drůbež, a.s.), both outbreaks on the same day, i.e. on 11 July 2007.

Measures ordered in zones were repealed on 14 August 2007, in accordance with the legislation in force.

### Information about outbreaks of PAI in poultry holdings

### Primary outbreak

HPAI was confirmed on 21 June 2007 in a poultry holding in municipality **Tisová**, farmer: ZOD Zálší (Region Pardubice, district Ústí nad Orlici, GPS: 49<sup>0</sup>51'1.93" N, 16<sup>0</sup>13'7.05" E). 6 399 fattening turkeys (12 months old, weight 8 – 10 kg) were kept on the holding. Actions for eradication of the outbreak were started on the same day, immediately after the disease confirmation. 4 586 animals in total were killed using CO<sub>2</sub> in gas-tight containers on the day of confirmation and killing of animals on the holding finished on 22 June 2007. After that, 1 129 head of poultry kept on non-commercial holdings were killed in a contact municipality Tisová using T61 injections. Killing in non-commercial flocks was finished on 22 June 2007 and all killed poultry was safely disposed of at a rendering plant.

Actions connected with the final mechanical cleansing in the holding (litter removed and stored in a way ensuring virus liquidation) started on 23 June 2007, followed by the final disinfection and rat extermination. A straw stack was incincrated by members of the Fire Rescue Service as a possible source of the disease.

A thorough cleaning of the halls and their subsequent disinfection using chloramine was performed by members of the Fire Rescue Service and the Army of the Czech Republic on 24 June 2007.

The final disinfection was finished on 2 July 2007.

### Secondary outbreaks

The first HPAI secondary outbreak was confirmed on 27 June 2007 in a broiler holding in municipality Nořín, farmer: ZOD Zálší (Region Pardubice, district Ústí nad Orlicí, GPS: 49°57′57.02′′N, 16°13′15.66′′ E). 27 850 broilers of the total weight of 55 140 kg were present on the holding. Killing of animals in the outbreak started on the same day and finished on 28 June 2007 in the morning. Animals were again killed using CO<sub>2</sub> in gas-tight containers which was followed by killing of poultry in non-commercial flocks in a contact municipality Nořin; 362 animals were killed using T61 injections and all killed poultry was safely disposed of at a rendering plant.

Cleaning and disinfection of premises of the affected holding were performed on 28 June 2007.

The final disinfection was finished on 7 July 2007.

The second and the third outbreaks were confirmed on 11 July 2007 on two holdings owned by the same farmer in municipalities Netřeby and Choceň, farmer: MACH Drůbež, a.s. (Region Pardubice, district Ústi nad Orlici, GPS: 49055'0.3" N, 16015'24.66" and 49059'0.98" N, 16013'57.27" E). Reproduction flocks of Gallus gallus were concerned in both cases, i.e. 17 005 animals of the total weight of 62 684 kg and 53 937 animals of the total weight 198 338 kg, respectively. Killing started on 12 June 2007 and finished on the same day on the holding Netřeby and on 13 June on the holding Choceň. Preventive killing of poultry in non-commercial flocks in contact municipalities Netřeby, Kosořín and Choceň was performed on the same days (535 animals were killed using T61 injections); all killed poultry was safely disposed of at a rendering plant. Furthermore, 500 880 consumer's eggs and 81 124 hatching eggs of the total weight of 34 915.2 kg were traced and safely disposed of at a rendering plant. Birds in commercial flocks were killed using CO<sub>2</sub> – in gas-tight containers on the first holding (Netřeby) or by gassing the halls on the second holding (Choceň). The final disinfection was finished on 30 July 2007 or on 28 July 2007, respectively.

Preventive killing of poultry in contact commercial holdings in municipalities Zářecká Lhota and Loučky was performed on 14 July 2007; 54 125 broilers and 13 754 turkeys were killed in total, using gassing the halls in the municipality Loučky (killing of broilers and turkeys) and gas-tight containers in the municipality Zářecká Lhota (killing of turkeys). All killed poultry was safely disposed of at a rendering plant.


Necessary forces and means of the Integrated Rescue System were deployed at activities for eradication of outbreaks and preventive killing on contact commercial holdings.

### 4.1 Measures included in the programme for poultry surveillance

### 4.1.1 <u>Designation of the central authority charged with supervising and coordinating the departments responsible for implementing the programme</u>

The central authority competent for supervising and coordinating all activities in veterinary care is the State Veterinary Administration, which performs its powers at the whole territory of the Czech Republic (§ 47, Veterinary Act No 166/1999 Col. of Acts). SVA of the CR coordinates the activities of Regional Veterinary — Administrations (RVA). The surveillance programme for AI is laid down on the base of § 48 point 1, and § 10, — Veterinary—Act No. 166/1999 as amended.

State Veterinary Administration of the Czech Republic



Ministry of Agriculture of the Czech Republic determines main strategies in a veterinary care and carries out their control as laid down in the Veterinary Act No. 166/1999 Article 44, Point 1a. The Ministry of Agriculture specifies obligatory preventive and diagnostics campaigns in accordance with the Veterinary Act, Article 44; Point 1d, based on the epidemiological situation. Related details are laid down in the "Methodology of Animal Health Controls and Prophylaxis" approved by the Ministry of Agriculture and issued in its Official Journal. According to the legislation (Veterinary Act 166/1999) the SVA CR has the legal power to supervise any action ordered by the "Methodology". Regional veterinary administrations execute the legal powers as to supervise private veterinarians over their actions in the professional field as ordered by the "Methodology".

The competent authority confirms its commitment to submit a complete report on actions and expenditures in the framework of this programme and to provide additional information when they are request by the Commission.

### 4.1.2 System in place for the registration of holdings

Holdings in the Czech Republic are registered in the Database of Farms in accordance—to the provisions of the law No. 154/2000, Breeding Act and corresponding Decree No.136/2004

laying down details for identification of animals and their registration and registration of holdings and person established by Breeding Act.

### 4.1.3 Data on vaccination

Vaccination against avian influenza is prohibited and vaccination has not been performed before.

### 5. <u>Description of the epidemiological situation of the disease in wild birds during</u> the last five years

The first occurrence of the High Pathogenic Avian Influenza (HPAI) on the Czech Republic territory was detected in the year 2006. HPAI was detected only in wild birds. In total 14 cases were found in the species "Mute swan". In all these 14 cases the high pathogenic subtype H5N1 was confirmed. All cases were reported in birds which were found dead in the South Bohemian and South Moravian regions.

Within the surveillance in wild birds, 649 wild birds in total were examined during the period from 1 January 2007 to 31 December 2007 and one positive virological finding was detected in wild swan in South-Moravian Region, in the cadastral territory of municipality Lednice.

In the map bellow you can see the places of positive findings, in blue 2006 and in red 2007.

### Overview of positive findings:



### 5.1. Measures included in the programme for wild birds' surveillance

### 5.1.1 <u>Designation of the central authority charged with supervising and coordinating</u> the departments responsible for implementing the programme

The central authority competent for supervising and coordinating all activities—in veterinary care is State Veterinary Administration, which performs its powers at—the whole territory of the Czech Republic (§ 47, Veterinary Act No 166/1999 Col. of Acts). SVA—of—the—CR coordinates the activities of Regional Veterinary—Administrations (RVA). The surveillance programme for Al is laid down on the base of § 48 point 1, and § 10, Veterinary—Act No. 166/1999 as amended.

Ministry of Agriculture of the Czech Republic determines main strategies in a veterinary care and carries out their control as laid down in the Veterinary Act No. 166/1999 Article 44, Point 1a. The Ministry of Agriculture specifies obligatory preventive and diagnostics campaigns in accordance with the Veterinary Act, Article 44; Point 1d, based on the epidemiological situation. Related details are laid down in the "Methodology of Animal Health Controls and Prophylaxis" approved by the Ministry of Agriculture and issued in its Official Journal. According to the legislation (Veterinary Act 166/1999) the SVA CR has the legal power to supervise any action ordered by the "Methodology". Regional veterinary administrations execute the legal powers as to supervise private veterinarians over their actions in the professional field as ordered by the "Methodology".

The competent authority confirms its commitment to submit a complete report on actions and expenditures in the framework of this programme and to provide additional information when they are request by the Commission. The organisation chart of the competent authority you can see below.

### 5.1.2 <u>Description and delimitation of the geographical and administrative areas in which the programme is to be applied</u>

The programme will be applied in all territory of the Czech Republic according to rules setting by the state veterinary administration.

### 5.1.3 Estimation of the local and/or migratory wildlife population

The Czech Republic is out of the main migratory flight paths of birds from central and eastern Asia, the Caspian Sea and the Black sea areas. Due to reason according the epidemiological and ornithological data we have not identified any region at higher risk for the introduction of

Al. We identified only areas with high density of poultry which is kept an open air holdings close to water areas. See map mentioned above.

### 6. Measures in place as regards the notification of the disease

The measures in place are in accordance with Council Directive 2005/94/EC of 20 December 2005 on Community measures for the control of avian influenza. The Council Directive has already been implemented in Czech legislation trough to Decree No. 36/2007 coll.

### Costs

Unless provided otherwise by specific legal rules, no financial payments shall be arranged for performance of their subject of activities between state organizational units within the sphere of competencies of a single chapter administrator according to § 66 of Act No. 218/2000 Coll. on budgetary rules. The same applies also to a state organizational unit and a contributory organization established by the former. Avian influenza examination is performed as their subject of activities in state veterinary institutes for the State Veterinary Administration of the Czech Republic within a budget of the Ministry of Agriculture. Therefore the state veterinary institutes do not make out any invoices; on the basis of protocols they only report numbers of examinations requested. Costs for such examinations are reimbursed to state veterinary institutes from the state budget in the form of contribution for operation.

### 7.1. Detailed analysis of the costs:

### 7.1.1 Poultry

The overall estimated cost of the AI surveillance in poultry during year 2009 is 716 620,- CZK. Estimates of 166 poultry holdings are to be tested in the frame of AI surveillance programme during 2009. The cost of the programme including laboratory testing by pre-screening serological tests and cost for following tests in case of positive pre-screening test. The competent authority wishes 50% of co-financing of the total cost to be considered by the Commission.

### 7.1.2 Wild birds

The overall estimated cost of the AI surveillance in wild birds year 2009 is 1 576 700,-CZK. Estimates of 1 550 wild birds is to be tested in the frame of AI surveillance programme during 2009. Estimated 1 000 birds to be tested in the frame of passive surveillance on sick and dead wild—birds and 550 birds to be tested in the frame of active surveillance. The competent authority wishes 50% of co-financing of the total cost to be considered by the Commission.

7.2 Summary of the costs

7.2.1 Poultry surveillance

Methods of laboratory analysis Number  Serological pre-screening (ELISA – IDEXX)  Haemagglutination-inhibition- H  test (III) for H5/II7  H	Number of tests to perform per method	Number of tests to perform Unitary test cost (ner method)	
lion-	130	(2011)	I OTAI COST
-inhibition-	071	110,- CZK	123 200,- CZK
æ 2	H <sub>5</sub> N <sub>2</sub> 1432 H <sub>7</sub> N, 1432	110,- CZK	157 520, CZK
11		110,- CZK	13/ 320,- CZK 26 840,- CZK
	H <sub>7</sub> N <sub>1</sub> 244	110,- CZK	26 840,- CZK
Virus isolation test	01	870,- CZK	8 700 CZK
PCR test	240	900, CZK	216 000 - CZK
Other measures to be covered Spe	Specify activities		
Sampling	0,-		0
Others	0,-		-0
Total			716 620, CZK

7.2.2 Wild bird surveillance

Q.	Measures eligible for co-financing surveillance wild birds	g surveillance wild birds	07 A A F
Methods of laboratory analysis	Number tests to perform per method	Unitary test cost (per method)	Total cost
Serological pre-screening	-'0		
Hacmagglutination-inhibition-test (HI) for H5/H7	0,-		
Virus isolation test	150	870,- CZK	130 500, CZK
PCR test	1 550	900,- CZK	1 395 000,- CZK
Other measures to be covered	Specify activities		
Sampling (swabs STERILE-VIRUSTRANSPORT fy. Copan Italia)	3 200	16,- C/K	51 200,- CZK
Others	-,0	0,-	-00
Total			1 576 700,- CZK