



ANNEX 4 : Standard requirements for the submission of surveillance programmes for avian influenza in poultry and wild birds as referred to in Article 1(d)

Member States seeking a financial contribution from the Community for national programmes for the control and monitoring of avian influenza, shall submit applications containing at least the information set out in this form.

The central data base keeps all submissions. However only the information in the last submission is shown when viewing and used when processing the data.

If encountering difficulties, please contact SANCO-VET-PROG@ec.europa.eu , describe the issue and mention the version of this document: 2014 1.22

Instructions to complete the form:

Your current version of Acrobat is: 10.104

- 1) Be informed that you need to have at least the Adobe Reader version 8.1.3 or higher to fill and submit this form.
- 2) To verify your data entry while filling your form, you can use the "verify form" button at the top of each page.
- 3) When you have finished filling the form, verify that your internet connection is active and then click on the submit notification button below. If the form is properly filled, the notification will be submitted to the server and a Submission number will appear in the corresponding field.
- 4) **IMPORTANT: Once you have received the Submission number, save the form on your computer.**
- 5) If the form is not properly filled, an alert box will appear indicating the number of incorrect fields. Please check your form again and try to re-submit it according to steps 3), 4) and 5). Should you still have any difficulties, please contact SANCO-BO@ec.europa.eu.
- 6) For simplification purposes you are invited to submit multi annual programmes
- 7) As mentioned during the Plenary Task Force of 28/2/2014, you are invited to submit your programmes in English.

IMPORTANT: AFTER SUBMITTING THE FORM DO NOT FORGET TO SAVE IT ON YOUR COMPUTER FOR YOUR RECORDS!

Submission date

Tuesday, May 13, 2014 12:08:38

Submission number

1399975720704-3461



ANNEX 4 : Standard requirements for the submission of surveillance programmes for avian influenza in poultry and wild birds as referred to in Article 1(d)

1. Identification of the programme

Member state: POLSKA

Disease: avian influenza in poultry and wild birds

This program is multi annual:

yes

Type of submission: Funding request for subsequent year of already approved multiannual programme

Request of Union co-financing from beginning of:

2014

To end of

2016

2016 is year 3 of the multi annual program.

ANNEX 4 : Standard requirements for the submission of surveillance programmes for avian influenza in poultry and wild birds as referred to in Article 1(d)

1.1 Contact

Name : Główny Inspektorat Weterynarii

Phone : +48 22 623 20 89

Fax . : +48 22 623 14 08

Email : agnieszka.dobrzynska@wetgiw.gov.pl

ANNEX 4 : Standard requirements for the submission of surveillance programmes for avian influenza in poultry and wild birds as referred to in Article 1(d)

2.2.1 POULTRY HOLDINGS ^(a) (except ducks, geese and farmed game birds (waterfowl e.g. mallards) to be sampled

Serological investigation according to Annex I to Commission Decision 2010/367/EU

Targets for year **2016**

Category : laying hens

delete this category

| NUTS (2) (b) | Total number of holdings(c) | Total number of holdings to be sampled | Number of samples per holding | Total number of tests | Method of laboratory analysis | |
|--------------|-----------------------------|--|-------------------------------|-----------------------|-------------------------------|----------|
| PL11 | 43 | 5 | 10 | 100 | HI-test (H7) + HI-test(H5) | X |
| PL12 | 162 | 15 | 10 | 300 | HI-test (H7) + HI-test(H5) | X |
| PL21 | 24 | 2 | 10 | 40 | HI-test (H7) + HI-test(H5) | X |
| PL22 | 82 | 7 | 10 | 140 | HI-test (H7) + HI-test(H5) | X |
| PL31 | 23 | 2 | 10 | 40 | HI-test (H7) + HI-test(H5) | X |
| PL32 | 22 | 2 | 10 | 40 | HI-test (H7) + HI-test(H5) | X |
| PL33 | 8 | 1 | 10 | 20 | HI-test (H7) + HI-test(H5) | X |
| PL34 | 14 | 2 | 10 | 40 | HI-test (H7) + HI-test(H5) | X |

ANNEX 4 : Standard requirements for the submission of surveillance programmes for avian influenza in poultry and wild birds as referred to in Article 1(d)

| | | | | | | |
|---|----|---|----|-------|----------------------------|----------|
| PL41 | 61 | 6 | 10 | 120 | HI-test (H7) + HI-test(H5) | X |
| PL42 | 18 | 2 | 10 | 40 | HI-test (H7) + HI-test(H5) | X |
| PL43 | 28 | 2 | 10 | 40 | HI-test (H7) + HI-test(H5) | X |
| PL51 | 61 | 6 | 10 | 120 | HI-test (H7) + HI-test(H5) | X |
| PL52 | 14 | 2 | 10 | 40 | HI-test (H7) + HI-test(H5) | X |
| PL61 | 22 | 2 | 10 | 40 | HI-test (H7) + HI-test(H5) | X |
| PL62 | 11 | 2 | 10 | 40 | HI-test (H7) + HI-test(H5) | X |
| PL63 | 29 | 2 | 10 | 40 | HI-test (H7) + HI-test(H5) | X |
| Total | | | | 1 200 | | |
| Add a new row | | | | | | |
| <p>(a) Holdings or herds or flocks or establishments as appropriate.</p> <p>(b) Refers to the location of the holding of origin. In case NUTS (Nomenclature of Territorial Units for Statistics) can not be used, region as defined in the programme by the Member States is requested</p> <p>(c) Total number of holdings of one category of poultry in concerned NUTS 2 region.</p> | | | | | | |

Category : free range laying hens

delete this category

| NUTS (2) (b) | Total number of holdings(c) | Total number of holdings to be sampled | Number of samples per holding | Total number of tests | Method of laboratory analysis | |
|--------------|-----------------------------|--|-------------------------------|-----------------------|-------------------------------|----------|
| PL11 | 17 | 10 | 10 | 200 | HI-test (H7) + HI-test(H5) | X |
| PL12 | 12 | 7 | 10 | 140 | HI-test (H7) + HI-test(H5) | X |
| PL21 | 5 | 3 | 10 | 60 | HI-test (H7) + HI-test(H5) | X |

ANNEX 4 : Standard requirements for the submission of surveillance programmes for avian influenza in poultry and wild birds as referred to in Article 1(d)

| | | | | | | |
|--------------|----|---|----|-------|----------------------------|---|
| PL22 | 5 | 3 | 10 | 60 | HI-test (H7) + HI-test(H5) | X |
| PL31 | 4 | 2 | 10 | 40 | HI-test (H7) + HI-test(H5) | X |
| PL32 | 1 | 1 | 10 | 20 | HI-test (H7) + HI-test(H5) | X |
| PL33 | 5 | 3 | 10 | 60 | HI-test (H7) + HI-test(H5) | X |
| PL34 | 1 | 1 | 10 | 20 | HI-test (H7) + HI-test(H5) | X |
| PL41 | 5 | 3 | 10 | 60 | HI-test (H7) + HI-test(H5) | X |
| PL42 | 4 | 2 | 10 | 40 | HI-test (H7) + HI-test(H5) | X |
| PL43 | 0 | 0 | 10 | 0 | HI-test (H7) + HI-test(H5) | X |
| PL51 | 14 | 9 | 10 | 180 | HI-test (H7) + HI-test(H5) | X |
| PL52 | 3 | 1 | 10 | 20 | HI-test (H7) + HI-test(H5) | X |
| PL61 | 4 | 2 | 10 | 40 | HI-test (H7) + HI-test(H5) | X |
| PL62 | 2 | 1 | 10 | 20 | HI-test (H7) + HI-test(H5) | X |
| PL63 | 7 | 5 | 10 | 100 | HI-test (H7) + HI-test(H5) | X |
| Total | | | | 1 060 | | |

Add a new row

(a) Holdings or herds or flocks or establishments as appropriate.

(b) Refers to the location of the holding of origin. In case NUTS (Nomenclature of Territorial Units for Statistics) can not be used, region as defined in the programme by the Member States is requested

(c) Total number of holdings of one category of poultry in concerned NUTS 2 region.

Category : chicken breeders

delete this category

ANNEX 4 : Standard requirements for the submission of surveillance programmes for avian influenza in poultry and wild birds as referred to in Article 1(d)

| NUTS (2) (b) | Total number of holdings(c) | Total number of holdings to be sampled | Number of samples per holding | Total number of tests | Method of laboratory analysis | |
|--------------|-----------------------------|--|-------------------------------|-----------------------|-------------------------------|---|
| PL11 | 21 | 3 | 10 | 60 | HI-test (H7) + HI-test(H5) | X |
| PL12 | 125 | 16 | 10 | 320 | HI-test (H7) + HI-test(H5) | X |
| PL21 | 8 | 1 | 10 | 20 | HI-test (H7) + HI-test(H5) | X |
| PL22 | 42 | 5 | 10 | 100 | HI-test (H7) + HI-test(H5) | X |
| PL31 | 13 | 2 | 10 | 40 | HI-test (H7) + HI-test(H5) | X |
| PL32 | 7 | 1 | 10 | 20 | HI-test (H7) + HI-test(H5) | X |
| PL33 | 8 | 1 | 10 | 20 | HI-test (H7) + HI-test(H5) | X |
| PL34 | 27 | 3 | 10 | 60 | HI-test (H7) + HI-test(H5) | X |
| PL41 | 63 | 7 | 10 | 140 | HI-test (H7) + HI-test(H5) | X |
| PL42 | 67 | 7 | 10 | 140 | HI-test (H7) + HI-test(H5) | X |
| PL43 | 8 | 1 | 10 | 20 | HI-test (H7) + HI-test(H5) | X |
| PL51 | 30 | 4 | 10 | 80 | HI-test (H7) + HI-test(H5) | X |
| PL52 | 10 | 2 | 10 | 40 | HI-test (H7) + HI-test(H5) | X |
| PL61 | 29 | 3 | 10 | 60 | HI-test (H7) + HI-test(H5) | X |
| PL62 | 8 | 1 | 10 | 20 | HI-test (H7) + HI-test(H5) | X |
| PL63 | 22 | 3 | 10 | 60 | HI-test (H7) + HI-test(H5) | X |
| Total | | | | 1 200 | | |
| | | | | Add a new row | | |

ANNEX 4 : Standard requirements for the submission of surveillance programmes for avian influenza in poultry and wild birds as referred to in Article 1(d)

- (a) Holdings or herds or flocks or establishments as appropriate.
 (b) Refers to the location of the holding of origin. In case NUTS (Nomenclature of Territorial Units for Statistics) can not be used, region as defined in the programme by the Member States is requested
 (c) Total number of holdings of one category of poultry in concerned NUTS 2 region.

Category : turkey breeders

delete this category

| NUTS (2) (b) | Total number of holdings(c) | Total number of holdings to be sampled | Number of samples per holding | Total number of tests | Method of laboratory analysis | |
|--------------|-----------------------------|--|-------------------------------|-----------------------|-------------------------------|---|
| PL11 | 0 | 0 | 10 | 0 | HI-test (H7) + HI-test(H5) | X |
| PL12 | 1 | 1 | 10 | 20 | HI-test (H7) + HI-test(H5) | X |
| PL21 | 0 | 0 | 10 | 0 | HI-test (H7) + HI-test(H5) | X |
| PL22 | 1 | 1 | 10 | 20 | HI-test (H7) + HI-test(H5) | X |
| PL31 | 0 | 0 | 10 | 0 | HI-test (H7) + HI-test(H5) | X |
| PL32 | 0 | 0 | 10 | 0 | HI-test (H7) + HI-test(H5) | X |
| PL33 | 0 | 0 | 10 | 0 | HI-test (H7) + HI-test(H5) | X |
| PL34 | 0 | 0 | 10 | 0 | HI-test (H7) + HI-test(H5) | X |
| PL41 | 0 | 0 | 10 | 0 | HI-test (H7) + HI-test(H5) | X |
| PL42 | 0 | 0 | 10 | 0 | HI-test (H7) + HI-test(H5) | X |
| PL43 | 1 | 1 | 10 | 20 | HI-test (H7) + HI-test(H5) | X |
| PL51 | 0 | 0 | 10 | 0 | HI-test (H7) + HI-test(H5) | X |
| PL52 | 1 | 1 | 10 | 20 | HI-test (H7) + HI-test(H5) | X |
| PL61 | 0 | 0 | 10 | 0 | HI-test (H7) + HI-test(H5) | X |

ANNEX 4 : Standard requirements for the submission of surveillance programmes for avian influenza in poultry and wild birds as referred to in Article 1(d)

| | | | | | | |
|---|---|---|----|----------------------|----------------------------|----------|
| PL62 | 9 | 9 | 10 | 180 | HI-test (H7) + HI-test(H5) | X |
| PL63 | 0 | 0 | 10 | 0 | HI-test (H7) + HI-test(H5) | X |
| Total | | | | 260 | | |
| | | | | Add a new row | | |
| <p>(a) Holdings or herds or flocks or establishments as appropriate.</p> <p>(b) Refers to the location of the holding of origin. In case NUTS (Nomenclature of Territorial Units for Statistics) can not be used, region as defined in the programme by the Member States is requested</p> <p>(c) Total number of holdings of one category of poultry in concerned NUTS 2 region.</p> | | | | | | |

Category : fattening turkeys

delete this category

| NUTS (2) (b) | Total number of holdings(c) | Total number of holdings to be sampled | Number of samples per holding | Total number of tests | Method of laboratory analysis | |
|--------------|-----------------------------|--|-------------------------------|-----------------------|-------------------------------|----------|
| PL11 | 8 | 2 | 10 | 40 | HI-test (H7) + HI-test(H5) | X |
| PL12 | 16 | 4 | 10 | 80 | HI-test (H7) + HI-test(H5) | X |
| PL21 | 4 | 1 | 10 | 20 | HI-test (H7) + HI-test(H5) | X |
| PL22 | 4 | 1 | 10 | 20 | HI-test (H7) + HI-test(H5) | X |
| PL31 | 11 | 4 | 10 | 80 | HI-test (H7) + HI-test(H5) | X |
| PL32 | 4 | 1 | 10 | 20 | HI-test (H7) + HI-test(H5) | X |
| PL33 | 2 | 1 | 10 | 20 | HI-test (H7) + HI-test(H5) | X |
| PL34 | 6 | 2 | 10 | 40 | HI-test (H7) + HI-test(H5) | X |
| PL41 | 29 | 6 | 10 | 120 | HI-test (H7) + HI-test(H5) | X |

ANNEX 4 : Standard requirements for the submission of surveillance programmes for avian influenza in poultry and wild birds as referred to in Article 1(d)

| | | | | | | |
|--------------|----|----|----|-------|----------------------------|----------|
| PL42 | 8 | 2 | 10 | 40 | HI-test (H7) + HI-test(H5) | X |
| PL43 | 27 | 6 | 10 | 120 | HI-test (H7) + HI-test(H5) | X |
| PL51 | 11 | 4 | 10 | 80 | HI-test (H7) + HI-test(H5) | X |
| PL52 | 4 | 1 | 10 | 20 | HI-test (H7) + HI-test(H5) | X |
| PL61 | 11 | 4 | 10 | 80 | HI-test (H7) + HI-test(H5) | X |
| PL62 | 72 | 13 | 10 | 260 | HI-test (H7) + HI-test(H5) | X |
| PL63 | 2 | 1 | 10 | 20 | HI-test (H7) + HI-test(H5) | X |
| Total | | | | 1 060 | | |

Add a new row

(a) Holdings or herds or flocks or establishments as appropriate.

(b) Refers to the location of the holding of origin. In case NUTS (Nomenclature of Territorial Units for Statistics) can not be used, region as defined in the programme by the Member States is requested

(c) Total number of holdings of one category of poultry in concerned NUTS 2 region.

Category : ratites

delete this category

| NUTS (2) (b) | Total number of holdings(c) | Total number of holdings to be sampled | Number of samples per holding | Total number of tests | Method of laboratory analysis | |
|--------------|-----------------------------|--|-------------------------------|-----------------------|-------------------------------|----------|
| PL11 | 5 | 3 | 5 | 30 | HI-test (H7) + HI-test(H5) | X |
| PL12 | 10 | 6 | 5 | 60 | HI-test (H7) + HI-test(H5) | X |
| PL21 | 1 | 1 | 5 | 10 | HI-test (H7) + HI-test(H5) | X |
| PL22 | 8 | 4 | 5 | 40 | HI-test (H7) + HI-test(H5) | X |

ANNEX 4 : Standard requirements for the submission of surveillance programmes for avian influenza in poultry and wild birds as referred to in Article 1(d)

| | | | | | | |
|--------------|---|---|---|-----|----------------------------|----------|
| PL31 | 1 | 1 | 5 | 10 | HI-test (H7) + HI-test(H5) | X |
| PL32 | 0 | 0 | 5 | 0 | HI-test (H7) + HI-test(H5) | X |
| PL33 | 1 | 1 | 5 | 10 | HI-test (H7) + HI-test(H5) | X |
| PL34 | 8 | 4 | 5 | 40 | HI-test (H7) + HI-test(H5) | X |
| PL41 | 5 | 3 | 5 | 30 | HI-test (H7) + HI-test(H5) | X |
| PL42 | 5 | 3 | 5 | 30 | HI-test (H7) + HI-test(H5) | X |
| PL43 | 9 | 5 | 5 | 50 | HI-test (H7) + HI-test(H5) | X |
| PL51 | 7 | 3 | 5 | 30 | HI-test (H7) + HI-test(H5) | X |
| PL52 | 2 | 1 | 5 | 10 | HI-test (H7) + HI-test(H5) | X |
| PL61 | 9 | 5 | 5 | 50 | HI-test (H7) + HI-test(H5) | X |
| PL62 | 3 | 1 | 5 | 10 | HI-test (H7) + HI-test(H5) | X |
| PL63 | 2 | 1 | 5 | 10 | HI-test (H7) + HI-test(H5) | X |
| Total | | | | 420 | | |

Add a new row

(a) Holdings or herds or flocks or establishments as appropriate.

(b) Refers to the location of the holding of origin. In case NUTS (Nomenclature of Territorial Units for Statistics) can not be used, region as defined in the programme by the Member States is requested

(c) Total number of holdings of one category of poultry in concerned NUTS 2 region.

Category : farmed game birds (gallinaceous)

delete this category

ANNEX 4 : Standard requirements for the submission of surveillance programmes for avian influenza in poultry and wild birds as referred to in Article 1(d)

| NUTS (2) (b) | Total number of holdings(c) | Total number of holdings to be sampled | Number of samples per holding | Total number of tests | Method of laboratory analysis | |
|--------------|-----------------------------|--|-------------------------------|-----------------------|-------------------------------|---|
| PL11 | 16 | 10 | 10 | 200 | HI-test (H7) + HI-test(H5) | X |
| PL12 | 12 | 7 | 10 | 140 | HI-test (H7) + HI-test(H5) | X |
| PL21 | 1 | 1 | 10 | 20 | HI-test (H7) + HI-test(H5) | X |
| PL22 | 5 | 3 | 10 | 60 | HI-test (H7) + HI-test(H5) | X |
| PL31 | 10 | 5 | 10 | 100 | HI-test (H7) + HI-test(H5) | X |
| PL32 | 0 | 0 | 10 | 0 | HI-test (H7) + HI-test(H5) | X |
| PL33 | 7 | 3 | 10 | 60 | HI-test (H7) + HI-test(H5) | X |
| PL34 | 1 | 1 | 10 | 20 | HI-test (H7) + HI-test(H5) | X |
| PL41 | 10 | 5 | 10 | 100 | HI-test (H7) + HI-test(H5) | X |
| PL42 | 2 | 1 | 10 | 20 | HI-test (H7) + HI-test(H5) | X |
| PL43 | 13 | 6 | 10 | 120 | HI-test (H7) + HI-test(H5) | X |
| PL51 | 2 | 1 | 10 | 20 | HI-test (H7) + HI-test(H5) | X |
| PL52 | 4 | 2 | 10 | 40 | HI-test (H7) + HI-test(H5) | X |
| PL61 | 10 | 6 | 10 | 120 | HI-test (H7) + HI-test(H5) | X |
| PL62 | 2 | 1 | 10 | 20 | HI-test (H7) + HI-test(H5) | X |
| PL63 | 2 | 1 | 10 | 20 | HI-test (H7) + HI-test(H5) | X |
| Total | | | | 1 060 | | |
| | | | | Add a new row | | |

ANNEX 4 : Standard requirements for the submission of surveillance programmes for avian influenza in poultry and wild birds as referred to in Article 1(d)

- (a) Holdings or herds or flocks or establishments as appropriate.
(b) Refers to the location of the holding of origin. In case NUTS (Nomenclature of Territorial Units for Statistics) can not be used, region as defined in the programme by the Member States is requested
(c) Total number of holdings of one category of poultry in concerned NUTS 2 region.

Add a category

| Totals | Total number of tests | |
|---------------------------|-----------------------|--|
| Total poultry 2016 | 6 260 | |
| | | |

2.2.2 DUCKS ,GEESE AND FARMED GAME BIRDS (WATERFOWL e.g. MALLARD) HOLDINGS (a) to be sampled.

Serological investigation according to Annex I to Commission Decision 2010/367/EU

Targets for year **2016**

Category : fattening ducks

delete this category

ANNEX 4 : Standard requirements for the submission of surveillance programmes for avian influenza in poultry and wild birds as referred to in Article 1(d)

| NUTS (2) (b) | Total number of duck and geese holdings | Total number of duck and geese holdings to be sampled | Number of samples per holding | Total number of tests | Method of laboratory analysis | |
|----------------------|---|---|-------------------------------|-----------------------|-------------------------------|---|
| PL11 | 54 | 10 | 20 | 400 | HI-test (H7) + HI-test(H5) | X |
| PL12 | 12 | 5 | 20 | 200 | HI-test (H7) + HI-test(H5) | X |
| PL21 | 1 | 1 | 20 | 40 | HI-test (H7) + HI-test(H5) | X |
| PL22 | 10 | 3 | 20 | 120 | HI-test (H7) + HI-test(H5) | X |
| PL31 | 61 | 10 | 20 | 400 | HI-test (H7) + HI-test(H5) | X |
| PL32 | 0 | 0 | 20 | 0 | HI-test (H7) + HI-test(H5) | X |
| PL33 | 5 | 1 | 20 | 40 | HI-test (H7) + HI-test(H5) | X |
| PL34 | 2 | 1 | 20 | 40 | HI-test (H7) + HI-test(H5) | X |
| PL41 | 156 | 34 | 20 | 1 360 | HI-test (H7) + HI-test(H5) | X |
| PL42 | 2 | 1 | 20 | 40 | HI-test (H7) + HI-test(H5) | X |
| PL43 | 8 | 3 | 20 | 120 | HI-test (H7) + HI-test(H5) | X |
| PL51 | 13 | 5 | 20 | 200 | HI-test (H7) + HI-test(H5) | X |
| PL52 | 0 | 0 | 20 | 0 | HI-test (H7) + HI-test(H5) | X |
| PL61 | 13 | 5 | 20 | 200 | HI-test (H7) + HI-test(H5) | X |
| PL62 | 1 | 1 | 20 | 40 | HI-test (H7) + HI-test(H5) | X |
| PL63 | 0 | 0 | 20 | 0 | HI-test (H7) + HI-test(H5) | X |
| Total | | | | 3 200 | | |
| Add a new row | | | | | | |

(a) Holdings or herds or flocks or establishments as appropriate.
 (b) Refers to the location of the holding of origin. In case NUTS (2) code can not be used, region as defined in the programme by the Member State is requested

ANNEX 4 : Standard requirements for the submission of surveillance programmes for avian influenza in poultry and wild birds as referred to in Article 1(d)

Category : duck breeders

delete this category

| NUTS (2) (b) | Total number of duck and geese holdings | Total number of duck and geese holdings to be sampled | Number of samples per holding | Total number of tests | Method of laboratory analysis | |
|----------------------|---|---|-------------------------------|-----------------------|-------------------------------|---|
| PL11 | 1 | 1 | 20 | 40 | HI-test (H7) + HI-test(H5) | X |
| PL12 | 8 | 8 | 20 | 320 | HI-test (H7) + HI-test(H5) | X |
| PL21 | 0 | 0 | 20 | 0 | HI-test (H7) + HI-test(H5) | X |
| PL22 | 1 | 1 | 20 | 40 | HI-test (H7) + HI-test(H5) | X |
| PL31 | 5 | 5 | 20 | 200 | HI-test (H7) + HI-test(H5) | X |
| PL32 | 0 | 0 | 20 | 0 | HI-test (H7) + HI-test(H5) | X |
| PL33 | 0 | 0 | 20 | 0 | HI-test (H7) + HI-test(H5) | X |
| PL34 | 0 | 0 | 20 | 0 | HI-test (H7) + HI-test(H5) | X |
| PL41 | 16 | 16 | 20 | 640 | HI-test (H7) + HI-test(H5) | X |
| PL42 | 0 | 0 | 20 | 0 | HI-test (H7) + HI-test(H5) | X |
| PL43 | 1 | 1 | 20 | 40 | HI-test (H7) + HI-test(H5) | X |
| PL51 | 0 | 0 | 20 | 0 | HI-test (H7) + HI-test(H5) | X |
| PL52 | 0 | 0 | 20 | 0 | HI-test (H7) + HI-test(H5) | X |
| PL61 | 3 | 3 | 20 | 120 | HI-test (H7) + HI-test(H5) | X |
| PL62 | 3 | 3 | 20 | 120 | HI-test (H7) + HI-test(H5) | X |
| PL63 | 1 | 1 | 20 | 40 | HI-test (H7) + HI-test(H5) | X |
| Total | | | | 1 560 | | |
| Add a new row | | | | | | |

ANNEX 4 : Standard requirements for the submission of surveillance programmes for avian influenza in poultry and wild birds as referred to in Article 1(d)

(a) Holdings or herds or flocks or establishments as appropriate.
 (b) Refers to the location of the holding of origin. In case NUTS (2) code can not be used, region as defined in the programme by the Member State is requested

Category : fattening geese

delete this category

| NUTS (2) (b) | Total number of duck and geese holdings | Total number of duck and geese holdings to be sampled | Number of samples per holding | Total number of tests | Method of laboratory analysis | |
|--------------|---|---|-------------------------------|-----------------------|-------------------------------|---|
| PL11 | 153 | 14 | 20 | 560 | HI-test (H7) + HI-test(H5) | X |
| PL12 | 99 | 10 | 20 | 400 | HI-test (H7) + HI-test(H5) | X |
| PL21 | 3 | 1 | 20 | 40 | HI-test (H7) + HI-test(H5) | X |
| PL22 | 13 | 1 | 20 | 40 | HI-test (H7) + HI-test(H5) | X |
| PL31 | 146 | 14 | 20 | 560 | HI-test (H7) + HI-test(H5) | X |
| PL32 | 29 | 3 | 20 | 120 | HI-test (H7) + HI-test(H5) | X |
| PL33 | 55 | 7 | 20 | 280 | HI-test (H7) + HI-test(H5) | X |
| PL34 | 50 | 7 | 20 | 280 | HI-test (H7) + HI-test(H5) | X |
| PL41 | 287 | 20 | 20 | 800 | HI-test (H7) + HI-test(H5) | X |
| PL42 | 16 | 1 | 20 | 40 | HI-test (H7) + HI-test(H5) | X |
| PL43 | 25 | 3 | 20 | 120 | HI-test (H7) + HI-test(H5) | X |
| PL51 | 10 | 1 | 20 | 40 | HI-test (H7) + HI-test(H5) | X |
| PL52 | 6 | 1 | 20 | 40 | HI-test (H7) + HI-test(H5) | X |
| PL61 | 37 | 3 | 20 | 120 | HI-test (H7) + HI-test(H5) | X |
| PL62 | 53 | 3 | 20 | 120 | HI-test (H7) + HI-test(H5) | X |
| PL63 | 12 | 1 | 20 | 40 | HI-test (H7) + HI-test(H5) | X |
| Total | | | | 3 600 | | |

ANNEX 4 : Standard requirements for the submission of surveillance programmes for avian influenza in poultry and wild birds as referred to in Article 1(d)

Add a new row

(a) Holdings or herds or flocks or establishments as appropriate.

(b) Refers to the location of the holding of origin. In case NUTS (2) code can not be used, region as defined in the programme by the Member State is requested

Category : geese breeders

delete this category

| NUTS (2) (b) | Total number of duck and geese holdings | Total number of duck and geese holdings to be sampled | Number of samples per holding | Total number of tests | Method of laboratory analysis | |
|--------------|---|---|-------------------------------|-----------------------|-------------------------------|---|
| PL11 | 22 | 8 | 20 | 320 | HI-test (H7) + HI-test(H5) | X |
| PL12 | 5 | 2 | 20 | 80 | HI-test (H7) + HI-test(H5) | X |
| PL21 | 9 | 6 | 20 | 240 | HI-test (H7) + HI-test(H5) | X |
| PL22 | 2 | 1 | 20 | 40 | HI-test (H7) + HI-test(H5) | X |
| PL31 | 27 | 8 | 20 | 320 | HI-test (H7) + HI-test(H5) | X |
| PL32 | 1 | 1 | 20 | 40 | HI-test (H7) + HI-test(H5) | X |
| PL33 | 0 | 0 | 20 | 0 | HI-test (H7) + HI-test(H5) | X |
| PL34 | 12 | 5 | 20 | 200 | HI-test (H7) + HI-test(H5) | X |
| PL41 | 61 | 20 | 20 | 800 | HI-test (H7) + HI-test(H5) | X |
| PL42 | 3 | 1 | 20 | 40 | HI-test (H7) + HI-test(H5) | X |
| PL43 | 5 | 2 | 20 | 80 | HI-test (H7) + HI-test(H5) | X |
| PL51 | 5 | 2 | 20 | 80 | HI-test (H7) + HI-test(H5) | X |
| PL52 | 1 | 1 | 20 | 40 | HI-test (H7) + HI-test(H5) | X |
| PL61 | 41 | 10 | 20 | 400 | HI-test (H7) + HI-test(H5) | X |
| PL62 | 21 | 8 | 20 | 320 | HI-test (H7) + HI-test(H5) | X |
| PL63 | 15 | 5 | 20 | 200 | HI-test (H7) + HI-test(H5) | X |

ANNEX 4 : Standard requirements for the submission of surveillance programmes for avian influenza in poultry and wild birds as referred to in Article 1(d)

| | | | | | |
|---|--|--|--|-------|----------------------|
| Total | | | | 3 200 | |
| | | | | | Add a new row |
| <p>(a) <i>Holdings or herds or flocks or establishments as appropriate.</i></p> <p>(b) <i>Refers to the location of the holding of origin. In case NUTS (2) code can not be used, region as defined in the programme by the Member State is requested</i></p> | | | | | |

Add a category

| | | |
|-----------------------------------|-----------------------|--|
| | | |
| NUTS (2) (b) | Total number of tests | |
| Total ducks and geese 2016 | 11 560 | |
| | | |

TOTALS for Poultry (2.2.1) + Ducks and Geese (2.2.2) for year :

2014

| Poultry +Ducks/Geese | Total number of tests |
|---|-----------------------|
| Grand Total | 17 820 |
| Grand Total ELISA | 0 |
| Grand Total agar | 0 |
| Grand Total HI tests (H5) | 0 |
| Grand Total HI tests (H7) | 0 |
| Grand Total Virus Isolation test | 0 |

ANNEX 4 : Standard requirements for the submission of surveillance programmes for avian influenza in poultry and wild birds as referred to in Article 1(d)

| | |
|-------------------------------|--------|
| Grand Total PCR test | 0 |
| Grand Total Other test | 17 820 |
| Grand Total Samplings | 0 |

3.2.1 WILD BIRDS focussed on target species

Investigations according to the surveillance programme set out in Part 2 of Annex II to Decision 2010/367/EC

Targets for year **2016**

| NUTS (2) code/region (a) | Total number of birds to be sampled | Estimated total number of samples to be taken for passive surveillance | Type of test | Number of tests | |
|--------------------------|-------------------------------------|--|-----------------------|-----------------|---|
| cale terytorium kraju | 50 | 50 | PCR test | 50 | X |
| cale terytorium Kraju | 5 | 5 | Virus isolation test | 5 | X |
| cale terytorium kraju | 5 | 5 | identification of AIV | 5 | X |
| Total | | | | | |
| | | Add a new row | | | |

ANNEX 4 : Standard requirements for the submission of surveillance programmes for avian influenza in poultry and wild birds as referred to in Article 1(d)

- (a) Refers to the place of collection of birds/samples. In case NUTS 2 (Nomenclature of Territorial Units for Statistics) can not be used, region as defined in the programme by the Member State is requested. Please fill-in these values directly in the field.
- (b) General description of the wild birds are intended to be sampled in the framework of the active and passive surveillance.
- (c) Voluntary, to be included for information purposes, not eligible for cofinancing.

| | Total number of tests |
|------------------------------------|-----------------------|
| Total number of tests | 60 |
| Total Virus isolation tests | 5 |
| Total PCR tests | 50 |
| Total Other tests | 5 |

7. Costs

7.1 Detailed analysis of the costs

7.1.1 Poultry

(max. 32000 chars) :

n/a

ANNEX 4 : Standard requirements for the submission of surveillance programmes for avian influenza in poultry and wild birds as referred to in Article 1(d)

7.1.2 *Wild birds*

(max. 32000 chars) :

n/a

ANNEX 4 : Standard requirements for the submission of surveillance programmes for avian influenza in poultry and wild birds as referred to in Article 1(d)

7.2 Summary of the annual costs :

7.2.1 Poultry surveillance

Detailed analysis of the cost of the programme - poultry

Targets for year **2016**

| Laboratory testing | | | |
|---|-------------------|--|----------------|
| Methods of laboratory analysis | Number of tests | Indicative unitary test cost (per method) in € (*) | Total cost (€) |
| ELISA test | 0 | 3.26 | 0 |
| agar gel immune diffusion test | 0 | 1.8 | 0 |
| HI-Test for H5 (specify number of tests for H5) | 8 910 | 9.64 | 85892.4 |
| HI-Test for H7 (specify number of tests for H7) | 8 910 | 9.64 | 85892.4 |
| Virus isolation test | 6 | 37.87 | 227.22 |
| PCR test | 48 | 19.74 | 947.52 |
| powtórne badania | 720 | 9.64 | 6940.8 |
| | | | |
| Sampling | | | |
| | Number of samples | Unitary cost in € (*) | Total cost (€) |

ANNEX 4 : Standard requirements for the submission of surveillance programmes for avian influenza in poultry and wild birds as referred to in Article 1(d)

| | | | | |
|--|-------------------|-------------------|----------------------|----------|
| Samples | 8 910 | 1.19 | 10602.9 | |
| | | | | |
| Other measures | | | | |
| | Number of samples | Unitary cost in € | Total cost (€) | |
| Other please specify here | 0 | 0 | 0 | X |
| | | | Add a new row | |
| | | | | |
| Total poultry Testing + Sampling + Other measures | 27 504 | | 190 503,24 € | |

(*) as per cofinancing decision for 2014 programmes

ANNEX 4 : Standard requirements for the submission of surveillance programmes for avian influenza in poultry and wild birds as referred to in Article 1(d)

7.2.2 Wild bird surveillance

Detail analysis of the cost of the programme - wild birds

Targets for year **2016**

| Laboratory testing | | | |
|--------------------------------|------------------|---|----------------|
| Methods of laboratory analysis | Number of tests | Unitary test cost (per method) in € (*) | Total cost (€) |
| Virus isolation test | 5 | 37.89 | 189.45 |
| PCR test | 50 | 19.74 | 987 |
| Other cost | 5 | 85.02 | 425.1 |
| | | | |
| Delivery of wild animals | | | |
| | No of wild birds | Eligible cost in € (*) | Total cost (€) |
| Delivery of wild animals | 50 | 1.19 | 59.5 |
| | | | |
| Other measures | | | |
| | Number | Unitary cost in € | Total cost (€) |

ANNEX 4 : Standard requirements for the submission of surveillance programmes for avian influenza in poultry and wild birds as referred to in Article 1(d)

| | | | | |
|---|-----|---|---------------|---|
| Other please specify here | 0 | 0 | 0 | X |
| | | | Add a new row | |
| | | | | |
| Total wild birds Testing + Delivery + Other measures | 110 | | 1 661,05 € | |

(*) as per cofinancing decision for 2014 programmes

TOTALS for Poultry (7.2.1) + Ducks and Geese (7.2.2) for year :

2014

| | |
|--|------------|
| | Total Cost |
| Grand Total Poultry + Ducks/Geese | 192 164 |

7.3 Co-financing rate:

The maximum co-financing rate is in general fixed at 50%. However based on provisions of Article 5.2 and 5.3 of the Common Financial Framework, we request that the co-financing rate for the reimbursement of the eligible costs would be increased:

- Up to 75% for the measures detailed below
- Up to 100% for the measures detailed below
- Not applicable

ANNEX 4 : Standard requirements for the submission of surveillance programmes for avian influenza in poultry and wild birds as referred to in Article 1(d)

Please explain for which measures and why co-financing rate should be increased (max 32000 characters)

Zgodnie z artykułem 5.2 oraz 5.3 maksymalny wkład Unii może być zwiększony do 75% kosztów kwalifikowalnych w przypadku państw członkowskich, których dochód narodowy brutto na mieszkańca, na podstawie najnowszych danych Eurostatu, jest mniejszy niż 90% średniej unijnej. Zgodnie z informacjami przekazanymi przez przedstawicieli Komisji podczas spotkania Plenary Task Force, które odbyło się w dniu 28

7.4 Source of national funding

Please specify the source of the national funding:

- public funds*
- food business operators participation*
- other*

Please give details on the source of national funding (max 32000 characters)

Finansowanie przedmiotowego programu odbywa się ze środków budżetu państwa: rezerwa celowa część 83, pozycja 12 ustawy budżetowej "zwalczanie chorób zakaźnych zwierząt (w tym finansowanie programów zwalczania), badania monitoringowe pozostałości chemicznych i biologicznych w tkankach zwierząt, produktach pochodzenia zwierzęcego i paszach, finansowanie zadań zleconych przez Komisję Europejską oraz dofinansowanie kosztów realizacji zadań Inspekcji Weterynaryjnej".

ANNEX 4 : Standard requirements for the submission of surveillance programmes for avian influenza in poultry and wild birds as referred to in Article 1(d)

Attachments

IMPORTANT :

- 1) The more files you attach, the longer it takes to upload them .
- 2) This attachment files should have one of the format listed here : [jpg](#), [jpeg](#), [tiff](#), [tif](#), [xls](#), [xlsx](#), [doc](#), [docx](#), [ppt](#), [pptx](#), [bmp](#), [pna](#), [pdf](#).
- 3) The total file size of the attached files should not exceed 2 500Kb (+ 2.5 Mb). You will receive a message while attaching when you try to load too much.
- 4) IT CAN TAKE **SEVERAL MINUTES TO UPLOAD ALL THE ATTACHED FILES**. Don't interrupt the uploading by closing the pdf and wait until you have received a Submission Number!
- 5) Only use letters from a-z and numbers from 1-10 in the attachment names, otherwise the submission of the data will not work.

List of all attachments

| | Attachment name | File will be saved as (only a-z and 0-9 and - _) : | File size |
|--|-----------------|---|--------------|
| | | | |
| | | Total size of attachments : | No attachmen |