



EUROPEAN COMMISSION
HEALTH AND CONSUMERS DIRECTORATE-GENERAL

Director General

SANCO/10253/2013

*Programmes for the eradication, control and monitoring of certain
animal diseases and zoonoses*

Survey programme for Avian Influenza

Malta

Approved* for 2013 by Commission Decision 2012/761/EU

* in accordance with Council Decision 2009/470/EC

Standard requirements for the submission of surveillance programmes for avian influenza

version : 2.2

1. Identification of the programme

Member state : MALTA

Disease : avian influenza in poultry and wild birds

Request of Community co-financing from beginning of:

2013

to end of

2013

1.1 Contact

Name : Dr. Anthony Gruppeta

Phone : 0035625905168

Fax : 0035625905182

Email : cvo.mrae@gov.mt

2. Description and implementation of the surveillance programme in poultry

2.1.1 Designation of the central authority in charge of supervising and coordinating the departments responsible for implementing the programme

(max. 32000 chars) :

The Agriculture and Fisheries Regulation Department, Albertown, Marsa is responsible for the programme. The National Veterinary Laboratory is responsible for testing and dispatch of samples to the CRL.

Standard requirements for the submission of surveillance programmes for avian influenza

version : 2.2

2.1.2 System in place for the registration of holdings

(max. 32000 chars) :

- Sampling shall take place between January and December 2013.
The targeted population are layer flocks.
- Samples shall be tested at the National Veterinary Laboratory in Malta using ELISA and any positive samples sent to the CRL for confirmatory testing.
- Any Confirmed positive holdings will be retrospectively investigated by the Veterinary Regulation Department. .

2.1.3 Design (risk based or surveillance based on representative sampling)

(max. 32000 chars) :

As Malta is not in a position to carry out a sufficiently evidence based assessment of risk pathways for infection of poultry flocks in its territory, surveillance programme based on a representative sample as outlined in Annex 1 of Commission Decision 367/2010 will be adopted.

2.1.3.1 Short description of predominant poultry population and types of poultry production

(max. 32000 chars) :

The only Target Populations present in the Maltese Islands as set out in point 3 Annex 1 of Commission Decision 367/2010 are laying hens (a) the other varieties of poultry listed (b to l) are not reared on a commercial level.

2.1.3.2 Criteria and risk factors for risk based surveillance(1)

(max. 32000 chars) :

As Malta is not in a position to carry out a sufficiently evidence based assessment of risk pathways for infection of poultry flocks in its territory, surveillance programme based on a representative sample as outlined in Annex 1 of Commission Decision 367/2010 will be adopted.

Standard requirements for the submission of surveillance programmes for avian influenza

version : 2.2

- (1) Including maps showing target sampling sites identified as being particularly at risk for the introduction of avian influenza virus, taking into account criteria set out in point 4 of Annex I to Commission Decision 2010/367/EC.

2.2 Target populations (2)

(max. 32000 chars) :

An evidence based assessment of risk pathways for infection of poultry flocks in the Maltese territory, has not been carried out.

The only target populations present in the Maltese Islands as set out in point 3 Annex 1 of Commission Decision 367/2010 are laying hens (a) the other varieties of poultry listed (b to l) are not reared on a commercial level.

All target populations, that is, laying hens will be sampled. This will be carried out when flocks are sampled for salmonella according to the Salmonella National Control Programme.

There are currently 38 operational holdings with layers on the Maltese islands.

On the bases of Annex 1 of Commission Decision 367/2010, point 5 (representative sampling method) , table 1 (Number of poultry holdings to be sampled in each poultry production category) all 38 holdings will be sampled.

In line with point 5.2 of Annex 1 of Commission Decision 367/2010, between 10 and 20 samples will be collected from each of the houses.

The only Target Populations present in the Maltese Islands as set out in point 3 Annex 1 of Commission Decision 367/2010 are laying hens (a) the other varieties of poultry listed (b to l) are not reared on a commercial level.

- (2) including MS specific exceptional circumstances as described in Annex I point 3 of Commission Decision 2010/367/EU)

Standard requirements for the submission of surveillance programmes for avian influenza

version : 2.2

2.2.1 POULTRY HOLDINGS (a) (except ducks, geese and farmed game birds (waterfowl e.g. mallards) to be sampled

Serological investigation according to Annex I to Commission Decision 2010/367/EU

Category : laying hens

delete this category

NUTS (2) (b)	Total number of holdings(c)	Total number of holdings to be sampled	Number of samples per holding	Total number of tests	Method of laboratory analysis
Malta	38	38	20	1 760	ELISA test
malta	38	38	1	20	agar gel immune diffusion test
Total	76	76	21	1 780	
Add a new row					

(a) Holdings or herds or flocks or establishments as appropriate.

(b) Refers to the location of the holding of origin. In case NUTS (Nomenclature of Territorial Units for Statistics) can not be used, region as defined in the programme by the Member States is requested

(c) Total number of holdings of one category of poultry in concerned NUTS 2 region.

Standard requirements for the submission of surveillance programmes for avian influenza

version : 2.2

Add a category

Total Poultry	76	76	21	1 780					

2.2.2 DUCKS ,GEESE AND FARMED GAME BIRDS (WATERFOWL e.g. MALLARD) HOLDINGS (a) to be sampled.

Serological investigation according to Annex I to Commission Decision 2010/367/EU

Category : Not applicable

delete this category

Standard requirements for the submission of surveillance programmes for avian influenza

version : 2.2

NUITS (2) (b)	Total number of duck and geese holdings	Total number of duck and geese holdings to be sampled	Number of samples per holding	Total number of tests	Method of laboratory analysis
malta	0	0	0	0 na	X
Total	0	0	0	0	
Add a new row					

(a) Holdings or herds or flocks or establishments as appropriate.

(b) Refers to the location of the holding of origin. In case NUTS (2) code can not be used, region as defined in the programme by the Member State is requested

Add a category

Total Ducks and geese	0	0	0	0					

Standard requirements for the submission of surveillance programmes for avian influenza

version : 2.2

Grand Total Poultry + Ducks/Guese	76	76	21	1 780	

2.3 Sampling procedures, sampling periods and frequency of testing

(max. 32000 chars) :

The testing period will run from January to December 2013. All target populations, that is, laying hens will be sampled. This will be carried out when flocks are sampled for salmonella.

2.4. Laboratory testing : description of the laboratory tests used and follow up investigations

Description of the used serological tests : (max 32000 chars)

- The initial screening of the blood samples will be carried out at the National Veterinary Laboratory of the Agriculture and fisheries Regulation Department using the IDEXX ELISA kits.

Standard requirements for the submission of surveillance programmes for avian influenza

version : 2.2

- Any positive samples to the ELISA screening test will be sent to the Community Reference Laboratory for avian influenza in Weybridge, UK;
- Virus isolation and PCR on faecal and tracheal samples from wild birds shall be carried out by the Community Reference Laboratory for avian influenza in Weybridge, UK.

3. Description and implementation of the surveillance programme in wild birds

3.1.1 Designation of the central authority in charge of supervising and coordinating the departments responsible for implementing the programme and relevant collaborating partners (e.g. epidemiologists, ornithologists, nature bird observation and hunter organisations).

(max. 32000 chars) :

The objectives of the programme are to maintain vigilance for the appearance of strains of Avian Influenza in local and migratory wild bird species through active and passive surveillance.

Around 380 are species have been recorded in the islands. About 50 are winter visitors, 112

more or less regular migrants and the rest rare an irregular migrants or vagrants. The presence of birds in summer months is rather low with the peak of activity attained in spring and autumn. Although there is a consistent migration of birds throughout the islands in both seasons, weather conditions greatly affect the numbers of migrants. On some days during migration the islands may experience a large influx of birds, while at other times there may be very little movement in evidence.

The migrants include both species that winter south of the Sahara and those that go no

Standard requirements for the submission of surveillance programmes for avian influenza

version : 2.2

further than the Mediterranean basin. During late summer, herons, raptors, waders, hirundines, several warblers and chats are present on the island. These increase dramatically in September and October. In November the migration of trans-Saharan migrants is over and replaced by influxes of the wintering species, some waterfowl and plovers, finches and other passerines.

In spring a similar progression, but in reverse order, can be observed between early March and late May. Hoopoes, Marsh Harriers, Grey and Night Herons and Swallows and Martins in transit are amongst the first to appear in Spring. They are followed by small passerines such as Subalpine, Great Reed and Icterine Warblers and later by Golden Orioles, Bee Eaters, Woodchat Shrikes and the occasional Roller.

3.1.2 Description and delimitation of the geographical and administrative areas in which the programme is to be applied

(max. 32000 chars):

- The surveillance programme will apply to the Islands of Malta and Gozo;
- The two islands are going to be considered as one region

3.1.3 Estimation of the local and/or migratory wildlife population

(max. 32000 chars):

There are no statistics of the local and/or migratory wildlife population, the following data is based on the number of hunted or trapped birds

Anas acuta 13
Rallus aquaticus 19
Carduelis caduelis 497

Standard requirements for the submission of surveillance programmes for avian influenza

version : 2.2

Anas clypeata 14 Fulica atra 64 Carduelis chloris 2494
Anas crecca 62 Pluvialis apricaria 1192 Carduelis spinus 296
Anas Penelope 22 Pluvialis squatarola 59 Coccythraustes coccythraustes 94
Anas platyrhynchos 38 Vanellus vanellus 97 Fringilla coelebs 3746
Anas querquedula 6 Gallinago gallinago 121 Serinus serinus 1599
Anas strepera 29 Lymonocryptes minimus 39 Sturnus vulgaris 25348
Anser anser 21 Philomachus pugnax 41 Turdus philomelos 39263
Anser fabalis 29 Scolopax rusticola 1504 Turdus viscivorus 324
Aythya farina 6 Columba palumbus 31 Turdus pilaris 834
Aythya fuligula 7 Streptopelia turtur 36675 Carduelis cannabina 14362
Mergus serrator 9 Alauda arvensis 24022 Gallinula chloropus 77
Coturnix coturnix 18792 Turdus iliacus 543 Turdus merula 573

3.2 Design, criteria, risk factors and target population(3)

(max. 32000 chars):

An evidence based assessment of risk pathways for infection of poultry flocks in the Maltese territory, has not been carried out.

The only target populations present in the Maltese Islands as set out in point 3 Annex 1 of Commission Decision 367/2010 are laying hens (a) the other varieties of poultry listed (b to l) are not reared on a commercial level.

All target populations, that is, laying hens will be sampled. This will be carried out when flocks are sampled for salmonella according to the Salmonella National Control Programme.

There are currently 38 operational holdings with layers on the Maltese islands.

On the bases of Annex 1 of Commission Decision 367/2010, point 5 (representative sampling method) ,table 1(Number of poultry holdings to be sampled

Standard requirements for the submission of surveillance programmes for avian influenza

version : 2.2

in each poultry production category) all 41 holdings will be sampled.

In line with point 5.2 of Annex 1 of Commission Decision 367/2010, between 10 and 20 samples will be collected from each of the houses.

- (3) *Areas at risk (wetlands in particular where links with high density poultry populations), previous positive findings as referred to in point 2 of Part 1 of Annex II to Commission Decision 2010/367/EC should be taken into account and if possible complemented by a map.*

3.2.1 WILD BIRDS focussed on target species

Investigations according to the surveillance programme set out in Part 2 of Annex II to Decision 2010/367/EC

NUTS (2) code/region (a)	Wild birds to be sampled (b)	Total number of birds to be sampled	Estimated total number of samples to be taken for active surveillance (c)	Estimated total number of samples to be taken for passive surveillance
Malta	species in annex 2 part 2	100	50	50
Total	0	100	50	50
Add a new row				

(a) Refers to the place of collection of birds/samples. In case NUTS 2 (Nomenclature of Territorial Units for Statistics) can not be used, region as defined in the programme by the Member State is requested. Please fill-in these values directly in the field.

(b) General description of the wild birds are intended to be sampled in the framework of the active and passive surveillance.

(c) Voluntary, to be included for information purposes, not eligible for cofinancing.

Standard requirements for the submission of surveillance programmes for avian influenza

version : 2.2

3.3 Sampling procedures and sampling periods

max 32000 chars :

Wild ducks and other migratory birds shall be sampled by means of cloacal swabs, tracheal swabs and/or faecal samples, which shall be sent to the CRL in Weybridge for testing by means of PCR and viral isolation.

3.4 Laboratory testing : description of the laboratory tests used

max 32000 chars :

- Virus isolation and PCR on faecal, cloacal and tracheal samples from wild birds shall be carried out by the Community Reference Laboratory for avian influenza in Weybridge, UK.
- Swabs will be dispatched by express courier to the CRL under suitable conditions to ensure the survival of the virus if this is present in the sample.

4. Description of the epidemiological situation of the disease in poultry during the last five years

max 32000 chars :

Surveillance programme 2002

In 2002 an EU funded epidemiological survey was carried out on the poultry population of Malta and Gozo. Sampling was carried out at slaughter houses in most of the cases. All the 139 farms tested were negative. In total 1680 samples were tested in 2002.

Standard requirements for the submission of surveillance programmes for avian influenza

version : 2.2

Surveillance programme 2003

No AI surveillance was carried out in 2003

Surveillance programme 2004

A total of 38 poultry holdings were sampled and tested in 2004. A total of 341 birds were tested using IDEXX ELISA. Thirty of the sera were sent to the CRL for confirmatory tests. None of the holdings or samples tested were positive.

Surveillance programme 2005

A total of 63 poultry farms in Malta and 9 farms in Gozo were tested during the surveillance programme carried out during 2005. The blood samples were tested locally using the IDEXX kit for avian Influenza. Samples from 33 holdings in Malta and 3 in Gozo gave positive results. These were sent to the CRL for AI in Weybridge, UK for confirmation using the haemagglutination-inhibition tests for H5/H7. All samples resulted negative to the confirmatory test.

Surveillance programme 2006

The surveillance of poultry flocks was similar to that for the year 2005. An intensification of the number of samples from poultry holdings has been undertaken. The number of holdings sampled in 2006 was 71, while the number of birds sampled was 1239.

Surveillance programme 2007

In 2007, 74 layer holdings were sampled. A total of 709 samples were collected and tested during this year.

None of the samples tested in 2007 tested positive for Avian Influenza.

Standard requirements for the submission of surveillance programmes for avian influenza

version : 2.2

Surveillance programme 2008

In 2008 layer holdings were sampled and tested using IDEXX ELISA kits. A total of 276 samples were collected and tested during this year.

None of the samples tested in 2008 tested positive for Avian Influenza.

Surveillance programme 2009

The surveillance of poultry flocks was similar to that of the previous years. Layer flocks were sampled and tested by the National Veterinary Laboratory using IDEXX ELISA kits. The number of samples collected and tested in 2009 was 683

Surveillance programme 2010

In 2010, 44 layer holdings were sampled and tested using IDEXX ELISA kits. A total of 1800 samples were collected and tested during this year.

None of the samples tested in 2010 tested positive for Avian Influenza.

Surveillance programme 2011

In 2011, 38 layer holdings were sampled and tested using IDEXX ELISA kits. A total of 1800 samples were collected and tested during this year.

None of the samples tested in 2011 tested positive for Avian Influenza.

Standard requirements for the submission of surveillance programmes for avian influenza

version : 2.2

5. Description of the epidemiological situation of the disease in wild birds during the last five years

(max. 32000 chars):

Surveillance programme 2005

32 samples were taken from wild birds. Apart from organ samples from two dead birds found on a cargo ship originating from Taiwan, which were tested by viral isolation, all other samples were sera from wild ducks. All samples were sent to the CRL in Weybridge, UK and resulted negative.

Surveillance programme 2006

In 2006 the number of wild ducks and other migratory birds sampled by means of cloacal swabs and/or faecal samples, and sent to the CRL in Weybridge for testing by means of PCR and viral isolation was 90. A number of other wild and semi captive ducks,36, were tested by serology.

Surveillance programme 2007

A number Wild ducks and other migratory birds were also sampled by means of cloacal swabs, tracheal swabs and/or faecal samples, which were then sent to the CRL in Weybridge for testing by means of PCR and viral isolation.

Surveillance programme 2009

A number of wild birds (19) were sampled by means of cloacal swabs, tracheal swabs and/or faecal samples, which were sent to the CRL in Weybridge for testing by means of PCR and viral isolation. The collaboration with hunting associations, bird conservation groups, bird parks and bird sanctuaries has

Standard requirements for the submission of surveillance programmes for avian influenza

version : 2.2

been maintained. All samples tested negative

Surveillance programme 2010 and 2011

In the previous years the main source of wild bird samples originated from birds shot during the spring migration. Due to the clamping down by the Maltese Authorities on this practice, during 2010, no samples of wild birds were collected and tested during 2010 and 2011

6. Measures in place as regards the notification of the disease

(max. 32000 chars) :

The Veterinary Service Act, Chapter 437 Articles 5, 6, 7, 8, 9, 16, 18, 19, 35 and 37 and the second, third and fifth schedule of the Act, lay down Local legislation that deals with the notification of Avian Influenza.

7. Costs

7.1 Detailed analysis of the costs

7.1.1 Poultry

Standard requirements for the submission of surveillance programmes for avian influenza

version : 2.2

(max. 32000 chars) :

The ELISA tests used for testing of poultry, are purchased from IDEXX is calculated at 2 Euro per sample. Laboratory personnel has not been included since staff also carries out other duties namely related to the salmonella control programme.

A number of samples will be sent to the CRL in the U.K to be tested by other methods such as PCR, HI, AGIDT and virus isolation. Any positive ELISA samples will be sent to the CRL in the UK for confirmatory analysis.

7.1.2 Wild birds

(max. 32000 chars) :

Any samples collected from wild birds will be sent to the CRL in the U.K to be tested by other methods such as PCR, HI and virus isolation.

Standard requirements for the submission of surveillance programmes for avian influenza

version : 2.2

7.2 Summary of the costs

7.2.1 Poultry surveillance

Detailed analysis of the cost of the programme - poultry

Laboratory testing	Number of tests	Unitary test cost (per method) in €	Total cost (€)
ELISA test	1 760	2	3520
agar gel immune diffusion test	20	6.5	130
Haemagglutination-inhibition-test (HI) for H5 (specify number of tests for H5)	20	6.5	130
Haemagglutination-inhibition-test (HI) for H7 (specify number of tests for H7)	20	6.5	130
Virus isolation test	20	70	1400
PCR test	20	30	600
Other please specify here	0	0	0
			Add a new row

Standard requirements for the submission of surveillance programmes for avian influenza

version : 2.2

7.2.2 Wild bird surveillance

Detail analysis of the cost of the programme - wild birds

Laboratory testing				
Methods of laboratory analysis	Number of tests	Unitary test cost (per method) in €	Total cost (€)	
Virus isolation test	50	70	3500	
PCR test	25	30	750	
Other please specify here	25	0	0	
				Add a new row
Sampling				
	Number of samples	Unitary cost in €	Total cost (€)	
Samples	100	3	300	
Other measures				

Standard requirements for the submission of surveillance programmes for avian influenza

version : 2.2

Other please specify here	Number	Unitary cost in €	Total cost (€)
	0	0	0
			Add a new row
Total wild birds Testing + Sampling + Other measures	200		4 550,00 €
Grand Total Poultry + Wild birds	3920		11 390,00 €

Attachments

IMPORTANT :

- 1) The more files you attach, the longer it takes to upload them .
- 2) This attachment files should have one of the format listed here : [.zip](#), [.jpg](#), [.jpeg](#), [.tiff](#), [.tif](#), [.xls](#), [.doc](#), [.bmp](#), [.pna](#).
- 3) The total file size of the attached files should not exceed 2 500Kb (+- 2.5 Mb). You will receive a message while attaching when you try to load too much.
- 4) IT CAN TAKE **SEVERAL MINUTES TO UPLOAD** ALL THE ATTACHED FILES. Don't interrupt the uploading by closing the pdf and wait until you have received a Submission Number!
- 5) Zip files cannot be opened (by clicking on the Open button). All other file formats can be opened.

*Standard requirements for the submission of
surveillance programmes for avian influenza
version : 2.2*