


Review of literature for 305423 and 305423x40-3-2 soybeans in the scope of their authorisations for food and feed uses, import and processing in the EU (2019 update)



PHI-R102-Y19

© 2019 Pioneer Hi-Bred International, Inc., All Rights Reserved.

This document is protected by copyright law and under Art. 31 of Regulation (EC) No 1829/2003. This document and material is for use only by the regulatory authority for the purpose that it is submitted by Pioneer Hi-Bred International, Inc., member of Corteva Agriscience group of companies ("Pioneer"), its affiliates, or its licensees and only with the explicit consent of Pioneer. Except in accordance with law, any other use of this material, without prior written consent of Pioneer, is strictly prohibited. The intellectual property, information, and materials described in or accompanying this document are proprietary to Pioneer. By submitting this document, Pioneer does not grant any party or entity not authorized by Pioneer any right or license to the information or intellectual property described in this document.

Table of contents

1.	SUMMARY	3
2.	ELIGIBILITY/INCLUSION CRITERIA	3
3.	CONFIRMATION OF THE SUITABILITY OF THE SEARCH STRINGS	4
3.1.	ELECTRONIC BIBLIOGRAPHIC DATABASES.....	4
3.2.	WEB OF SCIENCE SEARCH ENGINE.....	6
3.3.	CONCLUSIONS OF THE SUITABILITY OF THE SEARCH STRATEGY	6
4.	RESULTS OF THE LITERATURE SEARCH EXERCISE	7
5.	CONCLUSION	9
	REFERENCES.....	9
	APPENDIX 1. DETAILED SEARCH SYNTAXES FOR THE AUTHORIZED SOYBEANS.....	10
	APPENDIX 2. ENTRIES RETRIEVED BY THE PERFORMED SEARCHES TO LITERATURE DATABASES FOR THE AUTHORISED SOYBEANS WITHIN THE INDICATED SEARCH PERIOD.....	13
	APPENDIX 3. PUBLICATIONS SCREENED FOR RELEVANCE BASED ON THE FULL TEXT.....	22

1. Summary

An updated systematic search and review of peer-reviewed literature in line with the EFSA Guidance on conducting a systematic review (EFSA, 2010) and taking into account the explanatory note on literature searching (EFSA, 2019), was conducted with the following review question “Does 305423 soybean or 305423 x 40-3-2 soybean and derived food/feed products, or the intended traits (the newly expressed proteins or their combination) have adverse effects on human and animal health and the environment in the scope of their authorisation?”.

The review question and the search procedure took into account the product and scope of the authorisation (i.e., authorisation for import into the EU of food and feed containing, consisting of, or produced from 305423 or 305423x40-3-2 soybeans) and the objectives of the studies (i.e., assessment of potential adverse effects on human and animal health and the environment of the genetically modified food and feed containing, consisting of or produced from 305423 or 305423x40-3-2 soybeans). The systematic searches were performed according to the relevant parts of the EFSA guidance on the application of systematic review methodology to food and feed safety assessments (EFSA, 2010). The fundamental principles followed in this study were (1) methodological rigour and coherence in the retrieval and selection of studies; (2) transparency; and (3) reproducibility. Each search used a procedure that was developed *a priori*.

The systematic search and review of studies published in the scientific literature followed a tiered approach that included: (i) a systematic literature search, (ii) a screening of the retrieved records for relevance to the review question, and (iii) a thorough analysis of potential studies that were considered relevant, if any.

The current systematic search complements the searches previously performed in 2018. Unless outlined below, all portions of the search were conducted according to the methodologies outlined in the previous searches.

The outcome of this analysis showed that no new publications relevant for the review question were identified during the selected time period. No safety concerns were identified for 305423 soybean nor 305423x40-3-2 soybean by this literature search exercise.

2. Eligibility/inclusion criteria

Search outputs were manually screened for relevance for the review question: “Does 305423 soybean or 305423 x 40-3-2 soybean and derived food/feed products, or the intended traits (the newly expressed protein(s) or their combination), have adverse effects on human and animal health and the environment in the scope of their authorisation?”. The systematic search uses *a priori* determined eligibility/inclusion criteria indicated in Table 1.

Table 1: Eligibility/inclusion criteria to establish the relevance of retrieved publications based on the review question

Concept	Criteria
Population (taking into account scope of application)	Addressing human and animal health, and/or the environment relevant for the scope of the authorisation. The pathways and level of exposure to the GMO, derived food/feed products, and the intended traits addressed in the study (as assessed under the Intervention/exposure part) are relevant for the intended uses of the GMO and derived food/feed products under regulatory review (e.g. in case of an import application, efficacy of the traits, pest susceptibility, etc. are not considered relevant).
Intervention/exposure	305423, 305423x40-3-2 soybeans and derived food/feed products, and/or the intended traits (newly expressed protein(s) or their combination).
Intervention/exposure Plant species	In case of studies using GM plants, only studies using soybean are considered eligible. This criterion is not employed for studies regarding the newly expressed proteins.
Intervention/exposure Source organism of the protein	In case of publications using the protein of interest, only publications with the protein from the specific source organism will be considered eligible.
Comparator	If the study is a comparative study that uses plant material as test material, eligible publications must report a non-GM variety.
Outcomes	Effects/impacts on human and animal health, and/or the environment are addressed. Publications addressing other issues such as benefits, socio-economics, ethics, crop protection, detection methods, efficacy, public perception and risk communication are to be excluded using this criterion, as they are not relevant to the risk assessment of GMOs.
Reporting format	Original/primary data are presented in the study. This permits the exclusion of publications that do not present original/primary data (e.g., reviews, editorial, position papers). However, risk assessments from relevant risk assessment bodies (excluding EFSA) will not be excluded.

3. Confirmation of the Suitability of the Search Strings

The previous search strategies were analyzed to ensure that the original search terms were still relevant in the current search engine (described in Section 3.2 below).

3.1. Electronic bibliographic databases

Due to changes in subscriptions to electronic bibliographic databases, updated descriptions are provided below.

Web of Science™ Core collection¹

Web of Science Core collection is one of the largest citation databases available with over 1.5 billion cited reference connections indexed from high quality peer reviewed journals, books and proceedings². “Each cited reference is meticulously indexed to ensure that it is searchable and attributes credit to the appropriate publication”.³

CABI’s CAB Abstracts® and Global Health®⁴

CAB Abstracts gives you instant access to over 9.5 million record⁵, with over 350,000 abstracts added each year. Covering publications from over 120 countries in 50 languages, including a number of niche, independent journals, CAB Abstracts gives you the fullest global picture for any subject.⁶ This database also includes local publications.

Global Health gives researchers and students unparalleled access to all the world’s relevant public health research and practice – providing knowledge without borders. More than 3.3⁷ million records, dedicated to public health, with full text hosted for over 100,000 articles including 375 CABI book chapters, over 160 reviews from CABI’s very own eJournal CAB Reviews and over 500 news items from 2014 – 2018. New content added each week.⁸

MEDLINE⁹

MEDLINE is the U.S. National Library of Medicine® (NLM) premier bibliographic database that contains more than 25 million references to journal articles in life sciences with a concentration on biomedicine. A distinctive feature of MEDLINE is that the records are indexed with NLM Medical Subject Headings (MeSH®). MEDLINE is the online counterpart to MEDLARS® (MEDical Literature Analysis and Retrieval System) that originated in 1964. MEDLINE is the primary component of PubMed®.¹⁰

The WoS search engine can access one or more databases depending on your subscription. Web of Science Core collection is an interdisciplinary database covering all sciences including life, physical, health and social sciences which is updated on a daily basis including with articles in-press. CABI covers agriculture, environment, applied life sciences, veterinary sciences, applied economics, food science and nutrition. The subject scope of MEDLINE is biomedicine and health, broadly defined to encompass those areas of the life sciences, behavioral sciences, chemical sciences, and bioengineering needed by health professionals and others engaged in basic research and clinical care, public health, health policy development, or related educational activities.

The WoS search interfaces feature advanced search options which include the use of complex search syntaxes. In addition, Europe PMC (as previously described for 2018 searches) was used to complement the searches as the database allows full text searching of publications stored at Europe PMC.

¹ Web of Science is a trademark of Clarivate Analytics

² <https://clarivate.com/products/web-of-science/web-science-form/web-science-core-collection/>; Last accessed 14 November 2019

³ https://clarivate.com/wp-content/uploads/2017/05/d6b7faae-3cc2-4186-8985-a6ecc8cce1ee_Crv_WoS_Upsell_Factbook_A4_FA_LR_edits.pdf; Last accessed 14 November 2019

⁴ CABI, CAB Abstracts, and Global Health are trademarks of C.A.B. International

⁵ Figures as of September 2019

⁶ As defined by CAB; <https://www.cabi.org/publishing-products/cab-abstracts/>; Last accessed 14 November 2019

⁷ Figures as of September 2019

⁸ As defined by CAB; <https://www.cabi.org/publishing-products/global-health/>; Last accessed 14 November 2019

⁹ MEDLINE is a trademark of U.S. National Library of Medicine

¹⁰ <https://www.nlm.nih.gov/bsd/medline.html>; Last accessed 14 November 2019

Therefore, it was confirmed that the combination of these sources allows having a broad coverage of publications related to GMO risk assessment.

3.2. Web of Science Search Engine

The Web of Science Core Collection, CABI (CAB Abstracts and Global Health), and MEDLINE databases were accessed using the Web of Science search engine by Clarivate Analytics (referred to as WoS search engine). Search syntaxes were fine-tuned taking into account the specificities of the WoS search engine:

- Preference is given for using a dash (“-“) as the WoS search will recognise it as either a dash, a space or a comma. When a dash is utilized, quotation marks around the connected terms are no longer needed (e.g., "gm-hra" replaced by gm-hra will retrieve both gm hra and gm-hra), except if there is undesired lemmatisation of the first part of the term.
- Lemmatisation is utilized in the WoS search engine and as thus, terms were evaluated to determine if it was most appropriate to use truncation with a wildcard symbol or to utilize the root word and the lemmatisation feature. For example, using the root term Stack returns results that also include the terms stacks, stacking, stacked. However, searching for the truncated term Stack* returns additional results that are not associated with the stack word, such as the Stackelberg model.

The different abstracting literature databases are searched individually using the WoS search engine in order to access all of the relevant fields. The employed search interfaces are used in a way so that each is searched more broadly than the title and abstract, also searching keywords (including indexing keywords, where applicable). For example, the topic search (TS) searches the following fields:

- Web of Science Core collection: Title; Abstract; Author Keywords; Keywords Plus^{®11}
- CABI: Abstract; BHTD Crital Abstract; Broad Descriptors; CABICODES Names; Descriptors; English Title; Foreign Title; Geographic Location; Identifiers; Organism Descriptors¹²
- MEDLINE: Title; Vernacular Title; Abstract; Other Abstract; MeSH Terms; Keyword List; Chemical; Gene Symbol; Personal Name Subject; Space Flight Mission¹³

In CABI, indexing terms are included in the Descriptor fields of the record and can be searched for utilising the topic search as described above. Web of Science Core collection does not utilize controlled vocabulary or thesaurus terms, therefore no further additions were made to the developed search string¹⁴.

It was observed that the symbol Ø used in the OECD identifier is sometimes replaced by empty-set, circle-divide, or < 0 > and therefore this was considered in the fine-tuning of the search strings (Appendix 1).

3.3. Conclusions of the suitability of the search strategy

Introduced updates were for consistency or to fine tune the syntaxes to the databases queried. It was confirmed that searches on the single event would find results on the stack event. In

¹¹ http://images.webofknowledge.com/WOKRS532JR5/help/WOS/hs_topic.html; Last accessed 14 November2019

¹² http://images.webofknowledge.com/WOKRS532JR5/help/CABI/hs_topic.html; Last accessed 14 November2019

¹³ http://images.webofknowledge.com/WOKRS532JR5/help/MEDLINE/hs_topic.html; Last accessed 14 November2019

¹⁴ https://support.clarivate.com/ScientificandAcademicResearch/s/article/Web-of-Science-Core-Collection-No-controlled-vocabulary-or-thesaurus-in-assigning-subject-terms?language=en_US

addition, specific terms for the stack were added to the search strings when those terms were not already covered by single event terms. As the updated searches are as sensitive and not more specific than the previous searches, no additional validation was conducted.

4. Results of the literature search exercise

In December 2019, searches against electronic bibliographic databases and manual searches in view of screening of reference lists were performed. The search process is reported in line with EFSA guidance (EFSA, 2010 Appendix B4(2)) in Table 2.

Table 2. Documenting and reporting the search process

Resources	Date of search	Period searched*	Other restrictions	Number of records retrieved
Web of Science Core collection [§]	11 Dec 2019	2018-11 Dec 2019	None	38
CABI [§]	11 Dec 2019	2018-11 Dec 2019	None	24
MEDLINE [§]	11 Dec 2019	2018-11 Dec 2019	None	18
Europe PMC [§]	11 Dec 2019	2018-11 Dec 2019	None	8
Screening reference lists [^]	17 Dec 2019	-	2018-17 Dec 2019 [§]	0**

[§] A justification for choosing these search interfaces/databases is provided in Section 3.1. The combination of these sources allows having a broad coverage of publications related to GMO risk assessment.

[^] No risk assessment opinions of the identified regulatory organisations concerning food and feed safety assessment specific to 305423 and 305423x40-3-2 soybeans, nor any reviews specifically addressing the safety of 305423 or 305423x40-3-2 soybeans were identified within the selected literature search period.

[§] The time period was applied post-hoc.

** Number of records screened on full text.

The publications retrieved across all methods of searching (Web of Science Core collection, CABI, Medline, Europe PMC, and screening of reference lists) can be found in Appendix 2. In the framework of the reference list screening exercise, no detailed risk assessments regarding 305423 or 305423x40-3-2 soybeans nor any reviews were retrieved that contained information on food and feed safety. Considering that no opinions were published within the selected time period no further screening was performed.

The publications grouped in the Endnote® library were deduplicated. Publications retrieved by the previous searches conducted in the frame of the 2018 annual monitoring report for 305423 and 305423x40-3-2 soybeans were also removed (see Appendix 2, Section 6). The results of the publication selection process are presented in Table 3.

Table 3. Results of the publication selection process, for the review question

Review question: “Does 305423 soybean or 305423 x 40-3-2 soybean and derived food/feed products, or the intended traits (the newly expressed protein(s) or their combination), have adverse effects on human and animal health and the environment in the scope of their authorisation?”	Number of records
Total number of publications retrieved after all searches of the scientific literature (excluding duplicates and publications retrieved by the previous searches conducted in the frame of the 2018 monitoring reports)	38
Number of publications excluded from the search results after rapid assessment for relevance based on title and abstract	34
Total number of full-text documents assessed in detail	4
Number of publications excluded from further consideration after detailed assessment for relevance based on full text	4
Total number of unobtainable/unclear publications	0
Total number of relevant publications	0

The 38 unique entries present in the Endnote database (Table 3) were manually screened for relevance to the review question by two independent reviewers using the a priori eligibility/inclusion criteria described in Table 1.

Entries that are deemed to be irrelevant based on title/abstract were not further retained. In cases where the title/abstract did not contain sufficient information, the publication was assessed for relevance at the level of the full text (as listed in Appendix 3). The reason for excluding a result from the second screening is documented and a justification for not further assessing a reference is provided in Table 3.2 in Appendix 3.

No publications were considered relevant (see Appendix 3, Table 3.1). No unobtainable/unclear publications were identified (see Appendix 3, Table 3.3).

5. Conclusion

No publications were identified as relevant for the molecular characterisation, food/feed and environmental safety of 305423 soybean or 305423 x 40-3-2 soybean within the scope of the authorisations for the defined time period. No safety concerns have been identified for 305423 or 305423 x 40-3-2 soybeans by this literature search exercise.

References

- EFSA, **2010**. Application of systematic review methodology to food and feed safety assessments to support decision making. EFSA Journal 8(6):1637. [90 pp.].
- EFSA, **2019**. Explanatory note on literature searching conducted in the context of GMO applications for (renewed) market authorisation and annual post-market environmental monitoring reports on GMOs authorised in the EU market. EFSA supporting publication 2019:EN-1614. [62 pp.].

Appendix 1. Detailed search syntaxes for 305423 and 305423 x 40-3-2 soybeans

Web of Science Core collection

Search Part	Search Syntax
Event #1	TS=(3ø5423* OR 3-circle-divide-5423* OR 3empty-set5423* OR 305423* OR dp305423* OR dp3ø5423* OR dp3-circle-divide-5423* OR dp3empty-set5423* OR plenish*)
Stack #2	TS=(*DP-3Ø5423-1xMON-Ø4Ø32-6* OR *DP-3-circle-divide-5423-1xMON-circle-divide-4-circle-divide-32-6* OR *DP-3empty-set5423-1xMON-empty-set4empty-set32-6* OR *305423x40-3-2* OR *3Ø5423x40-3-2* OR Plenish*)
#3	#1 OR #2
Proteins #4	TS=((gm-fad2 OR gmfad2 OR gm-hra OR gmhra OR Glycine-max-HRA OR fad2 OR fatty-acid-desaturase-2-1 OR omega-6-fatty-acid-desaturase OR (hra AND acetolactate-synthase)) AND (soy* OR soja* OR glycine OR Rnai OR rna-interference OR siRNA OR small-RNA OR *silencing OR double-stranded-rna OR dsrna OR (((herbicid* AND (genetical* NEAR/3 modif*)) OR GMHT) AND (crop OR plant OR food OR feed)) OR gmo OR gmos OR lmo OR lmos OR gm OR ge OR stack))
Traits #5	TS=(((high NEAR/1 oleic) OR (oleic NEAR/1 acid) OR sul*onylurea* OR ALS-inhibiting-herbicide*) AND (toler* OR resist* OR protec* OR Rnai OR rna-interference OR siRNA OR small-RNA OR *silencing OR double-stranded-rna OR dsrna) AND (soy* OR soja* OR Glycine OR max) AND (gmo OR gmos OR lmo OR lmos OR living-modified OR transgen* OR GMHT OR ((GM OR GE OR genetic*) NEAR/5 (modif* OR transform* OR manipul* OR engineer* OR stack))))
#6	#3 OR #4 OR #5
Reporting Period #7	PY=(2018-2100)
Final Results #8	#6 AND #7

CABI

Search Part	Search Syntax
Event #1	TS=(3ø5423* OR 3<o>5423* OR 305423* OR dp305423* OR dp3ø5423* OR dp3<o>5423* OR plenish*)
Stack #2	TS=(*DP-3Ø5423-1xMON-Ø4Ø32-6* OR *DP-3-circle-divide-5423-1xMON-circle-divide-4-circle-divide-32-6* OR *DP-3empty-set5423-1xMON-empty-set4empty-set32-6* OR *305423x40-3-2* OR *3Ø5423x40-3-2* OR Plenish*)
#3	#1 OR #2
Proteins #4	TS=((gm-fad2 OR gmfad2 OR gm-hra OR gmhra OR Glycine-max-HRA OR fad2 OR fatty-acid-desaturase-2-1 OR omega-6-fatty-acid-desaturase

	OR (hra AND acetolactate-synthase)) AND (soy* OR soja* OR glycine OR Rnai OR rna-interference OR siRNA OR small-RNA OR *silencing OR double-stranded-rna OR dsrna OR (((herbicid* AND (genetical* NEAR/3 modif*)) OR GMHT) AND (crop OR plant OR food OR feed)) OR lmo OR lmos OR ge OR "genetically engineered foods" OR stack))
Traits #5	TS=(((high NEAR/1 oleic) OR (oleic NEAR/1 acid) OR sul*onylurea* OR ALS-inhibiting-herbicide*) AND (toler* OR resist* OR protec* OR Rnai OR rna-interference OR siRNA OR small-RNA OR *silencing OR double-stranded-rna OR dsrna) AND (soy* OR soja* OR Glycine OR max) AND (GMHT OR transgen* OR engineer* OR lmo or lmos OR ge OR manipul* OR transform* OR stack OR "genetically engineered foods"))
#6	#3 OR #4 OR #5
Reporting Period #7	PY=(2018-2100)
Final Results #8	#6 AND #7

MEDLINE

Search Part	Search Syntax
Event #1	TS=(3ø5423* OR 305423* OR dp305423* OR dp3ø5423* OR plenish*)
Stack #2	TS=(*DP-3Ø5423-1xMON-Ø4Ø32-6* OR *305423x40-3-2* OR *3Ø5423x40-3-2* OR Plenish*)
#3	#1 OR #2
Proteins #4	TS=((gm-fad2 OR gmfad2 OR gm-hra OR gmhra OR Glycine-max-HRA OR fad2 OR fatty-acid-desaturase-2-1 OR omega-6-fatty-acid-desaturase OR (hra AND acetolactate-synthase)) AND (soy* OR soja* OR glycine OR Rnai OR rna-interference OR siRNA OR small-RNA OR *silencing OR double-stranded-rna OR dsrna OR (((herbicid* AND (genetical* NEAR/3 modif*)) OR GMHT) AND (crop OR plant OR food OR feed)) OR lmo OR lmos OR ge OR "Food, Genetically Modified" OR stack))
Traits #5	TS=(((high NEAR/1 oleic) OR (oleic NEAR/1 acid) OR sul*onylurea* OR ALS-inhibiting-herbicide*) AND (toler* OR resist* OR protec* OR Rnai OR rna-interference OR siRNA OR small-RNA OR *silencing OR double-stranded-rna OR dsrna) AND (soy* OR soja* OR Glycine OR max) AND (GMHT OR transgen* OR engineer* OR lmo or lmos OR ge OR manipul* OR transform* OR stack OR "Food, Genetically Modified"))
#6	#3 OR #4 OR #5
Reporting Period #7	PY=(2018-2100)
Final Results #8	#6 AND #7

Europe PMC

(plenish OR 305423x40-3-2 OR dp305423 OR dp3ø5423 OR 305423 OR 3ø5423) AND
(FIRST_PDATE:[2018-01-01 TO 2100-12-31])

Appendix 2. Entries retrieved by the performed searches to literature databases for 305423 and 305423 x 40-3-2 soybeans within the indicated search period

Note: the numbering of the references in the different appendixes is independent of each other (e.g. a certain reference might be called EFSA 2018a in one appendix and EFSA 2018b in another)

1. Entries retrieved using Web of Science Core collection

2019. 46th ESAO Congress 3-7 September 2019 Hannover, Germany Abstracts. International Journal of Artificial Organs 42, 386-474.
- Abe K, Araki E, Suzuki Y, Toki S and Saika H, 2018. Production of high oleic/low linoleic rice by genome editing. Plant Physiology and Biochemistry 131, 58-62.
- Al Amin N, Ahmad N, Wu N, Fu XM, Wang N, Bo XX, Ma T and Wang PW, 2018. AN EFFICIENT TRANSIENT ASSAY FOR CRISPR CAS9 SYSTEM DELIVERING TARGETED MUTATION USING SYNTHETIC OLIGO SgRNA IN SOYBEAN (GLYCINE MAX). Pakistan Journal of Botany 50, 2223-2230.
- al Amin N, Ahmad N, Wu N, Pu XM, Ma T, Du YY, Bo XX, Wang N, Sharif R and Wang PW, 2019. CRISPR-Cas9 mediated targeted disruption of FAD2-2 microsomal omega-6 desaturase in soybean (Glycine max.L). BMC Biotechnology 19, 10.
- Alt D, Ng SJ, Grusenmeyer J and Lindsey LE, 2018. Seed Yield and Quality of Transgenic High-Oleic and Conventional Soybean as Influenced by Foliar Manganese Application. Crop Science 58, 874-879.
- Anderson J, Lakhssassi N, Kantartzi SK and Meksem K, 2018. Nonhypothesis Analysis of a Mutagenic Soybean (Glycine max L.) Population for Protein and Fatty-Acid Composition. Journal of the American Oil Chemists Society 95, 461-471.
- Bai SY, Engelen S, Denolf P, Wallis JG, Lynch K, Bengtssonl JD, Van Thournout M, Haesendonckx B and Browse J, 2019. Identification, characterization and field testing of Brassica napus mutants producing high-oleic oils. Plant Journal 98, 33-41.
- Bonawitz ND, Ainley WM, Itaya A, Chennareddy SR, Cicak T, Effinger K, Jiang K, Mall TK, Marri PR, Samue JP, Sardesai N, Simpson M, Folkerts O, Sarria R, Webb SR, Gonzalez DO, Simmonds DH and Paredy DR, 2019. Zinc finger nuclease-mediated targeting of multiple transgenes to an endogenous soybean genomic locus via non-homologous end joining. Plant Biotechnology Journal 17, 750-761.
- Bruno L, Picardi E, Pacenza M, Chiappetta A, Muto A, Gagliardi O, Muzzalupo I, Pesole G and Bitonti MB, 2019. Changes in gene expression and metabolic profile of drupes of Olea europaea L. cv Carolea in relation to maturation stage and cultivation area. BMC Plant Biology 19, 17.
- Bueno RD, God P, Prata IO, Pereira PHS, Teixeira AI, Piovesan ND and de Barra EG, 2018. Association of candidate genes for fatty acid content in soybean by temperature-switch PCR (TSP) genotyping. Crop Breeding and Applied Biotechnology 18, 244-251.
- Combs R and Bilyeu K, 2019. Novel alleles of FAD2-1A induce high levels of oleic acid in soybean oil. Molecular Breeding 39, 11.
- Darr L, Cunicelli M, Bhandari H, Bilyeu K, Chen F, Hewezi T, Li ZL, Sams C and Pantalone V, Field Performance of High Oleic Soybeans with Mutant FAD2-1A and FAD2-1B Genes in Tennessee. Journal of the American Oil Chemists Society 8.
- Do PT, Nguyen CX, Bui HT, Tran LTN, Stacey G, Gillman JD, Zhang ZYJ and Stacey MG, 2019. Demonstration of highly efficient dual gRNA CRISPR/Cas9 editing of the homeologous GmFAD2-1A and GmFAD2-1B genes to yield a high oleic, low linoleic and alpha-linolenic acid phenotype in soybean. BMC Plant Biology 19, 14.
- Du C, Chen YY, Wang K, Yang Z, Zhao CZ, Jia QL, Taylor DC and Zhang M, 2019. Strong

-
- co-suppression impedes an increase in polyunsaturated fatty acids in seeds overexpressing FAD2. *Journal of Experimental Botany* 70, 985-994.
- Garg M, Sharma N, Sharma S, Kapoor P, Kumar A, Chunduri V and Arora P, 2018. Biofortified Crops Generated by Breeding, Agronomy, and Transgenic Approaches Are improving Lives of Millions of People around the world. *Frontiers in Nutrition* 5, 33.
- Golizadeh F and Kumleh HH, 2019. Physiological Responses and Expression Changes of Fatty Acid Metabolism-Related Genes in Wheat (*Triticum aestivum*) Under Cold Stress. *Plant Molecular Biology Reporter* 37, 224-236.
- He B, Ma L, Hu ZH, Li HR, Ai MQ, Long CN and Zeng B, 2018. Deep sequencing analysis of transcriptomes in *Aspergillus oryzae* in response to salinity stress. *Applied Microbiology and Biotechnology* 102, 897-906.
- Hong MJ, Jang YE, Kim DG, Kim JM, Lee MK, Kim JB, Eom SH, Ha BK, Lyu JI and Kwon SJ, 2019. Selection of mutants with high linolenic acid contents and characterization of fatty acid desaturase 2 and 3 genes during seed development in soybean (*Glycine max*). *Journal of the Science of Food and Agriculture* 99, 5384-5391.
- Jouzani GS, Sharafi R and Soheilvand S, 2018. Fueling the future; plant genetic engineering for sustainable biodiesel production. *Biofuel Research Journal-Brj* 5, 829-845.
- Kanai M, Yamada T, Hayashi M, Mano S and Nishimura M, 2019. Soybean (*Glycine max* L.) triacylglycerol lipase GmSDP1 regulates the quality and quantity of seed oil. *Scientific Reports* 9, 10.
- Kulkarni KP, Patil G, Valliyodan B, Vuong TD, Shannon JG, Nguyen HT and Lee JD, 2018. Comparative genome analysis to identify SNPs associated with high oleic acid and elevated protein content in soybean. *Genome* 61, 217-222.
- Liu F, Ma LH, Wang YW, Li YJ, Zhang XY, Xue F, Nie XH, Zhu QH and Sun J, 2019. GhFAD2-3 is required for anther development in *Gossypium hirsutum*. *Bmc Plant Biology* 19, 17.
- Lu Q, Li HF, Hong YB, Zhang GQ, Wen SJ, Li XY, Zhou GY, Li SX, Liu H, Liu HY, Liu ZJ, Varshney RK, Chen XP and Liang XQ, 2018. Genome Sequencing and Analysis of the Peanut B-Genome Progenitor (*Arachis ipaensis*). *Frontiers in Plant Science* 9, 15.
- Napolitano GE, Ye YB and Cruz-Hernandez C, 2018. Chemical Characterization of a High-Oleic Soybean Oil. *Journal of the American Oil Chemists Society* 95, 583-589.
- Okuzaki A, Ogawa T, Koizuka C, Kaneko K, Inaba M, Imamura J and Koizuka N, 2018. CRISPR/Cas9-mediated genome editing of the fatty acid desaturase 2 gene in *Brassica napus*. *Plant Physiology and Biochemistry* 131, 63-69.
- Qi WC, Tinnenbroek-Capel IEM, Salentijn EMJ, Zhang Z, Huang BQ, Cheng JH, Shao HB, Visser RGF, Krens FA and Van Loo EN, 2018. Genetically engineering *Crambe abyssinica* a potentially high-value oil crop for salt land improvement. *Land Degradation & Development* 29, 1096-1106.
- Sun QF, Xue JY, Lin L, Liu DX, Wu J, Jiang JJ and Wang YP, 2018. Overexpression of Soybean Transcription Factors GmDof4 and GmDof11 Significantly Increase the Oleic Acid Content in Seed of *Brassica napus* L. *Agronomy-Basel* 8, 13.
- Vogel PA, de Noyer SB, Park H, Nguyen H, Hou LL, Changa T, Khang HL, Ciftci ON, Wang T, Cahoon EB and Clemente TE, 2019. Expression of the Arabidopsis WRINKLED 1 transcription factor leads to higher accumulation of palmitate in soybean seed. *Plant Biotechnology Journal* 17, 1369-1379.
- Wang X, Yu C, Liu Y, Yang L, Li Y, Yao W, Cai YC, Yan X, Li SB, Cai YH, Li SQ and

- Peng XJ, 2019. GmFAD3A, A omega-3 Fatty Acid Desaturase Gene, Enhances Cold Tolerance and Seed Germination Rate under Low Temperature in Rice. *International Journal of Molecular Sciences* 20, 12.
- Weld KA and Armentano LE, 2018. Feeding high oleic acid soybeans in place of conventional soybeans increases milk fat concentration. *Journal of Dairy Science* 101, 9768-9776.
- Wood CC, Okada S, Taylor MC, Menon A, Mathew A, Cullerne D, Stephen SJ, Allen RS, Zhou XR, Liu Q, Oakeshott JG, Singh SP and Green AG, 2018. Seed-specific RNAi in safflower generates a superhigh oleic oil with extended oxidative stability. *Plant Biotechnology Journal* 16, 1788-1796.
- Woyann LG, Meira D, Zdziarski AD, Matei G, Milioli AS, Rosa AC, Madella LA and Benin G, 2019. Multiple-trait selection of soybean for biodiesel production in Brazil. *Industrial Crops and Products* 140, 7.
- Wu P, Zhang LL, Feng T, Lu WY, Zhao HY, Li JZ and Lu SY, 2018. A Conserved Glycine Is Identified to be Essential for Desaturase Activity of IpFAD2s by Analyzing Natural Variants from *Idesia polycarpa*. *International Journal of Molecular Sciences* 19, 15.
- Wu B, Ruan CJ, Han P, Ruan D, Xiong CW, Ding J and Liu SH, 2019. Comparative transcriptomic analysis of high- and low-oil *Camellia oleifera* reveals a coordinated mechanism for the regulation of upstream and downstream multigenes for high oleic acid accumulation. *3 Biotech* 9, 19.
- Xia YM, Chen FS, Liu KL, Zhang LF, Duan XJ, Zhang X and Zhu ZY, 2019. Compositional differences between conventional Chinese and genetically modified Roundup Ready soybeans. *Crop & Pasture Science* 70, 526-534.
- Yang J, Xing GJ, Niu L, He HL, Guo DQ, Du Q, Qian XY, Yao Y, Li HY, Zhong XF and Yang XD, 2018. Improved oil quality in transgenic soybean seeds by RNAi-mediated knockdown of GmFAD2-1B. *Transgenic Research* 27, 155-166.
- Yang SN, Miao L, He JB, Zhang K, Li Y and Gai JY, 2019. Dynamic Transcriptome Changes Related to Oil Accumulation in Developing Soybean Seeds. *International Journal of Molecular Sciences* 20, 18.
- Zhao M, Wang WY, Wei L, Chen P, Peng L, Qin Z, Yuan FJ, Wang Z and Ying XX, 2019. The Evolution and Biocatalysis of FAD2 Indicate Its Correlation to the Content of Seed Oil in Plants. *International Journal of Molecular Sciences* 20, 12.

2. Entries retrieved using CABI

- Alt D, Ng S, Grusenmeyer J and Lindsey LE, 2018. Seed yield and quality of transgenic high-oleic and conventional soybean as influenced by foliar manganese application. *Crop Science* 58, 874-879.
- Anderson J, Lakhssassi N, Kantartzi SK and Meksem K, 2018. Nonhypothesis analysis of a mutagenic soybean (*Glycine max* L.) population for protein and fatty-acid composition. *Journal of the American Oil Chemists' Society* 95, 461-471.
- Bonawitz ND, Ainley WM, Itaya A, Chennareddy SR, Cicak T, Effinger K, Jiang K, Mall TK, Marri PR, Samuel JP, Sardesai N, Simpson M, Folkerts O, Sarria R, Webb SR, Gonzalez DO, Simmonds DH and Pareddy DR, 2019. Zinc finger nuclease-mediated targeting of multiple transgenes to an endogenous soybean genomic locus via non-homologous end joining. *Plant Biotechnology Journal* 17, 750-761.
- Bueno RD, God PIVG, Prata IO, Pereira PHS, Teixeira AI, Piovesan ND and Barros EGd, 2018. Association of candidate genes for fatty acid content in soybean by temperature-switch PCR (TSP) genotyping. *Crop Breeding and Applied Biotechnology* 18, 244-251.

-
- Combs R and Bilyeu K, 2019. Novel alleles of FAD2-1A induce high levels of oleic acid in soybean oil. *Molecular Breeding* 39, 79.
- Do PT, Nguyen CX, Bui HT, Tran LTN, Stacey G, Gillman JD, Zhang ZJ and Stacey MG, 2019. Demonstration of highly efficient dual gRNA CRISPR/Cas9 editing of the homeologous GmFAD2-1A and GmFAD2-1B genes to yield a high oleic, low linoleic and alpha-linolenic acid phenotype in soybean. *Bmc Plant Biology* 19, (15 July 2019).
- Du C, Chen Y, Wang K, Yang Z, Zhao C, Jia Q, Taylor DC and Zhang M, 2019. Strong co-suppression impedes an increase in polyunsaturated fatty acids in seeds overexpressing FAD2. *Journal of Experimental Botany* 70, 985-994.
- He B, Ma L, Hu Z, Li H, Ai M, Long C and Zeng B, 2018. Deep sequencing analysis of transcriptomes in *Aspergillus oryzae* in response to salinity stress. *Applied Microbiology and Biotechnology* 102, 897-906.
- Kanai M, Yamada T, Hayashi M, Mano S and Nishimura M, 2019. Soybean (*Glycine max* L.) triacylglycerol lipase GmSDP1 regulates the quality and quantity of seed oil. *Scientific Reports* 9, 8924.
- Liu F, Ma L, Wang Y, Li Y, Zhang X, Xue F, Nie X, Zhu Q and Sun J, 2019. GhFAD2-3 is required for anther development in *Gossypium hirsutum*. *Bmc Plant Biology* 19, (10 September 2019).
- Lu Q, Li H, Hong Y, Zhang G, Wen S, Li X, Zhou G, Li S, Liu H, Liu H, Liu Z, Varshney RK, Chen X and Liang X, 2018. Genome sequencing and analysis of the peanut B-genome progenitor (*Arachis ipaensis*). *Frontiers in Plant Science* 9, 604.
- Napolitano GE, Ye Y and Cruz-Hernandez C, 2018. Chemical characterization of a high-oleic soybean oil. *Journal of the American Oil Chemists' Society* 95, 583-589.
- Noor A-A, Naveed A, Wu N, Fu X, Wang N, Bo X, Ma T and Wang P, 2018. An efficient transient assay for CRISPR Cas9 system delivering targeted mutation using synthetic oligo sgRNA in soybean (*Glycine max*). *Pakistan Journal of Botany* 50, 2223-2230.
- Rao VS, 2018. Herbicide resistant biotech crops and their import to Indian agriculture. *Indian Journal of Weed Science* 50, 223-238.
- Tang G, Liu Z, Xu P, Peng Z and Shan L, 2018. Function analysis of AhDGAT3 gene involved in the accumulation of seed oil in peanut (*Arachis hypogaea*). *Journal of Agricultural Biotechnology* 26, 1834-1845.
- Vogel PA, Noyer SBd, Park H, Hanh N, Hou L, Changa T, Hoang Le K, Ciftci ON, Wang T, Cahoon EB and Clemente TE, 2019. Expression of the Arabidopsis WRINKLED 1 transcription factor leads to higher accumulation of palmitate in soybean seed. *Plant Biotechnology Journal* 17, 1369-1379.
- Wang Y, Wang M, Xiang S, Liu Q, Qiang S and Song X, 2018. Analysis on the event of global herbicide tolerant transgenic crops. *Journal of Agricultural Biotechnology* 26, 167-175.
- Weld KA and Armentano LE, 2018. Feeding high oleic acid soybeans in place of conventional soybeans increases milk fat concentration. *Journal of Dairy Science* 101, 9768-9776.
- Wood CC, Okada S, Taylor MC, Menon A, Mathew A, Cullerne D, Stephen SJ, Allen RS, Zhou X, Liu Q, Oakeshott JG, Singh SP and Green AG, 2018. Seed-specific RNAi in safflower generates a superhigh oleic oil with extended oxidative stability. *Plant Biotechnology Journal* 16, 1788-1796.
- Woyann LG, Meira D, Zdziarski AD, Matei G, Milioli AS, Rosa AC, Madella LA and Benin G, 2019. Multiple-trait selection of soybean for biodiesel production in Brazil. *Industrial Crops and Products* 140, 111721.

- Wu P, Zhang L, Feng T, Lu W, Zhao H, Li J and LuShiYou, 2018. A conserved glycine is identified to be essential for desaturase activity of IpFAD2s by analyzing natural variants from *Idesia polycarpa*. *International Journal of Molecular Sciences* 19, 3932.
- Yang J, Xing G, Niu L, He H, Guo D, Du Q, Qian X, Yao Y, Li H, Zhong X and Yang X, 2018. Improved oil quality in transgenic soybean seeds by RNAi-mediated knockdown of GmFAD2-1B. *Transgenic Research* 27, 155-166.
- Yang S, Miao L, He J, Zhang K, Li Y and Gai J, 2019. Dynamic transcriptome changes related to oil accumulation in developing soybean seeds. *International Journal of Molecular Sciences* 20, 2202.
- Zhao M, Wang W, Wei L, Chen P, Peng L, Qin Z, Yuan F, Wang Z and Ying X, 2019. The evolution and biocatalysis of FAD2 indicate its correlation to the content of seed oil in plants. *International Journal of Molecular Sciences* 20, 849.

3. Entries retrieved using MEDLINE

- Al Amin N, Ahmad N, Wu N, Pu X, Ma T, Du Y, Bo X, Wang N, Sharif R and Wang P, 2019. CRISPR-Cas9 mediated targeted disruption of FAD2-2 microsomal omega-6 desaturase in soybean (*Glycine max*.L). *Bmc Biotechnology* 19, 9.
- Bonawitz ND, Ainley WM, Itaya A, Chennareddy SR, Cicak T, Effinger K, Jiang K, Mall TK, Marri PR, Samuel JP, Sardesai N, Simpson M, Folkerts O, Sarria R, Webb SR, Gonzalez DO, Simmonds DH and Paredy DR, 2019. Zinc finger nuclease-mediated targeting of multiple transgenes to an endogenous soybean genomic locus via non-homologous end joining. *Plant Biotechnology Journal* 17, 750-761.
- Do PT, Nguyen CX, Bui HT, Tran LTN, Stacey G, Gillman JD, Zhang ZJ and Stacey MG, 2019. Demonstration of highly efficient dual gRNA CRISPR/Cas9 editing of the homeologous GmFAD2-1A and GmFAD2-1B genes to yield a high oleic, low linoleic and alpha-linolenic acid phenotype in soybean. *Bmc Plant Biology* 19, 311.
- Du C, Chen Y, Wang K, Yang Z, Zhao C, Jia Q, Taylor DC and Zhang M, 2019. Strong co-suppression impedes an increase in polyunsaturated fatty acids in seeds overexpressing FAD2. *Journal of Experimental Botany* 70, 985-994.
- He B, Ma L, Hu Z, Li H, Ai M, Long C and Zeng B, 2018. Deep sequencing analysis of transcriptomes in *Aspergillus oryzae* in response to salinity stress. *Applied Microbiology and Biotechnology* 102, 897-906.
- Kanai M, Yamada T, Hayashi M, Mano S and Nishimura M, 2019. Soybean (*Glycine max* L.) triacylglycerol lipase GmSDP1 regulates the quality and quantity of seed oil. *Scientific Reports* 9, 8924.
- Kulkarni KP, Patil G, Valliyodan B, Vuong TD, Shannon JG, Nguyen HT and Lee J-D, 2018. Comparative genome analysis to identify SNPs associated with high oleic acid and elevated protein content in soybean. *Genome* 61, 217-222.
- Lee MW, Padilla CS, Gupta C, Galla A, Pereira A, Li J and Goggin FL, 2019. The FATTY ACID DESATURASE2 family in tomato contributes to primary metabolism and stress responses. *Plant physiology*.
- Liu F, Ma L, Wang Y, Li Y, Zhang X, Xue F, Nie X, Zhu Q and Sun J, 2019. GhFAD2-3 is required for anther development in *Gossypium hirsutum*. *Bmc Plant Biology* 19, 393.
- Lu Q, Li H, Hong Y, Zhang G, Wen S, Li X, Zhou G, Li S, Liu H, Liu H, Liu Z, Varshney RK, Chen X and Liang X, 2018. Genome Sequencing and Analysis of the Peanut B-Genome Progenitor (*Arachis ipaensis*). *Frontiers in Plant Science* 9, 604.
- Vogel PA, Bayon de Noyer S, Park H, Nguyen H, Hou L, Changa T, Khang HL, Ciftci ON, Wang T, Cahoon EB and Clemente TE, 2019. Expression of the *Arabidopsis*

- WRINKLED 1 transcription factor leads to higher accumulation of palmitate in soybean seed. *Plant Biotechnology Journal* 17, 1369-1379.
- Weld KA and Armentano LE, 2018. Feeding high oleic acid soybeans in place of conventional soybeans increases milk fat concentration. *Journal of Dairy Science* 101, 9768-9776.
- Wood CC, Okada S, Taylor MC, Menon A, Mathew A, Cullerne D, Stephen SJ, Allen RS, Zhou X-R, Liu Q, Oakeshott JG, Singh SP and Green AG, 2018. Seed-specific RNAi in safflower generates a superhigh oleic oil with extended oxidative stability. *Plant Biotechnology Journal* 16, 1788-1796.
- Wu P, Zhang L, Feng T, Lu W, Zhao H, Li J and Lu S, 2018. A Conserved Glycine Is Identified to be Essential for Desaturase Activity of IpFAD2s by Analyzing Natural Variants from *Idesia polycarpa*. *International Journal of Molecular Sciences* 19.
- Xu P, Tang G, Bi Y, Liu Z and Shan L, 2018. Analysis of the peanut transgenic offspring with depressing AhFAD2 gene. *Sheng wu gong cheng xue bao = Chinese journal of biotechnology* 34, 1469-1477.
- Yang J, Xing G, Niu L, He H, Guo D, Du Q, Qian X, Yao Y, Li H, Zhong X and Yang X, 2018. Improved oil quality in transgenic soybean seeds by RNAi-mediated knockdown of GmFAD2-1B. *Transgenic Research* 27, 155-166.
- Yang S, Miao L, He J, Zhang K, Li Y and Gai J, 2019. Dynamic Transcriptome Changes Related to Oil Accumulation in Developing Soybean Seeds. *International Journal of Molecular Sciences* 20.
- Zhao M, Wang W, Wei L, Chen P, Peng L, Qin Z, Yuan F, Wang Z and Ying X, 2019. The Evolution and Biocatalysis of FAD2 Indicate Its Correlation to the Content of Seed Oil in Plants. *International Journal of Molecular Sciences* 20.

4. Entries retrieved using Europe PMC

- Deol P, Valdez M, Yang E-W, Deans J, Ho C, Kozlova E, Evans J, Valdez J, Richardson H, Kyaw T, Jiang T, Sladek F and Curras-Collazo M, 2019. SUN-101 Dysregulation of Hypothalamic Gene Expression by Soybean Oil Diets in Mice. *Journal of the Endocrine Society* 3.
- Garg M, Sharma N, Sharma S, Kapoor P, Kumar A, Chunduri V and Arora P, 2018. Biofortified Crops Generated by Breeding, Agronomy, and Transgenic Approaches Are Improving Lives of Millions of People around the World. In: *Frontiers in Nutrition*. p 12.
- Hranilovic A, Gambetta JM, Schmidtke L, Boss PK, Grbin PR, Masneuf-Pomarede I, Bely M, Albertin W and Jiranek V, 2018. Oenological traits of *Lachancea thermotolerans* show signs of domestication and allopatric differentiation. In: *Scientific Reports*. p 14812.
- Porouhan P, Farshchian N and Dayani M, 2019. Management of radiation-induced proctitis. *Journal of family medicine and primary care* 8, 2173-2178.
- Walk J, de Bree LCJ, Graumans W, Stoter R, van Gemert G-J, van de Vegte-Bolmer M, Teelen K, Hermsen CC, Arts RJW, Behet MC, Keramati F, Moorlag SJCFM, Yang ASP, van Crevel R, Aaby P, de Mast Q, van der Ven AJAM, Stabell Benn C, Netea MG and Sauerwein RW, 2019. Outcomes of controlled human malaria infection after BCG vaccination. In: *Nature communications*. p 874.
- Weld KA and Armentano LE, 2018. Feeding high oleic acid soybeans in place of conventional soybeans increases milk fat concentration. *Journal of Dairy Science* 101, 9768-9776.
- Zhang S, Ao X and Kim IH, 2019. Effects of non-genetically and genetically modified organism (maize-soybean) diet on growth performance, nutrient digestibility,

carcass weight, and meat quality of broiler chicken. Asian-Australasian journal of animal sciences 32, 849-855.

Zhu P, Fu W, Wei S, Liu X, Wang C, Lu Y, Shang Y, Wu X, Wu Y and Zhu S, 2019. A high-throughput and ultrasensitive identification methodology for unauthorized GMP component based on suspension array and logical calculator. In: Scientific Reports. p 7311.

5. Entries retrieved using reference lists of opinions of regulatory bodies and screened on full text¹⁵

None

6. New entries retrieved using all search strategies (excluding duplicates and studies retrieved by the previous searches conducted in 2018)

2019. 46th ESAO Congress 3-7 September 2019 Hannover, Germany Abstracts. International Journal of Artificial Organs 42, 386-474.

Abe K, Araki E, Suzuki Y, Toki S and Saika H, 2018. Production of high oleic/low linoleic rice by genome editing. Plant Physiology and Biochemistry 131, 58-62.

al Amin N, Ahmad N, Wu N, Pu XM, Ma T, Du YY, Bo XX, Wang N, Sharif R and Wang PW, 2019. CRISPR-Cas9 mediated targeted disruption of FAD2-2 microsomal omega-6 desaturase in soybean (Glycine max.L). BMC Biotechnology 19, 10.

Bai SY, Engelen S, Denolf P, Wallis JG, Lynch K, Bengtssonl JD, Van Thournout M, Haesendonckx B and Browse J, 2019. Identification, characterization and field testing of Brassica napus mutants producing high-oleic oils. Plant Journal 98, 33-41.

Bonawitz ND, Ainley WM, Itaya A, Chennareddy SR, Cicak T, Effinger K, Jiang K, Mall TK, Marri PR, Samue JP, Sardesai N, Simpson M, Folkerts O, Sarria R, Webb SR, Gonzalez DO, Simmonds DH and Paredy DR, 2019. Zinc finger nuclease-mediated targeting of multiple transgenes to an endogenous soybean genomic locus via non-homologous end joining. Plant Biotechnology Journal 17, 750-761.

Bruno L, Picardi E, Pacenza M, Chiappetta A, Muto A, Gagliardi O, Muzzalupo I, Pesole G and Bitonti MB, 2019. Changes in gene expression and metabolic profile of drupes of Olea europaea L. cv Carolea in relation to maturation stage and cultivation area. BMC Plant Biology 19, 17.

Combs R and Bilyeu K, 2019. Novel alleles of FAD2-1A induce high levels of oleic acid in soybean oil. Molecular Breeding 39, 11.

Darr L, Cunicelli M, Bhandari H, Bilyeu K, Chen F, Hewezi T, Li ZL, Sams C and Pantalone V, Field Performance of High Oleic Soybeans with Mutant FAD2-1A and FAD2-1B Genes in Tennessee. Journal of the American Oil Chemists Society 8.

Deol P, Valdez M, Yang E-W, Deans J, Ho C, Kozlova E, Evans J, Valdez J, Richardson H, Kyaw T, Jiang T, Sladek F and Curras-Collazo M, 2019. SUN-101 Dysregulation of Hypothalamic Gene Expression by Soybean Oil Diets in Mice. Journal of the Endocrine Society 3.

Do PT, Nguyen CX, Bui HT, Tran LTN, Stacey G, Gillman JD, Zhang ZYJ and Stacey MG, 2019. Demonstration of highly efficient dual gRNA CRISPR/Cas9 editing of the homeologous GmFAD2-1A and GmFAD2-1B genes to yield a high oleic, low linoleic and alpha-linolenic acid phenotype in soybean. BMC Plant Biology 19, 14.

Du C, Chen YY, Wang K, Yang Z, Zhao CZ, Jia QL, Taylor DC and Zhang M, 2019. Strong

¹⁵ The time-period is applied post-hoc as described in Table 2

- co-suppression impedes an increase in polyunsaturated fatty acids in seeds overexpressing FAD2. *Journal of Experimental Botany* 70, 985-994.
- Golizadeh F and Kumleh HH, 2019. Physiological Responses and Expression Changes of Fatty Acid Metabolism-Related Genes in Wheat (*Triticum aestivum*) Under Cold Stress. *Plant Molecular Biology Reporter* 37, 224-236.
- Hong MJ, Jang YE, Kim DG, Kim JM, Lee MK, Kim JB, Eom SH, Ha BK, Lyu JI and Kwon SJ, 2019. Selection of mutants with high linolenic acid contents and characterization of fatty acid desaturase 2 and 3 genes during seed development in soybean (*Glycine max*). *Journal of the Science of Food and Agriculture* 99, 5384-5391.
- Hranilovic A, Gambetta JM, Schmidtke L, Boss PK, Grbin PR, Masneuf-Pomarede I, Bely M, Albertin W and Jiranek V, 2018. Oenological traits of *Lachancea thermotolerans* show signs of domestication and allopatric differentiation. In: *Scientific Reports*. p 14812.
- Jouzani GS, Sharafi R and Soheilvand S, 2018. Fueling the future; plant genetic engineering for sustainable biodiesel production. *Biofuel Research Journal-Brj* 5, 829-845.
- Kanai M, Yamada T, Hayashi M, Mano S and Nishimura M, 2019. Soybean (*Glycine max* L.) triacylglycerol lipase GmSDP1 regulates the quality and quantity of seed oil. *Scientific Reports* 9, 10.
- Lee MW, Padilla CS, Gupta C, Galla A, Pereira A, Li J and Goggin FL, 2019. The FATTY ACID DESATURASE2 family in tomato contributes to primary metabolism and stress responses. *Plant physiology*.
- Liu F, Ma LH, Wang YW, Li YJ, Zhang XY, Xue F, Nie XH, Zhu QH and Sun J, 2019. GhFAD2-3 is required for anther development in *Gossypium hirsutum*. *Bmc Plant Biology* 19, 17.
- Okuzaki A, Ogawa T, Koizuka C, Kaneko K, Inaba M, Imamura J and Koizuka N, 2018. CRISPR/Cas9-mediated genome editing of the fatty acid desaturase 2 gene in *Brassica napus*. *Plant Physiology and Biochemistry* 131, 63-69.
- Porouhan P, Farshchian N and Dayani M, 2019. Management of radiation-induced proctitis. *Journal of family medicine and primary care* 8, 2173-2178.
- Qi WC, Tinnenbroek-Capel IEM, Salentijn EMJ, Zhang Z, Huang BQ, Cheng JH, Shao HB, Visser RGF, Krens FA and Van Loo EN, 2018. Genetically engineering *Crambe abyssinica* a potentially high-value oil crop for salt land improvement. *Land Degradation & Development* 29, 1096-1106.
- Rao VS, 2018. Herbicide resistant biotech crops and their import to Indian agriculture. *Indian Journal of Weed Science* 50, 223-238.
- Sun QF, Xue JY, Lin L, Liu DX, Wu J, Jiang JJ and Wang YP, 2018. Overexpression of Soybean Transcription Factors GmDof4 and GmDof11 Significantly Increase the Oleic Acid Content in Seed of *Brassica napus* L. *Agronomy-Basel* 8, 13.
- Tang G, Liu Z, Xu P, Peng Z and Shan L, 2018. Function analysis of AhDGAT3 gene involved in the accumulation of seed oil in peanut (*Arachis hypogaea*). *Journal of Agricultural Biotechnology* 26, 1834-1845.
- Vogel PA, de Noyer SB, Park H, Nguyen H, Hou LL, Changa T, Khang HL, Ciftci ON, Wang T, Cahoon EB and Clemente TE, 2019. Expression of the Arabidopsis WRINKLED 1 transcription factor leads to higher accumulation of palmitate in soybean seed. *Plant Biotechnology Journal* 17, 1369-1379.
- Walk J, de Bree LCJ, Graumans W, Stoter R, van Gemert G-J, van de Vegte-Bolmer M, Teelen K, Hermsen CC, Arts RJW, Behet MC, Keramati F, Moorlag SJCFM, Yang ASP, van Crevel R, Aaby P, de Mast Q, van der Ven AJAM, Stabell Benn C, Netea

-
- MG and Sauerwein RW, 2019. Outcomes of controlled human malaria infection after BCG vaccination. In: Nature communications. p 874.
- Wang Y, Wang M, Xiang S, Liu Q, Qiang S and Song X, 2018. Analysis on the event of global herbicide tolerant transgenic crops. *Journal of Agricultural Biotechnology* 26, 167-175.
- Wang X, Yu C, Liu Y, Yang L, Li Y, Yao W, Cai YC, Yan X, Li SB, Cai YH, Li SQ and Peng XJ, 2019. GmFAD3A, A omega-3 Fatty Acid Desaturase Gene, Enhances Cold Tolerance and Seed Germination Rate under Low Temperature in Rice. *International Journal of Molecular Sciences* 20, 12.
- Wood CC, Okada S, Taylor MC, Menon A, Mathew A, Cullerne D, Stephen SJ, Allen RS, Zhou XR, Liu Q, Oakeshott JG, Singh SP and Green AG, 2018. Seed-specific RNAi in safflower generates a superhigh oleic oil with extended oxidative stability. *Plant Biotechnology Journal* 16, 1788-1796.
- Woyann LG, Meira D, Zdziarski AD, Matei G, Milioli AS, Rosa AC, Madella LA and Benin G, 2019. Multiple-trait selection of soybean for biodiesel production in Brazil. *Industrial Crops and Products* 140, 7.
- Wu P, Zhang LL, Feng T, Lu WY, Zhao HY, Li JZ and Lu SY, 2018. A Conserved Glycine Is Identified to be Essential for Desaturase Activity of IpFAD2s by Analyzing Natural Variants from *Idesia polycarpa*. *International Journal of Molecular Sciences* 19, 15.
- Wu B, Ruan CJ, Han P, Ruan D, Xiong CW, Ding J and Liu SH, 2019. Comparative transcriptomic analysis of high- and low-oil *Camellia oleifera* reveals a coordinated mechanism for the regulation of upstream and downstream multigenes for high oleic acid accumulation. *3 Biotech* 9, 19.
- Xia YM, Chen FS, Liu KL, Zhang LF, Duan XJ, Zhang X and Zhu ZY, 2019. Compositional differences between conventional Chinese and genetically modified Roundup Ready soybeans. *Crop & Pasture Science* 70, 526-534.
- Xu P, Tang G, Bi Y, Liu Z and Shan L, 2018. Analysis of the peanut transgenic offspring with depressing AhFAD2 gene. *Sheng wu gong cheng xue bao = Chinese journal of biotechnology* 34, 1469-1477.
- Yang SN, Miao L, He JB, Zhang K, Li Y and Gai JY, 2019. Dynamic Transcriptome Changes Related to Oil Accumulation in Developing Soybean Seeds. *International Journal of Molecular Sciences* 20, 18.
- Zhang S, Ao X and Kim IH, 2019. Effects of non-genetically and genetically modified organism (maize-soybean) diet on growth performance, nutrient digestibility, carcass weight, and meat quality of broiler chicken. *Asian-Australasian journal of animal sciences* 32, 849-855.
- Zhao M, Wang WY, Wei L, Chen P, Peng L, Qin Z, Yuan FJ, Wang Z and Ying XX, 2019. The Evolution and Biocatalysis of FAD2 Indicate Its Correlation to the Content of Seed Oil in Plants. *International Journal of Molecular Sciences* 20, 12.
- Zhu P, Fu W, Wei S, Liu X, Wang C, Lu Y, Shang Y, Wu X, Wu Y and Zhu S, 2019. A high-throughput and ultrasensitive identification methodology for unauthorized GMP component based on suspension array and logical calculator. In: *Scientific Reports*. p 7311.

Appendix 3. Publications screened for relevance based on the full text

Table 3.1. Report of all relevant publications retrieved after detailed assessment of full-text documents for relevance

Category of information/ data requirement(s)	Reference (Author, year, title, source)
None	Not applicable

Table 3.2. Report of publications excluded from the risk assessment after detailed assessment of full-text documents

Reference (Author, year, title, source)	Reason(s) for exclusion based on eligibility/inclusion criteria listed in Table 2 of the previous literature search report (2017)
Deol P, Valdez M, Yang E-W, Deans J, Ho C, Kozlova E, Evans J, Valdez J, Richardson H, Kyaw T, Jiang T, Sladek F and Curras-Collazo M, 2019. SUN-101 Dysregulation of Hypothalamic Gene Expression by Soybean Oil Diets in Mice. <i>Journal of the Endocrine Society</i> 3.	Reporting format (Only Abstract is available - not primary research) ¹⁶
Woyann LG, Meira D, Zdziarski AD, Matei G, Milioli AS, Rosa AC, Madella LA and Benin G, 2019. Multiple-trait selection of soybean for biodiesel production in Brazil. <i>Industrial Crops and Products</i> 140, 7.	Intervention/Exposure (Not on 305423 or 305423x40-3-2 soybeans)
Xia YM, Chen FS, Liu KL, Zhang LF, Duan XJ, Zhang X and Zhu ZY, 2019. Compositional differences between conventional Chinese and genetically modified Roundup Ready soybeans. <i>Crop & Pasture Science</i> 70, 526-534.	Intervention/Exposure (Not on 305423x40-3-2 soybean)
Zhang S, Ao X and Kim IH, 2019. Effects of non-genetically and genetically modified organism (maize-soybean) diet on growth performance, nutrient digestibility, carcass weight, and meat quality of broiler chicken. <i>Asian-Australasian journal of animal sciences</i> 32, 849-855.	Intervention/Exposure (Not on 305423 or 305423x40-3-2 soybean)

Table 3.3. Report of unobtainable/unclear publications

Reference (Author, year, title, source)	Description of (unsuccessful) methods used to try to obtain a copy of the publication
None	Not applicable

¹⁶ The authors compared conventional soybean and Plenish soybean oil diets and did not report any differences.