

European Commission

Food science and techniques

**Reports of the
Scientific Committee for Food**

(42nd Series)

**COMPILATION OF THE EVALUATIONS OF THE SCIENTIFIC COMMITTEE
FOR FOOD ON CERTAIN MONOMERS AND ADDITIVES USED IN THE
MANUFACTURE OF PLASTICS MATERIALS INTENDED TO COME INTO
CONTACT WITH FOODSTUFFS UNTIL 21 MARCH 1997**

Directorate-General Consumer Policy and Consumer Health Protection

1999

LEGAL NOTICE

Neither the European Commission nor any person acting on behalf of the Commission is responsible for the use which might be made of the following information.

A great deal of additional information on the European Union is available on the Internet.
It can be accessed through the Europa server (<http://europa.eu.int>)

Cataloguing data can be found at the end of this publication.


Reproduction is authorised, except for commercial purposes, provided the source is acknowledged.

Luxembourg: Office for Official Publications of the European Communities, 1999

ISBN 92-828-5886-3

European Communities, 1999

Printed in Belgium



CONTENTS

**COMPILED BY THE EVALUATIONS OF THE SCIENTIFIC
COMMITTEE FOR FOOD ON CERTAIN MONOMERS AND ADDITIVES
USED IN THE MANUFACTURE OF PLASTICS MATERIALS INTENDED
TO COME INTO CONTACT WITH FOODSTUFFS UNTIL 21 MARCH
1997**

Introduction	7
Abbreviations used	8
Background	9
Definition of the SCF lists	11
References	
ANNEX	
1. Monomers	15
2. Additives	115

The Commission services would like to express acknowledgement to the numerous experts who have so seriously contributed with their valuable and kind assistance to these evaluations made by the SCF and its Working Group on Food Contact Materials since 1974. The list of experts is too extensive to reproduce it here.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March 1997

Introduction

This compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs contains all the evaluations and re-evaluations carried out by the SCF from its first report until 21 March 1997 (106th meeting of the SCF). These evaluations have been prepared by the SCF Working Group 'Food Contact Materials' from the 1st until the 68th (inclusive) meeting of the Working Group.

The Scientific Committee for Food has in the past published various reports on toxicological assessment of certain monomers and other starting substances as well of certain additives used in the manufacture of plastic materials and articles intended to come into contact with foodstuffs (1-5) which comply with the definition of plastic materials and articles in the Directive 90/128/EEC (6).

This compilation replaces the previous publications. It also incorporates all the evaluations since the last publication adopted on 3 May 1992. The publication of this information in this compiled manner establishes a single reference point of all the evaluations, thus providing better clarity and transparency of the evaluations.

The Secretariat of the SCF

Abbreviations used in this compilation

ADI	=	acceptable daily intake
MTDI	=	maximum tolerable daily intake
NS	=	not specified
PMTDI	=	provisional maximum tolerable daily intake
PTWI	=	provisional tolerable weekly intake
R	=	restriction indicated, if not otherwise indicated
		R: x mg/kg means mg/kg of food or food simulant.
TDI	=	tolerable daily intake
t-ADI	=	temporary ADI
t-TDI	=	temporary TDI
BIBRA	=	British Industrial Biological Research Association (UK)
CAS N.	=	Chemical Abstract Service Registry Number (USA)
CIVO-TNO	=	Central Institute for Nutrition and Food Research (NL)
EM	=	electron microscopy
FAO	=	Food and Agriculture Organisation (UN)
HRC	=	Huntingdon Research Centre (UK)
IARC	=	International Agency for Research on Cancer (F)
JECFA	=	Joint FAO/WHO Expert Committee on Food Additives (UN)
NTP	=	national toxicology program (USA)
RIVM	=	National Institute for Public Health and Environmental Protection (NL)
SCC	=	Scientific Committee for Cosmetology (EEC)
SCF	=	Scientific Committee for Food (EEC)
WHO	=	World Health Organisation (UN)

Background

1. The Committee was informed by the Commission that it is intended to regulate plastic materials and articles coming into contact with food by directives based on the principle of positive lists.

In elaborating its advice the Committee has taken into consideration its toxicological guidelines established in 1976 (7) and revised in 1990 (8). Each substance examined in this report was evaluated on the basis of information on its properties, on its use in plastic materials and articles and of toxicity data submitted to the Committee.

Unpublished data available to the Committee are listed among the references. Only the main sources of information on which it has based its assessment have been indicated.

2. In some cases the evaluation of the Committee differs from that of the Council of Europe (9), because new toxicological data have become available for some of the listed substances subsequent to the publication of the Council of Europe report and because new scientific developments in toxicology, e.g. concerning genotoxicity, have been taken into consideration.
3. For the purposes of this report the Committee has endorsed acceptable daily intakes (ADI) already established by this Committee or by JECFA. When JECFA ADIs were used, the Committee did not necessarily review the database for the JECFA decision. Intake from packaging materials should be included within the quantity ingested from food additive use. The Committee stresses that the acceptance of an ADI figure, in the context of this evaluation of substances used in the manufacture of plastic materials does not necessarily mean the endorsement of the figure for food additive use.

The Committee also endorsed provisional maximum tolerable daily intakes (PMTDI) or provisional tolerable weekly intakes (PTWI) set by JECFA for contaminants. In former times JECFA used the terminology 'not limited'. At the 18th JECFA meeting this classification was changed to 'not specified' as this was found to be more appropriate. In line with the background for the latter decision SCF has for reasons of consistency used the classification 'not specified' throughout. Some substances which have not been found acceptable for direct food uses may still be considered acceptable for inclusion in plastic materials since concentrations in food from migration would be so low as to be toxicologically acceptable.

4. The Committee established tolerable daily intakes (TDI) where the data sufficed for this purpose and temporary TDIs (t-TDI) where additional data are required. In selecting this approach the Committee was aware that the available toxicological data were less extensive than in the case of food additives (e.g. reproduction, teratogenicity or mutagenicity data were sometimes incomplete or lacking). Therefore, in establishing these TDIs a particularly cautious approach was chosen involving the choice of a larger safety factor than usual. The Committee considered that many of the substances which could migrate potentially from plastic materials and articles might

also migrate from other materials, when present therein, into the same or other foods or might be ingested from other sources. The TDIs need not be restricted in their applicability to substances used in plastic materials and articles. The TDIs are valid equally if these substances are used as components in the manufacture of any other group of materials and articles for food use.

5. The Committee emphasises that, even when a substance is toxicologically acceptable, for reasons of food quality, migration of such a substance into foods from plastic materials and articles should be as low as possible and therefore recommended that the finished plastic materials and articles contain the lowest possible level of the residual free monomer or, in the case of additives, to achieve the technological effect. This may also avoid a situation in which most of a TDI is taken up by a substance approved for use in plastic materials and articles thus blocking its use in other materials and articles for food use, where it might also be technologically required.
6. Conclusions on the toxicological assessment - with selected references - were prepared for those substances for which the Committee was able to express an opinion. The Committee considered that the assessment of substances in lists 6-9 posed a number of difficulties due to incompleteness or absence of data or because the data indicated that the substance might have toxic properties.
7. List 4 contains some substances for which sensitive methods of analysis have been developed and for which very low migration limits have been set. For other substances on list 4 similar sensitive methods should be developed so that appropriate low migration limits can be defined.
8. The Committee considered that substances in list 6 for which data are lacking or are insufficient were suspected of having toxic properties. Those in list 6A are suspected of having carcinogenic properties, those in list 6B are suspected of having other toxic properties. Each substance listed in list 6A should in principle not be detectable in foods or in food simulants by an appropriate sensitive method for that substance. The Committee recommends that the information be supplied or that the appropriate toxicological tests be carried out as soon as possible.
9. When additional studies are needed for the final evaluation (lists 6-9), this is indicated beside the substance by the word 'Needed' together with a brief note of the studies required.

Definition of the SCF lists

List 0

Substances which may be used in the production of plastic materials and articles, e.g. food ingredients and certain substances known from the intermediate metabolism in man and for which an ADI for other reasons need not be established for this purpose.

List 1

Substances, e.g. food additives, for which an ADI, a t-ADI, a MTDI, a PMTDI, a PTWI or the classification 'acceptable' has been established by this Committee or by JECFA.

List 2

Substances for which a TDI or a t-TDI has been established by this Committee.

List 3

Substances for which an ADI or a TDI could not be established, but where the use could be accepted. Some of these substances are self-limiting because of their organoleptic properties or are volatile and therefore unlikely to be present in the finished product. For other substances with very low migration, a TDI has not been set but the maximum level to be used in any packaging material or a specific limit of migration is stated.

List 4 (for monomers)

Section 4A

Substances for which an ADI or TDI could not be established, but which could be used if the substance migrating into foods or in food simulants is not detectable by an agreed sensitive method.

Section 4B

Substances for which an ADI or TDI could not be established, but which could be used if the levels of monomer residues in materials and articles intended to come into contact with foodstuffs are reduced as much as possible.

List 4 (for additives)

Substances for which an ADI or TDI could not be established, but which could be used if the substance migrating into foods or in food simulants is not detectable by an agreed sensitive method.

List 5

Substances which should not be used.

List 6

Substances for which there exist suspicions about their toxicity and for which data are lacking or are insufficient. The allocation of substances to this list is mainly based upon similarity of structure with that of chemical substances already evaluated or known to have functional groups that indicate carcinogenic or other severe toxic properties.

Section 6A: Substances suspected to have carcinogenic properties. These substances should not be detectable in foods or in food simulants by an appropriate sensitive method.

Section 6B: Substances suspected to have toxic properties (other than carcinogenic). Restrictions may be indicated.

List 7

Substances for which some toxicological data exist, but for which an ADI or a TDI could not be established. The required additional information should be furnished.

List 8

Substances for which no or only scanty and inadequate data were available.

List 9

Substances and groups of substances which could not be evaluated due to lack of specifications (substances) or to lack of adequate description (groups of substances).

Groups of substances should be replaced, where possible, by individual substances actually in use. Polymers for which the data on identity specified in 'SCF Guidelines' are not available.

List W

'Waiting list'. Substances not yet included in the Community lists, as they should be considered 'new' substances, i.e. substances never approved at national level. These substances cannot be included in the Community lists, as they lack the data requested by the Committee.

References

- (1) Commission of the European Communities, Report of the Scientific Committee for Food (17th Series, 1986).
- (2) Commission of the European Communities, Report of the Scientific Committee for Food (19th Series, 1988).
- (3) Commission of the European Communities, Report of the Scientific Committee for Food (20th Series, 1989).
- (4) Commission of the European Communities, Report of the Scientific Committee for Food (30th Series, 1992).
- (5) Commission of the European Communities, Report of the Scientific Committee for Food (33rd Series, 1995).
- (6) Commission Directive 90/128/EEC, OJ L 75, 23.3.1990, p. 19, rectified by OJ L 349, 13.12.1990.
- (7) Commission of the European Communities, Report of the Scientific Committee for Food (3rd Series, 1977).
- (8) Commission of the European Communities, Report of the Scientific Committee for Food (26th Series, 1992).
- (9) Council of Europe Publication *Substances used in plastic materials coming into contact with food*, 2nd edition, Strasbourg, 1982.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

I. MONOMERS

REF No	NAME	CAS No	SCF List	SCF Opinion
10030	ABIETIC ACID	00514-10-3	2	Group TD ₅₀ : 1 mg/kg b.w. 90-day and 2-year oral rat studies. (Ind Bio Test, 1962).
10090	ACETIC ACID	000064-19-7	1	(SCF, 17th Report, 1986). Group ADI: not specified. (SCF, 25th Series, 1990).
10120	ACETIC ACID, VINYL ESTER	00108-05-4	2	TD ₅₀ : 0.2 mg/kg b.w. 90-day oral studies and metabolism studies in mice and rats, teratogenicity studies in rats and several mutagenicity studies negative. (Hazleton: 2146-51/4 January 1980; 2511-51/11-14 and 2195-51/6 & 7).
10150	ACETIC ANHYDRIDE	00108-24-7	2	Group TD ₅₀ : included in the ADI not specified for acetic acid. (SCF, 25th Series, 1990).
10157	ACETOPIHENONE	000098-86-2	8	
10160	alpha-ACETOXYSTYRENE	02206-94-2	6A	
10162	beta-ACETOXYSTYRENE	10521-96-7	6A	
10180	p-(ACETYLAMINO)BENZOIC ACID	00556-08-1	7	Needed: 28-day oral study, hydrolysis and migration data.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
10210	ACETYLENE	(60074-86-2)	3	Residues of this gas in plastics are very small. The gas has low toxic potential. Migration into food will be toxicologically negligible.
				(NOSTI, Criteria for a recommended standard, EECW, Publ. n. 76-195).
10215	ACIDS, ALIPHATIC AND CYCLIC, MONO- AND POLYCARBOXYLIC, ALKYL ESTERS	-	9	
10218	ACIDS, ALIPHATIC AND CYCLIC, MONO- AND POLYCARBOXYLIC, CROTONYL ESTERS	-	9	
10221	ACIDS, ALIPHATIC AND CYCLIC, MONO- AND POLYCARBOXYLIC, METHALLYL ESTERS	-	9	
10224	ACIDS, ALIPHATIC AND CYCLIC, MONO- AND POLYCARBOXYLIC, VINYL ESTERS	-	9	
10230	ACIDS, ALIPHATIC, DICARBOXYLIC (C3-C18), DIALLYL ESTERS	-	9	
10233	ACIDS, ALIPHATIC, DICARBOXYLIC (C3-C18), DIVINYL ESTERS	-	9	
10240	ACIDS, ALIPHATIC, DICARBOXYLIC, ESTERS WITH ALCOHOLS, ALIPHATIC, MONOHYDRIC	-	9	
10270	ACIDS, ALIPHATIC, DICARBOXYLIC (C3-C12), ESTERS WITH ALCOHOLS, UNSATURATED (C3-C18)	-	9	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF. No.	NAME	CAS No.	SCF List	SCF Opinion
10280	ACIDS, ALIPHATIC, DICARBOXYLIC, LINEAR (C6-C12)	-	9	
10285	ACIDS, ALIPHATIC, DICARBOXYLIC, LINEAR (C3-C12), METHYL ESTERS	-	9	
10300	ACIDS, ALIPHATIC, DICARBOXYLIC, SATURATED (C4-C18)	-	9	
10305	ACIDS, ALIPHATIC, DICARBOXYLIC, SATURATED (C4-C22)	-	9	
10315	ACIDS, ALIPHATIC, DICARBOXYLIC, SATURATED, ESTERS WITH POLYPROPYLENEGLYCOL	-	9	
10330	ACIDS, ALIPHATIC, DICARBOXYLIC, UNSATURATED (C4-C12)	-	9	
10360	ACIDS, ALIPHATIC, DICARBOXYLIC, UNSATURATED, ESTERS WITH POLYETHYLENEGLYCOL	-	9	
10390	ACIDS, ALIPHATIC, DICARBOXYLIC, UNSATURATED, ESTERS WITH POLYPROPYLENEGLYCOL	-	9	
10400	ACIDS, ALIPHATIC, DICARBOXYLIC, UNSATURATED (C4-C12), omega-SULPHOALKYL (C2-C6) DIESTER	-	9	
10410	ACIDS, ALIPHATIC, DICARBOXYLIC, UNSATURATED (C4-C12), omega-SULPHOALKYL (C2-C6) ESTERS OF MONOALKYL (C1-C18) ESTERS	-	9	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
10420	ACIDS, ALIPHATIC, MONO- AND DICARBOXYLIC (C2-C20), VINYL ESTERS	9		
10435	ACIDS, ALIPHATIC, MONOCARBOXYLIC, BRANCHED (C8-C20)	9		
10450	ACIDS, ALIPHATIC, MONOCARBOXYLIC (C3-C12), ESTERS WITH ALCOHOLS, UNSATURATED (C3-C18)	9		
10480	ACIDS, ALIPHATIC, MONOCARBOXYLIC, SATURATED (C2-C24)	9		
10510	ACIDS, ALIPHATIC, MONOCARBOXYLIC, UNSATURATED (C3-C24)	9		
10540	ACIDS, ALIPHATIC, MONOCARBOXYLIC, UNSATURATED (C3-C8), ESTERS WITH ALCOHOLS, ALIPHATIC, MONOHYDRIC, SATURATED (C2-C12)	9		
10570	ACIDS, ALIPHATIC, MONOCARBOXYLIC, UNSATURATED, ESTERS WITH POLYPROPYLENEGLYCOL	9		

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended

to come into contact with foodstuffs until 2nd March

REF No	NAME	CAS No	SCF List No	SCF Opinion
10572	ACIDS, ALIPHATIC, MONOCARBOXYLIC, UNSATURATED (C3-C18), omega-SULPHOALKYL(C2-C6) ESTERS		9	
10574	ACIDS, ALIPHATIC, MONOCARBOXYLIC (C2-C20), VINYL ESTERS		9	
10576	ACIDS, ALIPHATIC, MONO- AND POLYCARBOXYLIC (C1-C18)		9	
10578	ACIDS, ALIPHATIC, MONO- AND POLYCARBOXYLIC (C3-C12), ESTERS WITH ALCOHOOLS, ALIPHATIC, MONOHYDRIC (C1-C18)		9	
10580	ACIDS, ALIPHATIC, MONO- AND POLYCARBOXYLIC (C3-C12), ESTERS WITH ALKYL(C8-C18)ARYLPOLY (ETHYLENE- AND/OR PROPYLENE- AND/OR BUTYLENGLYCOL)(ARYL - BENZENE OR NAPHTHALENE)		9	
10582	ACIDS, ALIPHATIC, MONO- AND POLYCARBOXYLIC (C3-C12), ESTERS WITH ALKYL(C8- C18)POLY(ETHYLENE- AND/OR PROPYLENE- AND/OR BUTYLENGLYCOL)		9	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
10584	ACIDS, ALIPHATIC, MONO- AND POLYCARBOXYLIC (C3-C12), ESTERS WITH CYCLOHEXANOL.	-	9	
10586	ACIDS, ALIPHATIC, MONO- AND POLYCARBOXYLIC (C3-C12), ESTERS WITH ETHER ALCOHOLS (C2-C20)	-	9	
10588	ACIDS, ALIPHATIC, MONO- AND POLYCARBOXYLIC (C3-C12), ESTERS WITH POLY(ETHYLENE- AND/OR PROPYLENE- AND/OR BUTYLENIGLYCOL)	-	9	
10590	ACIDS, ALIPHATIC, MONO- AND POLYCARBOXYLIC (C3-C12), MONOESTERS WITH BUTANEDIOL.	-	9	
10592	ACIDS, ALIPHATIC, MONO- AND POLYCARBOXYLIC (C3-C12) MONOSTERS WITH ETHYLENGLYCOL	-	9	
10594	ACIDS, ALIPHATIC, MONO- AND POLYCARBOXYLIC (C3-C12), MONOESTERS WITH PROPANEDIOL	-	9	
10595	ACIDS ALIPHATIC, SATURATED(C10), VINYL ESTERS	?	9	
10596	ACIDS, FATTY, ABOVE C6	-	9	
10598	ACIDS, FATTY, DIMERS AND TRIMERS	-	9	
10599	ACIDS, FATTY, SATURATED(C8)	?	9	
50				

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
10599/ 53	ACIDS,FATTY, SATURATED(C9)	?	9	
10599/ 56	ACIDS,FATTY,SATURATED(C10)	?	9	
10599/ 70	ACIDS,FATTY,UNSATURATED(C18)	?	9	
10599/ 73	ACIDS,FATTY,UNSATURATED(C20)	?	9	
10599/ 76	ACIDS,FATTY,UNSATURATED(C22)	?	9	
10599/ 79	ACIDS,FATTY,UNSATURATED(C24)	?	9	
10599/ 90A	ACIDS, FATTY, UNSATURATED(C18), DIMERS, DISTILLED	61788-89-4	7-P	The substances 10599/90,91,92,93 will be evaluated as a group.
10599/ 91	ACIDS, FATTY, UNSATURATED(C18), DIMERS, NON-DISTILLED	61788-89-4	7-P	Needed: migration data for dimers, hydrogenated, distilled (PM/RIF, 10599/92) and toxicity data for dimers non-distilled (PM/RIF, 10599/91). See references for 10599/90A.
10599/ 92A	ACIDS, FATTY, UNSATURATED(C18), DIMERS, HYDROGENATED, DISTILLED	68783-41-5	7-P	See references for 10599/90A.
10599/ 93	ACIDS, FATTY, UNSATURATED(C18), DIMERS, HYDROGENATED, NON- DISTILLED	68783-41-5	7-P	See references for 10599/90A.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
10600	ACIDS, LINEAR WITH AN EVEN NUMBER OF CARBON ATOMS (C8-C22), AND THE DIMERS AND TRIMERS OF THE UNSATURATED ACIDS	-	D	
10615	ACONITIC ACID	60499-12-7	8	
10620	ACONITIC ACID, METHYL ESTERS	-	9	
10630	ACRYLAMIDE	60079-06-1	4A	Neurotoxic for all 6 animal species tested. Teratogenic in rats. Genotoxic in several short-term tests and carcinogenic in rats. (RIVM doc. March 1991).
10660	2-ACRYLAMIDO-2-METHYLPROPANESULPHONIC ACID	15214-89-8	3	R. 0.05 mg/kg of food.
10690	ACRYLIC ACID	90079-10-7	2	Available: Migration data and mutagenicity tests. Considered non-genotoxic based on the available studies (CS/PM/2083). - Group I-TD: 0.1 mg/kg b.w. pending results of ongoing teratogenicity studies on acrylic acid. Available: a 90-day oral rat study, an oral reproduction study, 2-year oral rat and dog studies with acrylic acid and an oral teratogenicity study in rats with ethyl acrylate; 3 year oral rat and dog studies with acrylic acid, ethylene glycol monoster (NTP; Union Carbide report N. 43-529 (26 August 1980) and N. 43-528 (22 August 1980); RIVM report 65116008 (June 1984); report Dow, 1967 and 1967; RIVM report, 6 February 1990).
10720	ACRYLIC ACID, ALLYL ESTER	60999-55-3	6A	

REF No.	NAME	CAS No.	SCF List	SCF Opinion
10750	ACRYLIC ACID, BENZYL ESTER	02495-35-4	?	Group TDI: 0.1 mg/kg b.w. (as acrylic acid). Hydrolysis (complete) data allow to allocate the same TDI as acrylic acid.
10775	ACRYLIC ACID, 4-tert-BUTYLCYCLOHEXYL ESTER	84100-23-2	8	Group t-TDI: 0.1 mg/kg b.w. (as acrylic acid). See references for acrylic acid.
10780	ACRYLIC ACID, n-BUTYL ESTER	00141-32-2	2	Group t-TDI: 0.1 mg/kg b.w. (as acrylic acid).
10810	ACRYLIC ACID, see BUTYL ESTER	02998-08-5	2	Group t-TDI: 0.1 mg/kg b.w. (as acrylic acid). See references for acrylic acid.
10840	ACRYLIC ACID, tert-BUTYL ESTER	01663-39-4	2	Group t-TDI: 0.1 mg/kg b.w. (as acrylic acid). See references for acrylic acid.
10870	ACRYLIC ACID, 2-CHLOROETHYL ESTER	02206-89-5	8	
10900	ACRYLIC ACID, CYCLOHEXYLAMINOETHYL ESTER	-	-	
10930	ACRYLIC ACID, CYCLOHEXYL ESTER	03066-71-5	8	Available hydrolysis data, but hydrolysis is not complete.
10960	ACRYLIC ACID, CYCLOCAPENYL ESTER	16868-13-6	8	
10990	ACRYLIC ACID, DECYL ESTER	92156-96-9	7	Needed: hydrolysis data.
10995	ACRYLIC ACID, N,N-DIALKYL(C ₁ -C ₄)AMINOALKYL(C ₂ -C ₈) ESTER	-	9	
11000	ACRYLIC ACID, DICYCLOPENTADIENYL ESTER	50976-02-8	3	R: 0.05 mg/kg of food. Available: Migration by worst case calculation < 50 ppb, 3 mutagenicity tests negative. (RIVM/TNO/ISS SDS CSPM/2/13, January 1996).

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
11095	ACRYLIC ACID, DICYCLOPENTENYL ESTER	12542-30-2	8	
11010	ACRYLIC ACID, DIESTER WITH 2,2-BIS(4-HYDROXY PHENYL)TRICAPRYL	24447-78-7	8	
11020	ACRYLIC ACID, DIESTER WITH 1,3-BUTANEDIOL	19485-03-1	8	
11050	ACRYLIC ACID, DIESTER WITH 1,4-BUTANEDIOL	01070-70-8	8	
11080	ACRYLIC ACID, DIESTER WITH 1,6-DIETHYLENEGLYCOL	04074-88-8	8	
11090	ACRYLIC ACID, DIESTER WITH 2,2-DIMETHYL-1,3-PROPANEDIOL	02223-82-7	8	
11100	ACRYLIC ACID, DIESTER WITH DIPROPYLENEGLYCOL	57472-68-1	8	
11110	ACRYLIC ACID, DIESTER WITH ETHYLENEGLYCOL	02274-11-5	8	
11140	ACRYLIC ACID, DIESTER WITH 1,6-HEXANEDIOL	13048-33-4	8	
11170	ACRYLIC ACID, DIESTER WITH POLYETHYLENEGLYCOL	26570-48-9	8	
11180	ACRYLIC ACID, DIESTER WITH TETRAETHYLENEGLYCOL	17831-71-9	8	
11190	ACRYLIC ACID, DIESTER WITH TRIETHYLENEGLYCOL	01680-21-3	8	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
11195	ACRYLIC ACID, DIESTER WITH TRIPROPYGENEGLYCOL	68901-65-3 and 42978-	8 66-5	
11200	ACRYLIC ACID, 2-(DIETHYLAMINO)METHYL ESTER	02426-54-2	8	
11230	ACRYLIC ACID, 2-(DIMETHYLAMINO)OETHYL ESTER	02439-35-2	7	Needed: hydrolysis data.
11260	ACRYLIC ACID, 2,3-EPOXYPROPYL ESTER	00106-90-1	6A	
11290	ACRYLIC ACID, ESTERS WITH ALCOHOLS, ALIPHATIC, MONOHYDRIC, SATURATED (C1-C21)	-	9	
11320	ACRYLIC ACID, ESTERS WITH ALCOHOLS, ALIPHATIC, MONOHYDRIC, UNSATURATED (C4-C18)	-	9	
11335	ACRYLIC ACID, ESTERS WITH ALCOHOLS, ALIPHATIC, POLYHYDRIC	-	9	
11350	ACRYLIC ACID, ESTERS WITH ALCOHOLS, ALIPHATIC, POLYHYDRIC (C2-C21)	-	9	
11380	ACRYLIC ACID, ESTERS WITH ETHERALCOHOLS	-	9	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS. No.	SCF List	SCF Opinion
11410	ACRYLIC ACID, ESTERS WITH GLYCOL ETHERS OBTAINED FROM MONO- AND/OR DIGLYCOLS WITH ALCOHOLS, ALIPHATIC, MONOHYDROIC (C1-C18)		9	
11425	ACRYLIC ACID, ESTER WITH METHIOXYBUTYLIDENEGLYCOL	?	8	
11430	ACRYLIC ACID, ESTER WITH METHOXYPOLY(ETHYLENEGLYCOL)	32171-39-4	8	
11440	ACRYLIC ACID, ESTER WITH TRIMETHYLETHANIAMMONIUM CHLORIDE	44992-61-6	8	
11470	ACRYLIC ACID, ETHYL ESTER	90140-88-5	2	Group t-TDE: 0.1 mg/kg b.w. (as acrylic acid). See references for acrylic acid.
11509	ACRYLIC ACID, 2-ETHYLHEXYL ESTER	60103-11-7	8-P	
11520	ACRYLIC ACID, 3-HYDROXYISOPROPYL ESTER (= acrylic acid, 2-hydroxy-1-methylethylester)	02918-23-2	7	Needed: hydrolysis data.
11532	ACRYLIC ACID, 3-HYDROXYPROPYL ESTER	02761-08-2	8	
11560	ACRYLIC ACID, ISOBORNYL ESTER	05888-33-5	8	
11590	ACRYLIC ACID, ISOBUTYL ESTER	00106-63-8	2	Group t-TDE: 0.1 mg/kg b.w. (as acrylic acid). See references for acrylic acid.
11620	ACRYLIC ACID, ISODECYL ESTER	01330-61-6	8	
11645	ACRYLIC ACID, ISOOCTADECYL ESTER	93841-48-6	8	
11650	ACRYLIC ACID, ISOOCTYL ESTER	29590-42-9	8	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March 1

REF No.	NAME	CAS No.	SCF List No.	SCF Opinion
11680	ACRYLIC ACID, ISOPROPYL ESTER FESTER	00680-12-3	2	Group I-TDI: 0.1 mg/kg b.w. (as acrylic acid). See references for acrylic acid.
11695	ACRYLIC ACID, 2-METHOXYETHYL	(312)-61-7	6B	
11710	ACRYLIC ACID, METHYL ESTER	00096-33-3	2	Group I-TDI: 0.1 mg/kg b.w. (as acrylic acid). See references for acrylic acid.
11740	ACRYLIC ACID, MONOESTER WITH 1,3-BUTANEDIOL.	10095-13-3	7	Needed: hydrolysis data.
11770	ACRYLIC ACID, MONOESTER WITH 1,4-BUTANEDIOL	02478-10-6	8	
11800	ACRYLIC ACID, MONOESTER WITH DIETHYLENEGLYCOL.	13533-05-6	7	Needed: hydrolysis data.
11815	ACRYLIC ACID, MONOESTER WITH 2,2-DIMETHYL-1,3-PROFANEDIOL	26424-32-8	8	
11830	ACRYLIC ACID, MONOESTER WITH ETHYLENEGLYCOL.	00818-61-1	2	Group I-TDI: 0.1 mg/kg b.w. (as acrylic acid). See references for acrylic acid.
11840	ACRYLIC ACID, MONOESTER WITH 1,6-HEXANEDIOL.	10095-14-4	8	
11845	ACRYLIC ACID, MONOESTER WITH PENTAPROPYLENEGLYCOL.	?	7	Needed: hydrolysis data.
11850	ACRYLIC ACID, MONOESTER WITH POLYETHYLENEGLYCOL.	26403-58-7	8	
11855	ACRYLIC ACID, MONOESTER WITH POLYPROPYLENEGLYCOL.	50858-51-0	8	
11860	ACRYLIC ACID, MONOESTER WITH PROPYLENEGLYCOL.	-	9	
11875	ACRYLIC ACID, OCTADECYL ESTER	04813-57-4	7	Needed: hydrolysis data.

Ref No	Name	CAS No.	SCF List	SCF Opinion
11890	ACRYLIC ACID, α -OCTYL ESTER	02499-59-4	2	Group TDI: 0.1 mg/kg b.w. (as acrylic acid). Hydrolysis (complete) data allow to allocate the same TDI as acrylic acid.
11920	ACRYLIC ACID, PHENYLAMINOMETHYL ESTER	03048-82-8	8	
11950	ACRYLIC ACID, PHENYL ESTER	00937-41-7	7	Needed: hydrolysis data.
11980	ACRYLIC ACID, PROPYL ESTER	00925-60-0	2	Group TDI: 0.1 mg/kg b.w. (as acrylic acid). See references for acrylic acid.
12010	ACRYLIC ACID, 2-SULPHOETHYL ESTER	40074-69-7	8	
12040	ACRYLIC ACID, SULPHOPROPYL ESTER	39121-78-3	8	
12055	ACRYLIC ACID, TRIESTER WITH GLYCEROL TRIS(2-HYDROXYPROPYL) ETHER	94160-26-6	8	
12058	ACRYLIC ACID, TRIESTER WITH PENTAERYTHRITOL	03524-68-3	8	
12062	ACRYLIC ACID, TRIESTER WITH 1,1,1-TRIMETHYLOPROPANE TRIS(2-HYDROXYETHYL) ETHER	75577-70-7	8	
12070	ACRYLIC ACID, VINYL ESTER	02177-18-6	7	Needed: hydrolysis data.
12100	ACRYLONITRILE	00107-13-1	4A	(SCF, 13th Series, 1982).
12130	ADIPIC ACID	00124-04-9	1	ADI: 5 mg/kg b.w. (SCF, 25th Series, 1990).
12140	ADIPIC ACID BIS(3,4-EPOXYCYCLOHEXYLMETHYL)ESTER	03130-19-6	6A	
12160	ADIPIC ACID, DIALLYL ESTER	02998-04-1	6A	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinon
12190	ADIPIC ACID, DI- α -DECYL ESTER	00105-97-5	6B	Group R; 0.05 mg/kg b.w. Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.050 mg/kg, peroxisome proliferation study, too.
12220	ADIPIC ACID, DIISODECYL ESTER	23178-16-1	6B	Group R; 0.05 mg/kg b.w. Needed: in first instance specifications and then on the specified substance's toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.050 mg/kg, peroxisome proliferation studies too.
12235	ADIPIC ACID, DIMETHYL ESTER	00627-93-0	6B	Group R; 0.05 mg/kg b.w. Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.050 mg/kg, peroxisome proliferation study too.
12250	ADIPIC ACID, D β -OCTYL ESTER	00123-79-5	6B	Group R; 0.05 mg/kg b.w. Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.050 mg/kg, peroxisome proliferation study too.
12265	ADIPIC ACID, DIVINYL ESTER	04074-90-2	3	R = 0.5 % (w/w) as co-monomer. Hydrolysis data, inadequate. However, residue level very low. (TNO SDS 1995-01-06).
12280	ADIPIC ANHYDRIDE	02035-75-8	2	Group TD; 5 mg/kg b.w. Included in group ADI for adipic acid.
12310	ALBUMIN	-	0	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No.	SCF List	SCF Opinion
12340	ALBUMIN, COAGULATED BY FORMALDIHYDE	-	3	Though albumin is a food component, it has been modified by formaldehyde which is classified in list 3 in 17th Series, SCF, 1986.
12365	ALCOHOLS, ALIPHATIC, MONOHYDRIC, SATURATED (C1-C18)	-	9	
12370	ALCOHOLS, ALIPHATIC, MONOHYDRIC, SATURATED. PRIMARY, SECONDARY OR TERTIARY (C4-C22)	-	7	Needed: actual use, 28-day oral study of one lower and one higher alcohol.
12375	ALCOHOLS, ALIPHATIC, MONOHYDRIC, SATURATED, LINEAR, PRIMARY (C4-C22)	-	3	90 day oral studies, metabolic and/or mutagenicity studies with some substances out of the group.
12460	ALCOHOLS, ALIPHATIC, UNSATURATED (UP TO C18)	-	9	
12436	ALCOHOLS, ALIPHATIC, POLYHYDRIC (UP TO C18)	-	9	
12460	ALCOHOLS, CYCLOALIPHATIC, MONO-, ANIDIC OR POLYHYDRIC, SUBSTITUTED (UP TO C18)	-	9	
12490	ALDEHYDES (C4)	-	9	
12493	ALDEHYDES, ALIPHATIC, SATURATED (C1-C6)	-	9	
12520	ALKADIENES	-	9	
12548	ALKENES (UP TO C16)	-	9	
12550	a ALKENES (UP TO C16)	-	9	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No.	SCF List	SCF Opinion
12563	N-ALKYL(C ₁ -C ₆) AMIDES OF UNSATURATED ALIPHATIC MONO- AND POLYCARBOXYLIC ACIDS (C ₃ -C ₁₈)	-	9	
12568	ALKYL(C ₂ -C ₁₈)DIETHIOXY(METHYLSILANE)	-	9	
12571	ALKYL(C ₁₀ -C ₁₆)-2,3-HYDROXYPROPYL ETHERS	68081-84-5	9	
12576	ALKYLPHENOLS	-	9	
12580	p-ALKYL(C ₄ -C ₉)PHENOLS	-	9	
12610	ALLYL ALCOHOL	00107-18-6	6A	
12625	ALLYL BIS(HYDROXYMETHYL)PHENYL ETHER	28655-63-2	9	
12640	ALLYL 2,3-EPOXYPROPYL ETHER	60106-92-3	6A	
12645	ALLYL ETHERS OF MONOHYDRIC ALCOHOLS (C ₁ -C ₁₈)	-	9	
12648	ALLYLEETHERS OF POLYHYDRIC ALCOHOLS (C ₂ -C ₁₂)	-	9	
12650	ALLYLEETHERS OF MONO-, DI-, OR TRIMETHYLOLPHENOL	-	9	
12653	2-(ALLYLOXY)BENZYL ALCOHOL	28655-62-1	6A	
12657	ALLYL PHENYL ETHER	01746-13-0	6A	
12658	ALLYL TRIS(HYDROXYMETHYL)PHENYL ETHER	64051-40-7	9	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No.	SCR List	SCE Operator
12660	AMIDES MADE FROM C18-UNSATURATED FATTY ACID DIMERS AND TRIETHYLENETETRAMINE	68955-48-6	8	
12663	AMINES, COCO ALKYL	61788-46-3	9	
12666	N,AMINOALKYL(C2-C8)-N ¹ ,N ² -DIALKYL(C1-C4)-ACRYLAMIDE		9	
12668	N-AMINOALKYL(C2-C8)-N ¹ ,N ² -DIALKYU(C1-C4)-METIACRYLAMIDE		9	
12670	1-AMINO-3-AMINOMETHYL-3,5,5-TRIMETHYLCYCLOHEXANE	62855-13-2	2	t-TD: 0.1 mg/kg b.w. Available: 13-week oral rat study, 2 negative mutagenicity studies, (RIVM summary data, April 1991) (CSiPM/92/1). Needed: <i>In vitro</i> chromosome aberration and gene mutation in mammalian cells.
12700	4-AMINOBENZOIC ACID	60150-13-0	7	Available: metabolic data in man, mutagenicity studies negative (IARC, 1978) and 28-day oral study. Needed: migration and full 28-day report.
12730	6-AMINOCARBOXYC ACID	000600 32-2	8	
12760	omega-AMINOCARBOXYLIC ACIDS, ALIPHATIC, LINEAR (C6-C12)	00693-57-2	9	R: 0.05 mg/kg of food. Mutagenicity tests are negative and migration is low (less than 50 ppb). (RIVM/TNO doc. CSiPM/91/62).
12763	3-AMINOTHEANOL	00141-43-5	8	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
12769	N-(2-AMINOETHYL)-1,3-DIAMINOPROPANE	13531-52-7	8	
12771	N-(2-AMINOETHYL)ETHANOLAMINE	00111-41-1	WT	Available: Mutagenicity tests, migration data inadequate. Needed: Validation of analytical methods, <i>in vitro</i> chromosomal aberration study in mammalian cells. (RIVM Doc. CS/PN/2164).
12772	N-AMINOETHYLPIPERAZINE	00140-31-8	8	
12775	2-AMINO-2-METHYL-1-PROPANOL	00124-68-5	8	
12776	2-AMINO-2-METHYL-1-PROPANOL-p-TOLUENESULPHONATE	68298-05-5	8	
12779	4-AMINOPHENOL	00123-30-8	8	
12781	[(3-AMINOPHENYL)AMINO]-3-PHENOXYPHENYL-2-PROPANOI.	38353-82-1	8	
12782	i-(4-(4-(AMINOPHENYL)METHYL)PHENYL)AMINO)-3-PHENOXYPHENYL-2-PROPANOI.	68391-25-3	8	
12784	N-(3-AMINOPROPYL)-1,3-DIAMINOPROPANE	00056-18-8	8	
12788	11-AMINOUNDECANOIC ACID	02432-99-7	3	R; 5 mg/kg of foods. Available: 3-month oral mouse and rat study, 2-year oral mouse and rat studies, several <i>in vitro</i> and <i>in vivo</i> mutagenicity tests negative. ADI: not specified.
12789	AMMONIA	07664-41-7	1	(SCF, 25th Series, 1991).
12790	p-tert-AMYLPHENOL	00080-46-6	8	
12800	ANILINE	00062-53-3	6A	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No.	SCF List	SCF Opinion
12810	ARACHIDIC ACID	00506-30-9	0	
12813	ARACHIDONIC ACID	07771-44-0	0	
12820	AZELAIC ACID	00123-99-9	2	Group TDI: 3 mg/kg b.w. A subacute oral rat study and absence of mutagenicity in bacterial systems with azelaic acid and a subacute oral rat study with sebatic acid. (<i>Arch. f. Exp. Path. u. Pharmak.</i> , 197, 1941, 587-610).
12850	AZELAIC ACID, BIS(2-HYDROXYETHYL) ESTER	29602-44-6	8	
12880	AZELAIC ACID DICHLORIDE	00123-98-8	7	Needed: hydrolysis and migration data. Pending these results necessity for further studies to be considered.
12910	AZELAIC ACID, DIMETHYL ESTER	01732-10-1	6B	Group R: 0.05 mg/kg b.w. Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.050 mg/kg, peroxisome proliferation studies too.
12940	AZELAIC ACID, DIPHENYL ESTER	04080-88-0	8	
12970	AZELANIC ANHYDRIDE	04196-95-6	2	Group TDI: 3 mg/kg b.w. Included in the group TDI for azelaic acid.
12980	BEECHNUT OIL	08015-74-5	3	Food fat.
12983	BEECHNUT OIL FATTY ACIDS, AND THEIR DIMERS	-	D	
1	BEECHNUT OIL FATTY ACIDS	-	M/D	Constituents of food fats.
12983/3	BEECHNUT OIL FATTY ACIDS, DIMERS	-	8/D	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

Ref No	NAME	CAS No	SCF List	SCF Opinion
12990	BENZOIC ACID	00112-85-6	0	R: 0.05 mg/kg.
13000	1,3-BENZENEDIMETHANAMINE	01477-55-0	3	Mutagenicity tests are negative and migration is very low (less than 5 ppb).
13030	1,4-BENZENEDIMETHANAMINE	00539-48-0	8	Group ADI: 5 mg/kg b.w. (JECFA 27 M., 1983).
13090	BENZOIC ACID	00965-85-0	1	Needed: hydrolysis data.
13120	BENZOIC ACID, VINYL ESTER	00769-78-8	?	
13135	BENZOIN	00119-53-9	8	
13150	BENZYL ALCOHOL	00100-51-6	1	Group ADI: 5 mg/kg b.w. in the ADI for benzoic acid. (SCF, 11th Series, 1981).
13170	BICYCLOALKADIENES (C10-C16)	-	9	
13177	BICYCLO(2.2.1)HEPTA-2,5-DIENE	00121-46-0	6A	
13183	BICYCLO(2.2.0)HEPT-5-ENE-2,3-DICARBOXYLIC ACID, MONO-n-BUTYL ESTER	-	8	
13240	2,2-BIS(4-AMINOCYCLOHEXYL)PROPANE	03377-24-0	8	
13245	1,3-BIS(AMINOMETHYL)CYCLOHEXANE	02579-20-6	8	Considered as genotoxic carcinogen. Available: 2 oral carcinogenicity studies in rats and mice, positive Ames test (SS/PyM/2009).
13255	N,N'-BIS(3-AMINOPROPYL)ETHYLENEDIAMINE	10563-26-5	8	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 2nd March

REF No	NAME	CAS No	SCF List	SCF Opinion
13270	4,4'-BIS(4-CHLOROPHENYL)SULPHONYLBIPHENYL	22287-56-5	W8	
13290	2,2-BIS(3,5-DIBROMO-4-HYDROXYBIPHENYL)PROPANE	600379-94-7	5	
13300	1,4-BIS(4',4"-DIHYDROXYTRIPIPERINYL)METHYL BENZENE	38050-97-4	8	
13306	BIS(DIMETHYLAMINOMETHYL)PHENOL	71074-89-0	8	
13308	2,4-BIS((DIMETHYLAMINOMETHYL)PHENOL)	05424-54-4	8	
13310	2,6-BIS((DIMETHYLAMINOMETHYL)PHENOL)	15827-34-6	8	
13313	BIS(2,3-EPOXYPROPYL)BUTYL ETHER	02426-08-6	6A	
13316	BIS(4-ETHIOXALYLAMINOPHENYL)METHANE	21825-16-1	8	
13319	BIS(4-HYDROXYCYCLOHEXYL)METHANE	20178-33-0	8	
13321	2,2-BIS(4-HYDROXYCYCLOHEXYL)PROPANE	000180-04-6	8	
13323	1,3-BIS(2-HYDROXYETHOXYBENZENE	00102-40-9	5	Genotoxic. Available; migration data, 3 mutagenicity tests: Ames test negative; human lymphocyte and mouse lymphoma tests positive. (RIVM report, 29 August 1995, CS/PM/2643).

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
13325	2,2-BIS(4-HYDROXY-5-EPOXYPHENYL)PROPANE	00104-38-1	8	
13328	BIS(2-HYDROXYETHYL) ETHER OF HYDROQUINONE			
13330	BIS(2-HYDROXYETHYL)ETHER OF HYDROQUINONE AND ITS CONDENSATION PRODUCTS WITH PROPYLENE OXIDE		9	
13360	2,6-BIS(2-HYDROXY-5-METHYLBENZYL)-4-METHYLPHENOL	01620-68-4	7	Needed: 90-day oral study, migration data.
13390	1,4-BIS(HYDROXYMETHYL)CYCLOHEXANE	00105-08-3	3	A limited 36-day oral rat study showed no adverse effects at 50 mg/kg b.w./day. (Eastman Kodak report, April 1966).
13400	2,2-BIS(4-HYDROXYPHENYL)BUTANE	00077-40-7	8	
13405	3,3-BIS(4-HYDROXYPHENYL)BUTYRIC ACID	83346-35-4	8	
13420	1,1-BIS(4-HYDROXYPHENYL)CYCLOHEXANE	00843-55-0	8	
13450	3,3-BIS(4-HYDROXYPHENYL)-2-INDOLINONE	00125-13-3	8	
13455	BIS(2-HYDROXYPHENYL)METHANE	02467-02-9	8	
13457	BIS(4-HYDROXYPHENYL)METHANE	01620-92-8	8	
13460	BIS(2-HYDROXYPHENYL)METHANE	54208-63-8	6A	
13465	BIS(2,3-EPOXYPROPYL) ETHER	00126-00-1	8	
	4,4-BIS(HYDROXYPHENYL)PENTANOIC ACID			

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCR List	SCF Opinion
13480	2,2-BIS(4-HYDROXYPHENYL)PROPANE	00080-05-7	2	TDI: 0.05 mg/kg b.w. 90-day and long-term oral studies in mice and rats. (CIVO ref No R 6229, November 1979).
13485	2,2-BIS(4-HYDROXYPHENYL)PROPANE BIS(3-BUTOXY-2-(2,3-EPOXYPROPOXY)PROPYL) ETHER	71033-08-4	6A	
13510	2,2-BIS(4-HYDROXYPHENYL)PROPANE BIS(2,3-EPOXYPROPYL) ETHER ("Badge")	01675-54-3	7	See the individual opinion on the substance (CS/PM/2812 Rev.1) which is reported in the Internet website: http://ec.europa.eu/internetopin/spec/spec.html
13515	2,2-BIS(4-HYDROXYPHENYL)PROPANE	00901-44-0	8	
13520	BIS(2-HYDROXYETHYL)ETHER 2,2-BIS(4-HYDROXYPHENYL)PROPANE	00116-37-0	3	R: 0.05 mg/kg of food (only to be used in the manufacture of adhesives). Available: 3 mutagenicity studies, negative. The worst case calculation as component of an adhesive gives a maximum migration value less than 50 ppb. (RIVM doc. 1994-11-08 = CS/PM/2460). R: 0.05 mg/kg of food. 1 month oral rat study, 3 mutagenicity tests and migration data. (RIVM doc. 90/678908/010).
13540	2,2-BIS(4-HYDROXYPHENYL)PROPANE	02444-90-8	D	DISODIUM SALT
13570	1,3-BIS(METHOXYMETIYL)UREA	60141-07-1	8	

REF. No.	NAME	CAS No.	SCF List	SCF Opinion
13600	3,3-BIS(3-METHYL-4-HYDROXYPHENYL)-2-INDOLINONE	47465-97-4	2	TD ₀ : 0.03 mg/kg b.w. A 90-day oral rat study. (Bayer Bericht Nr. 8086, January 3, 1979).
13620	BORK ACID	10043-35-3	2	Several short-term, 90-day and 2-year oral rat studies, 38-week and 2-year oral dog studies and a 3-generation oral rat study; A 2-year oral mouse carcinogenicity study. <i>Toxicol. Appl. Pharmacol.</i> , 1972, 23, 351-364, NTP report TR 324, 26 March 1986. Suspected of having carcinogenic potential (NTP Report 83-071, NTP publ. n. 84-2544, 1983).
13630	BUTADIENE	90106-99-0	4A	ADI: 4 mg/kg b.w. (ECCFA 23 M., 1979).
13660	1,2-BUTANEDIOL	00584-03-2	8	
13690	1,3-BUTANEDIOL	00107-88-0	1	
13750	2,3-BUTANEDIOL	00513-85-9	8	
13765	1,4-BUTANEDIOI, BIS(3-AMINOPROPYL) ETHER	07300-34-7	8	
13810	1,4-BUTANEDIOI, FORMAL	00505-65-7	7	Available calculated (worst case) migration, three mutagenicity studies. Needed: an assay for chromosomal damage in rodent bone marrow, followed -if negative by a second <i>in vitro</i> assay in another tissue (e.g. in the liver). (RIVM/MISS/INO SDS, December 1996 : C.S./PM/2853).

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs up to 21 March

REF No	NAME	CAS No.	SCF List	SCF Opinion
13840	1-BUTANOL	60071-36-3	3	See references for 'Alcohols, aliphatic, monohydric, saturated, linear, primary (C4-C22)' (PM/REF-N. 12375) in SCF list 3.
13842	2-BUTANOL	00078-92-2	8	
13845	tert-BUTANOL	00075-65-0	3	Residue in food less than 10 mg/kg. (EHC.65).
13870	1-BUTENE	00106-98-9	3	Residues of this gas in plastics are very small. The gas has low toxic potential. Migration into food will be toxicologically negligible. (<i>Patty's industrial hygiene and toxicology</i> , 3rd ed. 1981).
13940	2-BUTENE	00107-01-7	3	Residues of this gas in plastics are very small. The gas has low toxic potential. Migration into food will be toxicologically negligible. (<i>Patty's industrial hygiene and toxicology</i> , 3rd ed. 1981).
13963	cis-2-BUTENE	00590-18-9	8	
13966	trans-2-BUTENE	00624-64-6	8	
13915	2-BUTEN-1,4-DIOL	00110-64-5	8	
13930	2-BUTEN-1-OL	06117-91-5	8	
13932	3-BUTEN-2-OL	00598-32-3	6A-P	
13960	N-(BUTOXYMETHYL)ACRYLAMIDE	01852-16-0	6A	
13990	N-	05153-77-5	6A	
	(BUTOXYMETHYL)METHACRYLAMIDE			
13996	N-BUTYLACRYLAMIDE		6A	
13998	N-tert-BUTYLACRYLAMIDE	00107-58-4	6A	
14001	tert-BUTYLBENZOIC ACID	01320-16-7	8	

REF No.	NAME	CAS No.	SCF List	SCF Opinion
14002	p-tert-BUTYLBENZOIC ACID	00098-73-7	7	Available: some data at REVM. Needed: migration and mutagenicity studies.
14005	4-tert-BUTYLCATECHOL	00098-29-3	8	
14008	4-tert-BUTYLCYCLOHEXANOL	00098-52-2	8	
14010	4-sec-BUTYL-2,6-di-tert-BUTYLPHENOL	12540-75-9	8	
14013	2-BUTYL-2-ETHYL-1,3-PROPANEDIOL	00115-84-4	8	
14016	2-sec-BUTYLPHENOL	00089-72-5	8	
14018	4-sec-BUTYLPHENOL	00099-71-8	8	
14035	4-tert-BUTYLSTYRENE	01746-23-2	6A	
14050	BUTYL VINYL ETHER	00111-34-2	7	Needed: hydrolysis data.
14080	tert-BUTYL VINYL ETHER	00926-02-3	7	Needed: provided hydrolysis can be demonstrated, data on tert-butanol are requested.
14095	2-BUTYNE	00503-17-3	8	
14110	BUTYRALDEHYDE	00123-72-8	3	Occurs naturally in food Used as flavour in food at 0.1-1.0 mg/kg. Migration into food would be self- limiting because of its taste.
14140	BUTYRIC ACID	00107-92-6	0	
14170	BUTYRIC ANHYDRIDE	00106-31-0	3	
14185	CANDLENUT OIL	08015-80-3	8	Hydrolyses to corresponding acid.
14188	CANDLENUT OIL FATTY ACIDS AND THEIR DIMERS	-	D	
14188/	CANDLENUT OIL FATTY ACIDS	-	S/D	
14188/	CANDLENUT OIL FATTY ACIDS, DIMERS	-	S/D	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No.	SCF List No.	SCF Opinion
14200	CAPROLACTAM	06105-60-2	?	Group III; 0.25 mg/kg b.w. Two 90-day oral rat studies and 90-day oral studies in mice and dogs. (CIVQ report 3489 June 1971 and NTP Tech. Rep. Ser. 2/4, NTP 80-26).
14230	CAPROLACTAM, SODIUM SALT	02123-24-2	2	Group IV; 0.25 mg/kg b.w. See references for caprolactam.
14260	CAPROLACTONE	00502-44-3	8	Data on migration are inadequate.
14290	CAPROLACTONE, SUBSTITUTED	-	9	
14320	CAPRYLIC ACID	00124-07-2	0	
14330	CARBAMIC ACID, BUTYL ESTER	00592-35-8	8	
14350	CARBON MONOXIDE	00630-08-0	3	Low migration.
14380	CARBONYL CHLORIDE	00075-44-5	4A	Residues of this gas in plastics will be very small. It is readily hydrolysed to CO_2 and HCl . Has a strong odour. Migration into food would therefore be self- limiting.
14411	CASTOR OIL	08001-79-4	3	
14440	CASTOR OIL, DEHYDRATED	64147-40-6	3	Similar to food fats.
14445	CASTOR OIL, FATTY ACIDS	-	3/D	Constituents of food fats.
14450	CASTOR OIL, FATTY ACIDS, DEHYDRATED, AND THEIR DIMERS	-	D	
14450/	CASTOR OIL, FATTY ACIDS, DEHYDRATED.	-	3	Identical with or similar to constituents of food fats.
14450/	CASTOR OIL, FATTY ACIDS, DEHYDRATED, DIMERS	-	8	
14451	CASTOR OIL, FATTY ACIDS, DIMERS	-	8/D	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
14453	CASTOR OIL FATTY ACIDS, HYDROGENATED	61790-39-4	3	Identical with or similar to constituents of food fats.
14453 ¹	CASTOR OIL, FATTY ACIDS, PARTIALLY HYDROGENATED		D	
14470	CASTOR OIL, HYDROGENATED	08601-78-3	3	Similar to food fats.
14500	CELLULOSE	09004-34-6	0	
14505	CELLULOSE ACETATE	09004-35-7	3	Inert material, modified natural cellulose.
14508	CELLULOSE ACETATE BUTYRATE	09004-36-8	3	Inert material, modified natural cellulose.
14512	CELLULOSE ACETATE PROPIONATE	09004-39-1	3	Inert material, modified natural cellulose.
14515	CELLULOSE PROPIONATE	09004-48-2	8	
14520	CHINAWOOD OIL	08001-20-5	8	
14523	CHINAWOOD OIL, FATTY ACIDS, AND THEIR DIMERS		D	
14523 ¹	CHINAWOOD OIL FATTY ACIDS		8/13	
14523 ²	CHINAWOOD OIL, FATTY ACIDS, DIMERS		8/13	
14530	CHLORINE	07782-50-5	3	Residues of this gas in plastics will be very small. Migration into food would be self-limiting because of odour.
14545	CHLOROBUTADIENE		6A	
14560	2-CHLORO-1,3-BUTADIENE	00126-99-8	6A	All data considered show that chloroprene is hepatotoxic, teratogenic, mutagenic and causes chromosomal abnormalities in exposed workers. It affects testicular function in man and animals.
14585	CHLOROPHENYL VINYL ETHER	00110-75-8	6A	
14590	CHLOROHYDROQUINONE	00615-67-8	8	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No.	SCF List	SCF Opinion
14620	CHLOROHYDROQUINONE DIACETATE	57981-99-4	8	R = 0.008 mg/dm ³ .
14650	CHLOROTRIFLUOROETHYLENE	00079-38-9	3	Migration data. Three mutagenicity studies, negative. Very volatile. (EU/M SDS, May 1996 – CS/PM/2795).
14670	CITRACONIC ACID	00498-23-7	8	
14680	CITRIC ACID	00077-92-9	1	Group ADL not specified for citric acid and its salts. (SCF, 25th Series, 1990).
14685	COCONUT OIL	08001-31-8	3	Food fat.
14688	COPAL	09300-14-0	9	
14690	COPAL, ESTERS WITH ALCOHOLS, POLYHYDRO, C ₃ -C ₆	-	9	
14693	CORN OIL	08001-30-7	3	Food fat.
14695	CORN OIL FATTY ACIDS, AND THEIR DIMERS	-	D	
14695/	CORN OIL FATTY ACIDS	-	3/D	Constituents of food fats.
14695/	CORN OIL FATTY ACIDS, DIMERS	-	8/D	
3	COTTONSEED OIL	8001-29-4	3	Food fat.
14698	COTTONSEED OIL FATTY ACIDS, AND THEIR DIMERS	-	D	
14700	COTTONSEED OIL FATTY ACIDS, AND THEIR DIMERS	-	3/D	Constituents of food fats.
14700/	COTTONSEED OIL FATTY ACIDS, DIMERS	-	8/D	
3	DIMERS	-	-	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
14705	COLIMARONE	60271-89-6	6A	
14710	m-CRESOL	60108-39-4	3	28-day oral rat study showed no adverse effects at 25 mg/kg b.w./day. (Shell Report, April 1978).
14746	o-CRESOL	00095-48-7	3	28-day oral rat study showed no adverse effects at 12 mg/kg b.w./day. (Shell Report, April 1978).
14770	p-CRESOL	00116-44-5	3	28-day oral rat study showed no adverse effect at 25 mg/kg b.w./day. (Shell Report, April 1978).
14800	CROTONIC ACID	93724-65-0	7	Available: gene mutation in mammalian cells, <i>in vivo</i> micronucleus test (both negative). Needed: remaining data according to SCF guidelines.
14815	CROTONIC ACID, ALLYL ESTER	20474-93-5	6A	
14830	CROTONIC ACID, ESTERS WITH ALCOHOLS, MONO- AND POLYHYDROXY		9	
14833	CROTONIC ACID, METHYLESTER	00623-43-8	8	
14836	CROTONIC ACID, VINYL ESTER	14861-66-4	7	Needed: provided hydrolysis can be demonstrated, data on crotonic acid are requested. Needed: information on crotonic acid.
14839	CROTONIC ANHYDRIDE	00623-68-7	6A	R: 0.05 mg/kg of food.
14841	4-CUMYLPHENOL	00599-64-4	3	Available: migration data, 3 mutagenicity tests, negative. (ENO SDS 1995-01-16, RIVM SDS 1994-05-31).
14842	CYANOCYANAMIDE	00504-66-5	8	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No.	SCF List	SCF Opinion
14845	N-CYANOETHYL-2,2,4-TRIMETHYLHEXAMETHYLENE DIAMINE	68426-02-8	8	
14847	N-CYANOETHYL-1,2,4,4-TRIMETHYLHEXYLAMETHYLENE DIAMINE	68426-03-9	8	
14850	CYANURIC ACID	000108-813-5	8	
14855	CYCLOALKADIENES (C5-C8)	-	9	Existing data should be provided to SCF.
14860	CYCLOALKENES	-	9	
14865	CYCLODODECANEDIOL	29996-45-0	9	
14877	1,4-CYCLOHEXANE-NEMISOCYANATE	02556-36-7	4A	
14880	1,4-CYCLOHEXANE-DIMETHANOL	00105-08-8		
14890	1,4-CYCLOHEXANE-DIOL	00556-48-9	8	
14895	CYCLOHEXANE-TETRACARBOXYLIC ACID	-	9	
14900	CYCLOHEXANE-TETRACARBOXYLIC ACID, METHYL ESTERS	-	9	
14905	CYCLOHEXANOL	00108-93-0	8	
14910	CYCLOHEXANONE	00108-94-1	6A	Needed adequate test for gene mutation and chromosomal aberration. (IARC (1989), 47, 151-169).
14915	CYCLOHEXENE DERIVATIVES	-	9	
14917	CYCLOHEXENE DERIVATIVES, EPOXIDISED	-	9	
14920	2-(CYCLOHEXYLAMINO)ETHANOL	02842-38-8	8	
14935	N-CYCLOHEXYL-1,3-DIAMINOPROPANE	03312-60-5	8	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No	SCF List	SCF Opinion
14950	CYCLOHEXYL ISOCYANATE	03173 53-3	4A	See references for 3,3'-dimethyl-4,4'-disiocyanatobiphenyl.
14980	N-CYCLOHEXYLMALEIMIDE	01631-25-0	6A	
15010	P-CYCLOHEXYLPHENOL	01131-60-8	8	
15020	CYCLOHEXYL VINYL ETHER	02182-55-0	7	Needed; provided hydrolysis can be demonstrated, data on cyclohexanol are requested.
15027	1,5-CYCLOGEOTRIENE	00111-78-4	6A	Insufficient mutagenicity studies available.
15040	1,3-CYCLOPENTADIENE	00542-92-7	8	
15050	CYCLOPENTETRACARBOXYRIC ACID	03724-52-5	8	
15055	CYCLOPENTETRACARBOXYRIC ACID, METHYL ESTERS	-	9	
15060	CYCLOPENTENE	00142-29-0	8	
15065	DAMAR	09000-16-2	3	Natural wax. Purity to be specified.
15070	1,9-DECADIENE	01647-16-1	3	R: 0.05 mg/kg of feed.
				5 negative mutagenicity tests, 28 day oral study, bioaccumulation. (CS/PM/222).
15090	1,10-DECANEDIOL	00112-47-0	8	
15095	n-DODECANOIC ACID	00334-48-5	0	Food constituent.
15100	1-DECANOL	00112-30-1	3	See references for 'Alcohols aliphatic, monohydric, saturated, linear, primary (C4-C22)' (PMRHN 12375) in SCF list 3.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
15130	1-DECENE	00872-05-9	3	R; 0.65 mg/kg of food. Available: Migration data and 3 mutagenicity tests negative. (RIVM/INNOVSS SJS CS/PN/2744, January 1996).
15160	DECYL VINYL ETHER	00765-05-9	7	Needed: hydrolysis data.
15190	DIAMINES, ALIPHATIC, LINEAR (C2-C12)	-	9	
15220	2,4-DIAMINOBENZENESULPHONIC ACID	00088-63-1	W	
15250	1,4-DIAMINOBUTANE	00110-60-1	2	TDL: 0.6 mg/kg b.w. 28- and 90-day oral rat studies, mutagenicity tests. (RIVM report 88/67880970/03, 3 May 1988).
15255	1,2-DIAMINOCYCLOHEXANE	00694-83-7	8	
15260	1,10-DIAMINODICANE	00646-25-3	8	
15265	2,4-DIAMINODIPHENYL METHANE	01208-52-2	8	
15270	1,12-DIAMINODODECANE	02783-17-7	8	
15275	2,4-DIAMINO-6-(2-METHYL-1-MIDAZOLYL)ETHYL)-1,3,5-TRIAZINE	38668-46-1	8	
15280	2,4-DIAMINO-6-METHYL-1,3,5-TRIAZINE	00542-02-9	8	Data inadequate.
15295	1,8-DIAMINOCTANE	00373-44-8		

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 2nd March

REF No	NAME	CAS No	SCF List	SCF Opinion
15310	2,4-DIAMINO-6-PHENYL-1,3,5-TRIAZINE	00091-76-9	7	Available: 3-month oral rat study; oral carcinogenicity studies in mice and rats, negative (inadequate); Ames test, negative, however, chromosomal aberration assay and mouse lymphoma assay indicate genotoxic potential, bioaccumulation, migration data.
				Needed: <i>in vivo</i> micronucleus test. (RIVM SDS 1995-01-17).
15346	1,3-DIAMINOPROPANE	00109-76-2	8	
15355	MIXTURE OF (40 % W/W) 1,6-DIAMINO-2,2,4-TRIMETHYLHEXANE AND (60 % W/W) 1,6-DIAMINO-2,4,4-TRIMETHYLHEXANE	25513-64-8	3	R - 5 mg/6 dm ² . Available: migration data, three mutagenicity studies, 90-day oral rat study; 2-generation reproduction study (rat); two teratogenicity studies (rabbits and rats). (RIVM/TNO SDS, November 1996 - CS/PN/6/29/4).
15370	1,6-DIAMINO-2,2,4-TRIMETHYLLIQUANE	03236-53-1	7	Same references as for 15355.
15400	1,6-DIAMINO-2,4,4-TRIMETHYLHEXANE	03236-54-2	7	Same references as for 15355.
15406	N,N-DIBUTYLACRYLAMIDE	9	6A	
15409	3,5-DIBUTYLPHENOL	8		
15412	DI-sec-BUTYLPHENOL	3		
15414	2,4-Di-tert-BUTYLPHENOL	31291-60-8	8	
15416	2,5-Di-tert-BUTYLPHENOL	00096-76-4	8	
15418	2,6-Di-tert-BUTYLPHENOL	05875-45-6	8	
15420	3,5-Di-tert-BUTYLPHENOL	00128-39-2	8	
		01138-52-9	8	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
15430	4,4'-DICARBOXYDIPHENOXYBUTANE	03749-77-7	8	
15460	4,4'-DICARBOXYDIPHENOXYETHANE	03753-05-7	8	
15490	4,4'-DICARBOXYDIPHENYL ETHER	02215-89-6	8	
15520	4,4'-DICARBOXYDIPHENYL SULPHIDE	04919-48-6	8	
15550	4,4'-DICARBOXYDIPHENYL SULPHONE	02449-35-6	8	
15565	1,4-DICHLOROBENZENE	00106-46-7	2	TDI: 0.2 mg/kg b.w. A 4-week oral rat study, 3- and 6-month oral rat and mouse studies, teratogenicity study, mutagenicity studies not showing genotoxicity. Oral carcinogenicity studies in mice and rats indicate that there is limited evidence of carcinogenic potential in experimental animals. (NTP report n. 349, NIH publ. 87-2575, RIVM report 710401005, April 1991).
15580	2,3-DICHLORO-1,3-BUTADIENE	01653-19-6	6A	
15640	cis-1,2-DICHLOROETHYLENE	00156-59-2	8	
15670	trans-1,2-DICHLOROETHYLENE	00156-60-5	8	
15695	DICYANODIAMIDE	00463-58-5	2	TDL: 1 mg/kg b.w.
15700	DICYCLOHEXYLMETHANE-4,4'-DISOCYANATE	05124-30-1	4A	2-year oral rat and dog studies and Ames tests. (American Cyanamide report 1969).
15730	DICYCLOPENTADIENE	00077-73-6	8	See references for 3,3'-dimethyl-4,4'-disocyanobiphenyl. Available: ECETOC summary report of toxicity data (ECETOC N. 19, 1991). Needed: Data according to SCF guidelines, full reports of toxicological studies. (RIVM SIDS CS/PM/2645, January 1995).

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No.	SCF List	SCF Opinion
15735	DIETHANOLAMINE	00111-42-2	8	R: contact with food containing nitrite should be avoided.
15755	N,N-DIETHYLACRYLAMIDE	?	6A	
15760	DIETHYLENEGLYCOL	00111-46-6	2	Group TDI: 0.5 mg/kg b.w. (SCF, 17th Series, 1986).
15770	DIETHYLENGLYCOL BIS(3-AMINOPROPYL) ETHER	04246-51-9	8	
15790	DIETHYLENETRIAMINE	00111-40-0	3	R: 5 mg/kg. Available: 3-month oral rat study, several mutagenicity studies negative. (RIVM 90-678608/009).
15805	3,5-DIETHYLPHENOL	00197-34-8	8	
15820	4,4'-DIFLUOROBENZOPHENONE	00345-92-6	3	R: 0.05 mg/kg in food. Available: three mutagenicity tests negative, very low migration. (RIVM report, April 1992).
15850	4,4'-DIFLUORODIPHENYL SULPHONI	00383-29-9	W	
15855	DIGLYCEROL	59113-36-9	8	
15860	DHYDROPHthalic ACID	22919-28-4	9	
15870	DHYDROPTHALIC ANHYDRIDE	00436-49-1	9	
15880	1,2-DIHYDROXYBENZENE	00120-80-9	2	TDI: 0.1 mg/kg b.w. A 90-day oral rat study, negative <i>in vitro</i> and <i>in vivo</i> mutagenicity tests, promoting effect in mouse skin painting assay. (SCF, 1983).

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
15910	1,3-DIMETHYLOXYBENZENE	60108-46-3	2	TDI: 0.04 mg/kg b.w. A 90-day oral rat study: 5 days a week, metabolism in rabbit and man, several negative <i>in vitro</i> mutagenicity tests and no immunosuppressive action.
15940	1,4-DIHYDROXYBENZENE	00123-31-9	2	TDI: 0.01 mg/kg b.w. (SCF, 17th Series, 1986).
15970	4,4'-DIDIMETHYLOXYBENZOPHENONE	00611-99-4	2	Group TDI: 0.1 mg/kg b.w. (for 4,4'-dihydroxybenzophenone; 2,2'-dihydroxy-4-methoxybenzophenone; 2-hydroxy-4-hydroxybenzophenone; 2-hydroxy-4-n-octoxybenzophenone). 90-day oral rat studies (2,2'-dihydroxy-4-methoxybenzophenone; 2-hydroxy-4-methoxybenzophenone; 2-hydroxy-4-n-octyloxybenzophenone) an 18-week oral dog study (2-hydroxy-4-n-octyloxybenzophenone) and 2-year rat and dog studies (2-hydroxy-4-n-octyloxybenzophenone), a reproduction study (2-hydroxy-4-n-octyloxybenzophenone) plus metabolism.
				(J. Occup. Med., 1969, 11, 703, Food Cosm. Rev., 1972, 10, 41-50, RIVM report, October 1972).

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List No	SCF Opinion
16000	4,4'-DIDHYDROXYBIPHENYL	00092-88-6	2	TDI: 0.1 mg/kg b.w. 90-day oral rat study and limited mutagenicity studies. (RIVM Doc. Tox 300/495, June 1984).
16015	1,4-DIHYDROXYCYCLODODECANE	41417-03-2	8	
16030	4,4'-DIHYDROXYDIPHENYL ETHER	01965-09-9	8	
16040	4,4'-DIHYDROXYDIPHENYL SULPHIDE	02664-63-3	8	
16090	4,4'-DIHYDROXYDIPHENYL SULPHONE	00080-69-1	7	Available: a summary data sheet of the technical dossier (dated 26 August 1991), inadequate migration data; incomplete report of the Ames assay; chromosomal aberration assay (evidence of direct clastogenicity) and gene mutation assay in cultured mammalian cells.
16100	1,4-DIHYDROXY-2-METHYLCYCLOHEXANE	60793-35-3	8	Needed: Technical dossier, full report concerning migration tests performed including an analytical report for the determination of the specific migration of 4,4'-dihydroxydiphenyl sulphide into food simulants; in first instance, a full report of the Ames test; an <i>in vivo</i> assay for clastogenic effects (e.g. the bone marrow micronucleus test or the metaphase analysis). (RIVM/ISS/TNO SDS, December 1996 – CS/PM/2854).
16107	DIHYDROXYTRICYCLODECANE	?	9	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No.	SCF List	SCF Opinion
16115	DISOBUTENE	25167-70-8	8	
16120	DISOPROPANOLAMINE	00110-97-4	8	R: contact with food containing nitrite should be avoided.
16136	DIMETHOXY(METHYL)VINYLSELANE	16753-62-1	6A	
16138	N,N-DIMETHYLACRYLAMIDE	03680-03-7	6A	
16145	DIMETHYLAMINE	00124-40-3	3	R: 0.06 mg/kg of food based on allowing 1 % of estimated mean daily intake of secondary amines from food sources for packaging (Fd). Chem.Toxicol. 29, 733-739, 1991. TDI: 0.3 mg/kg b.w. A 90-day oral rat study, studies in other species and observations in man.
16150	DIMETHYLAMINOPENTHANOL	00108-01-0	2	
16160	2-((DIMETHYLAMINOMETHYL)PHENOL)	00120-63-0	8	
16170	4-((DIMETHYLAMINO)METHYL)PHENOL	00103-87-7	8	
16180	N-(DIMETHYLAMINOPROPYL)METHACRYLAMIDE	05205-93-6	6A	
16190	N,N-DIMETHYLANILINE	00121-69-7	8	
16195	N,N,DIMETHYLBENZYLAMINE	00103-83-3	8	
16200	DIMETHYL CARBONATE	00616-38-6	W8	Data inadequate.
16225	N,N-DIMETHYL-1,3-DIAMINOPROPANE	00109-55-7	8	
16240	3,3'-DIMETHYL-4,4'-DISOCYANATOBIPHENYL	00091-97-4	4A	(SCF, 17th Series, 1986).
16243	6,6'-DIMETHYLEPTANOIC ACID	15898-92-7	8	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No.	SCF List	SCF Opinion
16246	DIMETHYLLIMEXAHYDROPHthalic ACID	9	9	
16249	DIMETHYLHEXAHYDRO TEREPHTHALIC ACID	8		
16252	2,5-DIMETHYL,2,5-HEXANEDIOL	00110-03-2	8	
16255	2,4-DIMETHYLHEXANOIC ACID	70621-82-8	8	
16257	3,4-DIMETHYLHEXANOIC ACID	153312-83-	8	
16258	3,5-DIMETHYLHEXANOIC ACID	60308-87-4	8	
16260	4,5-DIMETHYLHEXANOIC ACID	60308-81-8	8	
16263	2,5-DIMETHYL,3-HEXYNE-2,5-DIOL	00142-30-3	8	
16270	2,3-DIMETHYLPHENOL	06526-75-0	8	
16300	2,4-DIMETHYLPHENOL	00105-67-9	8	
16330	2,5-DIMETHYLPHENOL	00095-87-4	8	
16363	3,4-DIMETHYLPHENOL	00095-65-8	8	
16364	3,5-DIMETHYLPHENOL	00108-68-9	8	
16370	N,N-DIMETHYL-N'PHENYLUREA	00101-42-8	8	
16380	N,N-DIMETHYL,PROPANE DIAMINE	30734-81-7	8	
16390	2,2-DIMETHYL,3-PROPANE DIOL	00126-30-7	8	
16393	2,2-DIMETHYLPROPIONIC ACID	00075-98-9	8	
16395	2,2-DIMETHYL,PROPIONIC ACID,2,2-DIMETHYLPROPYL ESTER	05340-26-1	8	
16398	2,2-DIMETHYLPROPIONIC ACID,2,3-EPOXYPROPYL ESTER	52561-72-5	6A	
16400	2,2-DIMETHYLPROPIONIC ACID, VINYL ESTER	03377-92-2	7	Needed: provided hydrolysis can be demonstrated, data on 2,2-dimethylpropionic acid are requested.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
16410	DIMETHYL SULPHOXIDE	600067-68-5	3	DMSO is used as a carrier of drugs to facilitate skin penetration.
16413	2,4-DINONYLPHENOL	00137-99-5	8	
16416	2,4-DIOXYLPHENOL	01807-29-0	8	
16418	2,4-Di-tert-OCTYLPHENOL	05806-72-4	8	
16420	DIKANE	00123-91-1	6A- D	
16450	1,3-DIOXOLANE	00646-06-0	3	R; 0.05 mg/kg of food. Available migration and usage data showing exposure will be below 50 ppm, adequate 14-day, inadequate 28-day and 7 month oral toxicity studies, 3 inadequate reproduction studies, adequate teratogenicity study, several <i>in vitro</i> and <i>in vivo</i> mutagenicity studies, (CS/FM/2325, 1993-12-21).
16480	DIPENTAERYTHRITOL	00126-58-9	2	Group TDI: 1 mg/kg b.w. (with pentaerythritol). (SCF, 17th Series, 1986).
16510	DIPENTENE	00138-86-3	8	Data made available for assessment of chewing gum not available for this group.
16515	2,4-di-tert-PENTYLPHENOL			
16540	DIPHENYL CARBONATE	00120-95-6	8	
16570	DIPHENYLETHER-4,4'-DISOCYANATE	04128-73-8	4A	See references for 3,3'-dimethyl-4,4'-diisocyanatobiphenyl.
16600	DIPHENYLMETHANE-2,4'-DISOCYANATE	05873-54-1	4A	See references for 3,3'-dimethyl-4,4'-diisocyanatobiphenyl.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
16630	DIPHENYL METHANE-4,4'-DIISOCYANATE	00101-68-8	4A	See references for 3,3'-dimethyl-4,4'-diisocyanobiphenyl.
16650	DIPHENYL SULPHONE	00127-63-9	7	See 51570.
16655	N,N'-DIPHENYL UREA	00102-07-8	8	
16660	DIPROPYLENEGLYCOL	00110-98-5	2	t-TDI: 1.5 mg/kg b.w. and 25265.
16670	DIPROPYLENEGLYCOL MONOMETHYL ETHER	34590-94-8	8	Data inadequate.
16675	3,5-DIISOPROPYLPHENOL	85244-23-1	8	
16685	ISOPRIMETHINOLPROPANE	23235-61-2	8	
16697	DODICANEDIOIC ACID	00693-23-2	8-D	Deleted. Dossier not related to a food contact material.
16699	1,12-DODICANEDIOL	05675-51-4	8	
16701	1-DODECANOL	00112-53-8	3	See references for 'Alcohols, aliphatic, monohydric, saturated, linear, primary (C4-C22)' (PM:REF.N. 12375) in SCF list 3.
16707	2-DODECENYL SUCCINIC ANHYDRIDE	25377-73-5	8	
16709	DODICYL PHENOL	27193-86-8	9	
16711	4-DODECYLPHENOL	00104-43-8	8	
16713	DRYING OILS	-	9	
16714	ELEMIAL	090000-75-3	9	
16715	FLEOSTEARIC ACID	13296-76-9	8	
16717	ENDOMETHYLENEMETHYLITRA HYDROXYPHthalic ANHYDRIDE	25134-21-8	8	
16719	ENDOMETHYLENETHIOPRO	03813-52-3	8	
	PHTHAlic ACID			

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No.	SCF List	SCF Opinion
16720	ENDO-1,4-VINYL ETETRAHYDRO PHthalic ANHYDRIDE	60826-62-0	8	
16750	EPICHLOROHYDRIN	00106-89-8	4A	Highly toxic. Induces forestomach tumours in rats after oral administration.
16755	2,3-EPOXYPROPANOI	00556-52-5	6A	
16765	2,3-EPOXYPROPYL PHENYL ETHER	00122-60-1	6A	
16770	2,3-EPOXYPROPYL- <i>o</i> -TOLYL ETHER	02210-79-9	6A	
16775	TRICIC ACID	00112-86-7	3	Occurs in small amounts in some vegetable oils.
16780	ETHANOL	00064-17-5	1	Acceptable. (SCF, 11th Series, 1981).
16810	ETHER ALCOHOLS	-	9	
16840	ETHERS OF N-METHYLOLACRYLAMIDE	-	9	
16870	ETHERS OF N-METHYLOMETHACRYLAMIDE	-	9	
16885	ETHERS OF 1,1,1-TRIMETHYLOLPROPANE	-	9	
16900	N-(ETHOXYMETHYL)ACRYLAMIDE	13036-41-4	6A	
16910	3-ETHOXY-1-PROPANOL	00111-35-3	8	
16920	2-ETHYLBUTANE-1,4-DISOCYANATE	87057-87-2	4A	
16925	ETHYLCELLULOSE	09004-57-3	2	Group TDI; not specified based on Group A(I) (= not specified) for certain modified cellulose. (ECCFA 35 M., 1980).

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
16940	ETHYL CHLORIDE	00075-00-3	8	
16940	2-ETHYL-1,4-DIAMINOBUTANE	63409-16-5	8	
16950	ETHYLENE	00074-85-1	3	Residues of this gas in plastics are very small. The gas has low toxic potential. Migration into food will be toxicologically negligible. <i>(Fatty's industrial hygiene and toxicology, 3rd ed. 1981).</i>
16960	ETHYLENIMINE			TDI: 0.2 mg/kg b.w. Two 90-day oral rat studies. (ICI report, April 1975).
16990	DIETHYLENEGLYCOL	00107-21-1	2	Group TDI: 0.5 mg/kg b.w. (with diethyleneglycol). See references for diethyleneglycol.
16993	DIETHYLENGLYCOL MONOBUTYL ETHER	00111-76-2	2	Group t-TDI: 0.05 mg/kg b.w. (with 15780 = 48050, 16993 = 53765, 16996 = 53820, 16999, 17002 = 53860, 30015, 30120, 30200, 48030). See references for 16996.
16996	DIETHYLENGLYCOL MONOETHYL ETHER	00110-80-5	2	Group t-TDI: 0.05 mg/kg b.w. (with 15780 = 48050, 16993 = 53765, 16996 - 53820, 16999, 17002 - 53860, 30015, 30120, 30200, 48030, 48050) pending evaluation of NTP rat and mouse studies. Several short-term oral rat and dog studies, reproduction and teratogenicity studies. Carcinogenicity studies in mice and rats not reported. Mutagenicity studies inadequate. (RIVM summary, March 1991 (=CS/PM/922) and RIVM SIDS, July 1996 (=CS/PM/2016)).

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
16999	ETHYLENGLYCOL MONO(2-HEXYL) ETHER	00112-25-4	2	Group 1-TDI: 0.05 mg/kg bw (with 15780 - 48050, 16993 - 53765, 16996 = 53820, 16999, 17002 = 53860, 30015, 30120, 30200, 48030), Group 1(TDI): 0.05 mg/kg bw, (with 15780 - 48050, 16993 = 53765, 16996 - 53820, 16999, 17002 = 53860, 30015, 30120, 30200, 48030).
17002	ETHYLENGLYCOL MONOMETHYL ETHER	00109-86-4	2	Group 1(TDI): 0.05 mg/kg bw, (with 15780 - 48050, 16993 = 53765, 16996 - 53820, 16999, 17002 = 53860, 30015, 30120, 30200, 48030).
17005	ETHYLINEIMINE	00151-56-4	4A	Highly toxic by all exposure routes. Carcinogenic for mice orally.
17020	ETHYLENE OXIDE	00075-21-8	4A	Strongly mutagenic in several studies. Induces forestomach tumours in rats after oral administration. <i>(Brit J Cancer</i> , 1982, 46, 924; IARC Monographs Vol. 11 and Suppl. 4, Lyon 1976 and 1982; <i>Toxicity of ethylene oxide and its relevance to man</i> . ICAFOC, Technical Report n. 5, 1982).
17030	2-ETHYL-1,3-HEXANEDIOL	00094-96-2	8	Nanole: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg of food, peroxisome proliferation studies too.
17040	2-ETHYLHEXANOIC ACID	00149-57-5	6H	Nanole: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg of food, peroxisome proliferation studies too.
17041	3-ETHYLHEXANOIC ACID	00068-91-2	8	ADT: 0.5 mg/kg b.w.
17050	2-ETHYL-1-HEXANOL	00064-76-7	1	(Techn. Rep. 837, 4) Rep., Geneva, February 1993).
17065	2-ETHYLHEXYL 2,3-EPOXYPROPYL ETIOL	02461-15-6	6A	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
17680	2-ETHYLALLYL VINYL ETHER	09103-44-6	7	Needed: provided hydrolysis can be demonstrated, data on 2-ethylhexanol are requested.
17110	5-ETHYLDENEDECYCLO(2.2.1)HEPT-2-EN-6	36219-75-3	8	
17113	3-ETHYL-4-METHYLPENTANOIC ACID	60308-89-6	8	
17116	4-ETHYL-1-OCTYN-3-OL	05877-42-9	8	
17118	ETHYLPHENOL	25429-37-2	8	
17120	3-ETHYLPHENOL	000690-00-6	8	
17121	3-ETHYLPHENOL	00626-17-7	8	
17122	4-ETHYLPHENOL	00123-07-9	8	
17128	2-ETHYL-1,3-PROPANEDIOL	02612-29-5	8	
17140	ETHYL VINYL ETHER	00109-92-2	7	Needed: hydrolysis data.
17150	1-ETHYNYLCYCLOHEXANOL	00078-27-3	8	
17160	EUGENOL	00097-53-0	4A	Metabolise into epoxycugenol having initiating activity.
17170	FATTY ACIDS, COCO	-61788-47-4	3	(RIVM summary data, 12 May 1992 (cs/pn 1586)).
17175	FATTY ACIDS, COCO, HYDROGENATED	-68938-15-8	3	Equal to or similar to food fats.
17180	FATTY ACIDS, DEHYDRATED	-	9	Toxicologically acceptable.
17190	FATTY ACID, C36, DIMER, HYDROGENATED	08783-41-5	D	
17200	FATTY ACIDS, SOYA	08308-53-2	3	Equal to or similar to food fats.
17215	FATTY ACIDS, SUNFLOWER OIL	-	3,D	Equal to or similar to food fats.
17230	FATTY ACIDS, TALLOW	61790-12-3	3	
17233	FATTY ACIDS, TALLOW, DIMERS	73138-53-1	8	
17236	FATTY ACIDS, TALLOW	61790-37-2	3	Equal to or similar to food fats.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
17239	FATTY AMIDES, COCO	-	9	
17245	FISH OIL	08016-13-5	3	Food fat.
17247	FISH OIL, FATTY ACIDS, AND THEIR DIMERS	-	D	
17247/	FISH OIL FATTY ACIDS, DIMERS	-	3	Constituents of food fats.
17260	FORMALDEHYDE	000050-00-0	3	Residues of this gas in plastics will be very small. Formaldehyde is a normal intermediate in human metabolism. Carcinogenic for rats by inhalation at concentrations irritant to the respiratory tract. (Final report on a chronic inhalation study in rats and mice exposed to formaldehyde). (Battelle Columbus Labs, Columbus, Ohio, 1981).
17275	FORMIC ACID	000064-18-6	1	Group ADI: 3 mg/kg bw for formic acid and ethyl formate. (JECFA 17 M., 1973).
17290	FUMARIC ACID	00110-17-8	1	ADI: 6 mg/kg bw. (SCF, 25th Series, 1990).
17305	FUMARIC ACID, BIS(2-ETHYLHEXYL) ESTER	00141-02-6	8	
17320	FUMARIC ACID, DIALLYL ESTER	02807-54-7	6A	Needed: hydrolysis data.
17350	FUMARIC ACID, DIETHYLESTER	00105-75-9	7	Needed: hydrolysis data.
17365	FUMARIC ACID, DIBODIDCYL ESTER	02402-58-6	?	Needed: hydrolysis data.
17380	FUMARIC ACID, DIETHYLESTER	00623-91-6	7	Needed: hydrolysis data.
17385	FUMARIC ACID, DIHEPTYLESTER	-	7	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
17390	FUMARIC ACID, DIETHYL ESTER	19139-31-2	7	Needed: hydrolysis data.
17392	FUMARIC ACID, DISOPROPYL ESTER	07283-70-7	W7	Available: hydrolysis data.
				Needed: estimation of fumaric acid and/or isopropanol in hydrolysis test in simulated intestinal fluid (CS/PM/2382).
17394	FUMARIC ACID, DIMETHYL ESTER	00624-49-7	7	Needed: hydrolysis data.
17398	FUMARIC ACID, DIISOBUTYL ESTER	07283-68-3	7	Needed: hydrolysis data.
17401	FUMARIC ACID, DIISOCYANATE ESTER	02997-85-5	7	Needed: hydrolysis data.
17404	FUMARIC ACID, DIPENTYL ESTER	20314-74-7	3	Needed: hydrolysis data.
17407	FUMARIC ACID, DIPROPYL ESTER	14595-35-8	7	Needed: hydrolysis data.
17410	FUMARIC ACID, ESTERS WITH MONOHYDRIC, ALIPHATIC, ALCOHOLS, ALIPHATIC, MONOHYDRIC, SATURATED (C1-C18) ALCOHOLS, ALIPHATIC, MONOHYDRIC, UNSATURATED (C3-C18)	-	9	Needed: hydrolysis data.
17440	FUMARIC ACID, ESTERS WITH ALCOHOLS, ALIPHATIC, MONOHYDRIC, UNSATURATED (C3-C18)	-	9	
17470	FUMARIC ACID, ESTERS WITH ALCOHOLS, POLYHYDRIC	-	9	
17473	FUMARIC ACID, MONOBUTYL ESTER	16062-88-7	7	Needed: hydrolysis data.
17476	FUMARIC ACID, MONOETHYL ESTER	02459-05-4	7	Needed: hydrolysis data.
17479	FUMARIC ACID, MONOHEXYL ESTER	?	7	Needed: hydrolysis data.
17482	FUMARIC ACID, MONOHEXYL ESTER	45125-83-0	7	Needed: hydrolysis data.
17485	FUMARIC ACID, MONOMETHYL ESTER	02756-87-8	7	Needed: hydrolysis data.
17488	FUMARIC ACID, MONOOCYCLIC ESTER	?	7	Needed: hydrolysis data.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
17491	FUMARIC ACID, MONOPENTYL ESTER	-	7	Needed: hydrolysis data.
17494	FUMARIC ACID, MONOPROPYL ESTER	-	7	Needed: hydrolysis data.
17506	FURFURAL	09098-01-1	7	Needed: 90-day oral study and mutagenicity studies.
17505	FURFROL	06098-00-0	8	
17510	GADOLIC ACID	29204-02-2	6	
17520	GHISONI [®]	12002-43-6	8	Available: identity and physico-chemical data only. Needed: Data according to SCF guidelines. (TNO SDS CS;PM/2729, January 96).
17530	GLUCOSE	09050-99-7	0	
17560	GLUCOSIDES OBTAINED FROM GLUCOSE AND 1,3-BUTANEDIOL.	-	7	Needed: hydrolysis data.
17590	GLUCOSIDES OBTAINED FROM GLUCOSE AND 1,4-BUTANEDIOL.	-	7	Needed: hydrolysis data.
17620	GLUCOSIDES OBTAINED FROM GLUCOSE AND DIETHYLENGLYCOL.	-	7	Needed: hydrolysis data.
17650	GLUCOSIDES OBTAINED FROM GLUCOSE AND 2,2-DIMETHYL-1,3-PROPANEDIOL	-	7	Needed: hydrolysis data.
17680	GLUCOSIDES OBTAINED FROM GLUCOSE AND ETHYLENEGLYCOL	-	7	Needed: hydrolysis data.
17710	GLUCOSIDES OBTAINED FROM GLUCOSE AND GLYCEROL	-	7	Needed: hydrolysis data.
17740	GLUCOSIDES OBTAINED FROM GLUCOSE AND 1,6-HEXANEDIOL.	-	7	Needed: hydrolysis data.
17770	GLUCOSIDES OBTAINED FROM GLUCOSE AND 1,2,6-HXANETROL	-	7	Needed: hydrolysis data.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF. No.	NAME	CAS No.	SCF List	SCF Opinion
17800	GLUCOSIDES OBTAINED FROM GLUCOSE AND PENTAFERYTHRITOL	-	7	Needed: hydrolysis data.
17830	GLUCOSIDES OBTAINED FROM GLUCOSE AND POLY(THIOPHENYLIC ACYL) (MOLECULAR WEIGHT GREATER THAN 200)	-	7	Needed: hydrolysis data.
17860	GLUCOSIDES OBTAINED FROM GLUCOSE AND POLY(PROPYL(UNSUBSTITUTED) GLUCOSIDE) (MOLECULAR WEIGHT GREATER THAN 400)	-	7	Needed: hydrolysis data.
17890	GLUCOSIDES OBTAINED FROM GLUCOSE AND PROPANEDIOL	-	7	Needed: hydrolysis data.
17920	GLUCOSIDES OBTAINED FROM GLUCOSE AND SORBITOL	-	7	Needed: hydrolysis data.
17950	GLUCOSIDES OBTAINED FROM GLUCOSE AND SUCROSE	-	7	Needed: hydrolysis data.
17980	GLUCOSIDES OBTAINED FROM GLUCOSE AND 1,1,1-TRIMETHYLOLPROPANE	-	7	Needed: hydrolysis data.
18010	GLUTARIC ACID	60110-94-1	0	
18040	GLUTARIC ACID, DISODIACYL ESTER	29733-18-4	8	
18055	GLUTARIC ACID, DIMETHYL ESTER	61119-40-0	7	Needed: hydrolysis data.
18070	GLUTARIC ANHYDRIDE	60108-55-4	3	Hydrolyses to corresponding acid.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No.	SCF List	SCF Opinion
18100	GLYCEROL	00056-81-5	-	Group ADI; not specified for glycerol, glycerol diacetate, glycerol triacetate and glycerol monononanoate (SCF, 11th Series, 1981).
18105	GLYCEROL ESTERS OF DAMAR, COPAL, ELEM, AND SANDARAC	-	9	
18115	GLYCEROL MONOSTEARATE	31566-34-1	1	ADI; not specified (ECCPA 17 M., 1973).
18120	GLYOXAL	00107-22-2	6A	
18124	HEMPSEED OIL	08046-24-8	3	Food fat.
18126	HEMPSEED OIL FATTY ACID, AND THEIR DIMERS	-	D	
18126/ ¹	HEMPSEED OIL FATTY ACIDS	-	3/D	Constituents of food fats.
18126/ ¹	HEMPSEED OIL FATTY ACIDS, DIMERS	-	8/D	
18130	1,1-HEPTADICANEDICARBOXYLIC ACID	04371-64-6	8	
18135	2-HYDROXYIMIDAZOLE	23328-87-2	8	
18140	1,7-HEPTANEDIOL	00629-30-1	8	
18150	1-HEPTANOL	00411-70-6	3	See references for 'Alcohols, aliphatic, monohydric, saturated, linear, primary (C4-C22)' (PM(REF N. 12375) in SCF list 3.
18160	HEPTENE	25339-56-4	8	
18190	1-HEPTENE	00592-76-7	8	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
18230	N-HEPTYLAMINOQUINODECANOIC ACID	68564-88-5	3	R: 0.05 mg/kg of food. Available: migration into non-fat stimulants, 5 negative mutagenicity studies, 90-day oral rat study (CS/P/M/2376).
18250	HEXAChLORoNIDOMETHYLENE TETRAHYDROPHthalic Acid	00115-28-6	4A	Remark: since high migration into fat has been demonstrated, the WG recommends that the Commission take the necessary measures so that the restriction proposed is not exceeded. Cancer in lung and liver of rats and mice. Positive in mutagenicity study in mouse lymphoma cells. (NTP techn. Rep. 304, NIH publ. 87-2560 April 1987).
18280	HEXACILOFENDOMETHYLENE TiTRAHYDROPHthalic Anhydride	00115-27-5	4A	Hydrolyses easily to acid known for induction of lung cancer.
18310	1-HEXADECANOL	36653-82-4	3	See references for 'Alcohols, aliphatic, monoaliphatic, saturated, linear, primary (C4-C22)' (PM&ER N. 12375) in SCF list 3.
18320	1,4-HEXADECENE	06629-73-2	8	
18325	1,2-HEXADECYLENE OXIDE	07320-37-8	6A	TDI: 0.1 mg/kg b.w. 400-day oral rat study. (RFM report, September 1978).
18330	HEXADECYLTRIMETHYLAMMONIUM BROMIDE	00057-09-0	2	Needed: hydrolysis data.
18340	HEXADECYL VINYL ETHER	06822-28-6	7	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
18370	1,4-HEXADIFINE	60592-45-0	6A	Evaluated as monomer. Available: migration data, 14 days rat inhalation study, Ames test, micronucleus tests in mice and rats after inhalation.
18400	1,5-HEXADIFINE	00592-42-7	7	Needed: repeating mutagenicity tests according to SCF guidelines. (RIVM 1994-09-06, CSPM/2421). Available: 4-week rat study by inhalation and mutagenicity tests.
18430	HEXAFLUOROPROPYLENE	00116-15-4	4A	Needed: migration data and gene mutation in mammalian cells <i>in vitro</i> . If migration exceeds 0.05 mg/kg of food, additional study according to SCF guidelines should be supplied. Mutagenicity studies <i>in vitro</i> and <i>in vivo</i> , suspected of genotoxicity.
18433	HEXAHYDROISOPIPHthalic ACID	03971-31-1	8	
18436	HEXAHYDROPIPHthalic ACID	01687-30-5	8	
18438	cis-1,2-HEXAHYDROPIPHthalic ACID	13149-00-3	8	
18439	trans-1,2-HEXAHYDROPIPHthalic ACID	14166-21-3	8	
18441	HEXAHYDROPHthalic ANHYDRIDE	00085-42-7	8	
18446	HEXAHYDROPIPHthalic ACID, DIMETHYL ESTER	00094-60-0	8	
18449	N,N,N',N'',N'''-HEXAKIS(METHOXymETHYL)-2,4,6-TRIAMINO-1,3,5-TRIAZINE	03089-11-0	8	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
18460	HEXAMETHYLENEDIAMINE	00124-09-4	2	TDI: 0.04 mg/kg b.w. A 28-day oral rat study. (RIV report n. 48/80 March 1981).
18490	HEXAMETHYLENEDIAMINE ADIPATE	18511-81-6	8	
18520	HEXAMETHYLENEDIAMINE AZELATE	38775-37-0	7	
18550	HEXAMETHYLENEDIAMINE DODECANEDICARBOXYLATE	-	8	Needed; hydrolysis data.
18580	HEXAMETHYLENEDIAMINE HEPTADECANEDICARBOXYLATE	-	8	
18610	HEXAMETHYLENEDIAMINE SEBACATE	06422-99-7	8	
18640	HEXAMETHYLENE DIISOCYANATE	00822-06-0	4A	See references for 3,3'-dimethyl-4,4'-diisocyanatobiphenyl (PMRFF-N, 16240). Formaldehyde liberator. Evaluated by JECFA as a preservative for food. Amounts of formaldehyde likely to migrate into food are of no toxicological significance (JECFA 17 M.).
18695	1,2-DIEXANEDIOL	06920-22-5	8	
18730	2,5-HEXANEDIOL	02935-44-6	8	
18760	1,2,6-HEXANOTRIOL	00106-69-4	8	
18770	n-HEXANOIC ACID	00142-62-1	0	
18780	1-HEXANOL	00111-27-3	3	See references for 'Alcohols, aliphatic, monohydric, saturated, linear, primary (C4-C22)' (PMRFF-N 12375) in SCF List 3.
18790	HEXANE	25264-93-1	8	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No.	SCF List	SCF Opinion
18820	1-HEXENE	00592-41-6	3	R: 3 mg/kg of food. Available: Migration data, 5 mutagenicity studies negative; 28-day and inadequate 90-day oral rat Studies, 90-day inhalation rat study, combined reproduction/development toxicity screening study in rats, bioaccumulation.
18850	HEXYLNEGLYCOL	00107-41-5	7	TNO (November 1995) and Elias (February 1996) SDS CS/PM.2742, and RIVM summary data, 14 February 1991). Needed: purity, physicochemical state, migration data.
18865	3,11-FXYN-2,5-DIOL	03031-66-1	8	
18870	N-omega-HYDROXYALKYL(C ₆)AMIDES OF UNSATURATED ALIPHATIC MONO- AND POLYCARBOXYLIC ACIDS (C ₃ -C ₁₈)		9	
18880	4-HYDROXYBENZOIC ACID	00099-96-7	2	TDI: 10 mg/kg b.w. The value of the TDI is based upon the evaluation of the esters. (IPECFA 1973). Group TDI: 0.01 mg/kg b.w. (for benzophenone and hydroxybenzophenone).
18885	4-HYDROXYBENZOPHENONE	00137-42-4	2	Available for benzophenone: 90-day oral rat study and metabolism study (CPVO report R 3301, 1970).

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No.	SCF List	SCF Opinion
18888	3-HYDROXYBUTANOIC ACID-3-HYDROXYPENTANOIC ACID COPOLYMER	80181-31-3	R: 0.05 mg/kg (for crotonic acid). Available: Extensive data on production process and impurities; on copolymer, 28-day and 90-day oral rat studies, and two mutagenicity studies, negative; on the impurity crotonic acid, two mutagenicity tests, negative.	(CS/PM/1510 of 25 March 1992; CS/PM/2317 and 2538 of 10 February 1995).

Textuologically acceptable provided the following specifications are met:

STRUCTURAL FORMULA



n/(m + n) greater than 0 and less or equal to 0.25

DESCRIPTION

These copolymers are produced by the controlled fermentation of *Aerobacter enterophytus* using mixtures of glucose and propanoic acid as carbon sources. The organism used has not been genetically engineered and has been derived from a single wild-type organism *Aerobacter enterophytus* strain H16 NCIMB 10442.

REF No.	NAME	CAS No.	SCF List	SCF Opinion
------------	------	------------	-------------	-------------

Master stocks of the organism are stored as freeze-dried ampoules. A submaster/working stock is prepared from the master stock and stored in liquid nitrogen and used to prepare inocula for the fermenter. Fermenter samples will be examined daily both microscopically and for any changes in colonial morphology on a variety of agars at different temperatures. The copolymers are isolated from heat treated bacteria by controlled digestion of the other cellular components, washing and drying. After isolation these copolymers are in the form of a white to off-white powder. These copolymers are normally offered as formulated, melt formed granules containing additives such as nucleating agents, plasticisers, fillers, stabilisers and pigments which all conform to the general and individual specifications. These copolymers are soluble in chlorinated hydrocarbons such as chloroform or dichloromethane but practically insoluble in ethanol, aliphatic alkanes and water.

MOLECULAR WEIGHT

This copolymer must have a weight average molecular weight which is not less than 150,000 Daltons as measured by gel permeation chromatography.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
--------	------	--------	----------	-------------

PURITY

The migration of crotonic acid should not exceed 0.65 mg/kg food.

Prior to granulation the raw material copolymer powders must contain:

- not less than 98 % poly(3-D-hydroxybutanoate-co-3-D-hydroxypentanoate) analysed after hydrolysis as a mixture of 3-D-hydroxy butanoic and 3-D-hydroxypentanoic acids;
- nitrogen content must be less than or equal to 2500 micrograms per gram;
- zinc content must be less than or equal to 100 mg/Kg of plastic
- copper content must be less than or equal to 5 mg/kg of plastic
- lead content must be less than or equal to 2 mg/kg of plastic
- arsenic content must be less than or equal to 1 mg/kg of plastic chromium content must be less than or equal to 1 mg/kg of plastic.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 2nd March

REF No.	NAME	CAS No.	SCF List	SCF Opinion
18890	N-(2-HYDROXYETHYL)DIETHYLENETRIAMINE	01965-29-3	8	
18895	N-(HYDROXYMETHYL)-N-ALKYL(C1-C6)AMIDES OF UNSATURATED ALIPHATIC MONO- AND POLYCARBOXYLIC ACIDS(C3-C18)		9	
18900	12-HYDROXYSTEARIC ACID	00106-14-9	0	
18905	4-HYDROXYSTYRENE	02628-17-3	6A	
18910	IMIDAZOLE	00288-32-4	8	
18940	INDENE	00095-13-6	8	
18976	ISOBUTANOL	00078-83-1	8	Residue less than 1 mg/kg in food. No mutagenicity and oral data. (Directive 88/344/ECC).
19000	ISOBUTENONE	00015-11-7	3	Residues of this gas in plastics are very small. The gas has low toxic potential. Migration into food will be toxicologically negligible. (<i>Fatty's industrial hygiene and toxicology</i> , 3rd ed, 1981).
19030	N-ISOBUTOXYMETHYLACRYLAMIDE	16669-59-3	6A	
19045	N-ISOBUTOXYMETHYL)METHACRYL AMIDE	04548-27-0	6A	
19090	ISOBUTYRALDEHYDE	00078-84-2	8	
19105	ISOBUTYRIC ACID	00079-31-2	8	
19110	1-ISOCYANATO-3-ISOCYANATOMETHYL-3,5,5-TRIMETHYLCYCLOHEXANE	00098-71-9	4A	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No.	SCF List	SCF Opinion
19120	ISODECANOL	25339-17-7	8	
19125	ISOMETHYLtetrahydrophthalic ACID	101051-37-9	9	Needed; chemical and structural formula.
19130	ISONONANOIC ACID	0		
19135	ISOOCTANOIC ACID	26896-18-4	8	
19140	ISOOCTANOL	25103-52-0	8	
19150	ISOPHTHALIC ACID	26952-21-6	8	
		00121-91-5	3	R: 5 mg/kg of food.
19180	ISOPHTHALIC ACID DICHLORIDE	00099-63-8	7	Available: Migration data, 7 mutagenicity studies regarded as non-genotoxic, 28-day inhalation and 90-day oral rat studies, inhalation rat teratology study limited absorption and excretion data (RIVM/TNO SDS CS/PM/2757, January 1996). Needed: original data on migration and genotoxicity.
19210	ISOPHTHALIC ACID, DIMETHYL ESTER	01459-93-4	3	R: 0.05 mg/kg in food.
				Available: 3 mutagenicity tests, negative. Migration data less than 0.050 mg/kg. (RIVM summary data, May 1991, CS/PM/969).
19240	ISOPHTHALIC ACID, DIPHENYL ESTER	00744-45-6	8	
19245	N-(ISOPROPYLMETHYL)ACRYLAMIDE	07534-42-1	6A	
19260	2-ISOPROPYLPHENOL	00088-69-7	8	
19262	4-ISOPROPYLPHENOL	00099-89-8	8	
19265	ISOSTEARIC ACID	36399-84-9	8	
19270	ITACONIC ACID	00097-65-4	0	Normal human metabolite.
19300	ITACONIC ACID, DIBUTYL ESTER	02155-60-4	7	Needed: hydrolysis data.
19315	ITACONIC ACID, DIMETHYL ESTER	00617-52-7	8	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
19330	ITACONIC ACID, 2,3-EPOXYPROPYL DIESTER	07748-43-8	6A	
19360	ITACONIC ACID, 2,3-EPOXYPROPYL MONOESTER		6A	
19390	ITACONIC ACID, ESTERS WITH ALCOHOLS, ALIPHATIC,		9	
19400	ITACONIC ACID, SATURATED(C1-C18) ALCOHOLS, ALIPHATIC, MONOHYDRIC, UNSATURATED(C3- C12)		9	
19420	ITACONIC ACID, ESTERS WITH ALCOHOLS, POLYHYDRIC		9	
19435	ITACONIC ACID, MIMTHYL ESTERS		9	
19450	LACTAMS OF omega- AMINOCARBOXYLIC ACIDS, ALIPHATIC, LINEAR(C7-C12)		9	
19460	LACTIC ACID	06050-21-5	1	ADI not specified. (SCF, 25th Series, 1990).
19470	LAURIC ACID	00143-07-7	0	
19480	LAURIC ACID, VINYL ESTER	02146-71-6	3	Complete hydrolysis in simulated intestinal fluid to lauric acid and acetalddehyde (CS/PM/2334). Positive in gene mutation and chromosome aberration studies <i>in vitro</i> , most likely due to formation of acetalddehyde (CS/PM/2385).
19495	LAUROLEIC ACID	22032-47-9	8	
19500	LICANIC ACID	00623-99-4	8	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF. No.	NAME	CAS No.	SCF List No.	SCF Opinion
19510	LIGNOCELLULOSE	11132-73-3	3	Natural, non-digestible fibre.
19515	LIGNOCTRIC ACID	00557-19-5	0	
19518	LINOLEIC ACID	00060-33-3	0	
19521	LINOLEIC ACID, DIMER	06144-28-1	8	
19523	LINOLEIC ACID, TRIMER	-	8	
19526	LINOLENIC ACID	28290-79-1	0	
19529	LINOLENIC ACID, DIMER	-	8	
19532	LINSEED OIL	08004-26-1	3	Food fat.
19534	LINSEED OIL FATTY ACIDS, AND THEIR DIMERS	-	D	
19534/	LINSEED OIL FATTY ACIDS	-	3/10	Constituents of food fats.
19534/	LINSEED OIL FATTY ACIDS, DIMERS	-	8/10	
19540	MALEIC ACID	00110-16-7	2	Group TDI: 0.5 mg/kg b.w. as maleic acid. (SCF, 17th Series, 1986).
19570	MALEIC ACID, DIALLYL ESTER	00999-21-3	6A	
19600	MALEIC ACID, DIHUTYL ESTER	00105-76-0	?	Available: Hydrolysis data indicates hydrolysis is incomplete.
19630	MALEIC ACID, DIESTER WITH 1,2- PROPANEDIOL.	71550-61-3	?	Needed: data according to SCF guidelines. Needed: hydrolysis data.
19660	MALEIC ACID, DIETHYL ESTER	00141-05-9	?	Needed: hydrolysis data.
19670	MALEIC ACID, DIHEPTYL ESTER	31983-42-3	?	Needed: hydrolysis data.
19680	MALEIC ACID, DIEXYL ESTER	16064-83-8	?	Needed: hydrolysis data.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF. No.	NAME	CAS No.	SCF List	SCF Opinion
19690	MALEIC ACID, DISOBUTYL ESTER	14234-82-3	7	Needed: hydrolysis data.
19720	MALEIC ACID, DIISOOCTYL ESTER	01330-76-3	7	Needed: hydrolysis data.
19750	MALEIC ACID, DIMETHYL ESTER	00624-48-6	7	Needed: hydrolysis data.
19780	MALEIC ACID, DIOCTYL ESTER	02915-53-9	7	Needed: hydrolysis data.
19790	MALEIC ACID, DIPENTYL ESTER	10699-71-5	7	Needed: hydrolysis data.
19795	MALEIC ACID, DIPROPYLESTER	02432-63-5	7	Needed: hydrolysis data.
19800	MALEIC ACID, ESTERS WITH ALCOHOLS, ALIPHATIC, MONOHYDRIC, UNSATURATED (C3- C18)		9	
19840	MALEIC ACID, ESTERS WITH ALCOHOLS, ALIPHATIC, SATURATED (C1-C18)		9	
19840	MALEIC ACID, ESTERS WITH ALCOHOLS, POLYHYDRIC		9	
19870	MALEIC ACID, ESTER WITH 1,3- BUTANDIOL		7	Needed: hydrolysis data.
19900	MALEIC ACID, MONOALLYL ESTER	02424-58-0	6A	
19915	MALEIC ACID, MONOBUTYL ESTER	00925-21-3	7	Needed: hydrolysis data.
19930	MALEIC ACID, MONOESTERS WITH ALCOHOLES, ALIPHATIC, MONOHYDRIC, UNSATURATED(C3- C18)		9	
19933	MALEIC ACID, MONOETHYL ESTER	03990-03-2	7	Needed: hydrolysis data.
19936	MALEIC ACID, MONO(2-ETHYLHEXYL) ESTER	07423-42-9	8	
19939	MALEIC ACID, MONOHEPTYL ESTER	15420-83-4	7	Needed: hydrolysis data.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No.	SCF List	SCF Opinion
19942	MALIC ACID, MONOHEXYL ESTER	15420-81-2	7	Needed: hydrolysis data.
19943	MALIC ACID, MONOISOPROPYL ESTER	00924-83-4	7	Needed: hydrolysis data.
19945	MALIC ACID, MONOMETHYL ESTER	03052-50-4	7	Needed: hydrolysis data.
19949	MALIC ACID, MONOOCTYL ESTER	02370-71-0	7	Needed: hydrolysis data.
19952	MALIC ACID, MONOPENTYL ESTER	15420-79-8	7	Needed: hydrolysis data.
19955	MALIC ACID, MONOPROPYL ESTER	00925-03-1	7	Needed: hydrolysis data.
19960	MALEIC ANHYDRIDE	00108-31-6	2	Group TD ₁ : 0.5 mg/kg b.w. as maleic acid. (SCF, 6th Series, 1978).
19965	MALIC ACID	06915-15-7	1	ADI: not specified. (SCF, 25th Series, 1990).
19968	MALONIC ACID	00141-82-2	3	Occurs in plants.
19972	MANNITOL	00087-78-5	1	ADI: acceptable. (SCF, 16th Series, 1985).
19977	2-MERCAPTOETHANOL	00060-24-2	8	
20005	METHACRYLAMIDOPROPYLTRIMETHYLMAMMONIUM CHLORIDE	51410-72-1	6A	
20026	METHACRYLIC ACID	00079-41-4	2	Group 1-TD ₁ : 0.1 mg/kg b.w. pending the results of an adequate oral study. Available: a 2-year oral rat study and several other studies in several animal species with methyl methacrylate. <i>Tox. Appl. Pharmacol.</i> , 6, 1984, 29-36; RIV doc. Tox, 300730, February 1983).
20060	METHACRYLIC ACID, 2-AMINOMETHYL ESTER	07659-36-1	8	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

RF No	NAME	CAS No	SCF List	SCF Opinion
20068	METHACRYLIC ACID, ARACHIDYL ESTER	45294-18-6	7	Needed: hydrolysis data.
20075	METHACRYLIC ACID, BENZYL ESTER	16669-27-5	7	Needed: hydrolysis data.
20080	METHACRYLIC ACID, BENZYL ESTER	02495-37-6	2	Group TDI: 0.1 mg/kg b.w. (as methacrylic acid). Hydrolysis (complete) data allow the allocation of the same TDI as methacrylic acid.
20095	METHACRYLIC ACID, 4-tert-BUTYLCYCLOHEXYL ESTER		46729-07-1	8
20110	METHACRYLIC ACID, BUTYL ESTER	00097-88-1	2	Group t-TDI: 0.1 mg/kg b.w. (as methacrylic acid). See references for methacrylic acid.
20140	METHACRYLIC ACID, sec-BUTYL ESTER	02998-18-7	2	Group t-TDI: 0.1 mg/kg b.w. (as methacrylic acid). See references for methacrylic acid.
20170	METHACRYLIC ACID, tert-BUTYL ESTER	00585-07-9	2	Group t-TDI: 0.1 mg/kg b.w. (as methacrylic acid). See references for methacrylic acid.
20200	METHACRYLIC ACID, 2-CHLOROETHYL ESTER	01888-94-4	8	
20230	METHACRYLIC ACID, CYCLOHEXYLAMINOETHYL ESTER		8	
20290	METHACRYLIC ACID, CYCLOPENTYL ESTER	16868-14-7	8	
20320	METHACRYLIC ACID, DECYL ESTER	03179-47-3	7	Needed: hydrolysis data.
20335	METHACRYLIC ACID, N,N-DIALKYL,(C1-C4)AMMOALKYL(C2-C8) ESTER	-	9	
20350	METHACRYLIC ACID, (D,L)-tert-BUTYLAMINO)ETHYL ESTER	-	8	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No.	SCF List	SCF Opinion
20380	METHACRYLIC ACID, DIESTER WITH 1,3-BUTANEDIOL	01189-08-8	8	Available; hydrolysis study shows incomplete hydrolysis.
20410	METHACRYLIC ACID, DIESTER WITH 1,4-BUTANEDIOL	02082-81-7	8-p	
20425	METHACRYLIC ACID, DIESTER WITH DIETHYLENEGLYCOL	02358-84-1	8	
20430	METHACRYLIC ACID, DIESTER WITH 2,2-DIMETHYL-1,3-PROPANEDIOL	01985-51-9	8	
20440	METHACRYLIC ACID, DIESTER WITH ETHYLENENGLYCOL	00097-90-5	7	Available; migration data (inadequate), Ames test negative. (RIVM doc. 1994-10-25 - CS/PM/2461). Needed: migration data and 3 complete mutagenicity reports.
20455	METHACRYLIC ACID, DIESTER WITH 1,6-HEXANEDIOL	06606-59-3	8	
20470	METHACRYLIC ACID, DIESTER WITH POLYETHYLENENGLYCOL	25852-47-5	8	
20473	METHACRYLIC ACID, DIESTER WITH POLYPROPYLENENGLYCOL	?	9	
20480	METHACRYLIC ACID, DIESTER WITH 1,3-PROPANEDIOL	01188-09-6	8	
20490	METHACRYLIC ACID, DIESTER WITH TETRAETHYLENENGLYCOL	00109-17-1	8	
20500	METHACRYLIC ACID, 2-(DIETHYLAMINO)ETHYL ESTER	00105-16-8	8	
20560	METHACRYLIC ACID, DODICYL ESTER	00142-90-5	7	Needed: hydrolysis data.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No.	SCF List	SCF Opinion
20650	METHACRYLIC ACID, 2,3-EPOXYPROPYL ESTER	60106-91-2	6A. Available: data on residues in coatings. P (CS/PM/2470, November 1994).	
20655	METHACRYLIC ACID, ESTERS WITH ALCOHOLS, ALIPHATIC, MONOHYDRIC, SATURATED(C1-C18)	-	9	
20620	METHACRYLIC ACID, ESTERS WITH ALCOHOLS, ALIPHATIC, MONOHYDRIC, SATURATED(C1-C21)	-	9	
20650	METHACRYLIC ACID, ESTERS WITH ALCOHOLS, ALIPHATIC, MONOHYDRIC, UNSATURATED(C4-C18)	-	9	
20665	METHACRYLIC ACID ESTERS WITH ALCOHOLS, ALIPHATIC, POLYHYDRIC	-	9	
20680	METHACRYLIC ACID, ESTERS WITH ALCOHOLS, POLYHYDRIC (C2-C21)	-	9	
20710	METHACRYLIC ACID, ESTERS WITH ETHERALCOHOLS	-	9	
20740	METHACRYLIC ACID ESTER WITH ETHIOXYTRIETHYLENEGLYCOL	39676-09-2	8	Available: hydrolysis (incomplete) data.
20770	METHACRYLIC ACID ESTERS WITH GLYCOURIDERS OBTAINED FROM MONO AND/OR DIGLYCOLS WITH ALCOHOLS, ALIPHATIC, MONOHYDRIC (C1-C18)	-	9	
20785	METHACRYLIC ACID, ESTER WITH METHOXYPOLYETHYLENEMONOGLYCOL	26915-72-0	8	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
20800	METHACRYLIC ACID, ESTER WITH METHOXYTRIETHYLENEGLYCOL	24493-59-2	8	
20830	METHACRYLIC ACID, ESTERS WITH 1,2-PROPANEDIOL		8	
20860	METHACRYLIC ACID, ESTER WITH TRIMETHYLILITHIUMAMMONIUM CHLORIDE	05039-78-1	8	
20875	METHACRYLIC ACID, 2-EPOXYETHYL ESTER	02370-63-0	8	
20890	METHACRYLIC ACID, ETHYL ESTER	00097-63-2	2	Group 1-TDI: 0.1 mg/kg b.w. (as methacrylic acid). See references for methacrylic acid.
20920	METHACRYLIC ACID, 2-ETHYLHEXYL ESTER	00688-84-6	8	
20928	METHACRYLIC ACID, HEPTYL ESTER	05459-37-0	7	Needed: hydrolysis data.
20935	METHACRYLIC ACID, HEXADECYL ESTER	02495-27-4	7	Needed: hydrolysis data.
20940	METHACRYLIC ACID, HEXYL ESTER	00142-09-6	7	Needed: hydrolysis data.
20945	METHACRYLIC ACID, 2-HYDROXYISOPROPYL ESTER (= methacrylic acid, 2-hydroxy-1-methylethyl ester)	04664-49-7	7	Needed: hydrolysis data.
20950	METHACRYLIC ACID, 2-HYDROXYPROPYL ESTER	00923-26-2	8	Available: hydrolysis data. However, no significant hydrolysis has been measured.
20965	METHACRYLIC ACID, 3-HYDROXYPROPYL ESTER	02761-09-3	8	
20980	METHACRYLIC ACID, ISOBORNYL ESTER	07534-94-3	8	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
21010	METHACRYLIC ACID, ISOBUTYL ESTER	00097-86-9	2	Group 1-TDI: 0.1 mg/kg b.w. (as methacrylic acid). See references for methacrylic acid.
21040	METHACRYLIC ACID, ISODIACYL ESTER	29964-84-9	8	
21070	METHACRYLIC ACID, ISOCTYL ESTER	28675-80-1	8	
21100	METHACRYLIC ACID, ISOPROPYL ESTER	04655-34-9	2	Group 1-TDI: 0.1 mg/kg b.w. (as methacrylic acid). See references for methacrylic acid.
21115	METHACRYLIC ACID, METHALLYL ESTER	00816-74-0	6A	
21130	METHACRYLIC ACID, METHYL ESTER WITH 1,3-BUTANEDIOL	00080-62-6	2	Group 1-TDI: 0.1 mg/kg b.w. (as methacrylic acid). See references for methacrylic acid.
21160	METHACRYLIC ACID, MONOESTER WITH 1,4-BUTANEDIOL		8	
21170	METHACRYLIC ACID, MONOESTER WITH DIETHYLENGLYCOL	00997-46-6	8	
21180	METHACRYLIC ACID, MONOESTER WITH DIETHYLENGLYCOL	02351-43-1	7	Needed: hydrolysis data.
21190	METHACRYLIC ACID, MONOESTER WITH ETHYLENGLYCOL	00868-77-9	2	Group 1-TDI: 0.1 mg/kg b.w. (as methacrylic acid). See references for methacrylic acid.
21205	METHACRYLIC ACID, MONOESTER WITH POLYETHYLENGLYCOL	25736-86-1	7	Needed: hydrolysis data.
21220	METHACRYLIC ACID, OCTADECYL ESTER	32360-05-7	8	Hydrolysis negligible (CS(PM)1689).
21250	METHACRYLIC ACID, n-OCTYL ESTER	02157-01-9	7	Needed: hydrolysis data.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF. No	NAME	CAS No	SCF List	SCF Opinion
21280	METHACRYLIC ACID, PHENYL ESTER	63177-70-0	2	Group 11b: 0.1 mg/kg b.w. (as methacrylic acid). Hydrolysis (complete) data allow the allocation of the same TDI as methacrylic acid.
21310	METHACRYLIC ACID, PHENYLETHYL ESTER	03683-12-3	8	
21340	METHACRYLIC ACID, PROPYL ESTER	02210-28-8	2	Group 1-1b: 0.1 mg/kg b.w. (as methacrylic acid). See references for methacrylic acid.
21370	METHACRYLIC ACID, 2-SULPHOETHYL ESTER	10595-80-9	8	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
21400	METHACRYLIC ACID, SULPHOPROPYL ESTER	54276-35-6	7	Available; 3 mutagenicity tests negative and migration data (inadequate). Needed: a) detailed information concerning typical amounts of methacrylic acid, sulphopropyl ester used in the final food contact materials, b) a proper description of the samples investigated in the migration studies and in the determination of the residual content, including initial content of methacrylic acid, sulphopropyl ester in the samples; c) a properly described and validated analytical method for the determination of the specific migration of methacrylic acid, sulphopropyl ester in 3 % acetic acid, 15 % ethanol and olive oil following the 'Practical Guide N.1' or a properly described and validated analytical method for the determination of the residual content of methacrylic acid, sulphopropyl ester in the final product following 'Practical Guide N.1' (RIVM SDS 1996-05-02 = CS/PM/2797).
21415	METHACRYLIC ACID, TETRADECYL ESTER	02549-53-3	?	Needed: hydrolysis data.
21430	METHACRYLIC ACID, VINYL ESTER	04245-37-8	?	Needed: hydrolysis data. Group I-TDI: 0.1 mg/kg b.w. (as methacrylic acid). See references for methacrylic acid.
21460	METHACRYLIC ANHYDRIDE	00760-93-0	2	The chemical structure is similar to acrylonitrile. Methacrylonitrile should be treated in the same way as acrylonitrile.
21490	METHACRYLONITRILE	00126-98-7	4A	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
21505	METHALLYL ETHERS OF MONOHYDRIC ALCOHOLS (C1-C18)		9	
21510	METHALLYL ETHERS OF POLYHYDRIC ALCOHOLES (C2-C12)		9	
21550	METHANOL	00067-56-1	3	The toxicity profile well known also from intoxication of man. The potential migration into food will not be of toxicological significance. (SCF, 6th Series, 1978).
21560	N-METHOXYALKYL(C1-C6)-N-ALKYL(C1-C6)AMIDES OF UNSATURATED ALIPHATIC MONO- AND POLYCARBOXYLIC ACIDS (C3-C18)		9	
21568	N-METHOXYALKYL(C1-C6)AMIDES OF UNSATURATED ALIPHATIC MONO- AND POLYCARBOXYLIC ACIDS (C3-C18)		9	
21580	N-(METHOXYMETHYL)ACRYLAMIDE	03644-11-9	6A	
21610	N-(METHOXYMETHYL)METIACRYL AMIDE	03644-12-0	6A	
21615	4-METHOXYPHENOL	00150-76-5	8	
21620	1-METHOXY-2-PROPANOL	00167-98-2	8	
21630	N-METHYLACRYLAMIDE	01187-59-3	6A	
21635	2-METHYLBICYCLO(4.3.0)NONA-3,8-DIENE	07413-02-7	8	
21640	2-METHYL-1,3-BUTADIENE	00078-79-5	6A	
21670	2-METHYL-1-BUTENE	04563-46-2	8	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF. No	NAME	CAS No	SCF List	SCF Opinion
21700	2-METHYL-2-BUTENE	00513-35-9	8	
21730	3-METHYL-1-BUTENE	00563-45-1	4B	R = Only to be used in polypropylene at maximum residue level 0.001 mg/dm ³ of material.
				Available: Analytical data and migration by worst case calculation. 3 mutagenicity tests of which gene mutation in bacterial cells and in mammalian cells <i>in vitro</i> negative; chromosome aberration test in mammalian cells <i>in vitro</i> positive.
21733	2-METHYL-3-PENTEN-2-OL	00115-19-5	8	(RIVM/TNO ISS CS/PM/745, January 1996). 4-week oral rat study. Data inadequate. (Bayer Rep. 12557, 22 March 1984).
21736	alpha-METHYL-epsilon-CAPROLACTONE	02549-61-3	8	
21739	beta-METHYL-epsilon-CAPROLACTONE	02549-60-2	8	
21742	delta-METHYL-epsilon-CAPROLACTONE	02549-58-8	8	
21745	epsilon-METHYL-epsilon-CAPROLACTONE	02549-59-9	8	
21748	gamma-METHYL-epsilon-CAPROLACTONE	02549-42-0	8	
21749	2-METHYLCYCLOCOPENTANONE	00583-60-8	8	
21751	METHYLCYCLOCOPENTADIENE	26519-91-5	8	
21754	2-METHYL-1,5-DIAMINOPENTANE	15520-10-2	8	
21757	METHYLENDIETHYLISOPETETRAHYDROPHthalic ACID	?	8	
21760	5-METHYLBICYCLO[2.2.1]HEPT-2-EN-5-ONE	00694-91-7	8	
21790	METHYLENEBISACRYLAMIDE	00110-26-9	6A	
21820	METHYLENEBISCAPROLACTAM	13093-19-1	8	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No.	SCF List	SCF Opinion
21823	2-METHYLEPICHLOROHYDRIN	00598-09-4	4A	Chemical structure similar to epichlorohydrin, which is highly toxic and which induces forestomach tumours in rats after oral administration.
21826	METHYLHYDROXYDIMETHYLAMINO(1-CHLOROSILANE)		?	
21827	METHYL ETHYL KETONE	00078-93-3	3	R: 5 mg/kg of food. Needed: structural formula Same references as 66655.
21829	alpha-METHYL-D-GLUCOSIDE	00097-30-3	8	
21832	3-METHYLHEPTANOIC ACID	?	8	
21833	4-METHYLHEPTANOIC ACID	03302-03-2	8	
21834	5-METHYLHEPTANOIC ACID	?	8	
21835	6-METHYLHEPTANOIC ACID	00929-10-2	8	
21837	4-METHYL-1,4-HEXAENE	0116-90-1	6A	
21840	METHYLHEXAHYDROPHthalic Acid	82476-50-4	9	
21845	4-METHYLHEXAHYDROPHthalic ANHYDRIDE	19438-60-9	8	
21850	METHYLHYDROQUINONE	00095-71-6	8	
21889	METHYLHYDROQUINONE DIACETATE	00717-27-1	8	
21910	METHYL ISOPROPOENYL KETONE	00814-78-8	8	
21925	N-METHYLMORPHOLINE	00109-02-4	5	
21940	N-METHYLOLACRYLAMIDE	00924-42-5	4A	Carcotoxic carcinogen. (RIVM report, 4 March 1991).
21970	N-METHYLOLMACRYLAMIDE	00923-02-4	6A	
22000	2-METHYL-1,3-PENTADIENTE	01118-58-7	8	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No.	SCF List	SCF Opinion
22030	3-METHYL-1,4-PENTADIEN-1-OL	0115-08-8	8	
22060	4-METHYL-1,3-PENTADIENE	00926-56-7	8	
22065	2-METHYLPENTANE-1,5-DISOCYANATE	34813-62-2	4A	
22070	2-METHYL-1,3-PENTANEDIOL	00149-31-5	8	
22080	4-METHYL-2-PENTANOL	00108-11-2	8	
22090	2-METHYL-1-PENTENE	00763-29-1	8	
22120	3-METHYL-1-PENTENE	00760-20-3	8	
22150	4-METHYL-1-PENTENE	00691-37-2	3	R: 0.05 mg/kg in food. 28- and 90-day oral rat studies. Ames test negative, cytogenicity study doubtful. (RIVM summary 22 February 1990).
22180	4-METHYL-2-PHENEN	04461-48-7	8	
22240	p-METHYLSYRENE	00622-97-9	6A	
22245	METHYLTETRAHYDROPHthalic ACID	27636-35-7	9	
22247	METHYL-1,2,3,6-TETRAHYDROPHthalic ANHYDRIDE	26590-20-5	8	
22256	METHYLTETRAHYDROXYSLANE	01185-55-3	8	
22270	METHYL VINYL ETHER	00107-25-5	7	Needed: hydrolysis data.
22300	METHYL VINYL KETONE	00078-94-4	6A	
22330	METHYL VINYL THIOETHER	01822-74-8	6A	
22335	MONOCHLOROACETIC ACID, ESTER WITH 5-(HYDROXYMETHYL)- BICYCLO(2.2.1)HEPT-2-ENE	28693-60-7	6A	
22340	MONOMETHYLAMINE	00074-89-5	W8	Data inadequate.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
22345	MORPHOLINE, p-TOLUENESULPHONATE	13732-62-2	5	
22350	MYRISTIC ACID	00544-63-8	4	ADI: Not specified. (SCF, 25th Series, 1989).
22355	MYRISTOLEIC ACID	00544-64-9	8	
22420	1,S-NAPHTHALENE DIISOCYANATE	03173-72-6	4A	See references for 3,3'-dimethyl-4,4'-disiocyanatobiphenyl.
22424	NEODECANOIC ACID, 2,3-EPOXYPROPYL ESTER	51060-52-3	7/D	Deleted because covered by 25380.
22428	NEODECANOIC ACID, VINYL ESTER	54423-67-5	7/D	Deleted because covered by 25380.
22435	NEONONANOIC ACID, VINYL ESTER	93820-32-7	7/D	Deleted because covered by 25380.
22440	NEDONDECANOIC ACID, VINYL ESTER	09004-70-0	3	(SCF, 6th Series, 1978).
22450	NITROCYCLOPENTENE	00112-05-0	8	
22465	NONANOIC ACID	00143-08-8	3	See references for 'Alcohols, aliphatic, monohydric, saturated, linear, primary (C4-C22)' (PM/REF.N. 12375) in SCF List 3.
22480	1-NONANOL			
22510	NONENE	27215-95-8	8	
22535	NONYLPHENOL	25154-52-3	9	
22538	2-NONYLPHENOL	40136-83-4	8	
22540	4-NONYLPHENOL	00104-40-5	8	
22555	1-OCTADECANOL	00112-92-5	3	See references for 'Alcohols, aliphatic, monohydric, saturated, linear, primary (C4-C22)' (PM/REF.N. 12375) in SCF List 3.
22570	OCTADECYL ISOCYANATE	00112-96-9	4A	See references for 3,3'-dimethyl-4,4'-diisocyanatobiphenyl.
22580	OCTADECYL VINYL ETHER	00930-02-9	7	Needed: hydrolisis data.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 2nd March

REF No.	NAME	CAS No.	SCF List	SCF Opinion
22585	1,7-OCTADIENE	03710-30-3	8	
22596	1,8-OCTANEDIOL	00629-41-4	8	
22600	1-OCTANOL	00111-87-5	3	See references for 'Alcohols, aliphatic, monohydric, saturated, linear, primary (C4-C22)' (PM/REF.N. 12375) in SCF list 3.
22630	OCTENE (except 1-OCTENE)	25377-83-7	8	
22660	1-OCTENE	00111-66-0	2	t _{1/2} DDt: 0.25 mg/kg bw; pending results of fertility and teratogenicity studies. Available: a 90-day oral rat study and mutagenicity studies. (CIVO rep. V86.408/25109), 26 September 1986).
22675	OCTYLAMINE	00111-86-4	8	
22690	4-OCTYLPHENOL	01806-26-4	8	
22720	4-tert-OCTYLPHENOL	00140-66-9	D	See PM/REF.N. 25185.
22750	OCTYL VINYL ETHER	00929-62-4	7	Needed: hydrolysis data.
22755	OTICICA OIL	08016-35-1	8	Not food fat.
22757	OTICICA OIL FATTY ACIDS, AND THEIR DIMERS	-	D	
22757/	OTICICA OIL FATTY ACIDS	-	8(f)	It is not an oil from food sources.
1				
22763	OLEIC ACID	00112-80-1	1	ADI: not specified. (SCF, 25th Series, 1990).
22764	OLEIC ACID, DIMER	07049-68-5	8	
22766	OLEYL ALCOHOL	00143-28-3	3	Precursor of oleic acid.
22769	OLIVE OIL, FATTY ACIDS, AND THEIR DIMERS	-	13	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended

to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
22769	OLIVE OIL FATTY ACIDS	-	3:D	Constituents of food fats.
1				
22769	OLIVE OIL FATTY ACIDS, DIMERS	-	8:D	
3				
22775	OXALIC ACID	00141-62-7	2	TDL: 0.1 mg/kg b.w. 2-year oral rat study: observations in man. (<i>J. Am. Pharm. Ass.</i> , 1947, 36, 217-219; <i>Patty</i>). (SCF, 25th Series, 1990).
22780	PALMITIC ACID	00057-10-3	1	ADL: not specified.
22785	PALMITOLEIC ACID	00373-49-9	0	
22790	PALM KERNEL OIL FATTY ACIDS, AND THEIR DIMERS	-	D	
1				
22790	PALM KERNEL OIL FATTY ACIDS	-	3:D	Constituents of food fats.
22795	PALM OIL FATTY ACIDS, AND THEIR DIMERS	-	D	
22795	PALM OIL FATTY ACIDS	-	3:D	Constituents of food fats.
1				
22800	3-PENTADECYLPHENOL	00501-24-6	8	
22810	1,3-PENTADIENE	00504-60-9	8	
22811	1,4-PENTADIENE	00591-93-5	8	
22840	PENTAERYTHRITOL	00115-77-5	2	Group TDL: 1 mg/kg b.w. (with dipentaerythritol). See references for dipentaerythritol.
22842	PENTAERYTHRITOL DIALLYL ETHER	02590-16-1	6A	
22844	PENTAERYTHRITOL MONOALLYL ETHER	03784-12-1	6A	
22846	PENTAERYTHRITOL TRIALLYL ETHER	01471-17-6	6A	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
22848	PENTAETHYLENEHEXAMINE	04067-16-7	8	
22853	N,N,N',N'',N'''-	03030-47-5	8	
	PENTAMETHYLDIETIYLENETRIAMINE			
22858	1,2-PENTANEDIOL	05343-92-0	8	
22861	1,5-PENTANEDIOL	00111-29-5	8	
22864	2,4-PENTANEDIOL	00625-69-4	8	
22867	PENTANOIC ACID	00109-52-4	0	
22870	1-PENTANOL	00071-41-0	3	See references for 'Alcohols, aliphatic, monohydric, saturated, linear, primary (C4-C22)' (PM/REF.N. 12375) in SCF list 3.
22901	2-PENTENE	00109-68-2	8	
22908	trans-2-PENTENE	00646-04-8	8	
22912	1-PENTYNE	00627-19-0	8	
22930	PERFLUOROALKYL (C1-C3) PERFLUOROVINYL ETHERS		9	
22932	PERFLUOROMETHYL	01187-93-5	6A	
22935	PERFLUOROVINYLMETHYL VINYL ETHER	03823-94-7	7	Needed: provided hydrolysis can be demonstrated, data on perfluromethanol are requested.
22937	PERFLUOROPROPYL	01623-05-8	3	R: 0.05 mg/kg of food. Migration data and three mutagenicity studies negative.
22940	PERFLUOROPROPYL VINYL ETHER	06996-01-6	7	(RIVM SDS, May 1996 - CSM/PM/2799). Needed: provided hydrolysis can be demonstrated, data on perfluoropropanol are requested.
22945	PERILLA OIL	68132-21-8	3	Food fat.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No.	SCF List	SCF Opinion
22950	PERILLA OIL FATTY ACIDS, AND THEIR DIMERS	-	D	
22950 ¹	PERILLA OIL FATTY ACIDS	-	3/D	Constituents of food fats.
22960	PHENOL	60108-95-2	2	TDI: 1.5 mg/kg b.w. 90-day oral studies in mice and rats, multi-generation studies oral in rats and 2-year studies oral in mice and rats. (NTP 80-15, NIIJ Tech. report 203, <i>J. Pharm. Exp. Ther.</i> , 184, 1973, 605).
22990	PHENOLS, MONO- AND DIHYDRIC, ALKOXYLATED OR HYDROGENATED	-	9	
23005	PHENYL- <i>o</i> -CRESOL	-	9	
23020	alpha-PHENYL- <i>o</i> -CRESOL	28994-41-4	8	
23050	1,3-PHENYLENDIAMINE	60108-45-2	4A	Since the data on carcinogenicity by the oral route were inadequate and the substance demonstrated some genotoxic potential, it is acceptable for use only provided there is no detectable migration into food by an agreed sensitive method.
23060	1,4-PHENYLENE DIISOCYANATE	60104-49-4	4A	
23080	PHENYLHYDROQUINONE	60107-92-6	8	
23110	PHENYLHYDROQUINONE DIACETATE	58244-28-3	8	
23125	PHENYL ISOCYANATE	60103-71-9	4A	Isocyanates can hydrolyse to corresponding amines. Some aromatic amines are carcinogenic.
23140	4-PHENYLPHENOL	60092-69-3	8	
23170	PHOSPHORIC ACID	67664-38-2	1	MTDI: 70 mg/kg b.w. (as P). (SCF, 25th Series, 1990).

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
23173	PHOSPHORIC ANHYDRIDE	01314-56-3	1	MTDI: 10 mg/kg b.w. (as P). (SCF, 25th Series, 1990).
23178	PHOSPHOROUS ACID, TRIPHENYL ESTER	00101-42-0	8	
23200	o-PHTHALIC ACID	00088-99-3	2	Group TDI: 1 mg/kg b.w. Included in the group TDI for phthalic anhydride.
23215	PHTHALIC ACIDS, CHLORINATED	-	9	
23230	PHTHALIC ACID, DIALLYL ESTER	00131-17-9	4A	Genotoxic carcinogen (mouse and rat). (RIVM doc. 916791; 2001).
23260	o-PHTHALIC ACID DICHLORIDE	00088-95-9	7	Needed: hydrolysis data.
23290	PHTHALIC ACID, HALOGENATED DERIVATIVES	-	9	
23320	PHTHALIC ACIDS, HYDROGENATED	-	9	
23350	PHTHALIC ACIDS, HYDROGENATED, SUBSTITUTED, ENDOSUBSTITUTED, AND THEIR HALOGENATED DERIVATIVES	-	9	
23380	PHTHALIC ANHYDRIDE	00085-44-9	?	Group TDI: 1 mg/kg b.w. (SCF, 17th Series, 1986).
23410	PHTHALIC ANHYDRIDE, HYDROGENATED	-	9	
23440	PIIMIC ACID	00111-16-0	8	
23470	alpha-PINENE	00080-56-8	3	Occurs naturally in food. Used as a flavour. Migration into food would be self-limiting, because of its taste. <i>(Int Cosmetic Tox., 16, 1978 suppl. 1, 853).</i>

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
23500	BETA-PINENE	001.27.91-3	3	Occurs naturally in food. Used as a flavour up to 600 mg/kg of food. Migration into food would be self-limiting because of its taste. (<i>Food Cosmet. Toxicol.</i> , 16 (suppl. 1) 1978, 859-861).
23505	PIPERAZINE	001.10.-85-0	3	Migration negligible. Only for use as a constituent of composite nanofiltration membrane.
23510	cis-PIPERYLENE	01.57.4-41-0	8	
23515	POLYBUTADIENE	09003-17-2	4	
23518	POLYBUTADIENYL EPORHIDISIDE	-	9	
23523	POLY(1-BUTENYL ETENE)	25038-44-2	8	
23530	POLY(1,4-BUTYLENGLYCOL) (molecular weight greater than 1000)	25190-06-1	7	Needed: molecular weight distribution curve.
23540	POLYCYCLOPENTENE	25103-85-9	9	
23560	POLYETHERS BASED ON ETHYLENE OXIDE, PROPYLENE OXIDE AND/OR TETRAHYDROFURAN, CONTAINING FREE HYDROXYL GROUPS	-	9	
23590	POLYETHYLENGLYCOL	25322-68-3	2	Group TD1: 5 mg/kg b.w. (with triethyleneglycol). See references for triethyleneglycol. (SCF, 6th Series, 1978).
23594	POLYETHYLENGLYCOL MONOMETHYLEther	09004-74-4	8	
23600	POLYETHYLENEPOLYAMINS	.68131-73-7	9	
23605	POLY(ETHYLENGLYCOL BIS (2- AMINOPROPYL) ETHER	65605-36-9	8	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
23610	POLYGLYCEROL	25618-55-7	9	
23615	POLYHYDROXYBUTYRATE To be deleted here and introduced in a special annex if authorised.	29435-48-1	D	
23620	POLYOOLS DERIVED FROM PHENOLS AND BISPHENOLS, HYDROGENATED AND/OR CONDENSED WITH EPOXYALKANES AND/OR ARYLEPOXYALKANES POSSIBLY HALOGENATED, ALKOXYLATED, ARYLOXYLATED		9	
23635	POLYPROPYLENE, CHLORINATED	68442-33-1	9	
23650	POLYPROPYLENEGLYCOL (Molecular weight greater than 400)	25322-69-4	3	Toxicologically acceptable.
23651	POLYPROPYLENEGLYCOL.	25322-69-4	3	Toxicologically acceptable.
23660	POLYPROPYLENEGLYCOL 2-AMINO PROPYL ETHER, ETHER WITH 1,1,1-TRIMETHYLOLPROPANE	39423-51-3	8	
23670	POLYPROPYLENEGLYCOL BIS(2-AMINOPROPYL)ETHER	09046-10-0	8	
23680	POLYVINYLALCOHOLS	09002-89-5	D	
23710	POLYVINYLBUTYRAILS	63148-65-2	9	
23730	POPPYSEED OIL.	08002-11-7	3	Food fat.
23733	POPPYSEED OIL, FATTY ACIDS, AND THEIR DIMERS	D		
23733/	POPPYSEED OIL, FATTY ACIDS	3-O		Constituents of food fats.
1				

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No.	SCF List	SCF Opinion
23740	1,2-PROPANEDIOL	00057-55-6	1	ADI: 25 mg/kg b.w. (JECFA 17 M., 1973).
23800	1-PROPANOL	00071-23-8	3	(SCF, 11th Series, 1981; JECFA 25 M.).
23830	2-PROPANOL	00067-63-0	1	t-ADI: 1.5 mg/kg b.w. (SCF, 11th Series, 1981)
23860	PROPIONALDEHYDE	00123-38-6	3	Occurs naturally in food. Used as a flavour up to 13 mg/kg of food. Migration into food will be self-limiting because of its taste.
23890	PROPIONIC ACID	00079-09-4	1	Group ADI: not specified (SCF, 1st Series, 1974).
23950	PROPYLIC ANHYDRIDE	00123-62-6	1	Group ADI: included in the ADI not specified for propionic acid (SCF, 1st Report, 1974).
23960	N-(PROPOXYMETHYL)ACRYLAMIDE	38779-95-2	6A	
23970	N-PROPYLACRYLAMIDE	?	6A	
23980	PROPYLENE	00115-07-1	3	Residues of this gas in plastics are very small. The gas has a low toxic potential. Migration into food will be toxicologically negligible (<i>Patty's Industrial Hygiene and Toxicology</i> , 3rd ed., 1981).
23995	PROPYLINE CARBONATE	00108-32-7	8	
24010	PROPYLENE OXIDE	00075-56-9	4A	Mutagenic in several studies. Induces forestomach tumours in rats after oral administration. <i>Brit. J. Cancer</i> 46, 1982, 924).
24015	2-PROPYLMIDAZOLE	50995-95-4	8	
24017	PROPYLPHENOL	26998-80-1	9	Specify which isomer is used.
24020	2-PROPYL PHENOL	00644-35-9	8	
24021	3-PROPYL PHENOL	00621-27-2	8	
24022	4-PROPYL PHENOL	00645-56-7	8	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
24040	PROPYL VINYL ETHER	06764-47-6	7	Needed hydrolysis data.
24045	PUMPKINSEED OIL	08016-49-7	3	Food fat.
24047	PUMPKINSEED OIL FATTY ACIDS, AND TETR DIMERS	-	D	
24047/	PUMPKINSEED OIL FATTY ACIDS	-		
24055	PYROMELLITIC ACID	00089-05-4	3	R: 0.05 mg/kg in food. Same references as pyromellitic anhydride.
24057	PYROMELLITIC ANHYDRIDE	00089-32-7	3	R: 0.050 mg/kg in food. Available data: 3 requested mutagenicity studies negative, no bioaccumulation, migration less than 0.05 mg/kg in oil food simulants.
24060	QUATERNARY AMMONIUM SALTS OF N,N-DIALKYL(C1-C4)AMINOALKYL(C2- C8)ACRYLATE OR METHACRYLATE WITH ACETIC ACID, BENZENESULPHONIC ACID, HYDROBROMIC ACID, CHLOROSULPHONIC ACID, AND HYDROCHLORIC ACID	-	9	
24065	RAPESEED OIL FATTY ACIDS, AND TETR DIMERS	-	D	
24065/	RAPESEED OIL FATTY ACIDS	-	3/D	Constituents of food fats.
24070	RESIN ACIDS AND ROSIN ACIDS	73138-82-6	2	Group TDI: 1 mg/kg b.w. (SCF, 17th Series, 1986).

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
24075	RICINOLEIC ACID	00141-22-6	2	TDI: 0.7 mg/kg b.w. based on ADI for castor oil. (SCF, 7th Series, 1978).
24078	RICINOLEIC ACID, DEHYDRATED	-	3	Identical to or similar to constituents of food fats.
24080	RICINOLEIC ACID, DEHYDRATED, DIMER	-	8	
24100	ROSIN	08050-09-7	2	Group TDI: 1 mg/kg b.w. (SCF, 17th Series, 1986). ADI: 12.5 mg/kg b.w. (SCF, ... see esp. p. 1623).
24115	ROSIN, ESTER WITH GLYCEROL	08050-31-5	1	Group TDI: 1 mg/kg b.w. (SCF, 6th Series, 1978).
24130	ROSIN GUM	08050-09-7	2,D	Group TDI: 1 mg/kg b.w. (SCF, 6th Series, 1978).
24140	ROSIN, HYDROGENATED, ESTERS WITH ALCOHOLS, POLYHYDROIC C3-C6	-	9	
24150	ROSIN, POLYMERISED	65997-05-9	9	
24160	ROSIN TALL OIL	08052-10-6	5	
24190	ROSIN WOOD	09014-63-5	2	Group TDI: 1 mg/kg b.w. (SCF, 6th Series, 1978).
24220	RUBBER, CHLORINATED	09066-03-5	9	
24250	RUBBER, NATURAL	09066-04-6	3	Migration unlikely.
24260	SAFFLOWER OIL	08061-23-8	3	Food fat.
24262	SAFFLOWER OIL, FATTY ACIDS, AND THEIR DIMERS	-	D	
24262, ¹	SAFFLOWER OIL, FATTY ACIDS	-	3/D	Constituents of food fats.
24270	SALICYLIC ACID	00069-72-7	3	Naturally occurring in food in low concentration.
24275	SANDARAC	09000-57-1	9	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
24280	SEBACIC ACID	0011-20-6 2	Group TDI: 3 mg/kg b.w. (SCF, 17th Series 1986).	
24310	SEBACIC ACID DICHLORIDE	0011-49-3 3	Needed: migration and hydrolysis data. Pending these results accessibility for a 28-day oral study and further studies to be considered.	
24340	SEBACIC ACID, DI-n-DECYL ESTER	02432-89-5 6B	Group R: 0.05 mg/kg b.w. Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.050 mg/kg, peroxisome proliferation studies too. Group R: 0.05 mg/kg b.w. Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.050 mg/kg, peroxisome proliferation studies too.	
24370	SEBACIC ACID, DIMETHYL ESTER	00106-79-6 6B	Group TDI: 3 mg/kg b.w. Included in the group TDI (for sebacic acid). Food fat.	
24400	SEBACIC ACID, DIPHENYL ESTER	02918-18-5 8		
24430	SEBACIC ANHYDRIDE	02561-88-8 2		
24435	SESAME OIL	08008-74-0 3		
24437	SESAME OIL FATTY ACIDS, AND THEIR DIMERS	D		
24437/	SESAME OIL FATTY ACIDS		3.D Constituents of food fats.	
24440	SILYLAC	09006-59-3 1	ADI: Acceptable. (SCF, 26th Series, 1992).	
24445	SILANOLS CONTAINING AT LEAST ONE HYDROXYL GROUP AND ONE OR MORE METHYL GROUPS ON EACH SILICON ATOM	9		

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
24460	SODIUM METHANOLATE	00124-41-4	D	
24475	SODIUM SULPHIDE	01313-82-2	3	Organoleptically self-limiting.
24490	SORBITOL	00050-76-4	1	Acceptable. (SCF, 16th Series, 1985).
24520	SOYBEAN OIL	08001-22-7	3	Food fat.
24525	SOYBEAN OIL, FATTY ACIDS, DIMERS	-	8(D)	
24540	STARCH, EDIBLE	00005-25-8	6	
24550	STEARIC ACID	00057-11-4	1	ADI: not specified.
24560	STEARIC ACID, VINYL ESTER	00111-63-7	8	Hydrolysis negligible (CS/PM/1895).
24610	STYRENE	00100-42-5	4B	Several oral studies performed: 6-month rat, 19-month dog, carcinogenicity in mice (3) and in rats (4), 3-generation reproduction and teratogenicity in rats. Mutagenicity studies positive only with activation.
				(RIVM doc. 1990/05-03 (CS/PM/428), BGA doc. 17 July 1990 (CS/PM/475), CS/PM/915).
				NB: The WG wishes to establish a limit for styrene in food and asked the Commission to provide migration data.
				The WG of the SCF has the intention to recommend to the Commission a ban for styrene in ovenware due to unacceptable high migration.
24640	STYRENE SUBSTITUTED BY ALKYL GROUPS (alpha)	-	9	
24670	STYRENE SUBSTITUTED IN THE BENZENE RING	-	9	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
24700	STYRENE SUBSTITUTED BY HALOGENS (alpha or beta)	-	9	
24730	STYRENE SUBSTITUTED IN THE VINYL GROUP	-	9	
24790	SUBERIC ACID	00505-48-6 8		
24820	SUCCINIC ACID	00110-15-6 1		ADI: not specified.
24835	SUCCINIC ACID, DIMETHYL ESTER	00106-65-0 7		(SCF, 25th Series, 1990). Needed: hydrolysis data.
24850	SUCCINIC ANHYDRIDE	00108-30-5 2		TDI: not specified based on ADI (= not specified) for succinic acid.
24880	SUCROSE	00057-50-1 0		
24885	SULPHAMIC ACID	05329-14-6 8		
24887	5-SULPHOPHTHALIC ACID, MONOSODIUM SALT	06362-79-4 3		R: 5 mg/kg in food. negative, bioaccumulation and migration data. (RIVM summary data, May 1992 (CSIR/M/1590)). R: 0.05 mg/kg in food.
24888	5-SULPHOISOPHTHALIC ACID, MONOSODIUM SALT, DIMETHYL ESTER	03965-55-7 3		Available: 3 mutagenicity tests, negative. Migration data less than 0.05 mg/kg. (RIVM summary data, August 1992 (CSIR/M/1638)).
24890	SULPHOSUCCINIC ACID, MONOALKYL ESTER, SALTS	-	6A	
24895	SUNFLOWER OIL	08001-21-6 3		Food fat.
24900	SUNFLOWER OIL FATTY ACIDS, AND THEIR DIMERS	-	D	
24900/1	SUNFLOWER OIL FATTY ACIDS	-	3/D	Constituents of food fats.
1				

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No.	SCF List	SCF Opinion
24905	TALL OIL	08002-26-4	3	Not a food oil but toxicologically acceptable. (SCF, 17th Series, 1986).
24940	TEREPHTHALIC ACID	06100-21-0	2	1-TDI: 0.125 mg/kg b.w. Available: 3-month and 2-year oral rat studies, mutagenicity test negative. Needed: full reports from CILT and ICI. (CILT, 1982) (UK document 'Terephthalic acid: proposal use in animal foodstuffs', 1984). Group TDI: 0.175 mg/Kg (as terephthalic acid) Hydrolysis (complete) data allow the allocation of the same TDI of terephthalic acid. TDI: 1 mg/kg b.w.
24970	TEREPHTHALIC ACID, DIMETHYL ESTER	00120-61-6	2	90-day oral mouse and rat studies and long-term studies in mice and rats not indicating tumour induction. (NCI Tech report Series N. 121, 1979).
25000	TEREPHTHALIC ACID, DIPHENYL ESTER	01539-04-4	8	
25030	TETRA(ALLYLOXY)ETHANE	16646-44-9	6A	
25035	TETRA(BROMOPHthalic Acid	13810-83-8	5	
25040	TETRA(BROMOTEREphthalic Acid	05411-70-1	5	
25060	TETRACHlorophthalic Acid	00632-58-6	8	
25067	1,13-TETRADECADIENE	21964-49-8	6A	
25070	1-TETRADECANOL	00112-72-1	3	See references for 'Alcohols, aliphatic, monoaliphatic, saturated, linear, primary (C24-C22)' (PM/REF.N. 12375) in SCF List 3.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
25090	TETRAETHYLENEGLYCOL	00112-60-7	ADI: 10 mg/kg b.w. (JECFA 23 M., 1979).	
25105	TETRAETHYLENEPENTAMINE	00112-57-2	8	
25120	TETRAFLUOROETHYLENE	00116-14-3	3	R: 0.050 mg/kg in food.
				Available 3 mutagenicity studies negative.
				No migration data available.
				(Summary data from RIVM, CS/PM/925).
25135	TETRAHYDRODICYCLOPENTADIENEDI-METHANAMINE	68889-71-4	8	
25150	TETRAHYDROFURAN	00109-99-2	TDI: 0.01 mg/kg b.w.	
				6-month oral studies in mice, rats and rabbits. (G.R. Smit. 34, 1969, 114; EPA 560/11-80-011, April 1980).
25155	TETRAHYDROPHthalic Acid	29965-78-4	9	
25158	1,2,3,6-TETRAHYDROPHthalic Acid	00088-98-2	8	
25161	1,2,3,6-TETRAHYDROPHthalic ANHYDRIDE	00685-43-8	8	1-year oral rat study inadequate. (Allied Chem. Corp. 1958).
25163	3,4,5,6-TETRAHYDROPHthalic ANHYDRIDE	02426-02-0	8	
25170	1,1,5,5-TETRAKIS(4-(2,3-EPOXYPROPYXY)PHENYL)PENTANE	06147-62-2	6A	
25173	1,1,2,2-TETRAKIS(4-HYDROXYPHENYL)ETHANE	07727-33-5	8	
25176	1,1,5,5-TETRAKIS(4-HYDROXYPHENYL)PENTANE	48229-25-0	8	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 27 March

REF No	NAME	CAS No	SCF List	SCF Opinion
25180	N,N,N',N'-TETRAKIS(2-HYDROXYPROPYL)ETHYLENEDI AMINE	00102-60-3	2 (10); 1 mg/kg b.w.	A 90-day oral rat study. (Gilltop Research Inst., 3 January 1956).

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
25185	4-(1,1,3,3-TETRAMETHYLBUTYL)PHENOL (= 4-tert-octylphenol)	00140-66-9	1.6H R - not detectable.	Available: Inadequate migration data, inadequate mutagenicity studies, acute tox. data, 28-day oral rat study, two 90-day oral rat studies, reproduction study (special design), excretion study, skin and eye irritation studies, two estrogenic studies.

Needed: Confirmation of the claim of non-detectability at 5 ppb level; information on the composition of the test samples (particularly the amount of 4-(1,1,3,3-tetramethylbutyl)phenol used in the polycondensation process should be indicated); reasons for deviation from standard test conditions in migration experiments; a more extensive description of the method of determination (preferably according to the standard format) and sufficient information to allow evaluation of the data provided; detailed data on the level of 4-tert-octylphenol in the recovery experiments. *In vitro* chromosomal aberration assay in cultured mammalian cells; dependent on the outcome of the migration studies a one-generation reproduction study (special attention to be given to effects on male reproductive organs) may be needed.

(RIVM/SLST/TNO SOS, November 1996 = CS/PM/2793).

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
25191	2,4,7,9-TEGRAMETHYL-5-DECYNE-4,7-DIOL.	60126-86-3	8	
25193	N,N,N',N'-TETRAMETHYL-1,3-DIAMINOPROPANE	00410-95-2	8	
25201	TRIMODIETHYLENEGLYCOL	00111-48-8	8	
25203	1-HYDROXYCEROL	60096-27-5	8	
25205	TOLUENE	00108-88-3	3	R: 0.02 mg/kg b.w. based on allowing one tenth of TDI for food packaging uses. Long term inhalation studies in mice and rats and a 13-week oral study in mice. (WHO draft, Geneva, September 1992) (CS/PM/1713).
25208	TOLUENE DISOCYANATE	26471-62-5	4A	See references for 3,3'-dimethyl-4,4'-disocyanatobiphenyl.
25210	2,4-TOLUENE DISOCYANATE	00584-84-9	4A	See references for 3,3'-dimethyl-4,4'-disocyanatobiphenyl.
25240	2,6-TOLUENE DISOCYANATE	00091-08-7	4A	See references for 3,3'-dimethyl-4,4'-disocyanatobiphenyl.
25270	2,4-TOLUENE DISOCYANATE DIMER	2647-90-0	4A	See references for 3,3'-dimethyl-4,4'-disocyanatobiphenyl.
25300	o-TOLUENESTELEPHONAMIDE	00088-49-7	8	
25330	p-TOLUENESULPHONAMIDE	00070-55-3	7	Needed: mutagenicity and reproduction studies on the commercial mixture to be specified.
25350	TRIACETOXYVINYLSILANE	04130-08-9	6A	
25355	TRIALKYL(C ₄ -C ₁₁)ACETIC ACID	-	9	
25359	TRIALKYL(C ₄ -C ₁₁)ACETIC ACID, 2,3-EPOXYPROPYL ESTER	-	9	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No.	SCF List	SCF Opinion
25360	TRIALLYLIC ACETIC ACID, 2,3-EPOXYPROPYL ESTER	-	4A	Available; a 5-week oral rat study and mutagenicity tests. (Summary data only (CS/PM/932)).
25380	TRIALKYLACETIC ACID (C7-C17), VINYL ESTERS (= Vinyl versatate)	7	Covers also items under 22428, 22435, 22450.	Structural similarity taken into account.
				Available; mutagenicity test negative, high bioaccumulation, hydrolysis incomplete.
				Needed; hydrolysis in additional simulants and migration data.
25382	TRIALKYLC(5-C20)ACETIC ACID, VINYL ESTER	00102-70-5	7	Needed; provided hydrolysis can be demonstrated, data on triallyl(C5-C20)acetic acid are requested.
25385	TRIALLYLAMINE	3		R = 40 mg/kg hydrogel at a ratio of 1 kg food to a max of 1,5 g hydrogel. Only to be used in hydrogels intended for non-direct food contact use.
				Available; adequate data on residual content of triallylamine in hydrogel; calculated migration; five <i>in vitro</i> (one positive) and <i>in vivo</i> mutagenicity tests. Although the one negative <i>in vivo</i> mutagenicity study is not enough to rule out the genotoxic potential completely, the risk is thought to be very low, if at all, based on the technical information (i.e. no migration) and the restriction for use. The WG therefore does not require a further <i>in vivo</i> mutagenicity study. (RIVM/TNO/ISS SDS CS/PM/2856, June 1996).

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
25390	TRIALLYL CYANURATE	00101-37-1	6A	
25405	TRIALLYL ISOCYANURATE	01025-15-6	6A	
25420	2,4,6-TRIAMINO-1,3,5-TRIAZINE	00108-78-1	2	TDL: 0.5 mg/kg b.w. (SCF, 17th Series, 1986).
25435	TRICLOROBUTADIENE	-	6A	
25445	TRICYCLODECANEDIMISOCYANATE	28807-72-9	4A	
25450	TRICYCLODECANEDIMETHANOL	26896-48-0	8	
25465	TRICYCLODECANEMONOMETHANOL	-	9	
25480	TRIETHANOLAMINE	00102-71-6	8	
25510	TRIETHYLENEGLYCOL	00102-27-6	2	Group TDL: 5 mg/kg b.w. (with polyethyleneglycol). (SCF, 17th Series, 1986).
25515	TRIETHYLENEGLYCOL MONO(MYI- ETHER)	00112-50-5	8	
25520	TRIETHYLENETETRAMINE	00112-34-3	8	
25530	TRIGLYCEROL	56090-54-1	8	
25534	TRIMETHALLYL CYANURATE	16715-84-7	6A	
25550	TRIMETHALLYL ISOCYANURATE	06291-95-8	6A	
25563	2,2,4-TRIMETHYLADIPIC ACID	03586-39-8	8	
25564	2,4,4-TRIMETHYLADIPIC ACID	03937-59-5	8	
25565	2,2,4-TRIMETHYLADIPIC ACID, METHYL ESTERS	-	9	Group R: 0.05 mg/kg b.w.
25566	2,4,4-TRIMETHYLADIPIC ACID, METHYL ESTERS	-	9	Group R: 0.05 mg/kg b.w.
25570	TRIMETHYLETHERAMMONIUM CHLORIDE	00067-48-1	8	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
25573	2,2,4-TRIMETHYLLIMEXANE-1,6-DISOCYANATE	16938-22-0	4A	
25574	2,4,4-TRIMETHYLHEXANE-1,6-DISOCYANATE	15646-96-5	4A	
25580	3,5,5-TRIMETHYLLIMANOIC ACID	03302-10-1	8	
25595	TRIMETHYLOLETHANE	00077-85-0	9	
25600	1,1,1-TRIMETHYLOLPROPANE	00077-99-6	2	TDLo: 0.1 mg/kg b.w. A 90-day oral rat study. (Report Pestorp, Sweden).
25630	1,1,1-TRIMETHYLOLPROPANE DIACRYLATE	37275-47-1	7	Needed; hydrolysis data.
25645	1,1,1-TRIMETHYLOLPROPANE DIALLYL ETHER	00682-09-7	6A	
25660	1,1,1-TRIMETHYLOLPROPANE DIMETHIACRYLATE	19727-16-3	7	Needed; hydrolysis data.
25690	1,1,1-TRIMETHYLOLPROPANE MALEATES	-	8	
25720	1,1,1-TRIMETHYLOLPROPANE MONOACRYLATE	07024-08-0	7	Needed; hydrolysis data.
25735	1,1,1-TRIMETHYLOLPROPANE MONOALYL ETHER	00682-11-1	6A	
25750	1,1,1-TRIMETHYLOLPROPANE MONOMETHACRYLATE	07024-09-1	7	Needed; hydrolysis data.
25780	1,1,1-TRIMETHYLOLPROPANE PROPOXYLATED	25723-16-4	8	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
25810	1,1,1-TRIMETHYLOLPROPANE TRIACRYLATE	15625-89-5	8	Available: hydrolysis only to the diacrylate and acrylic acid (CS/PM/2156). Known sensitisier. (<i>Food Chem. Tox.</i> , 23, 124, 1985).
				Needed: in addition to data according to SCF guidelines, information on potential for sensitisation to plastics made from this monomer.
25825	1,1,1-TRIMETHYLOLPROPANE TRIALLYL ETHER	00682-08-6	6A	
25855	2,2,4-TRIMETHYL-1,3-PENTANEDIOL	00144-19-4	8	
25870	2,4,4-TRIMETHYL-1-PENTENE	00107-39-1	8	
25875	1,1,3-TRIMETHYL-3-PHENYLINDANE	134960-68-2		
	4,5-DICARBOXYLIC ACID			
25900	TRIOXANE	00110-88-3	7-P	Available: migration data, 28-day and 7-month oral rat studies, mutagenicity tests. Needed: stability in food simulants and <i>in vivo</i> UDS study in hepatocytes. (KIVM, 16 May 1995, CS/PM/2577).
25905	TRIPENTALERYTHRITOL	00078-24-0	8	
25910	TRIPROPYLENEGLYCOL	24800-44-0	2	Group TDI; 1.5 mg/kg b.w. (with polypropylene glycol and dipropylene glycol). See references for dipropylene glycol.
25915	2,4,6-TRIS(DIMETHYLLAMINO)METHYL PHENOL	00090-72-2	8	
25920	1,3,5-TRIS(2,3-EPOXYPROPYL)-1,3,5-TIAZINE-2,4,6(1H,3H,5H)-TRIONE	02451-62-9	6A	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
25925	1,3,5-TRIS(2-HYDROXYETHYL)-1,3,5-TRIAZINE-2,4,6(1H,3H,5H)-TRIONE	00839-90-7	8	
25927	1,1,1-TRIS(4-HYDROXYPHENYL)ETHANE	27955-94-8	3	R = 0.5 mg/kg in finished product. Available: calculated worst case migration; Ames <i>E. Coli</i> assay; <i>in vitro</i> chromosomal aberration assay; two <i>in vivo</i> micronucleus assays; <i>in vivo</i> UDS assay; acute toxicity assay. (RIVM/TNO SDS, December 1996 = CS/PM/29(1)).
25930	TRIS(2-METHOXYETHOXYVINYLSILANE)	01067-53-4	6A	
25933	TRIS(2-METHOXYPROPOXYVINYLSILANE)	96195-81-2	6A	
25950	UNDECANEDIOIC ACID	01852-04-6	8	
25960	UREA	00057-13-6	0	
25965	UTAH COAL RESIN	-	9	
25970	VEGETABLE OIL ACIDS, DIMERS	-	9	
25975	VINYLACRYLIC ACID	-	8(D)	
25990	VINYLBICYCLO[2.2.1]HEPT-2-ENE	00689-97-4	6A	
26000	5-VINYLBICYCLO[2.2.1]HEPT-2-ENE	03048-64-4	6A	
26010	VINYL BROMIDE	00593-60-2	4A	IARC has classified vinyl bromide as 'carcinogenic for animals'. (IARC Monograph, vol. 39, 1987).
26020	N-VINYLCARBAZOLE	01484-13-5	6A	
26050	VINYL CHLORIDE	00075-01-4	4A	(SCF, 1st Series, 1975)

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
26080	VINYLCETHERS OF ALCOHOLS, ALIPHATIC, MONOHYDRIC, SATURATED (C2-C18)		9	
26095	VINYLFUORIDE	00075-02-5 6A		
26110	VINYLDIENEFLOURIDE	00075-35-4 4B	(SCF 13th Series, 1982).	
26140	VINYLDIENEFLUORIDE	00075-38-7 3	R: 5 mg/kg of food.	
26170	N-VINYLN-METHYLACETAMIDE	03195-78-6 3		Many inhalation studies; 2-year oral rat study, carcinogenicity studies by inhalation in mice and rats negative; mutagenicity studies negative; reproduction study negative. (RIVM report, 29 October 1992). R = 2 mg/kg in finished product.
26200	N-VINYL-N-METHYLFORMAMIDE	02867-48-3 6A		Available: 5 mutagenicity studies considered to be non-genotoxic, physical-chemical data on VIMA; adequate analytical data and method for the residual content of VIMA in final product; calculation of worst case migration assuming 100% migration of residual monomer. (RIVM S18, May 1994 - CS/PM/2371 and TNO SDS, August 1996 - CS/PM/2857).
26215	2-VINYLPYRIDINE	00100-69-6 6A		
26217	4-VINYLPYRIDINE	00100-43-6 6A		
26230	VINYLPYRROLIDONE	00088-12-0 6A-P		
26243	VINYLSILANE		6A	
26260	VINYLSULPHONIC ACID	01184-84-5 6A		

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
26290	VINYLTOLUENE	-	25013-15-4	
26305	VINYLTRIFLUOROMETHYLSILANE	00078 08-0	6A	
26320	VINYLTETRAMETHYLOXYSILANE	02768-02-7	W	
26340	WALNUT OIL	08024-49-7	3	Food fat.
26345	WALNUT OIL, FATTY ACIDS, AND THEIR DIMERS	-	D	
26345 ¹	WALNUT OIL, FATTY ACIDS	-	3(D)	Constituents of food fats.
26360	WATER	07732-18-5	0	Specification: impurity levels not to exceed those set in the Drinking Water Directive.
26370	XYLENE	01330-20-7	3	R: 0.02 mg/kg b.w. (with 95945, 95947, 95949, 95951) based on allowing one tenth of TD for food contact materials. 2-year oral rat study, mutagenicity test negative. (WHO draft, Geneva, September 1992) (CS/PM/17/2).
26400	o-XYLYLBIGUANIDE	72960-48-6	8	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

2. ADDITIVES

REF No	NAME	CAS No	SCF List	SCF Opinion
30000	ACETIC ACID	00064-19-7	1	Group ADI: not specified. (SCF, 25th Series, 1991).
30025	ACETIC ACID, BUTOXYPROPYL ESTER	57515-72-7	9	R: 0.05 mg/kg of food.
30029	ACETIC ACID, 2-BUTOXYPROPYL ESTER	?	68	R: 0.05 mg/kg of food. Needed: hydrolysis data.
30045	ACETIC ACID, BUTYL ESTER	00123-86-4	1	1-ADI: 6 mg/kg b.w. (SCF, 25th Series, 1991).
30080	ACETIC ACID, COPPER SALT	04180-12-5	2	Group-ADI: 0.5 mg/kg b.w. for copper. Based upon: PMTDI 0.5 mg/kg b.w. (IJCFA 26 M., 1982).
30100	ACETIC ACID, DIESTER WITH ETHYLENEGLYCOL	00111-55-7	7	Needed: hydrolysis data
30130	ACETIC ACID, ETHOXYPROPYL ESTER	?	9	R: 0.05 mg/kg of food.
30140	ACETIC ACID, ETHYL ESTER	00141-78-6	1	ADI: not specified. (SCF, 11th Series, 1981).
30158	ACETIC ACID, ISOBUTOXYPROPYL ESTER	?	9	R: 0.05 mg/kg of food.
30165	ACETIC ACID, ISOPROPYL ESTER	00108-21-4	7	Needed: hydrolysis data

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
30180	ACETIC ACID, MANGANESE SALT	02180-18-9	1-2	L2 for manganese Group TDI: 0.01 mg/kg b.w. (as Mn). Recommended daily allowance 2-3 mg/day. Average daily intake 10 mg. (manganese. Environmental Health Criteria 17, WHO, Geneva 1981).
30210	ACETIC ACID, 2-METHOXYSOPROPYL ESTER	00108-65-6	6B	1.1 for acetic acid. Group ADI: Not specified. (SCF, 25th Series, 1991). R: 0.05 mg/kg of food. Needed: hydrolysis data.
30223	ACETIC ACID, PENTYL ESTER	00628-63-7	?	Needed: hydrolysis data.
30245	ACETIC ACID, PROPYL ESTER	00109-60-4	?	Needed: hydrolysis data.
30280	ACETIC ANHYDRIDE	00108-24-7	2	Group TDI: included in the ADI not specified for acetic acid. (SCF, 25th Series, 1991).
30295	ACETONE	00067-64-1	3	Residue in food less than 5 mg/kg. (SCF, 11th Series, 1981). Needed: hydrolysis data.
30350	ACETYLAETIC ACID, ETHYL ESTER	00141-97-9	7	-
30370	ACETYLACETIC ACID, SALTS	-	0	-
30380	ACETYLACETIC ACID, SODIUM SALT	00623-58-5	D	-
30385	ACETYLACETONE	00123-54-6	8	-
30400	ACETYLATED GLYCERIDES	-	1	ADI: not specified. (SCF, 7th report, 1978). Needed: hydrolysis data.
30480	ACETYLRICINOLEIC ACID, BUTYL ESTER	00140-04-5	7	-

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended

to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
30520	ACIDS, ALIPHATIC, CARBOXYLIC (C1-C20), ESTERS WITH ALCOHOLS (C1-C18)	-	9	
30540	ACIDS, ALIPHATIC, CARBOXYLIC, SATURATED (C12-C20), SALTS	-	9	
30580	ACIDS, ALIPHATIC, DICARBOXYLIC (C4-C10), DIESTERS WITH ALCOHOLS, SATURATED (C1-C18)	-	9	
30600	ACIDS, ALIPHATIC, DICARBOXYLIC, UNSATURATED (C4-C8)	-	9	
30610	ACIDS C2-C24 ALIPHATIC, LINEAR, MONOCARBOXYLIC FROM NATURAL OILS AND FATS AND THEIR MONO-, DI- AND TRIGLYCEROL ESTERS (BRANCHED FATTY ACIDS AT NATURALLY OCCURRING LEVELS ARE INCLUDED)	-	3	Toxicologically acceptable.
30612	ACIDS C2-C24 ALIPHATIC, LINEAR, MONOCARBOXYLIC; SYNTHETIC AND THEIR MONO-, DI- AND TRIGLYCEROL ESTERS	-	3	Toxicologically acceptable.
30620	ACIDS, ALIPH. MONOCARB. (C6-C24)	-	9	
30640	ACIDS, ALIPH., MONOCARB. (C8-C22), see BUTYL AND OLEYL ESTERS	-	9	
30720	ACIDS, ALIPH. MONOCARB. (C8-C22), COMPOUNDS WITH DIETHANOLAMINE	-	9	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF opinion
30725	ACIDS, ALIPH., MONOCARB. (C16-C18), COMPOUNDS WITH DIETHANOLAMINE	68603-38-3	7	Same references as 39280.
30860	ACIDS, ALIPH., MONOCARB. (MORE THAN C5), ESTERS WITH MANNITOL.	-	9	
30880	ACIDS, ALIPH., MONOCARB. (MORE THAN C5), ESTERS WITH PENTAERYTHRITOL.	-	9	
31040	ACIDS, ALIPH. MONOCARB., HYDROXYLATED (C12-C20) AND THEIR SULPHONATED AND ACETYLATED DERIVATIVES	-	9	
31120	ACIDS, ALIPH., MONOCARB. (C6-C24), Li,Mg AND Sr SALTS	-	9	
31200	ACIDS, ALIPH., MONOCARB., SAT.(MORE THAN C7), ESTERS WITH ALCOHOLS, ALIPH. MONOOL.	-	9	
31215	ACIDS, ALIPHATIC, MONOCARBOXYLIC, SATURATED, BRANCHED (C9-C11), SALTS	-	9	
31220	ACIDS, ALIPHATIC, MONOCARBOXYLIC, SATURATED, WITH AN EVEN NUMBER OF CARBON ATOMS, ESTERS WITH PENTAERYTHRITOL.	-	9	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
31230	ACIDS, ALIPHATIC, MONOCARBOXYLIC, SATURATED, BRANCHED (C9-C11), Ce, Co, Li, Mn AND Zr SALTS	-	9	
31260	ACIDS, ALIPHATIC, MONOCARBOXYLIC, SATURATED, LINEAR (C10-C24), SALTS	-	9	
31280	ACIDS, ALIPH., MONOCARB. (C8-C22), COMPOUNDS WITH TRIETHANOLAMINE	-	9	
31300	ACIDS, ALIPHATIC, SATURATED (C6-C24), ESTERS WITH ALCOHOLS, ALIPHATIC, MONOHYDRIC, SATURATED (C2-C24) AND OLEYL ALCOHOL	-	9	
31304	ACIDS, FATTY (C14-C18), ALKYL (C14-C18) ESTERS	85566-24-1	8-P	
31306	ACIDS, FATTY (C14-C22), ALKYL (C16-C24) ESTERS	92797-30-3	9-P	
31307	ACIDS, FATTY (C16-C18), ALKYL (C12-C18) ESTERS	95912-87-1	9-P	
31320	ACIDS, FATTY, FROM ANIMAL OR VEGETABLE FATS AND OILS	-	8/D	
31328	ACIDS, FATTY FROM ANIMAL OR VEGETABLE FOOD FATS AND OILS	-	3/D	Constituent of food fats.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No	SCF List	SCF Opinion
31330	ACIDS, FATTY, FROM ANIMAL OR VEGETABLE FATS AND OILS, METHYL ESTERS	-	9	
31345	ACIDS, FATTY, FROM ANIMAL OR VEGETABLE OILS, SORBITAN AND SORBITOL ESTERS	-	9	
31350	ACIDS, FATTY (C14-C22), ESTERS WITH PENTAERYTHRITOL	125109-79-9	9	
31352	ACIDS, FATTY (C16-C18), ESTERS WITH PENTAERYTHRITOL	85116-93-4	9	
31380	ACIDS, FATTY, SALTS	-	9	
31396	ACIDS, LINEAR, WITH AN EVEN NUMBER OF CARBON ATOMS (C8-C22), AND THE DIMERS AND TRIMERS OF THE UNSATURATED ACIDS	-	9	
31400	ACIDS, LINEAR, WITH AN EVEN NUMBER OF CARBON ATOMS (C8-C22), ESTERS WITH MONO- AND POLYHYDROIC ALCOHOLS	-	9	
31420	ACIDS, LINEAR, WITH AN EVEN NUMBER OF CARBON ATOMS (C8-C22), REACTION PRODUCTS WITH 2-AMINO, 2,4-DIMETHYL-1,3-PROPANEDIOL, DI- AND TRIETHANOLAMINE, AND TRIETHYLAMINE	-	9	
31455	ACIDS, FATTY, DIMERISED	-	9	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended

to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
31470	ACIDS, SAT, LINOLEIC (C5-C16), ESTERS WITH DIPIENTAERYTHRITOL	-	9	
31490	ACIDS, SUBSTITUTED (C9-C20), AND THEIR TRIETHYLAMINE SALTS	-	9	
31520	ACRYLIC ACID, 2-(tert-BUTYL-6-(3-tert-BUTYL-2-HYDROXY-5-METHYLBENZYL)-4-METHYLPHENYL)ESTER	61167-58-2	2	TDI: 0.1 mg/kg b.w. 3-month oral rat study, Mutagenicity studies. Migration data. No bioaccumulation in fish. (RIVM 90/6786/BS/007; CS/PA/926). R: 5 mg/kg food.
31530	ACRYLIC ACID, 2-(tert-PENTYL-6-(3,5-DI-tert-PHENYL-2-HYDROXYPHENYL)PHENYL)ESTER	123968-25-3	2	3-month oral rat study, 3 mutagenicity tests, negative, migration data. (FNO, 8 August 1994).
31700	N-ACYLSARCOSINES WHERE THE ACYL GROUP IS DERIVED FROM THE FATTY ACIDS OF COCONUT OIL	68411-97-2	8	
31730	ADIPIC ACID	00124-04-9	1	ADI: 5 mg/kg b.w. (SCF, 25th Series, 1991). Group R = 0.05 mg/kg b.w.
31760	ADIPIC ACID, ALKYL, PRIMARY (C4-C13) ESTERS	-	9	
31920	ADIPIC ACID, BIS(2-ETHYLHEXYL) ESTER	00103-23-1	2	TDI: 0.3 mg/kg b.w. (see the individual report, CS/pM/2160 FINAL).
32009	ADIPIC ACID, BIS(6-METHYLHEPTYL) ESTER	00105-96-4	6B	Group R: 0.05 mg/kg b.w. Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation studies too.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No.	SCF List	SCF Opinion
32080	ADIPIC ACID, n-DECYL n-OCTYL ESTER	00110 29-2	6B	Group R: 0.05 mg/kg b.w. Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation studies too.
32160	ADIPIC ACID, DIALKYL ESTERS (C7-C9)	68515-75-3	6B	Group R: 0.05 mg/kg b.w. Available: 90-day oral rat study.
				Needed: in first instance specifications. Toxicological data depending on migration level (see SCF guidelines) and, if migration data exceeds 0.05 mg/kg, peroxisome proliferation study of the specified substances.
32200	ADIPIC ACID, DIALLYL ESTER	02998-04-1	6A	Group R: 0.05 mg/kg b.w.
32240	ADIPIC ACID, DIISOBUTYL ESTER	00105-99-7	6B	Group R: 0.05 mg/kg b.w. Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation study too.
32320	ADIPIC ACID, DI-n-DECYL ESTER	00105-97-5	6B	Group R: 0.05 mg/kg b.w. Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation study too.
32480	ADIPIC ACID, DIISOBUTYL ESTER	00141-64-8	6B	Group R: 0.05 mg/kg b.w. Available: inadequate 2-year oral rat study. Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation study too.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
32560	ADIPIC ACID, DISODIUMYL ESTER	27178-16-1	6B	Group R: 0.05 mg/kg b.w. Needed: in first instance specifications and then on the specified substances toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation studies too.
32640	ADIPIC ACID, DIISONONYL ESTER	33703-48-1	6B	Group R: 0.05 mg/kg b.w. Available: 90-day oral rat and dog studies and two mutagenicity studies. Needed: in first instance specifications, test for chromosome aberrations in mammalian cells <i>in vivo</i> and then the remaining toxicological tests depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation studies too.
32720	ADIPIC ACID, DODECOYL ESTER	01330-86-5	6B	Group R: 0.05 mg/kg b.w. Needed: in first instance specifications and then on the specified substances provide toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation study too.
32760	ADIPIC ACID, DIMETHYL ESTER	00627-93-0	6B	Group R: 0.05 mg/kg b.w. Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation study too.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No.	SCF List	SCF Opinion
32800	ADIPIC ACID, DI-n-OCTYL ESTER	00151-32-6	6B	Group R: 0.05 mg/kg b.w. Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation study too. Group R: 0.05 mg/kg b.w.
32840	ADIPIC ACID, DI-n-OCTYL ESTER	01119-74-0	6B	Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation study too. Group R: 0.05 mg/kg b.w.
32880	ADIPIC ACID, DI-n-OCTYL ESTER	00123-79-5	6B	Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation studies too. Group R: 0.05 mg/kg b.w.
32920	ADIPIC ACID, ESTERS WITH DIOLS FROM C2-C6	-	9	Group R: 0.05 mg/kg b.w.
32960	ADIPIC ACID, MIXED ESTERS WITH 1,2-PROPYYLENEGLYCOL AND ALCOHOLS, MONOOL, SAT., LINEAR (C8-C10)	-	W9	Group R: 0.05 mg/kg b.w. Provide information on identity.
33040	ADIPIC ACID, MONO-n-OCTYL ESTER, CALCIUM SALT	94109-12-3	7	Needed: hydrolysis studies.
33070	AGAR AGAR	09002-18-0	1	ADI. NS. (SCF, 21st Series, 1989).
33100	ALCOHOLS, C3-C22	68551-07-5	9	
33110	ALCOHOLS, ALIPHATIC, C1-C18	-	9	
33120	ALCOHOLS, ADIPIC MONOOL, SAT., LINEAR, PRIMARY (C4-C24)	-	3	90-day oral studies, metabolic and/or mutagenicity studies with some substances out of the group. (SCF, 17th Series, 1986).

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March 1

REF No.	NAME	CAS No.	SCF List	SCF Opinion
33140	ALCOHOLS, ALIPHATIC, MONOHYDRIC, SATURATED (> C10)	-	9	
33170	ALCOHOLS, ALIPHATIC, MONOHYDRIC, SATURATED (C16-C18), ETHERS WITH	-	9	
33200	ALKYL MONOETHYLENEGLYCOL ALCOHOLS, ALIPH. MONOH. SAT, LINEAR OR SECONDARY(C4-C22)	-	9	
33280	ALCOHOLS, ALIPH., MONOH., UNSAT, LINEAR, (C16-C22) (except oleyl alcohol)	-	8	Needed toxicological data on two representatives of the group according SCF guidelines. NB: The evaluation is not applicable to oleyl alcohol.
33320	ALCOHOLS, CYCLOALIPH., MONOH.(UP TO C18), AND SUBSTITUTED ALCOHOLS, FATTY, C12 AND ABOVE	09005-32-7	9	
33330	ALGINIC ACID	-	D	ADI: not specified. (JECFA, 1992). ADI: 50 mg/kg b.w. (JECFA 17 M, 1973).
33360	ALGINIC ACID, SALTS	-	-	
33440	ALKANES (B.P. UP TO 100 °C)	-	9	
33460	ALKANES, n, AND iso,(C4-C14)	-	9	
33520	n-ALKENES (C2-C14)	-	9	
33600	C-ALKENYL(C12-C18)	-	9	
33640	SUCCHINALYL(C12-C18) IMIDE	-	9	
33680	N-ALKYL(C12-C20)ALKYLENE(C2-C6)DIAMINETRACETIC ACID, SALTS	-	9	
	ALKYL(C8-C20)ARYLSULPHONIC ACID	-	9	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
33760	ALKYL(C ₈ -C ₁₈)ARYLSULPHURIC ACID	9		
33800	ALKYL(C ₁₀ -C ₁₃)BENZENESULPHONIC ACID	9		
33801	n-ALKYL(C ₁₀ -C ₁₃)BENZENESULPHONIC ACID	2		TDI: 0.5 mg/kg b.w. based on TDI for 52000.
33840	ALKYL(C ₁₁ -C ₁₄)BIS(HYDROXYETHYL)SULPHONIUM BISULPHATE	9		
33920	ALKYL(C ₁₁ -C ₁₄)BIS(HYDROXYETHYL)SULPHONIUM GLYCOCOSULPHATE	9		
34000	n-ALKYL(C ₁₁ -C ₁₅)BIS(HYDROXYETHYL)SULPHONIUM SULPHATE	9		
34015	ALKYL CAPROLACTONE PHOSPHATE	9		
34030	N-N-ALKYL(C ₁₄ -C ₁₈ , EVEN)-N ²⁺ (CARBOXYMETHYL)-N,N'-TRIMETHYLENEDIGLYCINE	9		
34060	ALKYL(C ₈ -C ₁₈)-omega-HYDROXYALKYL(C ₂ -C ₆)AMIDE	9		
34080	n-ALKYL(C ₁₁ -C ₁₄)HYDROXYETHYL SULPHIDE	9		
34095	ALKYL(C ₈ -C ₁₈)IMIDAZOLINIUM ACETATE	9		
34100	ALKYL(C ₈ -C ₁₈)IMIDAZOLINIUM BROMIDE	9		

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended

to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
34105	ALKYL(C8-C18)IMIDAZOLOLINIUM CHLORIDE	-	9	
34120	ALKYL KETENE DIMERS	-	9	
34135	ALKYL(C8-C18)MORPHOLINIUM ACETATE	-	9	
34140	ALKYL(C8-C18)MORPHOLINIUM BROMIDE	-	9	
34145	ALKYL(C8-C18)MORPHOLINIUM CHLORIDE	-	9	
34165	ALKYL(C8-C18)PYRENOXYBENZENEDISULPHONIC ACID SALTS	-	9	
34210	ALKYL(C9-C18)PYRIDINIUM ACETATE	-	9	
34215	ALKYL(C8-C18)PYRIDINIUM BROMIDE	-	9	
34220	ALKYL(C8-C18)PYRIDINIUM CHLORIDE	-	9	
34225	ALKYL(C10-C18)SULPHONIC ACIDS	68037-49-0	W9	
34230	ALKYL(C8-C22)SULPHONIC ACIDS	-	2	TDI: 0.1 mg/kg b.w. 1- and 2-year oral rat studies (Bayer report 1960).
34231	<i>n</i> -ALKYL(C8-C22)SULPHONIC ACIDS	-	2	TDI: 0.1 mg/kg b.w., based on TDI for 34230.
34240	ALKYL(C10-C20)SULPHONIC ACID, ESTERS WITH PHENOLS	-	2	TDI: 0.1 mg/kg b.w. Available: 90-day oral rat study and Ames test.
				Needed: additional mutagenicity studies according to guidelines. (RIVM doc., 8 May 1990)
34241	ALKYL(C10-C20)SULPHONIC ACID ESTERS WITH CRESOLS OR CRÉSOLES AND PHENOLS	-	9	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Option
34270	N-ALKYL(C ₈ -C ₁₈)SULPHOSUCCINAMIDE, SALTS	-	9	
34275	ALKYL(C ₁₂ -C ₁₄)SULPHURIC ACID, SALTS	85586-07-8	9	See 34281.
34280	ALKYL(C ₈ -C ₂₂)SULPHURIC ACIDS	-	9	See 34281.
34281	ALKYL(C ₈ -C ₂₂)SULPHURIC ACIDS, LINEAR, PRIMARY, WITH AN EVEN NUMBER OF CARBON ATOMS	-	3	Toxicologically acceptable (CS/PM/2472 - Ellis SDS, 24 November 1994).
34290	ALKYL(C ₁₆ -C ₁₈)SULPHURIC ACID, SALTS	-	9	See 34281.
34292	ALKYL(C ₁₀ -C ₁₆)SULPHURIC ACID, SODIUM SALT	68585-47-7	D	Covered by 34280.
34295	ALKYL(C ₁₂ -C ₁₄)SULPHURIC ACID, SODIUM SALT	85586-07-8	D	Covered by 34275.
34300	ALKYL(C ₁₆ -C ₁₈)SULPHURIC ACID, SODIUM SALT	68955-24-4	D	Covered by 34290.
34400	ALKYL(C ₁₂ -C ₁₆)TRIMETHYLLAMMONIUM BROMIDE	-	8	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opined
34475	ALUMINUM CALCIUM HYDROXIDE PHOSPHITE, HYDRATE	2-3	For aluminium 1.2.	Group TDI – 1 mg/kg b.w. based on PTWI for Al of 7 mg/kg b.w. (SCF, 25th Series, 1991).
				For phosphite: 1.3. Phosphite easily oxidised to phosphate. Available: migration data, 28-day oral rat study, 4 mutagenicity studies, (RIVM SDS, August 1994).
34480	ALUMINUM FIBRES, FLAKES AND POWDERS	2	TDI: 1 mg/kg b.w. (as Al) based on PTWI = 7 mg/kg (as Al) (SCF, 25th Series, 1991).	
34560	ALUMINIUM HYDROXIDE	21645-51-2	TDI: 1 mg/kg b.w. (as Al) based on PTWI: 7 mg/kg b.w. (as Al). (SCF, 25th Series, 1991).	
34640	ALUMINUM HYDROXIDE BIS(4-tert-BUTYLBENZOATE)	13170-05-3	W TDI: 1 mg/kg b.w. (as Al) based on PTWI: 7 mg/kg b.w. (as Al). (SCF, 25th Series, 1991).	
34660	ALUMINIUM HYDROXYCHLORIDE	01327-41-9	W TDI: 1 mg/kg (as Al) based on PTWI: 7 mg/kg b.w. (as Al). (SCF, 25th Series, 1991).	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
34690	ALUMINIUM MAGNESIUM CARBONATE HYDROXIDE	11097-59-9	3	Inert material.
34720	ALUMINIUM OXIDE	01344-28-1	2	TDI: 1 mg/kg b.w. (as (Al) based on PTWI: 7 mg/kg b.w. (as Al)). (SCF, 25th Series, 1991).
34750	ALUMINIUM SILICATE, SILANATED	-	9	TDI: 1.2 for Al. TDI: 1 mg/kg b.w. based on PTWI: 7 mg/kg b.w. (as Al). (SCF, 25th Series 1991).
34780	ALUMINIUM SODIUM SULPHOSILICATE	-	9	TDI: 1.9 for 'silanated'. TDI: 1.2 for Al. TDI: 1 mg/kg b.w. (as Al) based on PTWI: 7 mg/kg b.w. (as Al). (SCF, 25th Series, 1991).
34800	AMIDES OF ACIDS, ALIPHATIC MONOCARBO (C6-C22)	-	9	TDI: 1.9 for...sulphosilicate.
34810	AMIDES (UNSUBSTITUTED) OF FATTY ACIDS FROM VEGETABLE OR ANIMAL OILS	-	9	TDI: 1 mg/kg b.w. (as Al) based on PTWI: 7 mg/kg b.w. (as Al). (SCF, 25th Series, 1991).
34875	omega-AMINOACIDS (C6-C12)	-	9	TDI: 1 mg/kg b.w. (as Al) based on PTWI: 7 mg/kg b.w. (as Al). (SCF, 25th Series, 1991).
34880	AMINOACIDS, SALTS	-	9	TDI: 1 mg/kg b.w. (as Al) based on PTWI: 7 mg/kg b.w. (as Al). (SCF, 25th Series, 1991).
34910	Omega-AMINOCARBOXYLIC ACIDS, ALIPHATIC, LINEAR (C6-C12)	-	9	TDI: 1 mg/kg b.w. (as Al) based on PTWI: 7 mg/kg b.w. (as Al). (SCF, 25th Series, 1991).

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No.	SCF List	SCF Opinion
34925	3-AMINO-N-(CARBOXYMETHYL)-N,N-DIMETHYL-1-PROPANAMINIUM, N-COCO ACYL DERIVATIVES HYDROXIDES, INNER SALT	61789-41-0	WS	
34940	3-AMINOCROTONIC ACID, DIESTER WITH ETIENNEGLYCOL	14205-40-4	8	Available: summary on 90-day study, migration into oil (< 0.25 ppm).
34960	3-AMINOCROTONIC ACID, ESTERS WITH RUTYLENEGLYCOL	-	7	Available: 90-day oral rat study, inadequate migration data (CS/PMT 203-4). Needed: 3 mutagenicity studies, physico-chemical and migration data, analytical method.
35000	3-AMINOCROTONIC ACID, ESTERS WITH 1,2-DIPROPYLENEGLYCOL	-	9	
35040	3-AMINOCROTONIC ACID, ESTERS WITH MONO- OR DIHYDRIC ALCOHOLS	-	9	
35120	3-AMINOCROTONIC ACID, DIESTER WITH THIOPRIS(2-HYDROXYETHYL)ETHER	13560-49-1	2	T-TDI: 5 mg/kg b.w. pending results of mutagenicity studies. Available: 28-day and 90-day oral rat studies, metabolism, very low migration.
35240	N-(2-AMINOETHYL)-2-AMINOETHANESULPHONIC ACID, SODIUM SALT	34730-59-1	8	
35280	N-(2-AMINODETHYL)-3-AMINOPROPANESULPHONIC ACID, SALTS	-	8	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No.	SCF List	SCF Opinion
35288	N-(2-AMINOETHYL)-N-(2-HYDROXYETHYL)beta-ALANINE, N-COCO ACYLDERIVATIVES, MONOSODIUM SALTS(+)	93820-52-1	W8	
35294	4-AMINO-4-OXO-2-SUCCINOBUTYRIC ACID, N-TAILOR ALKY DERIVATIVES, DISODIUM SALTS	90268-48-7	W8	
35300	3-AMINOPROPYLTRIETHOXYSILANE	00919-30-2	8	
35320	AMMONIA	07664-41-7	1	ADI: not specified. (SCF, 25th series, 1991). Group ADI: 1 mg/kg b.w. (as Br) as pesticide residue. (JMPR 'Pesticide residues in food', 1988, paper 93/2).
35520	AMMONIUM CHLORIDE	12125-02-9	1/D	ADI: not specified. (SCF, Rx).
35560	AMMONIUM DITHIONITE	-	8	
35600	AMMONIUM HYDROXIDE	01336-21-6	1	ADI: not specified. (SCF, Rx).
35630	AMMONIUM SULPHITE	10196-04-0	2	Group TDI = 0.7 mg/kg b.w. Based on ADI for SO2.
35645	AMMONIUM ZINCATE	?	9	
35680	ANTIMONY PENTOXIDE	01314-60-9	6B	R: 0.01 mg/kg (as Sb). Very low EEC limit for drinking water: 0.01 mg/l. Needed: actual use.
35760	ANTIMONY TRIOXIDE	01309-64-4	6B	R: 0.01 mg/kg (as Sb). Very low EEC limit for drinking water: 0.01 mg/l. Needed: actual use.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No.	SCF List	SCF Opinion
35840	ARACHIDIC ACID	00506-30-9	0	
35845	ARACHIDONIC ACID	0771-44-0	0	
35920	ARYLSULPHONIC ACID	-	9	
36000	ASCORBIC ACID	00050-81-7	1	Acceptable. (SCF, 22th Series, 1989).
36080	ASCOBYL PALMITATE	00137-66-6	1	Acceptable. (SCF, 22th Series, 1989).
36160	ASCOBYL STEARATE	0605-09-1	1	Acceptable. Covered by the assessment for ascorbyl palmitate.
36240	AZELAIC ACID, ALKYL, PRIMARY(C1-C12) ESTERS	-	9	Group R: 0.05 mg/kg b.w.
36320	AZELAIC ACID, BIS(2-ETHYLHEXYL) ESTER	06103-24-2	6B	Group R: 0.05 mg/kg b.w. Available: inadequate 90-day study. Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation study too.
36400	AZELAIC ACID, BIS(6-METHYLHEPTYL) ESTER	00106-03-6	6B	Group R: 0.05 mg/kg b.w. Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation study too.
36480	AZELAIC ACID, DI-n-HEXYL ESTER	00109-31-9	6B	Group R: 0.05 mg/kg b.w. Available: 90-day and 2-year oral rat, 1-year oral dog studies. Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation studies too.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
36520	AZELAIC ACID, DI-n-OCTYL ESTER	26544-17-2	613	Group R: 0.05 mg/kg b.w. Needed: in first instance specifications and on the specified substances provide toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation study too.
36560	AZELAIC ACID, DI-n-OCTYL ESTER	42064-80-4	6B	Group R: 0.05 mg/kg b.w. Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation study too.
36640	AZODICARBONAMIDE	90123-77-3	3	Evaluated in the context of its use as blowing agent which on heating will break down.
36720	BARIUM HYDROXIDE	17194-00-2	3	R: 1 mg/kg in food.
36800	BARIUM NITRATE	10022-31-8	2-3	(RIVM doc., May 1992 (CS/PM/1584)). TDI: 3 mg/kg b.w. (for nitrate) based on ADI = 5 mg/kg b.w. on sodium nitrate. (SCF, 26 Series, 1992).
				R: 1 mg/kg (as Ba) in food. (RIVM doc., May 1992 (CS/PM/1584)).
36840	BARIUM TETRABORATE	?	2-3	L3 for barium. R: 1 mg/kg (as Ba) (RIVM doc., May 1992 (CS/PM/1584)).
				L2 for the borate. TDI: 0.2 mg/kg b.w. (as B)
				See references for boric acid (1.2) in this report.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
36880	BEE SWAX	08012-89-3	0	
36960	BENENAMIDE	03061-75-4	3	Metabolised to ammonia and behenic acid
37040	BEHENIC ACID	00112-85-6	0	
37120	BEHENIC ACID, ESTERS WITH PENTABRYTHRITOL	-	7	Needed: hydrolysis data.
37200	BEHENIC ACID, MONOESTERS WITH PENTAERYTHRITOL	53161-46-9	7	Needed: hydrolysis data.
37280	BENTONITE	01302-78-9	3	Inert material.
37360	BENZALDEHYDE	00160-52-7	1	Group ADI: 5 mg/kg b.w. as benzoic acid. (JECFA 11 M., 1967)
37400	1,4-BENZENEDIMETHANAMINE	00539-48-0	8	
37440	BENZENESULPHONIC ACID HYDRAZIDE	00080-17-1	6A	
37520	1,2-BENZISOTHIAZOLIN-3-ONE	02634-33-5	2*	t-TDI: 0.02 mg/kg b.w. Available: several oral dog study and a 90-day oral rat study (RIVM June 1980). Needed: mutagenicity studies. t-TDI: 0.02 mg/kg b.w. See references for 37520.
37530	1,2-BENZISOTHIAZOLIN-3-ONE, LITHIUM SALT	111337-53-2	2	1.2 for lithium. Group TDI: 0.01 mg/kg b.w. See references for 38000.
37600	BENZOIC ACID	00065-85-0	1	Group ADI: 5 mg/kg b.w. (JECFA 27 M., 1983).

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
37680	BENZOIC ACID, BUTYL ESTER	60136-60-7	2	Group TDI: 5 mg/kg b.w. as benzoic acid for butyl-, ethyl-, methyl-, propylbenzoate on the basis of the Group ADI for benzoic acid. (IECFA 27 M, 1983)
37760	BENZOIC ACID, ESTERS WITH 1,2-PROPANDIOL	-	D	
37840	BENZOIC ACID, ETHYL ESTER	60093-84-0	2	Group TDI: 5 mg/kg b.w. as benzoic acid for butyl-, ethyl-, methyl-, propylbenzoate on the basis of the Group ADI for benzoic acid. (IECFA 27 M, 1983).
37920	BENZOIC ACID, 3-HYDROXYPHENYL ESTER	00136 36-7	7	Group TDI: 0.01 mg/kg b.w. (as Li) Available: 90-day oral rat studies, mutagenicity data, therapeutic use of Li salts. (RIVM summary, Sept. 1991).
38000	BENZOIC ACID, LITHIUM SALT	00553-54-8	2	Group TDI: 5 mg/kg b.w. as benzoic acid for butyl-, ethyl-, methyl-, propylbenzoate on the basis of the Group ADI for benzoic acid. (IECFA 27 M, 1983).
38080	BENZOIC ACID, METHYL ESTER	00093-58-3	2	Group TDI: 5 mg/kg b.w. as benzoic acid for butyl-, ethyl-, methyl-, propylbenzoate on the basis of the Group ADI for benzoic acid. (IECFA 27 M, 1983).
38160	BENZOIC ACID, PROPYL ESTER	02315-68-6	2	Group TDI: 5 mg/kg b.w. as benzoic acid for butyl-, ethyl-, methyl-, propylbenzoate on the basis of the Group ADI for benzoic acid. (IECFA 27 M, 1983).
38200	BENZON	00119-53-9	8	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
38240	BENZOPHENONE	00119-61-9	2	Group I(DL) 0.01 mg/kg b.w. 90-day oral rat study and metabolism study (CIVO report R 3301, 1970).
38280	BENZOQUINONE	00106-51-4	8	
38320	4-(2-BENZOXAZOLYL)-4'-(5-METHYL-2-BENZOXAZOLYL)STILBENE	05242-49-9	3	R = Maximum amount to be used 0.05 % (w/w).
38400	BENZYL ALCOHOL	00100-51-6	1	Group A(DL) 5 mg/kg b.w. in the ALI for hemic acid. (SCF, 1st Series, 1981).
38440	BENZYLTRIETHYLMAMMONIUM CHLORIDE	00056-37-1	8	
38480	BENZYLTRIMETHYLMAMMONIUM CHLORIDE	00056-93-9	8	
38515	4,4'-BIS(2-BENZOXAZOLYL)STILBENE	01533-45-5	3	R: 0.05 mg/kg food. Available: 3 mutagenicity tests, negative and migration data. (RIVM SDS of 25 October 1994 and 3 May 1995 – CS/PM/2463 and CS/PM/2791).

Remark: since high migration into fat has been demonstrated with the exception of PET, the WG recommends that the Commission take the necessary measures so that the restriction proposed is not exceeded.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
38560	2,5-BIS(5-tert-BUTYL-2-BENZOXAZOLYL)PHOPHANE	07128-64-5	2	TDI: 0.01 mg/kg b.w. 90-day oral dog and rat studies, 1-year (> 0.5-year recovery) study in mice showed accumulation in tissues by fluorescence. (RIVM, doc. tox. 300/277, June 1981).
38570	2,2-BIS(3-tert-BUTYL-4-HYDROXYPHENYL)PROPANE	00079-96-9	8	
38600	2,5-BIS(tert-BUTYLPEROXY)-2,5-DIMETHYLLIEXANE	00078-63-7	9	Specification for use.
38615	1,3-BIS(tert-BUTYLPEROXYISOPROPYL)BENZENE	02212-81-9	9	Specification for use.
38625	1,4-BIS(tert-BUTYLPEROXYISOPROPYL)BENZENE	02781-00-2	9	Specification for use.
38700	BIS(2-CARBOBUTOXYETHYL)TIN-BIS(ISOCTYL MERCAPTOACETATE)	63397-60-4	2	t-TDI: 0.3 mg/kg b.w. pending additional mutagenicity studies. Available: 28-day in young rats and 90-day oral rat studies and Ames test. (RIVM report 89/678608/003, 4 April 1989).
38720	2,2-BIS(4-(2-(3,5-DI-tert-BUTYL-4-HYDROXYHYDRO-CINNAMOYL-OXY)ETHOXYPHENYL)-PROPANE	105350-68-3	W	
38800	N,N'-BIS(3-(3,5-DI-tert-BUTYL-4-HYDROXYPHENYL)PROPYL)HYDRAZIDE	32687-78-8	2	TDI: 0.25 mg/kg b.w. 3-month oral rat study, mutagenicity studies. Migration data. (RIVM, September 1991).

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
38820	BIS(2,4-DI- <i>tert</i> -BUTYLPHENYL)- <i>s</i> -TRIAZIN-2-PENTAERYTHRITOL DIPHOSPHATE	26741-53-7	2	TDI: 0.01 mg/kg b.w. 90-day oral rat and 4-month oral dog studies and Ames test. (RIVM Doc. Tox. 300/335, June 1982).
38860	4,4'-BIS(4-DIETHYLAMINO-6-(<i>m</i> -SULPHOANILINO)- <i>s</i> -TRIAZIN-2-YL)AMINO-2,2'-STILBENE DISULPHONIC ACID	47910-88-3	7	Available: data on structurally related substances. Reports questionable. Needed: migration data and toxicity tests according to SCF guidelines on a compound representative of the group (38860/38862/38864/38870/39800/39930). (RIVM doc. CS/PM/2088).
38862	4,4'-BIS(4-DIETHYLAMINO-6-(<i>p</i> -SULPHOANILINO)- <i>s</i> -TRIAZIN-2-YL)AMINO-2,2'-STILBENE DISULPHONIC ACID	?	7	Available: data on structurally related substance. Reports questionable. Needed: migration data and toxicity tests according to SCF guideline for one of the following substances: 38860/38862/38864/38870/39800/39930. Available: data on structurally related substance. Reports questionable. Needed: migration data and toxicity tests according to SCF guidelines for one of the following substances: 38860/38862/38864/38870/39800/39930.
38864	4,4'-BIS(4-DIETHYLAMINO-6-(<i>p</i> -SULPHOANILINO)- <i>s</i> -TRIAZIN-2-YL)AMINO-2,2'-STILBENE DISULPHONIC ACID	?	7	Available: data on structurally related substance. Reports questionable. Needed: migration data and toxicity tests according to SCF guidelines for one of the following substances: 38860/38862/38864/38870/39800/39930.
38870	4,4'-BIS(4-DIETHYLAMINO-6-(2,5-DISTYLPHOANILINO)- <i>s</i> -TRIAZIN-2-YL)AMINO-2,2'-STILBENE DISULPHONIC ACID	?	7	Available: data on structurally related substance. Reports questionable. Needed: migration data and toxicity tests according to SCF guideline for one of the following substances: 38860/38862/38864/38870/39800/39930.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
38879	BIS(3,4-DIMETHYLBENZYLIDENE)SORBITOL	135861-56-2	Group TDI: 1 mg/kg b.w. (with 39760 and 38920). Available: 3 mutagenicity studies negative, 3-month oral rat study, bioaccumulation and migration data. (RIVM report, 22 August 1995, CS/PM/7650).	
38890	2,2-BIS(3,5-DI-n-OCTYL-4-HYDROXYPHENYL)PROPANE	?	8	
38910	BIS(4-DIPHENYLSULPHONYLPHENYL-SULPHIDE-BIS(HEXAFLUOROANTIMONATE))	603	List 8 for the compound.	
38930	BIS(4-DIPHENYLSULPHONIUMPHENYL 74227-35-3	8		
	(HEXAFLUOROPHOSPHATE)			
38950	BIS(4-ETHYLBENZYLIDENE)SORBITOL	79072-96-1	2	Group TDI: 1 mg/kg b.w. (with bis(4-ethylbenzylidene)sorbitol, bis(methylbenzylidene)sorbitol and dibenzylidene sorbitol). Several 90-day mouse and rat studies, several mutagenicity tests negative. (RIVM Doc. 88/6786/8/008, 1 Nov. 1988; RIVM Doc. Tox 300/425, May 1983, RIVM 15 Nov. 1989).
38970	N,N,BIS(2-ETHYLHEXYL)GLYCINE, SODIUM SALT	8		
39060	1,1-BIS(2-HYDROXY-3,5-DI-tert-BUTYLPHENYL)ETHANE	35958-30-6	3	R: 5 mg/kg in food. Available: 3-month oral rat and dog studies, reproduction study and tests for mutagenicity negative. (RIVM doc. February 1992).

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No.	SCF List	SCF Opinion
39120	N,N-BIS(2-HYDROXYETHYL)ALKYL(C ₈ -C ₁₈)AMINE HYDROCHLORIDES	2	Group 1; TDI: 0.02 mg/kg b.w. (as 'free' amine) (with N,N-bis(2-hydroxyethyl)alkyl(C ₈ -C ₁₈)amine).	Available: 90-day oral rat and dog studies. (RIVM report, November 1971). Needed: adequate 28-day oral study.
39140	N,N-BIS(2-HYDROXYETHYL)DECANAMIDE	00136-26-5	7	Same references as 39280.
39200	BIS(2-HYDROXYETHYL)-2-HYDROXYPROPYL-3-(DODECYLOXY)METHYLAMMONIUM CHLORIDE	06200-40-4	2	TDI: 0.03 mg/kg b.w. 90-day oral rat study. (CIVO report R249), September 1967 and 2628, February 1968. Available: 3-month oral rat and dog studies with different diethanolamides of fatty acids. Three mutagenicity studies, negative. Migration data.
39280	N,N-BIS(2-HYDROXYETHYL)LAURAMIDE	00126-40-1	7	Needed? Reason for the choice of test sample (polymer and concentration of additive) for migration test, stability of additive in food simulants under the test conditions applied, physical-chemical data including Po/w and data on use. (RIVM SDS May 1996 - CS/PM/2801).

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF. No.	NAME	CAS No.	SCF List	SCF Opinion
39360	N,N-BIS(2-HYDROXYETHYL)OCTADECYLAMINE, N-(2-HYDROXYETHYL)-N- OCTADECYLACRYLIC ACID MONOSODIUM SALT AND N,N'- BIS(HYDROXYETHYL)-N- (CARBOXYMETHYL) OCTADECANAMINIMIUM HYDROXIDE (INNER SALT) COMPOUN. MIXT. OF REACTION		9	
39440	N,N-BIS(2-HYDROXYETHYL)-N-(n- OCTYL)-N-METHYLMAMMONIUM 4- TOMENTHILPHONATE	58767-50-3	8	
39480	N,N-BIS(2- HYDROXYETHYL)STEARAMIDE	00093-83-4	7	Same references as 39280.
39530	N,N-BIS(2- HYDROXYETHYL)STEARIC ACID	00093-82-3	7	Same references as 39280.
39600	BIS(2-HYDROXY-3-(1- METHYLCYCLOHEXYL)-5-	00077-62-3	D	
39630	METHYLPHENYL)METHANE	00140-95-4	8	
39650	N,N'-BIS(HYDROXYMETHYL)UREA	00626-92-8	8	TDL: 0.05 mg/kg b.w., 90-day and long-term oral studies in mice and rats. (CIVO rep. N.R. 6229, November 1979).
39680	BIS(4-HYDROXYPHENYL)PROPANE	00080-05-7	2	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
39860	4,4'-BIS(4-METHOXY-6-ANILINO-5-TRIAZIN-2-YL)AMINO)-2,2'-STILBENEDISULPHONIC ACID	07342-13-4	7	Available: data on structurally related substance. Reports questionable. Needed: migration data and toxicity tests according to SCF guideline on a compound representative of the group; 38860/38862/38864/38870/39800/39930. (RIVM doc. CS/PM/2088).
39890	BIS(METHYLBENZYLIDENE)SORBITOL	87826-41-3.	2	Group T(D): 1 mg/kg b.w. (with bis(4-ethylbenzylidene)sorbitol and bis(methylbenzylidene)sorbitol).
		69158-41-4 and 54686-97-4		28- and 90-day oral rat studies, one <i>in vitro</i> mutagenicity study. See references for bis(4-ethylbenzylidene)sorbitol.
39920	1,1-BIS(2-METHYL-4-HYDROXY-5-tert-BUTYL)PHENYLBUTANE	00085-60-9	7	Available: data from 30- and 90-day oral rat studies inadequate. Needed: in first instance migration and mutagenicity data.
39930	4,4'-BIS(4-MONO- AND DIETHANOLAMINO-6-ANILINO-5-TRIAZIN-2-YL)AMINO)-2,2'-STILBENEDISULPHONIC ACID	?	7	Available: data on structurally related substance. Reports questionable. Needed: migration data and toxicity tests according to SCF guidelines on a compound representative of the group; 38860/38862/38864/38870/39800/39930.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
39945	4,4'-BIS(4-MORPHOLINO-6-(2,5-DISULPHOANILINO)-s-TRIAZIN-2-YL)AMINO)-2,2'-SULPHENEDISTUROPHONIC ACID	?	?	Available: data on structurally related substance. Reports questionable. Needed: migration data and toxicity tests according to SCF guidelines on a compound representative of the group (39945; 39960). (RIVM doc. CS/PM/2088).
39960	4,4'-BIS(4-MORPHOLINO-6-(p-SULPHOANILINO)s-TRIAZIN-2-YL)AMINO)-2,2'-SULPHENEDISTUROPHONIC ACID	?	?	Available: data on structurally related substance. Reports questionable. Needed: migration data and toxicity tests according to SCF guidelines on a compound representative of the group (39945; 39960). (RIVM doc. CСПМ/2088).
39980	BIS(5-N-METHYL-beta-HYDROXYETHYL)-HEXAMETHYLLANEBSURIA	00991-84-4	2	TDL: 0.5 mg/kg b.w. 90-day oral rat and dog studies. (RIVM monograph 300/211, December 1980).
40006	2,4-BIS(OCTYL)MERCAPTO)-6-(4-HYDROXY-3,5-DI-tert-BUTYLANILINO)-1,3,5-TRIAZINE	110553-27-0	2	TDL: 0.1 mg/kg Available: 1- and 3-month oral rat studies and teratogenicity studies in rats. Bioaccumulation and mutagenicity studies and migration data. (RIVM 90/6786008/008).
40040	BIS(PENTAERYTHRITOL)ADIPATE	13259-35-3	9	
40080	BIS(PHENOXYETHYL)FORMAL	13879-32-8	8	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
40120	BIS(POXYMETHYLENEGLYCOL)HYDROXYMETHYLPHOSPHONATE	2	t-TDI: 0.01 mg/kg b.w. Available: 90-day oral rat study and migration less than 0.1 ppm. (RIVM doc., October 1970).	
40240	BIS(TRYTHIENEGLYCOL) HYDROXYMETHYLPHOSPHONATE	1	Needed: mutagenicity studies. t-TDI: 0.01 mg/kg b.w. Available: 90 day oral rat study and migration < 0.1 ppm. (RIVM doc., October 1970).	
40300	BONF OIL	08091-85-2	Group t-TDI: 0.2 mg/kg b.w. (as H).	
40320	BORIC ACID	10043-35-3	Several short-term, 90-day and 2-year oral rat studies, 38-week and 2-year oral dog studies and a 3-generation oral rat study. A 2-year oral mouse carcinogenicity study. <i>(Toxicol. Appl. Pharmacol.</i> , 1972, 23, 351-364, NTP report TR 324, 26 March 1986).	
40400	BORON NITRIDE	10043-11-5	L2 for the Boron.	
40430	BORON TRIFLUORIDE ETHERATE	00109-63-7	TDE: 0.2 (as B). Set references for boric acid in list 2. Data exist but are not available to SCF.	
40445	2-BROMO-4- HYDROXYACETOPHENONE	61791-99-9	Data exist but are not available to SCF.	
40460	2-BROMO-2-NITRO-1,3-PROPANEDIOL	00052-51-7		

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodsuffs until 21 March,

REF No	NAME	CAS No	SCF List	SCF Opinion
40480	2-BROMO-2-NITROSTYRENE	07566-19-0	8	
40570	BUTANE	00406-97-8	3	Volatile compound.
40580	1,4-BUTANEDIOL	00410-63-4	8	
40590	1-BUTANOL	00071-36-3	3	See references for 'Alcohols, aliphatic, monoaliphatic, saturated, linear, primary (C ₄ -C ₂₄)' (PM/REFN, A3120) in SCF List 3.
40592	2-BUTANOL	00078-92-3	8	
40594	tert-BUTANOL	00075-65-0	3	Residue in food less than 10 mg/kg. (SCF, 11th Series, 1981; FHC 65).
40610	3-BUTEN-2-OL	00598-32-3	6A	
40618	1-BUTOXY-2-PROPANOL	05131-66-8	8	
40630	N-BUTYLBENZAMIDE	02782-40-3	8	
40640	4-tert-BUTYLcatechol	00098-29-3	8	
40720	tert-BUTYL-4-HYDROXYANISOLE (= BHA)	25013-16-5	1	t-ADL: 0.5 mg/kg b.w. (SCF, 22nd Series, 1989).
40740	2-(3-tert-BUTYL-4-HYDROXYPHENYL)-2-(4,4'-HYDROXYPHENYL)PROPANE	?	8	
40800	4,4'-BUTYLIDENEbis(6-tert-BUTYL-3-METHYLPHENYL-DIURIDYL PHOSPHITE)	13003-12-8	2	TDL: 0.1 mg/kg b.w. 90-day oral rat study. (CIVO report 5254, February 1977).
40840	4-BUTYLPHENOL	01638-22-8	8	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
40850	4-tert-BUTYLPHENOL	06098-54-4	7	Available: 3 negative mutagenicity tests and migration data. (CS/PM/2037).
				Needed: data on usage, maximum percentage in formulation, maximum contact temperature in practice, IR/NMR spectra or data on purity/impurities.
40865	tert-BUTYLBENZOLISULPHIDE	50596-71-4	1D	
40880	BUTYLTHIOTANNIC ACID	15666-79-2	D	See 47210.
40980	BUTYRIC ACID, MANGANESE SALT	19664-95-9	2	L0 for butyric acid.
				L2 for Mn.
				TDI: 0.01 mg/kg (as Mn). See references for 39180 in L2 in this report.
41000	gamma-BUTYROLACTONE	00096-48-0	8	
41040	CALCIUM BUTYRATE	05743-36-2	0	
41120	CALCIUM CHLORIDE	10043-52-4	1	ADI: not specified. (SCF, Rx).
41200	CALCIUM FLUORIDE	07789-75-5	7	Needed: migration data. (SCF, Rx).
41280	CALCIUM HYDROXIDE	01305-62-0	1	ADI: not specified. (SCF, Rx).
41360	CALCIUM METASILICATE	10104-39-0	7	Needed: migration data.
41440	CALCIUM 2-METHOXYBENZOATE	-	8	
41520	CALCIUM OXIDE	01305-78-8	1	ADI: not specified. (SCF, Rx).

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
41600	CALCIUM SULPHOALUMINATE	12004-14-7 37293-22-4	2	TDI: 1 mg/kg b.w. (as Al) based on P1[W1 - 7 mg/kg b.w. (as Al). (SCF, 25th Series, 1991).
41580	CAMPHOR	00076-22-2	3	Natural compound with strong flavour.
41760	CANDELILLA WAX	08066-44-8	3	Natural wax. Purity to be specified.
41840	CAPROLACTAM	00105-60-2	2	Group T1I: 0.25 mg/kg b.w. Two 90-day oral rat studies and 90-day oral studies in mice and dogs. (CTVO report 3489 June 1971 and NTP tech. Rep. Ser. 214, NTP 80-26). Data on migration are inadequate.
41880	CAPROLACTONE	09502-44-3	8	
41960	CAPRYLIC ACID	00124-07-2	0	t-TDI: 0.5 mg/kg b.w. pending additional mutagenicity studies
42000	(2-CARBORUTOXYETHYL)TIN-TRIS(ISOCTYL MERCAPTOACETATE)	63438-80-2	2	Available: 35-day in young and 90-day oral rat studies and Ames test. (RIVM report 89/678608/002, 4 April 1989). Criteria purity shall be established. Carbon black should be free from aromatic hydrocarbons (CS/PN/2041). ADI: not specified. (JECFA 23rd M., 1980).
42080	CARBON BLACK	01333-86-4	3	
42160	CARBON DIOXIDE	00124-38-9	1	
42240	CARBON FIBRES		9	Group-TDI: 0.5 mg/kg b.w. for copper. Based upon: PMTDI 0.5 mg/kg b.w. (JECFA 26 M., 1982).
42320	CARBONIC ACID, COPPER SALT	07492-68-4	2	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
42460	CARBONIC ACID LITHIUM SALT	10377-37-4	2	Group TD1; 0.61 mg/kg b.w. (as 1A). See references for benzoic acid, lithium salt.
42480	CARBONIC ACID RUBIDIUM SALT	00584-09-8	2	TD1; 0.2 mg/kg b.w. 90-day oral rat study on diet low in K-. Normal food may contain up to 140 mg/kg, average daily intake for man 1-4 mg. (RIVM 617601062, 1981).
42500	CARBONIC ACID SALTS	-	1	ADI: not specified for carbonate. (SCF, Rx).
42560	CARBON VEGETABLE	-	1(D)	Food grade acceptable. (SCF, Rx).
42640	CARBOXYMETHYLCELLULOSE	09000-11-7	2	Group TD1; not specified based on Group ADI (- not specified) for certain modified celluloses. (JECFA 35 M, 1989).
42680	N-(3-CARBOXY-2-SULPHOPROPIONYL)-3,4-OH-73-8 WS N-OCTADECYL-L-ASPARTIC ACID TETRASODIUM SALT	-	WS	
42720	CARNAUBA WAX	08015-86-9	3	Natural wax. Purity to be specified.
42760;	CARRAGEENAN	09000-07-1	1	ADI: 75 mg/kg b.w. (SCF, in press (est/nu/1626)).
42760;	CARRAGHENAN	09000-47-1	9	
42800	CASEIN	09000-71-9	0	
42880	CASTOR OIL	08001-79-4	3	Food fat.
42960	CASTOR OIL, DEHYDRATED	64147-40-6	3	Similar to fats food.

Compilation of the evaluations of the Scientific Committee for Food on certain substances and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No.	SCF List	SCF Opinion
43040	CASTOR OIL, EPOXIDISED (OXIRANE LESS THAN 5 %, IODINE NUMBER LESS THAN 6)	-	8	
43120	CASTOR OIL, HYDROGENATED	08001-78-3	3	Identical with or similar to food fat.
43200	CASTOR OIL, MONO- AND DIGLYCERIDES	-	3	Toxicologically acceptable.
43230	CASTOR OIL, SULPHATED	08002-33-3	9	
43260	CASTOR OIL SULPHONATED	101316-48-	9	
43265	CASTOR OIL, SULPHONATED, SODIUM SALT	-	8	
43280	CELLULOSE	096004-34-6	0	
43300	CELLULOSE ACETATE BUTYRATE	09004-36-8	3	Inert material, modified natural cellulose.
43360	CELLULOSE, REGENERATED	68442-85-3	2	(Group 1)I; not specified based on Group A(I) (not specified) for certain modified cellulose. (JECFA 35 M., 1989).
43440	CERESIN	08001-75-0	3	Refined, natural, crystalline wax. Purity to be specified.
43470	CERIUM OXIDE	11129-18-3	8	Available; several studies on mixtures of lanthanides. Most insufficient for evaluation of use in food contact applications (RIVM doc. for Cerium (CS/Pm/2090)).
43520	CHLORIDES OF CHOLINE ESTERS OF LINEAR NATURAL MONOCARB. ACIDS	-	9	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
436609	1-(3-CHLOROALLYL)-3,5,7-TRIAZ-1-AZONIADAMANTANE CHLORIDE	04080-31-3	2	TDI: 0.005 mg/kg b.w. Two 90-day oral rat and a dog studies and teratogenicity studies in rats and rabbits and negative mutagenicity studies.
43630	p-CHLORO-m-CRESOL	00059-50-7	8	(RIVM doc. December 1983). There are data (confidential), but they have not been transmitted.
43650	1-CHLORO-1,1-DIFLUOROTETRAENE	00075-68-3	W7	Available: semi-chronic and chronic inhalation studies in rats, 2 inhalation teratogenicity studies in rats, several Ames tests and two <i>in vitro</i> mutagenicity studies, migration data. Needed: reproduction study. TDI: 0.1 mg/kg b.w. (based on teratogenicity study). Specification: content of chlorofluoromethane less than 1 ppm. One year oral rat study. Several inhalation studies in several animal species, including teratogenicity in rabbits. Mutagenicity tests <i>in vitro</i> and <i>in vivo</i> .

N13: The Committee has not considered the environmental implications of the use of the solvent in food technology, but recognises that environmental considerations may take precedence over its own evaluations on this occasion.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No.	SCF List	SCF Opinion
43760	5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE	26172-55-4	4	90-day oral rat and dog studies. Reproduction and teratogenicity studies in rabbits, 3 mutagenicity studies.
43800	CHROMIC ACID	?	9	(RIVM Doc Tox.306/430 May 1979, September 1983, June 1984). Very potent sensitisier.
43840	CHROMIC CHLORIDE MYRISTATE	15659-56-0	8	
43920	CHROMIC CHLORIDE STEARATE	15242-96-3	9	
43950	CHROMIUM(III) CHLORIDE	10025-73-7	7	Available: RIVM report (CSPM 1044 and 2039). Needed: in first instance migration data.
43980	CHROMIUM OXIDE	11148-57-3	9	
44000	CHROMIUM TRIOXIDE	01333-82-0	5	(Cr(VI)) is a genotoxic carcinogen IARC monograph 1980, vol. 23).
44160	CITRIC ACID	60077-92-9	1	Group A(D); not specified for citric acid and its salts. (SCF, 25th Series, 1990).
44240	CITRIC ACID, ALKYL PRIMARY (C ₂ -C ₁₂), ESTERS	?	9	Group R; 0.05 mg/kg b.w.
44280	CITRIC ACID, DIOCTADECYL ESTER	29589-49-9	6B	Group R; 0.05 mg/kg b.w. Needed: specification on identity and toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation studies too. See PM/REF N. 95725.
44300	CITRIC ACID, LITHIUM SALT, RFACTION PRODUCT WITH VERMICULITE	110638-71- D	6*	
44320	CITRIC ACID, MONOISOPROPYL ESTER	01321-57-9	7	Needed: hydrolysis data and reports from Dule <i>et al.</i> , (1951).

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
44400	CITRIC ACID, MONO-(n-OCTADECYL) ESTER	01323-66-6	7	Needed: hydrolysis data and reports from Dauel <i>et al.</i> , (1951).
44560	CITRIC ACID, TRIBUTYLYL ESTER	00077-94-1	5B	Group R: 0.05 mg/kg b.w. Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation study too.
44610	CITRIC ACID, TRIETHYL ESTER	00077-93-0	1	ADI: 20 mg/kg b.w.
44720	CITRIC ACID, TRI-n-OCTADECYL ESTER	07775-50-6	6B	Group R: 0.05 mg/kg b.w. Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation study too.
44800	CITRIC ACID, TRIS(2-EHYDROXYETHYL) ESTER	07147-34-4	6B	Group R: 0.05 mg/kg b.w. Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation study too.
44880	COBALT ALUMINATE	01333-88-6	2-3	1.2 for Al. [D]: 1 mg/kg b.w. (as Al) based on PTW: 7 mg/kg b.w. (as Al). (SCF, 25th Series, 1991).
	L3 to Co.			
	R: 0.05 mg/kg of food (as Co). (RIVM, summary data, October 1992) (CS/PM/1707).			

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF 1.list	SCF Opinion
44960	COBALT OXIDE	1104-61-3	3	1.3 for cobalt. R: 0.05 mg/kg of food (as Co). (RIVM, summary data, October 1992) (CS:PM/1707). Same references as 39280.
45040	COCONUT OIL FATTY ACIDS DIETHANOLAMIDE (add CAS N.: 68440-68603-42-9 046)	61790-63-4	7	Group-TDI: 0.5 mg/kg b.w. (as Co). Based upon: PMTDI 0.5 mg/kg b.w. (JECFA 26 M., 1982).
45060;	COLZA OIL	68902-13-9	D	
45060/	COLZA OIL	08002-13-9	D	
45090	COPAL	09000-14-0	9	
45105	COPPER BROMIDE	07787-70-4	1-2	For copper.
				For bromine
				ABD: 1 ng/kg b.w. (as Br). It occurs also as a pesticide residue.
				(JMPR, "Pesticide residues in food", 1988, paper 93/2).

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No.	SCF List	SCF Opinion
45230	COPPER IODIDE	01335-23-5	2	For copper Group-TD): 0.5 mg/kg b.w. (as Cu). Based upon: PMTD) 0.5 mg/kg b.w. (JECFA 26 Mt, 1982).

45289	COTTON FIBRES	-	3	For iodine PMTD): 0.617 mg/kg b.w. (as I). (JECFA 33 Mt., 1988).
45369	COTTONSEED OIL	-	3	Inert, insoluble material.
45410	CRESOLS, BUTYLATED	08001-29-4	3/D	Equal to or similar to food fats.
45470	CRESOLS, STYRENATED	-	9	
45560	CRISTOBALITE	14464-46-1	3	
45600	CRYSTONIC ACID	03724-65-0	?	Test material. Available: gene mutation in mammalian cells, <i>in vitro</i> micronucleus test (both negative). Needed: remaining data according to SCF guidelines.
45630	CUMENESULPHONIC ACID	37953-05-2	9	
45680	CYCLOALKANES (0-100 DEGREES Celsius)	-	9	
45690	CYCLOHEPTANE	00291-64-5	8	
45700	CYCLOHEXANE	00110-82-7	8	
45710	CYCLOHEXANOL	00108-93-0	8	
45720	CYCLOHEXANONE	00108-94-1	6A	Needed: adequate test for gene mutation and chromosomal aberration. (IARC (1989), 47, 151-169).

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
45760	CYCLOHEXYLAMINE	00108-91-8	2	TDI: 1 mg/kg b.w. calculated with reference to the ADI for cyclamatic acid of 1 mg/kg b.w. (GECHA 26 M, 1982).
45880	CYCLOPENTANE	00287-92-3	8	
45920	DAMAR	09000-16-2	3	Natural wax. Purity to be specified.
45925	DAMAR RESIN	09000-16-2	10	
45930	DAMAR WAX	09000-16-2	10	
45940	n-DECANOIC ACID	00334-48-5	0	Food constituent.
45950	n-DECANOIC ACID, CERIUM SALT	07492-58-2	8	1.0 for n-decanoic acid. 1.8 for cerium.
45960	n-DECANOIC ACID, COBALT SALT	10139-54-5	3	L3 for cobalt. R: 0.05 mg/kg of food. (RIVM, summary data, October 1992) (CS/PM/1707).
45970	n-DECANOIC ACID, LITHIUM SALT	20336-95-2	2	1.0 for n-decanoic acid. 1.0 for n-decanoic acid.
				Group TDI: 0.01 mg/kg b.w. (as li)
				See references for 38000 in list 2 in this report.
				1.0 for n-decanoic.
				Group TDI: 0.01 mg/kg b.w. (as Mn).
				See references for 30180.
45985	DECANOIC ACID, SALIS		9	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCR List	SCF Opinion
46150	1-DECANOL	(0)112-30-1	3	See references for 'Alcohols, aliphatic, monoalkyl, linear, primary (C ₄ -C ₂₄)' (PMR REF.N. 33120) in SCF list 3.
46070	alpha-DEXTROSE	10016-20-3	0	
46080	beta-DEXTROS	07585-39-9	0	
46160	DIALKYL OR ALKYL (MORE THAN C ₈) PHOSPHATE SALTS	-	9	
46240	DIALKYLDITHIOPHOSPHAMIC ACID,	-	9	
46320	DIALKYL(C ₈ -C ₂₀)KITIONES	-	9	
46375	DIATOMACEOUS EARTH	61790-53-2	3	Inert material.
46380	DIATOMACEOUS EARTH, SODA ASH FLUX CALCIINED	68855-54-9	3	Inert material.
46400	DIBENZO[1,3]THIAZYL DISULPHIDE	00120-78-5	8	
46440	DIBENZOYL PEROXIDE	00094-36-0	8	
46480	DIBENZYLLIDENE SORBITOL	32647-67-9	2	Group 100: 1 mg/kg b.w. (with bis(4-ethylbenzylidene)sorbitol and bis(methylbenzylidene)sorbitol). Several 90-day oral mouse and rat studies; several mutagenicity studies negative. See references for bis(4-ethylbenzylidene)sorbitol.
46560	1,2-DIBROMOETHYL ANE	00106-93-4	5	ADT: 0.05 mg/kg b.w.
46640	2,6-DI-(tert-BUTYL)-p-CRESOL (BHT)	00128-37-0	1	(SCF, 22th Series, 1989).

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
46720	2,6-DI-tert-BUTYL-4-ETHYLPHENOL	04130-42-1	3	R = 0.8 mg/dm ³ . Available: 3 negative mutagenicity studies, 90-day oral rat and dog studies, bioaccumulation, calculation of the worst case as well as analytical method.
46790	3,5-DI-tert-BUTYL-4-HYDROXYBENZOIC ACID, 2,4-DI-tert-BUTYLPHENYL ESTER	04221-80-1	2	(RIVM 93/6/3330 001, 26 January 1993 – CS,PM/2380). TD ₀ : 2 mg/kg b.w.
46800	3,5-DI-tert-BUTYL-4-HYDROXYBENZOIC ACID, HEXADECYL ESTER	67845-93-6	2	TD ₀ : 2.5 mg/kg b.w. (RIVM report, May 1973). 90-day oral rat and dog studies, reproduction study in rats, mutagenicity studies.
46870	3,5-DI-tert-BUTYL-4-HYDROXYBENZYLPHOSPHONIC ACID, DIOTIADECYL ESTER	63135-18-0	2	TD ₀ : 1 mg/kg b.w. A 90-day oral rat study. (Ciba-Geigy report, 14 February 1970).
46880	3,5-DI-tert-BUTYL-4-HYDROXYBENZYLPHOSPHONIC ACID, MONOETHYL ESTER, CALCIUM SALT	65140-91-2	2	TD ₀ : 0.1 mg/kg b.w. A 4+4 week, a 13+4 week and a two-year oral rat studies. (Ciba-Geigy reports CBG 174/78/110, 10 July 1978 and CBG 192/78/1233, 22 March 1979, CBG 261/82/163, 4 April 1984).
46960	3,5-DI-tert-BUTYL-4-HYDROXYBENZYLPHOSPHONIC ACID, MONOETHYL ESTER, NICKEL SALT	30947-30-9	8	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
47040	3,5-DI-tert-BUTYL-4-HYDROXYHYDROCINNAMIC ACID, TRIESTER WITH 1,3,5-TRIS(2-HYDROXYETHYL)-1,3,5-TRIAZINE-2,4,6-(1H,3H,5H)TRIONE	34137-09-2	8	Available: 90-day oral rat and dog studies and a reproduction study were inadequate.
47080	DI-tert-BUTYL PERONIDE	00110-05-4	8	
47120	DI(tert-BUTYLPHENOL) DISUCCINATE	50696-71-4	8	
47200	2,4-DI-tert-BUTYLPHENYL 3,5-DI-tert-BUTYL-4-(HYDROXYBENZOATE) POLYMER	04221-80-1	D	TDL: 2 mg/kg b.w. 90-day oral rat study. (RIVM report, May 1973)
47210	DIBUTYLPHOSTANNIC ACID	26427-07-6	2	TDL: 25 mg/kg b.w. Available: 70- and 90-day and 2-year oral rat studies, observations in man and migration data. Needed: mutagenicity studies.
47220	DIBUTYLTINDEAURATE	00077-58-7	8	
47240	DIBUTYL TITANATE	?	8	
47250	N-(1,2-DICARBONYLETHYL-N'-OCTADECYL-SUCCINAMIDE) SALTS	8	8	
47265	1,2-DICHLOROBENZENE	00095-50-1	7	Available data: 3-month oral mouse study, oral carcinogenicity study in mice and rats, Ames test negative, mouse micronucleus positive. (RIVM Criteria doc. 710401005, April 1991). Needed: Migration data.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
47280	DICHLOROCYANURIC ACID	02782-57-2	D	Postponed, waiting for an answer to the circular letter from EEC (CS/PM/324) asking for information on technological function of the substance. Date limit: 30 June 1990.
47360	DICHLORODIFLUOROMETHANE	00075-71-8	7	Needed: migration data and specifications.
47440	DICYANODIAMIDE	00461-58-5	2	TDI: 1 mg/kg b.w. 2-year oral rat and dog studies and Ames tests. (American Cyanimid report 1969).
47535	DIDECYLOMETHYLAMMONIUM CHLORIDE	07173-51-5	W8	
47550	DIDODECYL KETONE	02123-19-5	8	
47600	DI-n-DODECYL BIS(ISOOCYCLIC MERCAPTOACETATE)	84030-61-5	2	t-TDI: 0.2 mg/kg b.w. pending results of <i>in vitro</i> UDS study on 67360. Available: 10- and 90-day oral rat studies, mutagenicity tests. (RLVM report, 2 April 1990).
47610	DIETHANOLAMIDES OF FATTY ACIDS			
47620	DIETHANOLAMINE	00111-42-2	9	Data inadequate.
47630	DIETHANOLAMINE DODECYLSULPHATE	00143-00-0	D	Restriction: contact with nitrite containing food should be avoided. Same as 52400.
47640	DIETHANOLAMINE SALTS OF MONO- AND BIS(1H,1H,2H,2H-PERFLUOROALKYL,C8C18) PHOSPHATES		9	
47680	DIETHYLENIGLYCOL	00111-46-6	2	Group TDI: 0.5 mg/kg b.w. (SCF, 17th Series, 1986).

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
47760	DIETHYLENENEGLYCOL DIOLATE	21209-30-3	7	Needed: hydrolysis data.
47840	DIETHYLENENEGLYCOL DIPALMITATE	68818-39-3	7	Needed: hydrolysis data.
47920	DIETHYLENENEGLYCOL DIRICINOLEATE	74356-18-6	7	Needed: hydrolysis data.
48000	DIETHYLENENEGLYCOL DISTEARATE	00109-30-8	7	Needed: hydrolysis data.
48020	DIETHYLENENEGLYCOL	-	9	
48040	MONOALKYL(C ₁ -C ₄) ETHER ACETATE DIALKYL(C ₁ -C ₄) ETHER	-	9	
48065	DIETHYLENENEGLYCOL MONOLAUROATE	00141-70-8	7	Needed: hydrolysis data.
48080	DIETHYLENENEGLYCOL MONOOLEATE	00106-12-7	7	Needed: hydrolysis data.
48160	DIETHYLENENEGLYCOL MONOPALMATE	36381-62-1	7	Needed: hydrolysis data.
48240	DIETHYLENENEGLYCOL MONORICINOLEATE	65401-17-2	7	Needed: hydrolysis data.
48320	DIETHYLENENEGLYCOL MONOSTEARATE	00106-11-6	7	Needed: hydrolysis data.
48340	DIETHYLENENITRIAMINOPENTAACETIC ACID, SODIUM SALTS	-	8	
48370	DIETHYLTBANOL AMINE	00100-37-8	8	
48430	N,N-DIETHYLISOPROPANOLAMINE	04402-32-8	8	
48450	N,N-DIMETHYL-1,3-PROPANEDIAMINE	00161-78-9	W8	

Completion of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended

to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
48460	1,1-DIFLUOROETHANE	60075-37-6	3	Toxicologically acceptable. Available: Migration data, \geq gene mutations tests in bacteria and \geq in <i>Drosophila</i> , chronic toxicity/carcinogenicity rat inhalation study, rat inhalation teratology study.
48480	DICHLYCHROL	59113-36-9	8	
48500	DI-n-HEPTADECYL KETONE	60504-53-0	8	
48520	DI-n-HEXADECYL KETONE	22986-69-2	8	
48560	1,4-DIHYDRO-2,6-DIMETHYL-3,5-DICARBONYLDECYLOXYPYRIDIN	36265-41-5	8	Available; oral studies in rats and dogs were inappropriate.
48590	4,5-DIHYDRO-1-METHYL-2-NORTAULLOW ALKYL-3-(2-TALLOW AMIDOETHYL)-IMIDAZOLIUM, METHYL SULPHATE	86088-85-9	W8	
48620	1,4-DIHYDROXYBENZENE	00123-31-9	2	TDI: 0.64 mg/kg b.w. (SCF, 17th Series, 1986).

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs, until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
48640	2,4-DIHYDROXYBENZOPHENONE	90131-56-6	2	Group TD _I : 0.1 mg/kg b.w. (with 4,4'-dihydroxybenzophenone, 2,2'-dihydroxy-4-methoxybenzophenone, 2-hydroxy-4-n-octyloxybenzophenone).
48720	4,4'-DIHYDROXYBENZOPHENONE	06611-99-4	2	90-day oral rat studies for 2,2'-dihydroxy-4-methoxybenzophenone; 2-hydroxy-4-n-octyloxybenzophenone, 2-hydroxy-4-n-octyloxybenzophenone, 2-hydroxy-4-n-octyloxybenzophenone, a 18-week oral dog study for 2-hydroxy-4-n-octyloxybenzophenone and 2-year rat and dog studies for 2-hydroxy-4-n-octyloxybenzophenone; a reproduction study for 2-hydroxy-4-n-octyloxybenzophenone plus metabolism.
48760	4,4'-DIHYDROXYBIPHENYL	00092-88-6	2	<i>J. Occup. Med.</i> , 1969, 11, 703, <i>Food Cosm. Tax.</i> , 1972, 16, 41-50, RIVM report, October 1972]. Group TD _I : 0.1 mg/kg b.w. See references for 2,4-dihydroxybenzophenone in list
48800	2,2'-DIHYDROXY-5,5'-DICHLORODIPHENYLTHANE	00097-23-4	2	TDI: 0.1 mg/kg. See references for the same compound in monomer report. TDI: 0.2 mg/kg b.w. 2-week and 13-week oral rat studies and observations in man from its therapeutic use. <i>J. Am. Leather Chemists Assoc.</i> , 1944, 39, 203-209, <i>J. Pharmacol. Exper. Therap.</i> , 1949, 96, 238-249.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
48840	1,5-DIHYDROXY-2,5-HEXANEDIONE	83982-25-6	8	TDI: 0.1 mg/kg b.w.
48880	2,2'-DIHYDROXY-4-METHOXYBENZOPHENONE	00131-53-3	2	See references for 2,4-dihydroxy-benzophenone.
48960	9,10-DIHYDROXYSTEARIC ACID	00120-87-6	8	
49040	9,10-DIHYDROXYSTEARIC ACID, METYL ESTER	01115-01-1	8	
49050	DISOBUTYL KETONE	00108-83-8	8	Available: no adequate oral data. Ames test.
49055	DISOBUTYLNAPHTHALENESULPHONIC ACID, SODIUM SALT	27213-90-7	9	No data are available.
49065	DISOPROPANOLAMINE	00110-97-4	8	R: contact with food containing nitrite should be avoided.
49120	2,4-DIMETHOXY-6-(1-PYRENYL)-1,3,5-TRIAZINE	03271-22-5	7	Needed: information on tissue accumulation.
49160	DIMETHYLACETAMIDE	00127-19-5	68	Suspected embryotoxicity/teratogenicity.
49200	DIMETHYLLALKYL(C ₈ -C ₁₈)BENZYLAMMONIUM CHLORIDE	-	9	Existing data are not available to the SCF. Provide them.
49202	DIMETHYLLALKYL(C ₁₂ -C ₁₈)BENZYLAMMONIUM CHLORIDE	68391-01-5	9	
49225	DIMETHYLAMINE	00124-40-3	3	R: 0.06 mg/kg of food. Same references for the same substance (16145) in monomer list.
49235	DIMETHYLAMINOETHANOL	00108-01-0	2	TDI: 0.3 mg/kg b.w. See references for same substance (PM/REF. 16150) in monomer report.
49260	(DIMETHYLAMINO)METHYLPHENOL	25338-55-0	8	
49270	3-(DIMETHYLAMINO)PHENOL	00099-07-0	8	

REF No	NAME	CAS No.	SCF List	SCF Opinion
49380	N,N-DIMETHYLBENZYLAMINE	00121-69-7	8	
49320	N,N-DIMETHYLBENZYLAMINE	00103-83-3	8	
49330	2,4-DIMETHYL-6-tert-BUTYLPHENOL	01879-09-0	8	
49340	DIMETHYL(COCOALKYL)BENZYLAMINE	61789-71-7	9	Existing data are not available to the SCF. Provide them.
49360	DIMETHYLDIALKYL(C ₈ -C ₁₈)AMMONIUM CHLORIDE		9	
49380	N,N-DIMETHYL-1,3-DIAMINOPROPANE	00109-55-7	8	
49425	DIMETHYLDITHIOCARBAMIC ACID, ZINC SALT	00137-30-4	1	ADI: 0.02 mg/kg b.w. The ADI for this pesticide refers to the compound as such. (JMPR, 1980).
49465	DIMETHYLFORMAMIDE	00068-12-2	6B	Suspected of embryotoxicity/teratogenicity. (EHC 114).
49472	N,N-DIMETHYL-2-HYDROXY-N-(2-HYDROXYPROPYL)-PROPANANTHIUM ESTER WITH VEGETABLE OIL, FATTY ACIDS, METHYL SULPHATE	95009-13-5	W8	
49480	2,4-DIMETHYL-2-IMIDAZOLINE	00930-61-0	8	DMSO is used as carrier of drugs to facilitate skin penetration.
49540	DIMETHYL SULPHOXIDE	00067-68-5	3	Data exist (but confidential).
49560	3,5-DIMETHYL-1,3,5,2H-TETRAHYDROTHIAZIN-2-THIONE	00533-74-1	8	
49580	DIMETHYLTANTHRENE	29351-51-7	8	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
49600	DIMETHYLTIN BIS(2-ETHYLHEXYL MERCAPTOACETATE)	26636-01-1	2	Group TDI: 0.0003 mg/kg b.w. (as Sn) (with 67520 and 83599).
49680	N,N'-DI-(2-NAPHTHYL)-p-PHENYLENEDIAMINE	00093-46-9	7	See references for 83599 in list 2. Needed: parity specification especially on presence of beta-naphthylaniline
49760	Di-n-octyltin(3,5-DI-tert-BUTYL HYDROXYBENZYL) PHOSPHONATE	03135-18-0	2/D	TDI: 1 mg/kg b.w. A 90-day oral rat study. (Ciba-Ciegy report 14 February 1970).
49840	DOCTADECYL DISULPHIDE	02500-88-1	2	TDI: 0.05 mg/kg b.w. A 90-day oral rat study. (Hoehst report, 1967).
49920	DOCTADECYL 3-METHYL-4-HYDROXY-5-tert-BUTYL BENZYL MALONATE	20297-71-6	8	
50000	DOCTADECYL MONOSULPHIDE	01844-09-3	8	
50160	Di-n-octyltin BIS(n-ALKYL(C10-C16) MERCAPTOACETATE)	-	2	Group t-TDI: 0.0003 (as Sn) for all di-n-octyltin derivatives. See references for 50480.
50240	Di-n-octyltin BIS(2-ETHYLHEXYL MALEATE)	10039-33-5	2	Group t-TDI: 0.0003 (as Sn) for all di-n-octyltin derivatives. See references for 50480.
50320	Di-n-octyltin BIS(2-ETHYLHEXYL MERCAPTOACETATE)	15571-58-1	2	Group t-TDI = 0.0003 mg/kg b.w. (as Sn) for all di-n-octyltin derivatives. See references for 50480.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
50360	DI-n-OCTYLTIN BIS(ETHYL MALEATE)	-	2	(Group I-TD) = 0.0003 mg/kg b.w. (as Sn) for all di-n-octyltin derivatives. See references for 50480.
50480	DI-n-OCTYLTIN BIS(ISOOCYL MERCAPTOACETATE)	33508-99-9	2	Group I-ID: 0.0003 mg/kg b.w. (as Sn) for all di-n-octyltin derivatives. See references for 50480.
50480	DI-n-OCTYLTIN BISOCYLT	26401-97-8	2,p	Group I-(TD): 0.0003 mg/kg b.w. (as Sn). Available: several oral short-term and semi-chronic studies in rats and dogs and 2 year rat studies, several mutagenicity studies <i>in vitro</i> and <i>in vivo</i> , insufficient reproduction and teratogenicity studies. (RIVM report, May 1989). Needed: reproduction and teratogenicity studies.
50560	DI-n-OCTYLTIN 1,4-BUTANEDIOL BIS(MERCAPTOACETATE)	-	2	Group I-TD: 0.0003 mg/kg b.w. (as Sn) for all di-n-octyltin derivatives. See references for 50480.
50640	DI-n-OCTYLTIN DI AURATE	03648-18-8	2	Group I-ID: 0.0003 mg/kg b.w. (as tin) for all di-n-octyltin derivatives. See references for 50480.
50720	DI-n-OCTYLTIN DIMALEATE	15571-60-5	2	Group I-TD: 0.0003 mg/kg b.w. (as Sn) for all di-n-octyltin derivatives. See references for 50480.
50800	DI-n-OCTYLTIN DIMALATE, ESTERIFIED	-	2	Group I-ID: 0.0003 mg/kg b.w. (as Sn) for all di-n-octyltin derivatives. See references for 50480.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
50960	DI-n-OCTYLtin ETHYLENIC ACYL RIS(M)ERCAPTOACETATE	69226-44-4	2	Group 4-TDI: 0.0003 mg/kg b.w. (as Sn) for all di-n-octyltin derivatives. See references for 50480.
51040	DI-n-OCTYLtin MERCAPTOACETATE	15535-79-2	2	Group 1-TDI: 0.0003 mg/kg b.w. (as Sn) for all di-n-octyltin derivatives. See references for 50480.
51120	DI-n-OCTYLtin THIOBENZOATE 3-ETHYLMETHYL MERCAPTOACETATE	-	2	Group 1-TDI: 0.0003 mg/kg b.w. (as Sn) for all di-n-octyltin derivatives. See references for 50480.
51160	1,4-DIOXANE	60123-93-1	6A	IARC evaluation: group 1b carcinogen. IARC classification: Category 3 carcinogen. Primarily to be evaluated as monomer, also used as additive, hence cross-reference. As contaminant (e.g. 46720) in finished products, dioxane should not be detectable in food or food simulants by an appropriate sensitive method.
51200	DIPENTAEERYTHROITOL	00126-58-9	2	Group TDI: 1 mg/kg b.w. (with pentaeerythritol). (SCF, 17th Series, 1986).
51360	DIPENTENE	00138-86-3	8	Data made available for assessment of chewing gum not available for this group.
51320	2,5-Di-tert-PHENYLHYDROQUINONE	00079-74-3	8	
51360	DIPHENYLAMINE STYRENATED	68442-68-2	9	
51420	DIPHENYL CARBONATE	00102-09-0	8	
51440	DIPHENYL 2-ETHYLHEXYL PHOSPHATE	15647-08-2	8	
51470	O-DIPHENYL GLYCIDYL ETHER	07144-65-2	D	
51520	DIPHENYL ISOCTYL PHOSPHITE	26401-27-4	8	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No.	SCF List	SCF Opinion
51570	DIPHENYL SULPHONE	00127-63-9	7	Available; migration data inadequate, 3 mutagenicity studies negative, 4 week and 3 months oral rat studies.
51660	DIPHENYLSULPHONE-3,3'-DISULPHONYLHYDRAZIDE	03375-11-9	6A	Needed; test for absence of bioaccumulation, migration data, proper test report of the analytical method for the determination of diphenylsulphone in food simulants. (RIVM Doc. 1995-08-22, CSPM/2651)
51680	N,N-DIPHENYLTHIOUREA	00162-08-9	2	TDI: 0.05 mg/kg b.w. 28-day, 1 year and 2 year oral rat studies. (RIVM January 1967 and May 1973). R = 0.05 mg/kg of food. Available; Adequate migration data, three <i>in vitro</i> mutagenicity assays. (RIVM/MISSTNO SDS, November 1996 – CSPM/2748).
51760	DIPROPYLENGLYCOL	25265-71-8	2 and 110-98-5	t-TDI: 1.5 mg/kg b.w. (SCF, 6th Series, 1978).

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
51840	DIPROPYLENIGLYCOL DIBENZOATE	27138-31-4	7	Available: 3-month oral rat and dog studies (inadequate), metabolism, Ames test and migration data. (RJVM 6 September 1988; Vetsitol 14 September 1988).
51870	DIPROPYLENEGLYCOL MONOMETHYL ETHER	34590-94-8	8	Data inadequate.
51900	DISODIUM DODECYL DIPHENYL ETHER DISULPHONATE	28519-02-0	8/0	
51940	DUNDÉCYL KETONE	60540-09-0	8	
51950	DIURETHANS ARISING FROM HEXAMETHYLENE DIISOCYANATE AND ALCOHOLS ALIPH. MONOH. SAT. (C2-C20)		9	Needed: 3-month oral rat study chromosome aberration <i>in vitro</i> , gene mutation in mammalian cells.
51975	1-DODECANOL	60112-53-8	3	See references for the same substance in monomer list.
52000	DODECYLBENZENESULPHONIC ACID	27176-87-0	2	TDI: 0.5 mg/kg b.w. Two 2-year oral rat studies, mutagenicity studies. (RJVM summary report, March 1965).
52080	DODECYLBENZENESULPHONIC ACID, ISOPROPYLAMINE SALT	26264-05-1	8	
52220	DODECYLPHENOL	27193-86-6	9	
52240	DODECYLPHENOXYBENZENEDISULPHONIC ACID, DISODIUM SALT	28519-02-0	8	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
S2320	2-(4-DODECYLPHENYL)INDOLE	52047-59-3	2	TDI: 0.001 mg/kg b.w. A 90-day oral rat study. (Inst. f. Biol. Forsch. Köln, report 1976).
52409	DODECYLSULPHURIC ACID, DIETHANOLAMINE SALT	00143-00-0	8	For dodecylsulphuric acid L3. Toxicologically acceptable. Same references as for 34281.
52480	DODECYLSULPHURIC ACID, MONOETHANOLAMINE SALT	04722-98-9	11	For diethanolamine L8. Not in contact with food containing nitrite. Covered by 67441.
S2560	DODECYLSULPHURIC ACID, SALTS		D	Covered by 34295.
S2565	DODECYLSULPHURIC ACID, SODIUM SALT	00151-21-3	D	Covered by 34281.
52640	DOLOMITE	16389-88-1	3	Inert material. Purity to be specified.
52650	ELAIDIC ACID	00112-79-8	8	
52685	(3-(2,3-EPOXYPROPYLOXY)PROPYLTRIMETHOXYSILANE	02530-83-8	6A	
52720	ERUCAMIDE	00112-84-5	3	See the references for 68560.
52730	ERUCIC ACID	00112-86-7	3	Occurs in small amounts in some vegetable oils.
52760	ESPARTO	08022-48-8	9	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
52780	ESTERS OF (2,4)HYDROXYSTEARIC AND STEARIC ACID WITH C20:0 URETHANE ALCOHOLS	W7	Available: 2 mutagenicity studies (negative) and 4-week oral rat study (insufficient for the substances to be used for food contact materials).	Needed: detailed information on the method of analysis and on decomposition products, gene mutation in mammalian cells, 3-month oral rat study, bioaccumulation, information on decompystosion products from high temperature usage. (RIVM 1994-10-25 = CS/PM/2581).
52800	ETHANOL	00964-17-5	1	Acceptable. (SCF, 11th Series, 1981).
52880	4-ETHOXYSUCCINIC ACID, ETHYL ESTER	23676-09-7	2	L-TDT: 0.06 mg/kg b.w. Available: 28-days oral rat study and 3 mutagenicity tests. (RIVM, 17th March 1987). Needed: 90-day oral study.
52960	2,4-THIOXY-5-tert-BUTYL-1,2-ETHYL-4-tert-BUTYLOXALIC ACID BISANILIDE	35001-51-5	8	
53040	2-ETHIOXY-5-tert-BUTYL-2'-ETHYOXY-5-tert-BUTYL-2'-ETHYOXAMIDE	35001-52-6	8	
53080	ETHIOXYCARBONYLMETHYL DIFTIVLPHOSPHONATE	7		Available: migration data, 4-week oral rat study, 2 mutagenicity studies negative. Needed: 90-day oral study, gene mutation in mammalian cells. (CS/PM/1709)

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
53220	N-(4-ETHOXYSARBOXYLPHENYL)-NETIYL-N-PHENYLFORMAMIDE	65816-20-8	W8	
53220	2-ETHOXY-2'-ETHYLOXANILIDE	23949-66-8	2	TDI: 0.5 mg/kg b.w. 90-day and 2-year oral rat studies. (Santoz reports 1973 and 1975).
53215	1-ETHOXY-2-PROPANOL	01569-02-4	8	
53255	ETHYLBENZENE	60100-41-4	3	R; 0.6 mg/kg of food.
53270	ETHYLCARBOXYMETHYLCELLULOSE	37205-99-5	2	Available: 6-month rat inhalation study, mutagenicity studies, TDI=0.1 mg/kg b.w. Based on allowing one tenth of TDI for packaging.
53280	ETHYLCELLULOSE	00604-57-3	2	Group TDI: not specified based on group ADI (i.e. not specified) for certain modified celluloses. (IECFA 35 M, 1989). Group TDI: not specified based on Group ADI (i.e. not specified) for certain modified celluloses. (IECFA 35 M, 1989).
53330	N,N'-ETHYLENEBIS(2-HYDROXYSTEARAMIDE)	00123-76-2	8	
53360	N,N'-BIS(ETHYLENEMETHYLAMIDE)	00110-31-6	3	Chemically similar to 53320 in list 3.
53440	N,N'-ETHYLENEBIS(AMIDOMITAMIDE)	05518-18-3	3	90-day oral monkey study. Chemically similar to N,N'-ethylene bisstearamide.
53520	N,N'-ETHYLENBIS(STEARAMIDE)	00110-30-5	3	Two inadequate 2-year oral rat studies and low migration (Flueck report 13/05, 1963).
53540	ETHYLENEDIAMINE	00107-15-3	2	TDI: 0.2 mg/kg b.w. Two 90-day oral rat studies. (ICI report, April 1975).

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
53600	ETHYLENEDIAMINETETRAACETIC ACID	00060-00-4	2	TDI: 2.5 mg/kg b.w. as calcium disodium salt on the basis of JECFA ADI for calcium disodium EDTA. (JECFA 17 M., 1973; SCF 4th Series, 1977)
53610	ETHYLEDIAMINETETRAACETIC ACID, COPPER SALT	54453-03-1	2	Group TDI: 0.5 mg/kg b.w. (as Cu) on the basis of JECFA ADI for calcium disodium EDTA 2.5 and PMTDI for copper 0.5. (JECFA 26 M., 1982 for copper; SCF, 4th Series, 1977 for calcium EDTA).
53650	ETHYLENEGLYCOL	00107-21-1	2	Group TDI: 0.5 mg/kg b.w. (with diethyleneglycol). (SCF, 17th Series, 1986).
53720	ETHYLENEMONOALKYL(C ₁ -C ₄) ETHER ACETATE	-	9	
53765	ETHYLENEGLYCOL MONOBUTYL ETHER	00141-76-2	2	Group t-TDI: 0.05 mg/kg b.w. (with 15780 = 48050, 16993 = 53765, 16996 = 53820, 16999, 17002 = 53860, 30015, 30120, 30200, 48030).
53800	ETHYLENGLYCOL MONO- AND DIALKYL(C ₁ -C ₄) ETHER	00110-80-5	2	Group t-TDI: 0.05 mg/kg b.w. (with 15780 = 48050, 16993 = 53765, 16996 = 53820, 16999, 17002 = 53860, 30015, 30120, 30200, 48030). See references for 16996.
53820	ETHYLENGLYCOL MONOETHYL ETHER	00110-80-5	2	Group t-TDI: 0.05 mg/kg b.w. (with 15780 = 48050, 16993 = 53765, 16996 = 53820, 16999, 17002 = 53860, 30015, 30120, 30200, 48030).
53860	ETHYLENEGLYCOL MONOMETHYL ETHER	00109-86-4	2	Group t-TDI: 0.05 mg/kg b.w. (with 15780 = 48050, 16993 = 53765, 16996 = 53820, 16999, 17002 = 53860, 30015, 30120, 30200, 48030).
53950	ETHYLENEMINE	00151-56-4	4	See references for same substance in monomer report.
54005	ETHYLENE-N-PALMITAMIDE-N'-STEARAMIDE	05136-44-7	3	Chemically similar to 53520 in list 3.

Compositions of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 2nd March

REF No	NAME	CAS No	SCF List	SCF Opinion
54120	2-ETHYLHEXANOIC ACID	60149-57-5	6B	Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg of food, peroxisome proliferation study too.
54130	2-ETHYLHEXANOIC ACID, CERIUM SALT	24593-34-8	6B	L6B for 2-ethylhexanoic acid Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg of food, peroxisome proliferation study too.
54140	2-ETHYLHEXANOIC ACID, COBALT(II) SALT	60136-52-7	6B	L8 for cerium, L3 for cobalt. R: 0.05 mg/kg of food (as Co). (RIVM, summary data, October 1992) (CS/PM/1707).

1.6B for 2-ethylhexanoic acid.

Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg of food, peroxisome proliferation study too.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF. No	NAME	CAS No	SCF List	SCF Opinion
54150 2-ETHYLHEXANOIC ACID, CO(BALI) SALT		13586-82-8 6B	L3 for cobalt.	R: 0.05 mg/kg of food (as Co). (RIVM, summary data, October 1992) (CS/PM/1707).

1.6B for 2-ethylhexanoic acid.

Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg of food, peroxisome proliferation study too.

400.

L0 for n-decanoic acid.

1.6B for 2-ethylhexanoic acid.

Needed: toxicological data depending on migration level (SCF guidelines) and, if migration exceeds 0.05 mg/kg of food, peroxisome proliferation study too.

1.2 for lithium.

Group I(B): 0.01 mg/kg b.w. (as Li).

For lithium, see references cf 38000 in L2 of this report.

1.6B for 2-ethylhexanoic acid.

Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg of food, peroxisome proliferation study too.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
54190	2-ETHYLHEXANOIC ACID, MANGANESE SALT	15956-58-8	6B L2 for Mn.	Group TDH: 0.01 mg/kg bw. (as Mn). See references for 30180 in L2 in this report.
54220	2-ETHYLHEXANOIC ACID, ZIRCONIUM SALT	23464-99-9	6B L2 for Zr.	1.6B for 2-ethylhexanoic acid. Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg of food, peroxisome proliferation study too.
54260	ETHYLHYDROXYETHYLCELLULOSE	69004-58-4	2 Group TDH: not specified based on Group ADI (= not specified) for certain modified celluloses. (JECFA 35 M., 1989).	1.7 for zirconium. Available: Oral life span study in mice and rats and oral studies in rabbits and dogs (reports not seen). Needed: migration data and toxicity data according to SCF guidelines. (RIVM doc; (CS/PM/209)).
54270	ETHYLHYDROXYMETHYLCELLULOSE	-	2 Group TDH: not specified based on Group ADI (= not specified) for certain modified celluloses. (JECFA, 35 M., 1989).	
54280	ETHYLHYDROXYPROPYLCELLULOSE	-	2 Group TDH: not specified based on group ADI (= not specified) for certain modified celluloses. (JECFA, 35 M., 1989).	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
54300	2,2-BIARYLDIENE(BIS(4,6-DI tert-BUTYL PHENYL)FLUOROPHOSPHONITE)	118337-09-2	0	TDI: 0.1 mg/kg b.w. 3 month oral dog and 3 month combined oral fertility study in rats. Mutagenicity tests negative. (doc. CS/PM/841)
54325	2-ETHYL-4-METHYLMIDAZOLE	00934-36-2	8	
54365	ETHYL TOLUENE	25550-14-5	8	
54380	N-ETHYLTOLEUENE SULPHONAMIDE	08047-99-2	8	
54395	ETHYLTRIPHENYLPHOSPHONIUM ACETATE	35835-94-0	8	
54420	ETHYLVANILLIN	00124-32-4	1	ADI: 5 mg/kg b.w. (JECFA 35 M., 1990).
54450	FATS AND OILS, FROM ANIMAL OR VEGETABLE FOOD SOURCES		3	Fond fat.
54480	FATS AND OILS, HYDROGENATED, FROM ANIMAL OR VEGETABLE FOOD SOURCES		3	Similar to fond fats.
54560	FATS AND OILS, Refined, ARISING FROM BONES, WITH UNSAPONIFIABLE MATTER UP TO 1%		4	
54640	FATS AND OILS, SULPHATED, DERIVED FROM ANIMAL OR VEGETABLE SOURCES		9	
54650	FATS AND OILS, SULPHONATED, DERIVED FROM ANIMAL OR VEGETABLE SOURCES	-	9	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No.	SCF List	SCF Opinion
54670	FATTY ACIDS, SOYA, CERIUM SALTS	08030-94-2	8	L3 for fatty acids soya. Constituents of food fats.
54675	FATTY ACIDS, SOYA, COBALT SALTS	-	3	1.8 for cerium. 1.3 for cobalt. R: 0.05 mg/kg of food (as Co). (RIVM: summary data, October 1992) (CS/PM: 1707).
54680	FATTY ACIDS, SOYA, LITHIUM SALTS	-	2-3	1.3 for fatty acids, soya. Constituents of natural fats.
54685	FATTY ACIDS, SOYA, MANGANESE SALTS	-	2-3	1.2 for lithium. Group TDI: 0.01 mg/kg b.w. (as Li). See references for 38000 in 1.2 in this report. 1.3 for fatty acids, soya. Constituents of natural fats.
54690	FATTY ACIDS, SOYA (food grade quality)	-	D	1.2 for Mn. Group TDI: 0.01 mg/kg b.w. (as Mn). See references for 30180 in 1.2 in this report. 0 PROPYLENGLYCOL MONOESTER 54690/ FATTY ACIDS, SOYA, 1 PROPYLENGLYCOL MONOESTER
		9		1.9 for propyleneglycol ester (1,2 or 1,3 ester').

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
54700 ^a	FATTY ACIDS, SOYA, SALTS	-	3	1.3. Toxicologically acceptable.
0				
54705 ^b	FATTY ACIDS, SOYA, ZIRCONIUM SALTS	-	7	1.3 for fatty acids soya. Constituents of food fats.
				L7 for zirconium. See references for 54220.
54710 ^c	FATTY ACIDS, TALL OIL	61790-12-3	3	
1				
54725 ^d	FATTY ACIDS, TALL OIL, CERIUM SALTS	-	D	
1				
54730 ^e	FATTY ACIDS, TALL OIL, COBALT SALTS	-	3	1.3 for fatty acids tall oil. 1.3 for cobalt. R: 0.05 mg/kg of food (as Co). (RIVM, summary data, October 1992) (CS/PM/1707).
1				
54735 ^f	FATTY ACIDS, TALL OIL (food grade quality), LITHIUM SALTS	-	D	1.3 for fatty acids tall oil (food grade quality). Constituents of natural fats.
0				1.2 for lithium. Group TD ₁ : 0.01 mg/kg b.w. See references for 38000 in L2 in this report.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended

to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No.	SCF List	SCF Opinion
54735	FATTY ACIDS, TALL OIL, LITHIUM SALTS	-	2-3	L3 for fatty acids tall oil.
54740	FATTY ACIDS TALL OIL, MANGANESE SALTS	-	D	1.2 for lithium. Group TDI: 0.01 mg/kg b.w. See references for 38090 in L2 in this report.
54740	FATTY ACIDS, TALL OIL, MANGANESE SALTS	08030-70-4	2-3	1.2 for fatty acids, tall oil (food grade quality). Constituents of natural fats.
54750	FATTY ACIDS, TALL OIL, ZIRCONIUM SALTS	-	D	1.2 for Mn. Group TDI: 0.01 mg/kg b.w. (as Mn). See references for 30180 in L2 in this report.
54750	FATTY ACIDS, TALL OIL, ZIRCONIUM SALTS	-	7	1.2 for Mn. Group TDI: 0.01 mg/kg b.w. (as Mn). See references for 30180 in L2 in this report.
54750	FATTY ACIDS, TALL OIL, ZIRCONIUM SALTS	-	D	1.2 for zirconium. See references for 54220.
54760	FATTY ACIDS, TALLOW, HYDROGENATED	61790-38-3	3	
54766	FATTY ACIDS, TALLOW, HYDROGENATED, 2-ETHYLHEXYL ESTER	115438-43-9	2	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
54770	FATTY ACIDS, TALLOW, PROPYLENIC(1,3)IC MONOESTER	-	9	
54780	FATTY ACIDS, TALLOW, SULPHATED	-	9	
54785	FATTY ACIDS, UNSATURATED, C18, DERIVED FROM ANIMAL AND VEGETABLE FATS AND OILS, DIMERS	-	9	
54790	FATTY ACIDS, UNSATURATED, C18, DERIVED FROM ANIMAL AND VEGETABLE FATS AND OILS, TRIMERS	-	9	
54795	FATTY ACIDS, UNSATURATED, C18, DERIVED FROM TALL OIL, DIMERS	-	9	
54805	FATTY ACIDS, UNSATURATED, C18, DERIVED FROM TALL OIL, TRIMERS	-	9	
54840	FLUORINE	07782-41-4	W	
54860	FLUOROSILICIC ACID	16961-83-4	?	Needed; use levels, migration data.
54880	FORMALDEHYDE	00050-00-0	3	See references for the same substance in monomer list. (SCF, 17th Series, 1986).
55040	FORMIC ACID	00064-18-6	1	Group ADI: 3 mg/kg b.w. for formic acid and ethyl formate. (ECCFA 17th M., 1973).
55120	FUMARIC ACID	60110-17-8	1	ADI: 6 mg/kg b.w. (SCF, 25th Series, 1990).
55160	FURFUROL	00098-00-0	8	
55190	GADOLIUM ACID	29204-03-2	0	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No.	SCF List	SCF Opinion
55200	GALLIC ACID, DODECYL ESTER	01166-52-5	1	Group ADI: 0.5 mg/kg b.w. for gallic acid, octyl ester and gallic acid, propyl ester. (SCF, 22th Series, 1989).
55280	GALLIC ACID, OCTYL ESTER	01034-01-1	1	Group ADI: 0.5 mg/kg b.w. for gallic acid, dodecyl ester and gallic acid, propyl ester. (SCF, 22th Series, 1989).
55360	GALLIC ACID, PROPYL ESTER	00121-79-9	1	Group ADI: 0.5 mg/kg b.w. for gallic acid, dodecyl ester and gallic acid, octyl ester. (SCF, 22th Series, 1989).
55440	GELATIN	09090-70-8	0	
55520	GLASS FIBRES		3	Inert material.
55600	GLASS MICROBALLS		3	Inert material.
55660	GLUTARALDEHYDE	00111-30-8	8-P	
55680	GLUTARIC ACID	00110-94-1	0	
55760	GLUTARIC ACID, DISODIACYL ESTER	29733-18-4	8	
55840	GLUTARIC ACID, DISOCTYL ESTER	28880-25-3	8	
55880	GLUTARIC ACID, DIMETHYL ESTER	01119-46-0	7	Needed: hydrolysis data.
55920	GLYCEROL	00056-81-5	1	Group ADI: not specified for glycerol, glycerol diacetate, glycerol triacetate and glycerol monacetate. (SCF, 11th Series, 1981).
56000	GLYCEROL DIACETATE	25395-31-7	1	Group ADI: not specified for glycerol, glycerol diacetate, glycerol triacetate and glycerol monoacetate. (SCF, 11th Series, 1981).
56020	GLYCEROL DIBENZATE	99880-64-5	3	Toxicologically acceptable.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
56040	GLYCEROL DIBUTYRATE	-	3	Toxicologically acceptable.
56055	GLYCEROL DIACETATE	27638-00-2	3	Toxicologically acceptable
56070	GLYCEROL DIMYRISTATE	53563-63-6	3	Toxicologically acceptable
56080	GLYCEROL DIOLEATE	25637-84-7	1	ADI: not specified. (JECFA 17 M., 1973).
56120	GLYCEROL DIPALMITATE	26657-95-6	3	Toxicologically acceptable.
56160	GLYCEROL DIPROPIONATE	26402-29-9	3	Toxicologically acceptable.
56240	GLYCEROL DIRICINOLEATE	27902-24-5	3
56320	GLYCEROL DISTEARATE	01323-83-7	1	ADI: not specified. (JECFA 17 M., 1973).
56400	GLYCEROL ESTERS WITH ACIDS. ALIPH. MONOCARB. (MORE THAN C6)	-	9	
56480	GLYCEROL ESTERS WITH ACIDS. ALIPH. MONOCARB., HYDROXYLATED (C12-C20)	-	9	
56485	GLYCEROL ESTERS WITH ACIDS, ALIPH.SAT.(C14-C18) AND ACIDS. ALIPH. UNSAT.(C16-C18)	91052-28-7	9	
56486	GLYCEROL ESTERS WITH ACIDS. ALIPH.SAT., LINEAR WITH AN EVEN NUMBER OF CARBON ATOMS (C14-C18) AND WITH ACIDS ALIPH. UNSAT., LINEAR, WITH AN EVEN NUMBER OF CARBON ATOMS (C16-C18)	-	3	Toxicologically acceptable.
56490	GLYCEROL ESTERS WITH ERUCIC ACID	-	3	Toxicologically acceptable.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
56495	GLYCEROL ESTERS WITH 12-HYDROXYSTEARIC ACID	-	3	Toxicologically acceptable.
56500	GLYCEROL ESTERS WITH LAURIC ACID	-	3	Toxicologically acceptable.
56510	GLYCEROL ESTERS WITH LINOLEIC ACID	-	3	Toxicologically acceptable.
56520	GLYCEROL ESTERS WITH MYRISTIC ACID	-	3	Toxicologically acceptable.
56530	GLYCEROL ESTERS WITH NATURAL FATTY ACIDS	-	9	
56535	GLYCEROL ESTERS WITH NONANOIC ACID	-	3	Toxicologically acceptable.
56540	GLYCEROL ESTERS WITH OLIC ACID	-	3	Toxicologically acceptable.
56550	GLYCEROL ESTERS WITH PALMITIC ACID	-	3	Toxicologically acceptable.
56580	GLYCEROL ESTERS WITH RICINOLEIC ACID	-	3	Toxicologically acceptable.
56590	GLYCEROL ESTERS WITH ACIDS, LINEAR, WITH AN EVEN NUMBER OF CARBON ATOMS (C8-C18)	-	3(D)	Toxicologically acceptable.
56600	GLYCEROL MONOACETATE	26446-35-5	1	Group A(D): not specified for glycerol, glycerol diacetate, glycerol triacetate and glycerol monoacetate. (SCF, 11th Series, 1981).
56610	GLYCEROL MONOBENZYLATE	30233-64-8	3	Toxicologically acceptable.
56640	GLYCEROL MONOBUTYRATE	26999-06-4	3	Toxicologically acceptable.
56670	GLYCEROL MONOCITRATE	-	3	Toxicologically acceptable.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
56720	GLYCEROL MONOHYDROXANOATE	26402-23-3	3 01323-43-9	Toxicologically acceptable. Toxicologically acceptable.
56760	GLYCEROL MONO(2-HYDROXYSTEARATE)			
56780	GLYCEROL MONOLAUROATE	27215-38-9	3	Toxicologically acceptable.
56860	GLYCEROL MONOLAURATE DIACETATE	36899-62-8	3	Chemically similar to natural fats.
56840	GLYCEROL MONOMYRISTATE	27214-38-6	3	Toxicologically acceptable.
56880	GLYCEROL MONOOCTANOATE	26402-26-6	3	Toxicologically acceptable.
56960	GLYCEROL MONOOLEATE	25496-72-4	1	ADI: not specified. (ECCFA 17 M., 1973).
57040	GLYCEROL MONOCHELIATE, ESTER WITH ASCORBIC ACID	-	2	Group TDI: not specified. Similarity with the citric acid esters. (ECCFA 17 M., 1973).
57120	GLYCEROL MONOOLEATE, ESTER WITH CITRIC ACID	-	1	ADI: not specified for citric and fatty acid esters of glycerol. (SCF, 7th Series, 1978).
57150	GLYCEROL MONOPALMITATE	26657-96-5	3	Toxicologically acceptable.
57200	GLYCEROL MONOPALMITATE, ESTER WITH ASCORBIC ACID	-	2	Group TDI - not specified. Similarity with the citric acid esters. (ECCFA 17 M., 1973).
57280	GLYCEROL MONOPALMITATE, ESTER WITH CITRIC ACID	-	1	ADI: not specified for citric and fatty acid esters of glycerol. (SCF, 7th Series, 1978).
57360	GLYCEROL MONOPROPIONATE	26894-50-8	3	Toxicologically acceptable.
57440	GLYCEROL MONOCITRINOLATE	01323-38-2	3	Toxicologically acceptable.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
57520	GLYCEROL MONOSTEARATE	31566-31-1	1	ADI; not specified. (JECFA 17 M., 1973).
57600	GLYCEROL MONOSTEARATE, ESTER WITH ASCORBIC ACID	-	2	Group TDI = not specified. Similarity with the citric acid esters.
57680	GLYCEROL MONOSTEARATE, ESTER WITH CITRIC ACID	-	1	ADI; not specified for citric and fatty acid esters of glycerol. (JECFA 17 M., 1973).
57760	GLYCEROL TRIACTATE	60102-76-1	1	Group ADI; not specified for glycerol, glycerol diacetate, glycerol triacetate and glycerol monoacetate. (SCF, 7th Series, 1978).
57800	GLYCEROL TRIBEHENATE	18641-57-1	3	Toxicologically acceptable.
57840	GLYCEROL TRIHEPTYRATE	00960-01-5	3	Toxicologically acceptable.
57880	GLYCEROL, TRIFESTERS WITH ACIDS, ALIPE, MONOCARB (MORE THAN C6)	-	9	Toxicologically acceptable.
57920	GLYCEROL TRIHEPTANOATE	00620-67-7	3	Toxicologically acceptable.
57960	GLYCEROL TRILAUROATE	00538-24-9	3	Toxicologically acceptable.
58000	GLYCEROL TRIMONONATE	68476-38-0	3	Needed; hydrolysis data.
58040	GLYCEROL TRIMYRISTATE	00555-45-3	3	Toxicologically acceptable.
58060	GLYCEROL TRIPALMITATE	00555-44-2	3	Toxicologically acceptable.
58080	GLYCEROL TRIPROPIONATE	00139-45-7	3	Toxicologically acceptable.
58160	GLYCEROL TRIS(12-HYDROXYSTEARATE)	00139-44-6	3	Toxicologically acceptable.
58240	GLYCEROL TRISTEARATE	00555-43-1	3	Toxicologically acceptable.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
58260	GLYCEROPHOSPHIC ACID, CALCIUM SALT	27214-00-2	7	Needed: hydrolysis data.
58280	GLYCOPHOSPHIC ACID	00927-20-8	3	Toxicologically acceptable.
58300	MAGNESIUM SALTS GLYCINE, SALTS	-	1	ADI: acceptable. (SCF, 25th Series, 1991).
58320	GRAPHITE	07782-42-5	3	Inert material.
58360	GUAIAC GUM	09000-29-7	1	ADI: 2.5 mg/kg b.w. (JECFA, 17M, 1973).
58360;	GUAIAC GUM	09000-29-7	D	Deleted.
58400	GUAR GUM	09000-30-0	1	ADI: not specified. (SCF, 7th Series, 1978).
58480	GLM ARABIC	09000-01-5	1	ADI: not specified. (JECFA, 35 M., 1989).
58560	GCMS, NATURAL	-	9	
58640	2-HEPTADECYL 4,4'-BIS(METHYLENE) STEARATE)-1,3-OXAZOLINE	15655-33-1	7	Needed: report of 90-day oral study (BIBRA).
58680	n-HEPTANE	00142-82-5	8	
58720	HEPTANOIC ACID	00111-14-8	3	Fatty acid from food.
58740	HEPTANOIC ACID, LITHIUM SALT	16761-13-0	2-3	L3 for heptanoic acid.
			1-2	for lithium.
			TDI: 0.01 mg/kg b.w. (as L.i.).	
			Sce references for 38600 in L2 in this report.	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
58760	HEPTANOIC ACID, MANGANESE SALT	-	2,3	L3 for heptanoic acid. See references for 58720 in list 3.
58770	HEXADECYL CYCLOCODODECANE	25637-99-4	5	L2 for Mn. TDI: 0.01 mg/kg b.w. (as Mn)
58796	1-HEXADECANOL	36653-82-4	3	See references for 'Alcohols, aliphatic, monoaliphatic, saturated, linear, primary (C4-C24)' (PM&REFN, 3120) in SCF list 3.
58800	HEXADECYL 3,5-Di-tert-BUTYL-4-HYDROXYBENZOATE	67845-93-6	13	TDI: 0.1 mg/kg b.w. 400-day oral rat study. (RIVM report, September 1978).
58880	HEXADECYL PYRIDINIUM CHLORIDE	00123-03-8		TDI: 0.75 mg/kg b.w. 2-year and 90-day oral rat studies, teratogenicity studies in mice, rats, rabbits. (RIVM report 8K678608/010, 24 January 1989).
58960	HEXADECYL TRIMETHYLAAMMONIUM BROMIDE	00057-09-0	2	TDI: 0.1 mg/kg b.w. 90-day oral rat and dog (plus 4-week recovery period) studies and a 2-year oral study. (RIVM July 1975, report CBG 182/80928, 5 April 1982).
59260	1,6-HEXAMETHYLENE BIS(3-(3,5-Di-tert-BUTYL-4-HYDROXYPHENYL)PROPIONATE)	35074-77-2	2	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs (until 21 March)

REF No	NAME	CAS No	SCF List	SCF Opinion
59240	HEXAMETHYLENEDIAMINE	60124-09-4	2	TDI: 0.64 mg/kg b.w. See references for the same substance in monomer report.
59280	HEXYLIMINETETRAMINE	00100-97-0	3	See references for the same substance in monomer list.
59330	α-HEXANE	00110-54-3	8	
59332	HEXANE (isomers)	-	9	
59360	HEXANOIC ACID	00142-62-1	0	
59440	2,8,14,18,24,30-HEXAOKA-6,10,22,26, TRIATHIO-7,9,23,25-OCTA-(n-DODECYL), SPIRO(15,15)HEXATRACONTANE-	-	8	
59520	3,13,19,29-TETRAOXIDE 2-HEXYLDECANOL	02425-77-6	8	
59600	HEXYLENEGLYCOL	00107-41-5	7	Needed: purity, physicochemical state, migration data.
59640	HIDE GLUE	-	9	
59760	HUNITE	19569-21-2	3	Inert, insoluble material.
59810	HYDROXYETHYL ALCOHOL	?	6	
59825	HYDROCARBONS, ALIPHATIC UP TO C8	-	9	
59840	HYDROCARBONS, ALIPHATIC, (C10- C14) (B.P. 180-260 °C)	-	9	
59870	HYDROCARBONS, ALIPHATIC (BOILING POINT UP TO 160°C)	-	9	Specifications on identity.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
59880	HYDROCARBONS, ALIPHATIC (BOILING POINT UP TO 250°C, BENZENE FREE)	-	9	
59885	HYDROCARBONS, ALIPHATIC (BOILING POINT 230-330°C), WITH A MAXIMUM AROMATICS CONTENT OF 25 %	-	9	Specifications on identity.
59900	HYDROCARBONS, ALIPHATIC AND CYCLOALIPHATIC, OBTAINED BY HYDROGENATION OF MINERAL OIL FRACTION (M.W.: 440-550)	-	9	Specifications on identity.
59915	HYDROCARBONS, AROMATIC (BOILING POINT UP TO 180°C, BENZENE FREE)	-	9	
59935	HYDROCARBONS (B.P. 180-260 °C, HYDROGENATED)	-	9	
59950	HYDROCARBONS (B.P. 180-260 °C, CONVENTIONAL)	-	D	
59980	HYDROCARBON WAX, OXIDISED	-	9	
59990	HYDROCHLORIC ACID	07647-01-0	1	ADI: not specified. (SCF; Rx).
60005	HYDROCHLORIC ACID, SALTS	-	D	Deleted because the acid appears in the list.
60030	HYDROMAGNETITE	12072-90-1	3	Inert material. Purity to be specified.
60080	HYDROTALCITE	12304-65-3	3	Inert, insoluble material.
60120	4-HYDROXYBENZOIC ACID, BENZYL ESTER	60094-18-8	8	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No.	SCF List	SCF Opinion
60160	4-HYDROXYBENZOIC ACID, ETHYL ESTER	00120-47-8	1	Group ADI: 10 mg/kg b.w. for ethyl, methyl and propyl esters. (SCF, 1st Series, 1975).
60180	4-HYDROXYBENZOIC ACID, ISOPROPYL ESTER	04191-73-5	2	Group-TDI: 10 mg/kg b.w. based on group ADI = 10 mg/kg b.w. for ethyl, methyl and propyl esters.
60200	4-HYDROXYBENZOIC ACID, METHYL ESTER	00099-76-3	1	Group ADI: 10 mg/kg b.w. for ethyl, methyl and propyl esters. (SCF, 1st Series, 1975).
60240	4-HYDROXYBENZOIC ACID, PROPYL ESTER	00094-13-3	1	Group ADI: 10 mg/kg b.w. for ethyl, methyl and propyl esters. (SCF, 1st Series, 1975).
60320	2-(2-HYDROXY-3,5-BIS(1,1-DIMETHYLBENZYL)PHENYL)BENZOTRIAZOLE	70321-86-7	2	TDI: 0.625 mg/kg b.w. 90-day oral rat study: 3 mutagenicity studies. (RIVM doc. 27 October 1987).
60400	2-(2-HYDROXY-3-tert-BUTYL-5-METHYLPHENYL)-5-CHLOROBENZOTRIAZOLE	03896-11-5	2	Group 1 DI: 0.5 mg/kg b.w. for 2-(2'-hydroxy-3,5-di-tert-butylphenyl)-5-chlorobenzotriazole and 2-(2'-hydroxy-5'-methylphenyl)benzotriazole. Group 1DI: 0.5 mg/kg b.w. for 2-(2'-hydroxy-3'-tert-butyl-5'-methylphenyl)-5-chlorobenzotriazole and 2-(2'-hydroxy-5'-methylphenyl)benzotriazole. Group TDI: not specified based on Group ADI (= not specified) for certain modified celluloses. (JECFA 35 M., 1989).
60560	HYDROXYETHYLULOSE	09004-62-0	2	
60640	N-(2-HYDROXYETHYL)ETHYLENEDIAMINE TRIACETIC ACID	00150-39-0	8	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
60880	HYDROXYETHYLCELLULOSE	09032-42-2	2	Group TDI; not specified based on Group ADI (= not specified) for certain modified celluloses. (JECFA 35 M, 1989).
60920	N-(2-HYDROXYETHYL)MORPHOLINE	00622-40-2	5	
60960	HYDROXYETHYLOCTADECYLAMINE	-	8	
61040	N-(2-HYDROXYETHYL)OLEAMIDE	00111-58-0	8	
61055	2-HYDROXYETHYL PHENYL ETHER	00122-99-6	8	
61070	N-(2-HYDROXYETHYL)PIPERIDINE	03040-44-6	8	
61160	N-(2-HYDROXYETHYL)PYRROLIDINE	02955-88-6	8	
61120	HYDROXYETHYL STARCH	09005-27-0	2	Group TDI; not specified. (JECFA 26 M, 1982).
61280	2-HYDROXY-4-n-HEXYLOXYBENZOPHENONE	03293-97-8	2	Group TDI: 0.1 mg/kg b.w. See references for 2,4-dihydroxybenzophenone.
61340	HYDROXYMETHANISULPHINIC ACID, SODIUM SALT	00149-44-0	8	
61360	2-HYDROXY-4-METHOXYBENZOPHENONE	00131-57-7	2	Group TDI: 0.1 mg/kg b.w. See references for 2,4-dihydroxybenzophenone.
61390	HYDROXYMETHYCELLULOSE	37353-59-6	2	Group TDI; not specified based on Group ADI (= not specified) for certain modified celluloses. (JECFA 35 M, 1989).
61415	4-HYDROXY-4-METHYL-2-PENTANONE	00123-42-2	8	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
61440	2-(2-HYDROXY-5-METHYLPHENYL)BENZOTRIAZOLE	62440-22-4	2	Group TDI: 0.5 mg/kg b.w. for 2-(2'-hydroxy-3'-tert-butyl-5'-methyl phenyl)-5-chlorobenzotriazole, 2-(2'-hydroxy-3,5-di-tert-butylphenyl)-5-chlorobenzotriazole and 2-(2'-hydroxy-5' methylphenyl)benzotriazole.
61520	2-HYDROXYOCTADECANESULPHONIC ACID SODIUM SALT	94710-34-3	8	Several 90-day oral rat and dog studies and a 2-year oral rat study and 3-4 month oral dosing of man. (IARC report CBRG 161/78164).
61600	2-HYDROXY-4-n-OCTYLOXYBENZOPHENONE	01843-05-6	2	Group TD ₁ : 0.1 mg/kg b.w. See references for 2,4-dihydroxybenzophenone in list 2.
61680	HYDROXYPROPYLCELLULOSE	09004-64-2	2	Group TD ₁ : not specified based on Group ADI (= not specified) for certain modified celluloses. (IPECFA 35 M., 1989).
61760	HYDROXYPROPYLMETHYLCELLULOSE	09004-65-3	10	Group TD ₁ : not specified based on Group ADI (= not specified) for certain modified celluloses. (IPECFA 35 M., 1989). ADI: not specified.
61800	HYDROXYPROPYL STARCH	090049-76-7	1	(SCF, 13th Series, 1982)
61840	12-HYDROXYSTEARIC ACID	00106-14-9	0	Toxicologically acceptable.
61880	12-HYDROXYSTEARIC ACID DIESTER WITH GLYCEROL	73616-19-0	3	
62000	12-HYDROXYSTEARIC ACID ESTERS WITH GLYCEROL	-	D	Toxicologically acceptable.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
62040	(2-HYDROXYSTEARIC ACID), TRIESTER WITH GLYCEROL	00139-44-6	D	
62110	HYPOCHLOROUS ACID, SODIUM SALT	07681-52-9	6A	Positive in several mutagenicity studies. (RIVM doc. CS/PM/2093).
62140	HYPOPHOSPHOROUS ACID	06303-21-5	3	Easily oxidised to phosphoric acid.
62160	HYPOPHOSPHOROUS ACID, SODIUM SALT	07681-53-0	3	Easily oxidised to phosphorous acid.
62175	INDIUM TRICHLORIDE	10025-82-8	8	
62190	INVERT SUGAR	08013-17-0	0	
62210	3-AMINO-2-PROPYL BUTYL CARBAMATE	55406-53-6	2	ADI: 0.15 mg/kg b.w.
				Available: Four mutagenicity tests, negative. 3-month and 1-year oral rat studies, oral carcinogenicity studies in mice and rats and a 2-generation oral reproduction study in rats. Metabolism studies. Migration data. (RIVM SJSS of May 1996 - CS/PM/2811).
				NB: No analytical method available.
				NB: Other uses as pesticide should be taken into account.
62220	IRON(II) DIAMMONIUM DISULPHATE	10045-89-3	3	Iron maximum provisional tolerable daily intake 0.8 mg/kg b.w. (27th M, JECFA, 1983).
62240	IRON OXIDE	01332-37-2	2	ADI: not specified. (SCF, 1st Series, 1975).
62255	ISOBUTANE	00075-28-5	3	Volatile.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No.	SCF List	SCF Opinion
62270	ISOBUTANOL	60078-83-1	8	Residue less than 1 mg/kg in food. No mutagenicity or oral data. (Directive 88/344/EEC)
62305	1-ISOBUTOXY-2-PROPANOL	23436-19-3	8	
62315	ISOBUTYRIC ACID, DIESTER WITH 2-METHYL-2,4-PENTANEDIOL	-	8	Data exist (but confidential). Provide data.
62325	ISOBUTYRIC ACID, MONOESTER WITH 2-METHYL-2,4-PENTANEDIOL	-	8	Data exist (but confidential). Provide data.
62340	ISODECANOIC ACID, CERIUM SALT	?	9	L9 (or isodecanoic acid).
62350	ISODECANOIC ACID, COBALT SALT	?	9	L8 for cerium. L3 for cobalt. R: 0.05 mg/kg of food (as Co). (RIVM, summary data, October 1992) (CS/PM/1707).
62360	ISODECANOIC ACID, LITHIUM SALT	?	9	L9 for isodecanoic acid. L9 for isodecanoic acid.
62370	ISODECANOIC ACID, MANGANESE SALT	?	9	L2 for lithium. Group TDI: 0.01 mg/kg b.w. See references for 38000 in L2 in this report. L9 for isodecanoic acid.
				L2 for Mn. Group TDI: 0.01 mg/kg b.w. (as Mn). See references for 30180 in L2 in this report.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
62380	ISODECANOIC ACID, SALTS	-	9	
62390	ISOLEUCANOIC ACID, ZIRCONIUM SALT	7.9	1.9 for isodecanoic acid.	
			L7 for zirconium.	
			See references for 54220.	
62405	ISODODECANE	31807-55-3	9	
62420	ISOOCYANIC ACID	25103-52-0	8	
62435	ISOOCTYL EPOXYSTEARATE	11087-88-0	6A	
62450	ISOPENTANE	00078-78-4	3	Volatile.
62480	ISOPROPANOL	00067-63-0	D	
62500	1,1-ISOPROPYLIDENE-BIS(3-(p-(2,3-EPOXYPROPYLOXY)-BIS(3-(p-(2,3-DIMETHYLPHENYL)OXYL)PROPANOYL))2-PROPANOL	-	6A	
62520	4,4'-ISOPROPYLIDENE-BIS(2-tet-BUTYLPHENOL)	?	8	
62560	4,4'-ISOPROPYLIDENE-DIPHENYLALKYL(Cl 2-C15)PHOSPHITES	92908-32-2	9	
62620	ISOSTEARIC ACID	30399-84-9	8 and 2724- 58-5	
62640	JAPAN WAX	08001-39-6	3 Refined, natural wax. Purity to be specified.	
62720	KAOLIN	01332-58-7	1 ADI: not specified. (SCF, 23rd Series, 1990).	
62800	KAOLIN, CALC(NH) ₃	3	Inert material.	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

R&F No	NAME	CAS No	SCF List	SCF Opinion
62830	KARAYA GUM	09000-36-6	1	ADI: 12.5 mg/kg b.w. (SCF, 21st Series, 1989).
62860	KEROSINE	08008-20-6	9	
62960	LACTIC ACID	00050-21-5	1	ADI: not specified. (SCF, 25th Series, 1991).
63040	LACTIC ACID, BUTYL ESTER	09138-22-7	2	Group TDI - not specified. Similarity with lactic acid, ethyl ester for which an ADI not specified was established by IECFA 26 M, 1982.
63200	LACTIC ACID, MANGANESE SALT	51877-53-3	1-2	L1 for lactic acid. ADI: not specified. (SCF, 25th Series, 1991).
				1.2 for manganese. Group TDI: 0.01 mg/kg b.w. (as Mn) See references for acetic acid, manganese(II) salt (PM/R/E/N. 30580) in list 2.
63240	LANTHAN (Pharmacia grade)	08006-54-0	0	
63260	LARD OIL, SULPHATED, AMMONIUM SALI	91079-06-0	9	
63280	LAURIC ACID	00143-07-7	0	
63360	LAURIC ACID, DIESTER WITH ETHYLENEGLYCOL	00624-04-4	7	Needed: hydrolysis data.
63440	LAURIC ACID, MONOESTER WITH ETHYLENGLYCOL	04219-48-1	7	Needed: hydrolysis data.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
63480	LAURIC ACID, MONOESTER WITH SORBITAN	01338-39-2	D	
63520	LAURIC ACID, MONOESTER WITH TRIETHANOLAMINE	01793-68-6	7	Needed: hydrolysis data.
63600	N-LAUROYLSARCOSINE			
63760	LECTHIN	00097-78-9	8	
		08002-43-5	1	ADI: not specified. (JECFA 17 M., 1973).
63800	LECTHIN, HYDROXYLATED	08029-76-3	9	
63840	LEVULINIC ACID	06123-76-2	0	
63880	LIGHT PETROLEUM HYDROCARBONS, ODOURLESS		9	Specifications on identity.
63920	LIGNOCERIC ACID	00557-59-5	0	
63940	LIGNOSULPHONIC ACID		P	
63970	d-LIMONENE	05989-27-5	8	
63974	l-LIMONENE	05989-54-8	8	
64000	LINOLEAMIDE	03999-01-7	8	
64015	LINOLEIC ACID	00060-33-3	0	
64030	LINOELIC ACID, CERIUM SALT	07492-61-6	8	LO for linoleic acid.
				L8 for cerium.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No.	SCR List	SCF opinion
64066	LINOLEIC ACID, COBALT SALT	14666-96-7	3	1.3 for cobalt. R: 0.05 mg/kg of food (as Co). (RIVM, summary data, October 1992) (CS/PM/1707).
				1.0 for linoleic acid.
64080	LINOLEIC ACID, ESTERS WITH ALCOHOLS, ALIPHATIC MONOH.	-	9	
64100	LINOLEIC ACID, LITHIUM SALT	74488-09-8	2	1.0 for linoleic acid.
				1.2 for lithium. Group T1): 0.01 mg/kg b.w. (as Li). See references for 38000 in t.2 in this report.
64115	LINOLEIC ACID, MANGANESE SALT	06904-78-5	2	1.0 for linoleic acid.
				1.2 for Mn. Group T1): 0.01 mg/kg b.w. (as Mn). See references for 30180 in t.2 in this report.
64130	LINOLEIC ACID, SALTS	-	0	
64145	LINOLEIC ACID, ZIRCONIUM SALT	-	7	1.0 for linoleic acid.
				1.7 for zirconium. See references for 54220.
64150	LINOLEIC ACID	28290-79-1	0	
64160	TRANSFED OIL	08001-26-1	3	Food fat.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No.	SCF List	SCF Opinion
64240	LINSEED OIL, EPOXIDISED (OXIRANE LESS THAN 10 %, IODINE NUMBER LESS THAN 6)	08016-11-3	7	Available; inadequate 20 week oral rat study, Ames test said to be negative (no report supplied) (CS/P/M/1517). Needed: data according to SCF guidelines. (NB: Epoxidised linseed oil cannot be covered by data on epoxidised soya bean oil).
64270	LITHIUM CHLORIDE			Group TDI: 0.01 mg/kg b.w. (as Li). See references for 38000 in list 2.
64300	LITHIUM HYDROXIDE	01310-65-2	2	Group TDI: 0.01 mg/kg b.w. (as Li). See references for 38000 in list 2.
64320	LITHIUM IODIDE	10377-51-2	2	L2 for Li. Group-TDI based on PMTDI: 0.017 mg/kg b.w. (as Li). (JECFA 33 M, 1988). L2 for Li. Group TDI: 0.01 mg/kg b.w. (as Li). 90-day oral rat studies and metabolism and human use of lithium salts in therapy. (RIVM tox 105/76 July 1976, tox 204/78, November 1978, tox 126/79 October 1979). For Li see references for benzoic acid, lithium salt in list 2.
64350	LITHIUM OXIDE	12057-24-8	2	Group TDI: 0.01 mg/kg b.w. (as Li). See references for 38000 in L2 in this report.
64400	LITHOPONE	01345-05-7	3	Free from water soluble barium. Insoluble, inert material.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF. No.	NAME	CAS No.	SCF List	SCF Opinion
64480	MAGNESIUM ALUMINUM HYDROXIDE; 11097-59-9 CARBONATE	-	0	Inert, insoluble material.
64500	LYSINE, SALTS	67786-30-3	1/D	ADI: not specified. (SCF, Rx).
64560	MAGNESIUM CHLORIDE	01309-42-8	1	ADI: not specified. (SCF, Rx).
64640	MAGNESIUM HYDROXIDE	-	0	ADI: not specified. (SCF, Rx).
64720	MAGNESIUM OXIDE	01309-48-4	1	ADI: not specified. (SCF, Rx).
64800	MALEIC ACID	00110-16-7	2	Group III: 0.5 mg/kg b.w. as maleic acid. (SCF, 17th Series, 1986).
64840	MALEIC ACID, DI- α -OCTYLTIN BIS (2-ETHYLHEXYL) ESTER	10039-33-5	D	Same references as 50240.
64860	MALEIC ACID, ESTERS WITH PENTAERYTHRITOL	-	9	
64880	MALEIC ACID, MONOHEXADECYL ESTER, POTASSIUM SALT	-	7	Needed: hydrolysis data.
65020	MALIC ACID	06915-15-7	1	ADI: not specified. (SCF, 25th Series, 1990). Occurs in plants.
65040	MALONIC ACID	00141-82-2	3	
65120	MANGANESE CHLORIDE	07773-01-5	2	Group 1/D: 0.01 (as Mn) (Environmental Health Criteria 17, WHO 1984). Group 1/D: 0.01 mg/kg b.w. (as Mn).
65200	MANGANESE HYDROXIDE	12626-88-9	2	See references for acetic acid, manganese(II) salt in list 2.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
65280	MANGANESE HYPOPHOSPHITE	10643-84-2	2-3	Group TDI: 0.01 mg/kg b.w. (as Mn). See references for acetic acid, manganese(II) salt in list 2.

L3 for hypophosphate.

Hypophosphate easily oxidised to phosphoric acid.

Group TDI: 0.01 mg/kg b.w. (as Mn) in list 2.

See references for acetic acid, manganese(II) salt.

L2 for Mn.

Group TDI: 0.01 mg/kg b.w. (as Mn).

See references for acetic acid, manganese(II) salt in list 2.

L3 for pyrophosphate.

Easily oxidised to pyrophosphoric acid.

ADI: acceptable.

(SCF, 16th Series, 1985).

65520 MANNITOL

00087-78-5

1

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
65768	2-MERCAPTOBENZOTHAZOLE	001149-30-4	6A.	Available: inadequate migration data (data on P exposure obtained in various laboratories are available, but inadequate); 16-day oral studies in mice, 16-day oral study in rats, 16-day and 2-year oral studies in rats and mice, 2 teratogenicity studies in rats, mutagenicity tests <i>in vitro</i> and <i>in vivo</i> , DNA binding study. Needed: adequate migration data using as simulant the saliva solution as described in Directive 93/11/ECC and carrying out the test by squeezing which could increase the extraction like in chewing gum, <i>In vitro</i> mouse lymphoma study in which endpoints related to both gene mutation and chromosome aberration are measured, a study of unscheduled DNA synthesis in rat liver <i>in vivo</i> (RIVM report, 7 September 1993 (=CS/PM/2184) and TNO SDS, 15 August 1995 (=CS/PM/2652)).

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No	SCF List	SCF Opinion
65770	2-MERCAPTOBENZAZEPHAZOLE SODIUM SALT	02492-26-4	6A	Available: 2 subacute studies in mice, 1 subacute study in rats, semichronic and chronic studies in rats and mice, 2 teratogenicity studies in rats, mutagenicity tests <i>in vitro</i> and <i>in vivo</i> , DNA binding study.
65845	METHACRYLIC ACID, ESTERS WITH ALCOHOLS, ALIPHATIC, MONOHYDRIC	-	9	Needed: migration data according to Directive 90/128/EEC and <i>in vitro</i> mouse lymphoma study in which endpoints related to both gene mutation and chromosome aberration are measured, a study of unscheduled DNA synthesis in rat liver <i>in vivo</i> . (RIVM report, 7 September 1993 (=CS/PM/2184)).
65880	METHACRYLIC ACID, MONOESTER WITH 1,3-BUTANEDIOL	-	8	
65900	METHACRYLIC ACID, 2-SULPHOPETITYL	01804-87-1	8	
65910	ESTER, SODIUM SALT (3-(METHACRYLOXY)PROPYL) TRIMETHOXYSILANE	02530-85-0	8	
65960	METHANOL	-	-	
66000	3'-METHOXY-4'-HYDROXYPHENYL-2-INDOLE	00067-56-1	3	See references for same substance in monomer report.
66030	4-METHOXYPHENOL	00150-76-5	8	
66050	1-METHIOXY-2-PROPANOL	00107-98-2	8	
66080	N-METHYLBENZAMIDE	00613-93-4	8	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF. No.	NAME	CAS No.	SCF List	SCF Option
66420	METHYL BENZIMIDAZOLECARBAMATE	10605-21-7	2	TDI: 0.01 mg/kg b.w. Based on ADI = 0.01 mg/kg b.w. on carbendazim. (JMPR 5-14 December 1983)
66460	7-(3'-METHYL-6'-n-BUTYXYL) BENZOTRIAZOLE(2H-3-	16515-58-5	8	
66200	METHYLICARBOXYMETHYLCELLULOSE	37206-01-2	2	Group TDI; not specified based on Group ADI (= not specified) for certain modified celluloses. (JECFA 35 M., 1989).
66240	METHYLCELLULOSE	09004-67-5	2	Group TDI; not specified based on Group ADI (= not specified) for certain modified celluloses. (JECFA 35 M., 1989).
66270	METHYLCYCLOPENTANE	00006-37-7	8	
66320	4,4'-METHYLENEBIS(2,6-Di-tert- BUTYLPHENOL)	00118-82-1	8	
66360	2',2'-METHYLENE BIS(4,6-Di-tert- BUTYLPHENYL) SODIUM PHOSPHATE	85209-91-2	3	R: 5 mg/kg in food. Available: 3-month oral rat study, mutagenicity tests negative, migration data. (RFVM doc., 15 October 1991). Group TDI: 0.025 mg/kg b.w.(with 66480). Available for 66480: two 90-day oral rat studies, 4-month oral dog study and mutagenicity studies. (RFVN Doc Fox 300/418, April 1983 and CS/PM/171).
66480	2,2'-METHYLENEBIS(4-ETHYL-6-tert- BUTYLPHENOL)	00088-24-4	2	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs (url: 21 March)

REF No	NAME	CAS No	SCF List	SCF Opinion
66480	2,2'-METHYLENEDIBIS(4-METHYL-6-tert-BUTYLPHENOL)	06119-47-1	2	Group I(DI): 0.025 mg/kg b.w. (with 66400). Available: two 90-day oral rat studies, 4-month oral dog study, mutagenicity studies. (RIVM doc. Tox 300)418, April 1983 and CS/PM/171).
66560	2,2'-METHYLENEDIBIS(4-METHYL-6-CYCLOHEXYLPHENOL)	04066-02-8	2	TDI: 0.05 mg/kg b.w. (with 66580). Available for 66580 short-term oral rat and dog study, 90-day oral dog study and 2-year oral rat and dog study. (RIVM doc. CS/PM/2205).
66580	2,2'-METHYLENEDIBIS(4-METHYL-6-(1-METHYL-CYCLOHEXYL) PHENOL)	06077-62-3	2	Group I(DI): 0.05 mg/kg b.w. (with 66560). Available: short-term oral rat and dog study, 90-day oral dog study and 2-year oral rat and dog study. (RIVM doc. CS/PM/2205).
66600	METHYLENEBIS(NAPHTHALENESUPLIPHONIC ACID), DISODIUM SALT	26545-58-4	8	R: 0.05 mg/kg of foods. (SCF, 29th Series, 1992).
66620	METHYLENE CHLORIDE	00075-09-2	3	Group I(DI: not specified based on Group A(DI (-- not specified) for certain modified celluloses. (IHCFA, 35 M., 1989)).
66640	METHYLETHYLCELLULOSE	09004-59-5	2	R: 5 mg/kg of food.
66655	METHYL ETHYL KETONE	00078-93-3	3	Available: 3 and 6 month inhalation studies in rats, teratogenicity studies by inhalation in mice and rats, mutagenicity tests. (RIVM doc. CS/PM/2098), (SCF, 29th Series, 1992).
66680	METHYLIHYDROQUINONE	01095-71-6	8	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No.	SCF List	SCF Opinion
66695	METHYLHYDROXYMETHYCELLULOSE - E	2	Group ADI (not specified) for certain modified celluloses. (JECFA 35 M, 1989).	Group TDG; not specified based on group ADI (not specified) for certain modified celluloses. (JECFA 35 M, 1989).
66700	METHYLHYDROXYPROPYCELLULOSE - E	09004-65-3	2	Group TDG; not specified based on group ADI (not specified) for certain modified celluloses. (JECFA 35 M, 1989).
66715	2-METHYLLIMIDAZOLE	00693-98-1	8	R: 5 mg/kg of feed.
66725	METHYL ISOBUTYL KETONE	00108-10-1	3	Available: 3 month oral rat study and 3 month inhalation studies (mice, rats, dogs and monkeys). Teratogenicity studies by inhalation in mice and rats, mutagenicity tests. (WHO Env. Health Crit. n. 117 (1990) Geneva).
66740	METHYL ISOPROPENYL KETONE (=2-METHYL-2-PENTEN-4-ONE)	00814-78-8	8	See references for 43760 in list 4.
66755	2-METHYL-4-ISOTHIAZOLIN-3-ONE	02682-20-4	4	
66785	N-METHYLMORPHOLINE	00109-92-4	5	
66820	N-METHYLMETHACRYLAMIDE	00923-62-4	6A	
66840	2-METHYLPENTANE	00107-83-5	8	
66860	4-METHYL-2-PENTANOL	00108-11-2	8	
66905	N-METHYL PYRROLIDONE	00872-50-4	8	(RIVM doc. 21 March 1989).
67040	4-METHYL(SUAPHONYLPHENYL)-3-(4-CHLOROPHENYL)-DELTAT-2-PYRAZOLINE	14295-72-8	8	
67120	MICA	12001-26-2	3	Inert silicate.
67200	MOLYBDENUM DISULPHIDE	01317-33-5	3	Inert, insoluble material.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
67280	MONOCHLOROBENZENE	00108-90-7	2	TD ₅₀ 0.6 mg/kg b.w. 90-day oral rat study, 2-year oral mouse and rat studies, Ames test negative, <i>in vitro</i> mutagenicity test positive.
67300	MONO- AND DIALKYL(C ₈ -C ₁₈)AMINE, ACETIC AND HYDROCHLORIC SALTS	'9		(Appendix to RIVM report 758701004, March 1990).
67345	MONO- AND DIGLYCERIDES OF FATTY ACIDS(C ₁₆ -C ₁₈)	85251-77-0	9	
67360	MONO-n-DODECYLTIN IRIS(ISOCTYL MERCAPTOACETATE)	67649-65-4	2	1-TD ₅₀ : 0.4 mg/kg b.w. pending results of <i>in vivo</i> test for unscheduled DNA synthesis. Available: 10- and 90-day oral rat studies, mutagenicity tests negative except human lymphocytes. (RIVM report, 02-04-1990).
67420	MONOETHANOLAMINE	00141-43-5	8	
67440	MONOETHANOLAMINE ALKYL SULPHATE		D	Partially covered by 6744.

REF No	NAME	CAS No	SCF List	SCF Opinion
67441	MONOETHANOLAMINE ALKYL(C ₈ -C ₂₂)SULPHATE, LINEAR, PRIMARY, EVEN NUMBERED	8	L3 and L8.	For alkyl (C ₈ -C ₂₂) sulphuric acids, linear, primary, even numbered.
			L3.	Toxicologically acceptable.
			L3.	Same references as for 34281.
			L8.	For monoethanolamine.
67442	MONOETHANOLAMINE ALKYL(C ₁₂ -C ₁₄)SULPHATE	90583-16-7	D	Partially covered by 67441.
67460	MONOETHANOLAMINE DODECYL SULPHATE	04722-98-9	D	Same as 52480.
67520	MONONONYL TIN TRIS(OCTYL MERCAPTOACETATE)	54849-38-6	2	(Group TD1 - 0.003 mg/kg b.w. (as Sn) (with 49630 and 83599).
67600	MONO-n-OCTYLTIN TRIS(ALKYL(C ₁₀ -C ₁₆)MERCAPTOACETATE)	2		See references for 83599 in list 2. Group 1-TD1: 0.02 mg/kg b.w. (as Sn) with 67680 and 67760.
67680	MONO-n-OCTYLTIN TRIS(2-ETHYLHEXYL MERCAPTOACETATE)	27107-89-7	2	See references for mono-n-octyltin tris(isoacetyl mercaptoacetate). Group 1-TD1: 0.02 mg/kg b.w. (as Sn) (with 67760 and 67600). See references for 67760 in list 2.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs up to 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
67760	MONO-n-OCTYLTRISUSOXYL MERICAPTOACETATE (added for mono, all mono and di-octyltin stabilisers will be re- evaluated together this substance)	26401-86-5	2-P	Group 1: FDI: 0.02 mg/kg b.w. (as Sn). Needed: mutagenicity studies for chromosome aberration in human lymphocytes, reproduction and teratogenicity studies and migration data on the non- tin part of the molecules.
67840	MONIC ACIDS AND/OR THEIR ESTERS WITH ETHYLENEGLYCOL AND/OR WITH 1,3-BUTANEDIOL AND/OR WITH GLYCEROL	-	3	Several oral short-term and semichronic studies in rats and dogs, oral chronic study in rats with mixture of mono- and di-octyltin chloride. Several mutagenicity studies <i>in vitro</i> and <i>in vivo</i> . (RIVM doc. May 1989). 3-4 month oral dog, 3 month rat and 2-year rat studies (RIVM report, 5 March 1990).
67850	MONTAN WAX	08002-53-7	3	Inert compound, specifications needed.
67860	MONTMORILLONITE, ACID, ACTIVATED	906431-92-8	9	
67870	MORPIOLINE	00110-91-8	5	
67878	MORPHOLINE, ITS SALTS OF ACIDS, ALIPH., MONOCARB., SAT., MORE THAN C7	-	5	
67882	MORPHOLINK, ITS SALTS OF ACIDS, ALIPH., MONOCARB., UNSAT., MORE THAN C7	-	5	
67887	MUSTARDSEED OIL, SULPHATED; AMMONIUM, POTASSIUM, OR SODIUM SALT	9		

Compilation of the evaluations of the Scientific Committee for Food on certain: monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No.	SCF List	SCF Opinion
67891	MYRISTIC ACID	00544-63-8	ADI: NS (SCF, 25th Series, 1989).	
67895	MYRISTIC ACID, ISOBUTYL ESTER	25263-97-2	7 Needed: hydrolysis data.	
67898	MYRISTOLEIC ACID	00544-64-9	8	
67900	NAPHTHA	08030-30-6	9	
67910	1-NAPHTHALENESUPHONIC ACID	00685-47-2	8	
67912	2-NAPHTHALENESUPHONIC ACID	00120-18-3	8	
67924	NAPHTHENIC ACIDS, CHROM SALTS	-	9	1.9 for naphthenic acids.
67930	NAPHTHENIC ACIDS, COBALT SALTS	61789-51-3	9	1.8 for cobalt. 1.3 for cobalt. R: 0.05 mg/kg of food (as Co). (RIVM, summary data, October 1992) (CS/PM/1707).
67942	NAPHTHENIC ACIDS, LITHIUM SALTS	61788-56-5	9	L.9 for naphthenic acids. L.9 for naphthenic acids.
67946	NAPHTHENIC ACIDS, MANGANESE SALTS	01336-93-2	9	L.2 for lithium. Group TDI: 0.01 mg/kg b.w. (as Li). See references for 38000 in L.2 in this report. L.9 for naphthenic acids.
67950	NAPHTHENIC ACIDS, SALTS	-	9	L.2 for Mn. Group TDI: 0.01 mg/kg b.w. See references for 30180 in L.2 in this report.

Completion of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
67966	NAPHTHENIC ACIDS, ZIRCONIUM SALT	72854-21-8	9	1.9 for naphthenic acids.

1.7 for zirconium.
See references for 54220.

68000 NAPHTHENIC MINERAL OIL. 9
68001 NAPHTHENIC MINERAL OIL D
(HYDROGENATED)

68002 NAPHTHENIC MINERAL OIL D
(CONVENTIONAL)

68020 2-NAPHTHOL 00135-19-3 8

68040 7-(2H-NAPTHO-1,2-d)TRIAZOL-2-YL)-03333-62-8 2

3-PHENYLCOUMARIN
TDT: 1 mg/kg b.w.
90-day oral rat and dog studies, two mutagenicity tests,
(RIVM 300/234 Tox'85, July 1981).

68060 NEODECANOIC ACID, CERIUM SALT 9

8 1.8 for neodecanoic acid.

68070 NEODECANOIC ACID, COBALT (II) SALT 52270-44-7 3

R: 0.05 mg/kg of food for neodecanoic acid. Not for fatty foods.

Available: 3 reciprocal mutagenicity tests and migration data for non-fatty foods for neodecanoic acid (CS/PM/1707).

L3 for cobalt.

R: 0.05 mg/kg of total (as Co).

(RIVM, summary data, October 1992) (CS/PM/1707)

1.8 for neodecanoic acid.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
68090	NEODECANOIC ACID, LITHIUM SALT	27253-30-1	8	L8 for neodecanoic acid.
68110	NEODECANOIC ACID, MANGANESE SALT	27253-32-3	8	L2 for lithium. Group TDI: 0.01 mg/kg b.w. (as Li). See references for 38000 in L2 in this report.
68115	NEODECANOIC ACID, ZIRCONIUM SALT	39049-04-2	8	L2 for Mn. Group TDI: 0.01 mg/kg b.w. (as Mn). See references for 38000 in L2 in this report.
68125	NEPHELINE SYNTITE			L7 for zirconium. See references for 54220.
68140	NITRIC ACID	07697-37-2	2	Inert material. TDI: 3 mg/kg b.w. based on ADI = 5 mg/kg b.w. on sodium nitrate. (SCF, 20th Series, in press).
68145	2,2',2'-NITRILIO(TRYMETHYL-TRIS(3,3',5,5'-TETRA-ter-BUTYL-1,1'-BIPHENYL-2,2'-DIYL)PHOSPHATE)	80410-33-9	3	R = 5 mg/kg of food (covering the sum of phosphate and phosphate). Available: adequate migration data, three <i>in vitro</i> mutagenicity studies; 90-day oral rat study, acute delayed neurotoxicity study; log D_{50} /w. (RIVM/NIO SDS, November 1996 = CS/PM(2749)).
68150	NONANOIC ACID	00112-05-0	8	
68175	NONYLPHENOL	25154-52-3	9	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
68185	4-NONYLPHENOL	00104-40-5	8	
68195	NORDIHYDROGUARARETIC ACID	00500-38-9	8	
68210	OCTABROMODIPHENYL ETHER	32536-52-0	5	
68225	HEXYLOCTADECANOL	00112-92-5	3	See references for same substance in monomer report.
68240	OCTADECYLAMINE	00124-30-1	8	
68320	OCTADECYL 3-(3,5-DI-tert-BUTYL-4-HYDROXYPHENYL)PROPRONATE	02082-79-3	2	TDI - 0.1 mg/kg b.w. Several oral rat studies (3-weeks to 3-months), 2-year oral studies in mice and rats, two-generation and teratogenicity studies, mutagenicity tests. (RIVM doc. 31 March 1992).
68400	OCTADECYLFRUCCAMIDE	100094-45-8	7	Available: Ames test and migration data. Needed: gene mutation and chromosome aberration in mammalian cells <i>in vitro</i> , 90-day oral study and bioaccumulation.
68480	OCTADECYL (4-HYDROXY-3,5-DIMETHYLBENZYLMERCAPTOACETATE)	16545-53-2	8	
68640	n-OCTANOIC ACID, CERILUM SALT	07435-02-1	8	1.0 for neotanoic acid.
68650	n-OCTANOIC ACID, COBALT SALT	06700-85-2	3	1.8 for cerium. 1.3 for cobalt. R = 0.05 mg/kg of food (as Co) (RIVM, summary data, October 1992) (CS/FM/1707).
				1.0 for n-octanoic acid.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
68690	n-OCTANOIC ACID, LITHIUM SALT	16577-52-9	0-2	1.2 for lithium. (group TDI; 0.01 mg/kg b.w. (as Li). See references for 38000 in 1.2 in this report.

68690 n-OCTANOIC ACID, MANGANESE SALT 66535-19-9 2

L0 for n-octanoic acid.
1.2 for Mn.

Group TDI; 0.01 mg/kg b.w. (as Mn).

See references for 30180 in 1.2 in this report.

68730 OCTANOIC ACID, ZIRCONIUM SALT 18312-04-4 9

L0 for n-octanoic acid.
1.9 for octanoic acid.

L7 for zirconium.

68750 1-OCTANOL
See references for 54220.

.00111-87-5 3
See references for 'Alcohols, aliphatic, monohydric,
saturated, linear, primary (C4-C24)' (PM/REF/N
33120) in SCF list 3.

68775 2-OCTYLDODECANOL
05333-42-6 8

68800 OCTYL EPOXYSTEARATE
000106-84-3 6A

68840 n-OCTYLMERCAPTAN
00011-88-6 8

68880 2-n-OCTYLTHIO-4,6-BIS(4-HYDROXY-
3,5-DI-tert-BUTYLPHENOXY)-1,3,5-
TRIAZINE
3

68920 OILS, FROM FOOD SOURCES,
HYDROGENATED OR NOT (with the
exception of those specified elsewhere in the
list)

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF. No.	NAME	CAS No.	SCF List	SCF Opinion
68960	OLEAMIDE	00301-02-0	3	Hydrolyses to innocuous substances. Available: Migration data, Ames test, hydrolysis tests. (RIVM doc. 12 September 1990, CS/P/M/2434).
69040	OLEIC ACID	00112-80-1	1	ADD: not specified. (SCF, 25th Series, 1990).
69120	OLEIC ACID, BUTYL ESTER	00142-77-8	7	Needed: hydrolysis data.
69140	OLEIC ACID, CERIUM SALT	07492-61-7	8	L1 (= not specified) for oleic acid.
69160	OLEIC ACID, COBALT SALT	14666-94-5	1-3	L1 for cerium. L3 for cobalt. R: 0.05 mg/kg of food (as Co). (RIVM, summary data, October 1992) (CS/P/M/1707).
69200	OLEIC ACID, ESTERS WITH ALCOHOLS - ALIPH., MONOR.	-	7	L1 for oleic acid. See references for oleic acid. Needed: hydrolysis data.
69280	OLEIC ACID, ETHYL ESTER	00111-62-6	7	Needed: hydrolysis data.
69360	OLEIC ACID, HEPTYL ESTER	42254-63-7	7	Needed: hydrolysis data.
69440	OLEIC ACID, HEXADECYL ESTER	22393-86-8	7	Needed: hydrolysis data.
69455	OLEIC ACID, LITHIUM SALT	07384-22-7	1-2	L1 (= not specified) for oleic acid.
				L2 for lithium. Group TD: 0.01 mg/kg b.w. (as Li). See references for 38000 in L2 in this report.

Compilation of the evaluations of the Scientific Committee for food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March,

REF No	NAME	CAS No	SCF List	SCF Opinion
69465	OLEIC ACID, MANGANESE SALT	19153-79-8	1-2	L1 (- not specified) for oleic acid.
69480	OLEIC ACID, METHYL ESTER	00113-62-9	?	L2 for Mn. Group 1DI: 0.01 mg/kg b.w. (as Mn). See references for 30180 in L2 in this report.
69520	OLEIC ACID, OCTYL ESTER	32953-65-4	?	Needed: hydrolysis data.
69560	OLEIC ACID, OLEYL ESTER	03687-45-4	?	Needed: hydrolysis data.
69600	OLEIC ACID, PENTYLESTER	00142-57-4	?	Needed: hydrolysis data.
69620	OLEIC ACID, SULPHATED, AMMONIUM, POTASSIUM OR SODIUM SALT	9	?	L1 (- not specified) for oleic acid.
69650	OLEIC ACID, ZIRCONIUM SALT	?	7	L7 for zirconium. See references for 54220.
69680	N-OLEOYL SARCOSINE	00116-25-8	8	Precursor of oleic acid.
69760	OLEYL ALCOHOL	00143-28-2	3	Restriction - 5 mg/kg of food.
69840	OLEYL PALMITAMIDE	16260-09-6	3	Available: 3-month oral rat study: mutagenicity studies negative, migration data. (RIVM doc. 17.03.92).
69920	OXALIC ACID	00144-62-7	2	TDT: 0.1 mg/kg b.w. 2-year oral rat study, observations in man. (<i>J. Am. Pharm. Assoc.</i> , 1947, 36, 217-219, Patty).

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
70000	2,2'-OXAMIDOBIS(ETHYL-3-(3,5-DI- BUTYL-4-HYDROXYPHENYL)PROPYONATE)	70331-94-1	3 T10E; 46 mg/kg b.w. 90-day oral rat and dog studies, 2-generation rat study, 2 mutagenicity tests.	(RIVM 85/627915/128, November, 1985).
70080	4,4'-OXIBIS(BENZENE SULPHONYL 'HYDRAZIDE')	00080-51-3	6A Waiting for an answer to the letter from EEC (CS/PM/374) to the interested industry using RIVM conclusions in CS/PM/36b.	
70160	OXYMETHANESULPHINIC ACID, SODIUM SALT	00149-44-0	D	
70240	OZOKERITE	12198-93-5	3 Mineral wax. Purity to be specified.	
70320	PALMITAMIDE	00620-54-9	8 00057-10-3	8 ADI: not specified. (SCF, 25th Series, 1990).
70400	PALMITIC ACID		1	Needed: hydrolysis data.
70480	PALMITIC ACID, BUTYL ESTER	00111-06-8	7	
70500	PALMITIC ACID, CERIUM SALT	07492-62-8	8	L1 (= not specified) for palmitic acid. L3 for cerium. L3 for cobalt.
70530	PALMITIC ACID, COBALT SALT	23272-52-8	1-3	R: 0.05 mg/kg of food (as Co). (RIVM, summary data, October 1992) (CS/PAf/707).
				L1 for palmitic acid. See references for palmitic acid.
70560	PALMITIC ACID, ETHYL ESTER	00628-97-7	7	Needed: hydrolysis data.
70640	PALMITIC ACID, HEPTYL ESTER	26718-83-2	7	Needed: hydrolysis data.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No.	SCF List	SCF Opinion
---------	------	---------	----------	-------------

70720 PALMITIC ACID, HEXADECYL ESTER 00540-10-3 7 Needed: hydrolysis data.
 70780 PALMITIC ACID, ISOBUTYL ESTER 001-0-34-9 7 Needed: hydrolysis data.
 70800 PALMITIC ACID, ISODECYL ESTER 59231-33-3 .W8
 70820 PALMITIC ACID, LITHIUM SALT 20466-33-5 1-2 1.1 (- not specified) for palmitic acid.

L2 for lithium.

Group I(D): 0.01 mg/kg b.w. (as Li).

See references for 38000 in L2.

70840 PALMITIC ACID, MANGANESE SALT 31678-63-4 1-2 1.1 (- not specified) for palmitic acid.

1.2 for Mn.

Group TDI: 0.01 mg/kg b.w. (as Mn).

See references for 30180 in L2 in this report

Needed: hydrolysis data.

Needed: hydrolysis data.

Needed: hydrolysis data.

Needed: hydrolysis data.

1.1 for palmitic acid.

See references for the same substance in list 1.

1.7 for zirconium
 See references for 54220.

71020 PALMITOLEIC ACID 00373-49-9 0
 71040 PALMITOYL BENZOYL METHANE 7281-74-2 8
 71070/ PALM OIL ('Food grade quality') 08002-75-3 D
 0

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs up to 21 March

REF No.	NAME	CAS No.	SCF List	SCF Opinion
71070/	PALM OIL	08002-75-3	3	Food fat.
71120	PARAFFIN OIL	08012-95-1	9	
71121	PARAFFIN OIL, (HYDROGENATED)	-	D	
7122	PARAFFIN OIL, (CONVENTIONAL)	-	D	
71260	PARAFFIN, SYNTHETIC	-	9	
71201	PARAFFIN, SYNTHETIC (HYDROGENATED)	-	D	
71202	PARAFFIN, SYNTHETIC (CONVENTIONAL)	-	D	
71280	HYDROCARBON WAXES, PARAFFIN AND MICROCRYSTALLINE	08002-74-2	9	
71281	HYDROCARBON WAXES, PARAFFIN AND MICROCRYSTALLINE (HYDROGENATED)	63231-60-7 68002-74-2 and 63231- 60-7	D D	
71282	HYDROCARBON WAXES, PARAFFIN AND MICROCRYSTALLINE (CONVENTIONAL)	-	D	
71360	PEANUT OIL	08002-03-7	3	Food fat.
71380	PEANUT OIL, SULPHATED, AMMONIUM, POTASSIUM, OR SODIUM SALT	-	9	
71440	PECTIN	09000-69-5	1	ADI: not specified. (SCF, 7th Series, 1978).
71470	PENTABROMODIPHENYL ETHER	32534-81-9	5	
71500	PENTACHLOROPHENOL	00087-86-5	5/D	EC Directive (91/173/ECC). Its use is banned.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics never intended to come into contact with foodstuffs. JECI 2 : March

REF No	NAME	CAS No	SCF List	SCF Opinion
71520	PENTACHLOROTHIOPHENOL, ZINC SALT	10117-97-5	8	
71600	PENTAERYTHRITOL	00115-77-5	2	Group TD1; 1 mg/kg b.w. (with dipentaerythritol) (SCF, 17th Series, 1986).
71625	PENTAERYTHRITOL DIMYRISTATE	54381-53-2	7	Needed: hydrolysis data.
71645	PENTAERYTHRITOL MONEMYRISTATE	68818-38-2	7	Needed: hydrolysis data.
71660	PENTAERYTHRITOL MONOLEATE	40332-32-8	7	TDI: 3 mg/kg b.w.
71680	PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-tert-BUTYL-4-HYDROXYPHENYL)PROPYONATE)	06683-19-8	2	Oral studies for 3 months and 2 years in rats, 3 and 4 months in dogs, lifetime in mice, reproduction and teratogenicity in mice and rats and mutagenicity studies. (RIVM report 89/678608/013, 13 June 1989).
71686	PENTAERYTHRITOL TETRAKIS(3-MERCAPTOPROPIONATE)	07575-23-7	8	
71700	N,N,N',N''-PENTAMETHYLDIETHYLENETRIAMINE	03030-47-5	8	
71710	PENTAMETHYLENEMAMMONIUM-PENTAMETHYLENEDIITHOCARBAMATE	00098-77-1	8	
71720	PENTANE	00109-66-0	3	Volatile.
71950	PERFLUOROKENYL OXYBENZENE SU LPHONIC ACID	9		
71960	PERFLUOROOCTANOIC ACID, AMMONIUM SALT	03825-26-1	8	Data exist (but confidential). Provide data.
71970	PERFLUOROOCTANOIC ACID, SODIUM SALT	00335-67-1	8	Data exist (but confidential). Provide data.
	SALT			

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF. No	NAME	CAS No	SCF List	SCF Option
72046	PERSULPHURIC ACID, AMMONIUM SALT	07727-54-0	8	
72048	PERSULPHURIC ACID, POTASSIUM SALT	07727-21-1	8	
72060	PETROLATUM	08009-03-8	9,D	
72061	PETROLATUM (HYDROGENATED)	-	D	
72062	PETROLATUM (CONVENTIONAL)	68009-03-8	D	
72080	PETROLEUM HYDROCARBON RESINS	-	9	
72082	PETROLEUM HYDROCARBON RESINS (CONVENTIONAL)	-	9	
72098	PETROLEUM WAXES	-	9	
72135	PHENOTHIAZINE	00093-84-2	8	
72145	2-PHENYLIMIDAZOLE	00670-96-2	8	
72160	2-PHENYLINDOLE	00948-65-2	2	TDI: 0.25 mg/kg b.w.
				1 and 2-year oral rat studies, migration data. (Arch. Toxicol., 1964, 20, 220-225).
72240	2-PHENYLPHENOL	00090-43-7	D	
72320	4-PHENYLPHENOL	00092-69-3	8	
72400	2-PHENYLPHENOL, SODIUM SALT	00132-27-4	D	Deleted. Covered by 72240.
72480	4-PHENYLPHENOL, SODIUM SALT	03645-61-2	D	Deleted. Covered by 72320.
72560	3-(2-PHENYL)PHENOXY-1,2-EPOXYPROPANE	07144-65-2	6A	
72600	PHENYLUREA	00064-10-8	8	
72620	PHOSPHONIC ACID, ESTERS	-	9	
72640	PHOSPHORIC ACID	07664-38-2	1	MTDI: 70 mg/kg b.w. (as P). (SCF, 25th Series, 1990).

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF. No	NAME	CAS No	SCF List	SCF Opinion
72700	PHOSPHORIC ACID, CRYSYL, DIPHENYL, 26434-49-5 ESTER	6B		Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, neurotoxicity studies too.
72720	PHOSPHORIC ACID, DI-n-HEXYLADERYL, 02197-63-9 ESTERS	6B		Group R: 0.05 mg/kg b.w. Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation studies and neurotoxicity studies too.
72760	PHOSPHORIC ACID, DI-n-NONYL, ESTER, 03138-43-0	6B		Group R: 0.05 mg/kg b.w. Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferations studies and neurotoxicity studies too.
72840	PHOSPHORIC ACID, DIPHENYL-p-TOLYL ESTER	00078-31-9	6B	Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, neurotoxicity studies too.
72880	PHOSPHORIC ACID, ETHANOLAMINE HEXYL, BRANCHED AND LINEAR ESTER	97489-40-2	9	Group R: 0.05 mg/kg b.w.
73040	PHOSPHORIC ACID, LITHIUM SALTS	13763-32-1	1-2	1.1 for lithium. Group TDI: 0.01 mg/kg b.w. (as Li). See references for benzoic acid, lithium salt.

1.1 for phosphoric acid.

MTDI: 70 mg/kg b.w. (as Pi).
(SCF, 25th Series, 1991).

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No.	SCF List	SCF Opinion
73124	PHOSPHORIC ACID, MANGANESE SALT	10124-54-6	1-2 1.2 for manganese	Group TDI: 0.01 mg/kg b.w. (as Mn). See references for acetic acid, manganese(II) salt.
73160	PHOSPHORIC ACID, MONO- AND DI-n-ALKYL (C16 and C18) ESTERS	-	W7	L1 for phosphoric acid. MTDI: 70 mg/kg b.w. (as P) (SCF, 25th Series, 1997) Available: 2 week oral rat study, 2 mutagenicity tests, negative, hydrolysis and migration data inadequate. Needed: gene mutation test in mammalian cells <i>in vitro</i> and migration. If migration exceeds 0.05 mg/kg food, toxicity testing according to SCF guidelines must be performed including test for peroxisome proliferation and neurotoxicity. (TNO, 20 January 1995).
73200	PHOSPHORIC ACID, MONO- AND DIESTERS WITH ALCOHOLS, ALIPH. (C9-C18), DIETHANOLAMINE SALT	-	9	Group R: 0.05 mg/kg b.w.
73280	PHOSPHORIC ACID, MONO AND DIESTERS WITH ALCOHOLS, ALIPH. (C9-C18), SALTS	-	9	Group R: 0.05 mg/kg b.w.
73300	PHOSPHORIC ACID, MONO- AND DIESTERS WITH ALCOHOLS, ALIPHATIC, MONOHYDRIC, SATURATED (C2-C4)	-	9	Group R: 0.05 mg/kg b.w.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF. No.	NAME	CAS No.	SCK List	SCF Opinion
73320	PHOSPHORIC ACID, MONO- AND DIESTERS WITH ALCOHOLS, MONOHYDRIC, SATURATED, PRIMARY, LINEAR (C12-C18), DILITHIUM AMINE SALT	-	9	Group R: 0.05 mg/kg b.w.
73340	PHOSPHORIC ACID, MONO- AND DIESTERS WITH ALCOHOLS, MONOHYDRIC, SATURATED, PRIMARY, LINEAR (C12-C18), SALTS	-	9	Group R: 0.05 mg/kg b.w.
73360	PHOSPHORIC ACID, MONO-n- HEXADECYL ESTER	03539-43-3	W7	Needed: hydrolysis data.
73340	PHOSPHORIC ACID, MONO-n-Hexyl ESTER	03900-04-7	7	Needed: hydrolysis data.
73480	PHOSPHORIC ACID, NONYL ESTER, SODIUM SALT	-	9	Group R: 0.05 mg/kg b.w.
73520	PHOSPHORIC ACID, OCTADECYL ESTERS	39471-52-8	D	Group R: 0.05 mg/kg b.w.
73570	PHOSPHORIC ACID, TRIALKYL(C4-C16) ESTER	-	9	Group R: 0.05 mg/kg b.w.
73600	PHOSPHORIC ACID, TRIBUTOXYETHYL, 00078-51-3	6B	Group R: 0.05 mg/kg b.w.	Available: Ames test, 14-day and 18-week oral rat studies. Needed: Full report of 18 week oral rat study by Monsanto (1987) and tests for gene mutation and chromosome aberration in mammalian cells <i>in vitro</i> in the first instance.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No.	SCF List	SCF Opinion
73680	PHOSPHORIC ACID, TRIBUTYL ESTER	00126-73-8	6B	Group R: 0.05 mg/kg b.w. Available: Ames test and several subchronic oral rat studies.
				Needed: remaining toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation studies and neurotoxicity studies too.
73720	PHOSPHORIC ACID, TRICHLOROETHYL ESTER	00115-96-8	4	Carcinogenic to rats. (NTP Tech. Rep. Ser. N. 391, May 1991).
73760	PHOSPHORIC ACID, TRIETHANOL ESTER		9	Group R: 0.05 mg/kg b.w.
73840	PHOSPHORIC ACID, TRIISOBUTYLETHER	00126-71-6	6B	Group R: 0.05 mg/kg b.w. Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation studies and neurotoxicity studies too.
73920	PHOSPHORIC ACID, TRIPHENYL ESTER	00115-86-6	6B	Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, neurotoxicity studies too.
73960	PHOSPHORIC ACID, TRIS(ALKYOXYALKYL C3-C8) ESTER		9	Group R: 0.05 mg/kg b.w.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Option
74000	PHOSPHORIC ACID, TRI(2-ETHYLHEXYL) ESTER	00078-42-2	6B	Group R: 0.05 mg/kg b.w. Available: Ames test, 90-day and 2-year oral mouse and rat studies. Needed: remaining toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation studies and neurotoxicity studies too.
74010	PHOSPHOROUS ACID, BIS(2,4-DI-tert-BUTYL-6-METHYLPHENYL)ETHYL ESTER	145650-60-3	8	R: 5 mg/kg of food (covering the sum of phosphite and phosphate).
74020	PHOSPHOROUS ACID, 2-tert-BUTYL-ALPHA-(3-tert-BUTYL-4-HYDROXYPHENYL)-p-CUMENYL BIS(4-NONYLPHENYL) ESTER	20227-53-6	6B	Available: migration data, three <i>in vitro</i> mutagenicity tests, Ames/ <i>E. Coli</i> test with the oxidation product, 28-day oral rat study, 90-day oral rat study, 'limited' delayed neurotoxicity study in mice. (RIVM/TNO SDS, October 1996 = CS/P/M/2916). Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, neurotoxicity studies too.
74040	PHOSPHOROUS ACID, DIPHENYL ESTER	04712-55-4	6B	Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, neurotoxicity studies too.
74060	PHOSPHOROUS ACID, TRIALKYL(C8-C12)ESTER	-	9	Group R: 0.05 mg/kg b.w.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF. No	NAME	CAS No	SCF List	SCF Opinion
74080	PHOSPHOROUS ACID, TRISOBUTYL ESTER	25448-25-3	6B	Group R: 0.05 mg/kg b.w. Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation studies and neurotoxicity studies too.
74160	PHOSPHOROUS ACID, TRIS(2- (CYCLOHEXYLPHENYL)ESTER	13423-78-4	6B	Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, neurotoxicity studies too.
74240	PHOSPHOROUS ACID, TRIS(2,4-DI-tert- BUTYLPHENYL)ESTER	31570-04-4	2	TDI: 1 mg/kg b.w. 90-day and 2 year oral rat studies, 2-generation study in rats and mutagenicity studies. (IARC report CBG 16/7/76 39, 18 August 1976; LSIR 80/IC/AN 0/5/11, 21 October 1980; Ciba-Geigy R2 0873, February 1985).
74320	PHOSPHOROUS ACID, TRIS(3-ETHYL-3- OXETANYL)-METHYL)ESTER	39865-35-5	6B	Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, neurotoxicity studies too. TDI: 0.5 mg/kg b.w.
74400	PHOSPHOROUS ACID, TRIS(NONYL- AND/OR DINONYLPHENYL)ESTER (add CAS.N 08012-67-7)	26523-78-4	2	90-day oral rat and 2-year oral rat and dog studies, 3 generation oral rat reproduction study, 3 negative mutagenicity studies. (RIVM, 8 January 1990).
74480	o-PHTHALIC ACID	60088-99-3	2	Group TDI: 1 mg/kg b.w. Included in the group TDI for phthalic anhydride.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
74560 PHTHALIC ACID, BENZYL BUTYL ESTER		03085-68-7	2-P t-TBP: 0.1 mg/kg b.w.	Available: 6-month oral rat study, carcinogenicity and peroxisome proliferation studies <i>in vitro</i> . (RIVM 1987, September)
				Needed: <i>in vivo</i> peroxisome proliferation study, reproduction and teratogenicity studies.
74600 PHTHALIC ACID, BIS(ALKOXYALKYL) C3-C18) ESTER			9	Group R: 0.05 mg/kg b.w.
74640 PHTHALIC ACID, BIS(2-ETHYLHEXYL) ESTER	00017-81-7	2	TDI: 0.05 mg/kg b.w. (see the individual report, CS/PM/2161 PNAL).	R: 0.05 mg/kg of food (by analogy with 53860). Suspected of embryotoxicity/teratogenicity.
74720 PHTHALIC ACID, BIS(2- METHIOXYETHYL) ESTER	00017-82-8	6B		Available: some studies, but inadequate.
74760 PHTHALIC ACID, BIS(METHYLCYCLOHEXYL) ESTER	27987-25-3	9	Group R: 0.05 mg/kg b.w.	
74800 PHTHALIC ACID, DIALKYL (C7-C11) ESTERS	68515-42-4	6B	Group R: 0.05 mg/kg b.w.	Needed: in first instance specifications on identity.
				Toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation studies on specified substances.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF. No.	NAME	CAS No.	SCF List	SCF Option
74880	PHTHALIC ACID, DIBUTYL ESTER	60084-74-2	2	t-TDI: 0.05 mg/kg b.w. Available: limited 90-day and 1-year oral rat studies, oral reproduction and teratogenicity studies, limited mutagenicity studies. (RIVM report, May 1988).
				Needed: tests for gene mutation and chromosome aberration in mammalian cells <i>in vitro</i> and, if migration exceeds 0.05 mg/kg 28-day oral study and peroxisome proliferation study too. t-TDI: 0.1 mg/kg b.w.
74966	PHTHALIC ACID, DICYCLOHEXYL ESTER	100084-61-7	2	Available: three 90-day oral rat studies, limited <i>in vivo</i> mutagenicity studies (RIVM 1988). Needed: reproduction and teratogenicity studies, tests for gene mutation and chromosome aberrations in mammalian cells <i>in vitro</i> . Group t-TDI: 0.15 mg/kg b.w. (with 76120). Available: 3-month oral rat study, teratogenicity study and Ames test negative. (RIVM doc. 11 September 1990, CS/PM/529). Needed: reproduction study, peroxisome proliferation, gene mutation and chromosome aberration in mammalian cells <i>in vivo</i> .

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No	SCF List	SCF Opinion
75100	PHTHALIC ACID, DIESTERS WITH PRIMARY, SATURATED C8-C10 BRANCHED ALCOHOLS, MORE THAN 60 % C9.	2-4-p 1-(TDI): 0.03 mg/kg b.w. Available: several 3-month studies in rats and dogs and a 2-year rat study, all by oral exposure, teratogenicity rat oral study, 5 mutagenicity studies negative, peroxisome proliferation studies.		
75105	PHTHALIC ACID, DIESTERS WITH PRIMARY, SATURATED C9-C11 BRANCHED ALCOHOLS MORE THAN 90 % C10	2 t-TDI: 0.05 mg/kg b.w. Available: 3-month oral rat and dog studies, ³ mutagenicity tests negative, peroxisome proliferation studies, teratogenicity study in mice, inadequate.		Needed: reproduction and teratogenicity studies, (RIVM report, 21 March 1995, CS/PM/2584 and TNO report, 29 August 1995, CS/PM/2654).
75120	PHTHALIC ACID, DIETHYL ESTER	00084-66-2 2 t-TDI: 0.2 mg/kg b.w. Available: a 3-month oral rat study, <i>in vitro</i> mutagenicity studies, i.p. teratogenicity studies and peroxisome proliferation studies.		(<i>Ed. Comm. Toxicol.</i> , 1978, 16, 415-422, RIVM 1986, June). Needed: reproduction and teratogenicity study.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF No 1st	SCF Opinion
75260	PHthalic Acid, Di-n-hexyl Ester	63648-21-3	6B	Group R: 0.05 mg/kg b.w. Available: Ames test.
				Needed: remaining toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation studies too.
75280	Phthalic Acid, Diisobutyl Ester	60084-69-5	6B	Group R: 0.05 mg/kg b.w. Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation studies too. This item is changed into a new item (see 75105).
75360	Phthalic Acid, Diisodecyl Ester	26761-40-0	D	Group R: 0.05 mg/kg b.w.
75440	Phthalic Acid, Diisononyl Ester	28553-12-0	D	
75520	Phthalic Acid, Diisooctyl Ester	27354-26-3	9	
75600	Phthalic Acid, Dimethyl Ester	60131-11-3	6B	Group R: 0.05 mg/kg b.w. Available: limited oral rat chronic toxicity/carcinogenicity study, oral teratogenicity studies in rats and mice. Ames test. Needed: gene mutation and chromosome aberration in mammalian cells <i>in vitro</i> and migration data in the first instance.
75640	Phthalic Acid, Di-n-dicyl Ester	60084-77-5	6B	Group R: 0.05 mg/kg b.w. Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation studies too.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No.	SCF List	SCF Opinion
75680	PHTHALIC ACID, DI-n-NONYL ESTER	00684-76-4	6B	Group R: 0.05 mg/kg b.w. Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation studies too. Group R: 0.05 mg/kg b.w.
75760	PHTHALIC ACID, DI-n-OCTADECYL ESTER	14117-96-5	6B	Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation studies too.
75840	PHTHALIC ACID, DI-n-OCTYL ESTER	00117-84-0	6B	Group R: 0.05 mg/kg b.w. Available: Ames test, peroxisome proliferation study, oral mouse reproduction study, inadequate oral rat 90-day study, inadequate oral rat chronic toxicity/carcinogenicity study. Needed: gene mutation and chromosome aberration study in mammalian cells <i>in vitro</i> and migration data in the first instance. R: 5 mg/kg of food or food simulant. Available: 3 mutagenicity studies negative, 3 months oral rat study, test on liver peroxisome proliferation, migration in aqueous food simulants only. Remark: high migration into fatty food is likely. (RIVM report, 4 September 1995 (- CS/PM/2655).
75850	PHTHALIC ACID Di-n-OCTYL n-DICYL ESTER	71662-46-9	3	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
75020	PHTHALIC ACID, BUTYL TRIOCTYL ESTER	00119-06-2	6B	Group R: 0.05 mg/kg b.w. Available: Ames test.
76000	PHTHALIC ACID, MIXED ESTERS WITH BUTYL GLYCOLATE AND ALCOHOLS, ALIPH., MONOH., (C1-C4)	00085-70-1	6B	Needed: remaining toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation studies too.
76005	PHTHALIC ACID, MIXED ESTERS WITH BUTYL GLYCOLATE AND BUTANOL.	00085-70-1	6B	Group R: 0.05 mg/kg b.w.
76080	PHTHALIC ACID, MIXED ESTERS WITH ETHYL GLYCOLATE AND ALCOHOLS, ALIPH., MONOH., (C1-C4)	00084-72-0	6B	Group R: 0.05 mg/kg b.w. Available: 30-day and 1-year oral rat studies and mutagenicity studies all inadequate.
76085	PHTHALIC ACID, MIXED ESTERS WITH ETHYL GLYCOLATE AND ETHANOL.	00084-72-0	6B	Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation studies too.
76120	PHTHALIC ACID, n-HEXADECYL n-OCTADECYL ESTER	68442-70-6	2	Group I-TDI = 0.15 mg/kg b.w. (with 75040). Covered by Group I-TDI for 75040.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended

to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
76160	O-PHTHALIC ACID, n-PENTYL BENZYL ESTER	01240-18-2	6B	Group R: 0.05 mg/kg b.w. Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation studies too.
76120	PHthalic ANHYDRIDE	00085-44-9	2	(Group TDI): 1 mg/kg b.w. (SCF, 17th Series, 1986).
76400	PIMARICIN	07681-93-8	D	Postponed. Waiting for an answer to the circular letter from EEC (CS/Pm/324) asking for information on technological function of the substance. Date limit: 30 June 1990.
76430	PNE Oil	08062-09-3	8	
77030	POLY(VITAMIN E)ENGLYCOL ALKYL(C12-C14)ETHER SODIUM SULPHATE	68891-38-3	9	
77035	POLY(VITAMIN E)ENGLYCOL (EO = 2-3) ALKYL(C12-C14)ETHER SODIUM SULPHATE	68891-38-3	8.p	
77105	POLY(ETHYLENEGLYCOL) BIS(TAILOR)	68410-69-5	W8	
77522	ACYL AMIDO ETHYL METHYL AMMONIUM METIOSULPHATE			
77550	POLY(VITAMIN E)ENGLYCOL (EO = 20-40) ESTER OF CASTOR OIL COCONUT OIL FATTY ACIDS	-	2	Group TDI: 10 mg/kg b.w. for all PbG esters of food fatty acids. (CS/Pm/1656).
77602	POLY(VITAMIN E)ENGLYCOL (EO = 40) ESTER OF HYDROGENATED CASTOR OIL	61788-85-0	D	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No.	SCF List	SCF Opinion
7713	POLY(ETHYLENEGLYCOL)(EO-2) ETHERS OF C18 ALCOHOLS	09005-00-9	9	
7735	POLY(ETHYLENEGLYCOL) ETHER OF DODECYLPHENOL, SODIUM SULPHATE	59269-54-4	9	
7747	POLY(ETHYLENEGLYCOL) ETHER OF OCTYLPHENOL, SODIUM SULPHATE	58853-83-1	9	
7780	POLY(ETHYLENEGLYCOL) ISOTRIDECYL ETHER	09043-30-5	8	
7789	POLY(ETHYLENEGLYCOL) ISOTRIDECYL ETHER SULPHATE SALTS		8	
78140	POLY(ETHYLENEGLYCOL) MONOOCTADECYL ETHER	09005-00-9	8	
78190	POLY(ETHYLENEGLYCOL) MONO(2-EYL, 69004-98-2) ETHER		9	
78440	POLY(ETHYLENEGLYCOL,4- NONYLPHENYL ETHER	26027-38-3	W7	Needed: in the first instance, information on the composition of the substances used. RIVM doc. CS/PM/2223 (in CS/PM/2223 change title to '4-nonylphenyl-polyethyleneglycol ethers (PMRIF-N.78440)').
79065	POLY(ETHYLENE PROPYLENEGLYCOL DIOLATE	67167-17-3	9	
79467	POLY(ETHYLENE PROPYLENEGLYCOL DISTEARATE	55326-40-4	9	
80365	POLY(ISOBUTYL ACRYLATE)	26335-74-0	9	
80430	POLYMERISATION AIDS (for memo, to be deleted later)	D		

Compiler of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 23 March

REF No	NAME	CAS No	SCF List	SCF Opinion
80895	POLYPROPYLENEGLYCOL ESTERS OF ALIPH. MONOCARB. ACIDS(C6-C22) AND THEIR AMMONIUM AND SODIUM SULPHATES		9	
80910	POLYPROPYLENGLYCOL ETHERS OF MONO-, DI-, AND TRIALKYL(C4-C18)PHENOL.		9	
81520	POTASSIUM BROMIDE	97758-02-3	1	Group ADI: 1 mg/kg b.w. (as Br) as pesticide residue. See references for ammonium bromide in list 2.
81560	POTASSIUM DITHIONITE	01310-58-3	8	ADI: not specified. (SCF, Rx).
81600	POTASSIUM HYDROXIDE			
81680	POTASSIUM IODIDE	07681-11-0	1	PMTDI: 0.017 mg/kg b.w. (as I). (ECCFA 33 M., 1988).
81720	POTASSIUM SULPHITE	10117-38-1	2	TDI: 0.7 mg/kg b.w. Based on ADI for SO ₂ . (30th M. ECCFA, 1986).
81740	POTATO PROTEIN		9	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF. No.	NAME	CAS No.	SCF List	SCF Opinion
81760	POWDERS, FLAKES AND FIBRES OF BRASS, BRONZE, COPPER, STAINLESS STEEL, TIN AND THEIR ALLOYS	-	2	For copper Group-TDI: 0.5 mg/kg b.w. based upon: PMTDI: 0.5 mg/kg b.w. (JECFA, 26M, 1983).
81761	POWDERS, FLAKES AND FIBRES OF CHROMIUM, MOLYBDENUM, NICKEL AND THEIR ALLOYS	-	?	For zinc (II): PTWI: 14 mg/kg b.w. (SCF, 25th Series, 1990).
81840	POWDERS, FLAKES AND FIBRES OF 1,2-PROPANEDIOL	-	?	For zinc: PTWI: 1 mg/kg b.w. (SCF, 25th Series, 1990). Needed: Migration data and justification of use.
81860	1,3-PROPANEDIOL MONO- AND DIALKYL ETHER	90057-55-6	1	ADI: 25 mg/kg b.w. (JECFA 17M, 1973).
81880	1-PROPANOL	00071-23-8	3	See references for same substance in monomer report.
81882	2-PROPANOL	06067-63-0	1	tADI: 1.5 mg/kg b.w. (SCF, 11th Series, 1981).

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
81920	1-PROPANOL,3-(1,3,3-TETRAMETHYL-1-OXY)-DISULPHANYL)-HYDROGEN SULPHATE, COMPOUND WITH 2,PROPANAMINE(1:1)	05520-20-7	W	
82000	PROPIONIC ACID	00079-09-4	1	Group ADI: not specified. (SCF, 1st Series, 1974).
82020	PROPIONIC ACID, COBALT SALT	19019-51-3	1-3	L3 for cobalt. R: 0.05 mg/kg of food (as cobalt). (RIVM, summary data, October 1992).
				L1 for propionic acid. See references for propionic acid.
82050	PROPYLENE CARBONATE	00408-32-7	8	
82080	1,2-PROPYLENEGLYCOL ALGINATE	09005-37-2	1	Group ADI: 25 mg/kg b.w. (JECFA 17 M., 1973).
82160	1,3-PROPYLENEGLYCOL ALGINATE	-	8	
82240	1,2-PROPYLENEGLYCOL DILAUERATE	22788-19-8	1	Group ADI: 25 mg/kg b.w. (as propyleneglycol) for 1,2-propyleneglycol esters of fatty acids. (JECFA 17 M., 1973).
82320	1,3-PROPYLENEGLYCOL DLAUERATE	-	8	
82400	1,2-PROPYLENEGLYCOL DIOLEATE	00105-62-4	1	Group ADI: 25 mg/kg b.w. (as propyleneglycol) for 1,2-propyleneglycol esters of fatty acids. (JECFA 17 M., 1973).
82480	1,3-PROPYLENEGLYCOL DIOLEATE	00821-69-2	8	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No.	SCF List	SCF Opinion
82560	1,2-PROPYLENEMONOGLYCOL DIPALMITATE	33587-20-1	1	Group ADI: 25 mg/kg b.w. (as propyleneglycol) for 1,2-propyleneglycol esters of fatty acids. (JECFA 17 M., 1973).
82640	1,2-PROPYLENEGLYCOL DIPICOLINATE	56414-56-3	7	Needed: hydrolysis and migration data.
82720	1,2-PROPYLENEMONOGLYCOL DISTEARATE	06182-11-2	1	Group ADI: 25 mg/kg b.w. (as propyleneglycol) for 1,2-propyleneglycol esters of fatty acids. (JECFA 17 M., 1973).
82800	1,2-PROPYLENEMONOGLYCOL MONOLAURATE	27194-74-7	1	Group ADI: 25 mg/kg b.w. (as propyleneglycol) for 1,2-propyleneglycol esters of fatty acids. (JECFA 17 M., 1973).
82880	1,3-PROPYLENEMONOGLYCOL MONOGLAURATE		8	
82960	1,2-PROPYLEMENEGLYCOL MONOOLEATE	01330-80-9	1	Group ADI: 25 mg/kg b.w. (as propyleneglycol) for 1,2-propyleneglycol esters of fatty acids. (JECFA 17 M., 1973).
83040	1,3-PROPYLEMENEGLYCOL MONOOLEATE		8	
83120	1,2-PROPYLEMENEGLYCOL MONOPALMITATE	29013-28-3	1	Group ADI: 25 mg/kg b.w. (as propyleneglycol) for 1,2-propyleneglycol esters of fatty acids. (JECFA 17 M., 1973).
83200	1,3-PROPYLEMENEGLYCOL MONOPALMITATE	-	8	
83280	1,2-PROPYLEMENEGLYCOL MONOPICOLINATE	26402-31-3	7	Needed: hydrolysis and migration data.

REF No	NAME	CAS No	SCF List	SCF Opinion
83300	1,2-PROPYLENEGLYCOL MONOSTEARATE	01323-39-3	1	Group ADI: 25 mg/kg b.w. (as propylene glycol) for 1,2-propylene glycol esters of fatty acids. (JECFA 17 M., 1973)
83324	PROPYLHYDROXYETIYLCELLULOSE E		2	TDI: not specified based on group ADI (= not specified) for certain modified celluloses. (JECFA 35M., 1989).
83325	PROPYLHYDROXYMETHYLCELLULOSES E		2	Group TDI: not specified based on group ADI (= not specified) for certain modified celluloses. (JECFA 35M., 1989).
83330	PROPYLHYDROXYPYRUVYLCELLULOSE		2	Group TDI: not specified based on group ADI (= not specified) for certain modified celluloses. (JECFA 35M., 1989).
83375	PROTEINS POSSIBLY HYDROLYSED BY ALKALIS OR ENZYMES, AND THEIR POTASSIUM AND SODIUM SALTS	16210-51-8	6B	R, 0.01 mg/kg of food (as Sb). Needed: actual use in first instance.
83390	PYROANTIMONIC ACID, POTASSIUM SALT		9	
83415	PYROMELLITIC ACID TETRAALKYL(C1-C8) ESTER	02466-09-3	1	MTDI: 70 mg/kg b.w. (as P). (JECFA 26 M., 1982).
83440	PYROPHOSPHORIC ACID	59562-58-2	8	Needed: data on dibutylamine according to SCF guidelines.
83450	PYROPHOSPHORIC ACID, MONOBUTYLAMINE SALT			Fusely oxidised to phosphoric acid.
83455	PYROPHOSPHOROUS ACID	13445-56-2	3	Inert material.
83460	PYRRHOPHYLLITE	12269-78-2	3	Inert material.
83470	QUARTZ	14808-60-7	3	Inert material.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs and additives used in the manufacture of plastics materials intended until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
83480	QUATERNARY AMMONIUM COMPOUNDS, BENZYLBIS(HYDROGENATED) TALLOW ALKYLAMINYL, BIS(HYDROGENATED) TALLOW ALKYLDIMETHYLAMMONIUM SALT WITH HECTORITE	121888-67-9	3	
83490	QUATERNARY AMMONIUM COMPOUNDS, BENZYLDIMETHYOCTADECYL, COMPOUND WITH HECTORITE	-	9	
83500	QUATERNARY AMMONIUM COMPOUNDS, BENZYL(HYDROGENATED) TALLOW ALKYLDIMETHYL CHLORIDES, COMPOUNDS WITH HECTORITE	71011-26-2	9	
83510	QUATERNARY AMMONIUM COMPOUNDS, BENZYL(HYDROGENATED) TALLOW ALKYLDIMETHYL CHLORIDES, COMPOUNDS WITH BENTONITE AND SODIUM STEARATE	[21888-68-9] 4		
83530	QUATERNARY AMMONIUM COMPOUNDS, BENZYL(HYDROGENATED) TALLOW ALKYLDIMETHYL CHLORIDES, COMPOUNDS WITH BENTONITE	71011-24-0	9	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No.	SCF List	SCF Opinion
83535	QUATERNARY AMMONIUM COMPOUNDS, COCO ALKYL BIS(HYDROXYETHYL)METHYL ETHOXYLATE)METHYL SULPHATE	68989-03-7	9	
83540	QUATERNARY AMMONIUM COMPOUNDS, DIMETHYL DIODADECYL COMPOUND WITH BENTONITE		9	
83550	QUATERNARY AMMONIUM COMPOUNDS (Q1,Q2,Q3,Q4-AMMONIUM CHLORIDE OR BROMIDE), WHERE Q1-ALKYL(C8-C18) AND Q2,Q3 AND Q4 = HYDROGEN, ALKYL(C1-C4), OR BENZYL		9	
83560	QUATERNARY AMMONIUM COMPOUNDS, BIS(HYDROGENATED TALLOW ALKYL)DIMETHYL SALTS WITH BENTONITE	68953-58-2	9	
83565	QUATERNARY AMMONIUM COMPOUNDS N,N,N',TRIS(HYDROXYETHYL)-N,N'-DIMETHYL-N-TALLOW ALKYL TRIMETHYLENE DI-, BIS(METHYL SULPHATES), SALTS	93572-63-5	W9	
83580	RAPHESEED OIL (food grade quality)	08002-13-9	D	0

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No.	SCF List	SCF Opinion
83580 ¹	RAPESSEED OIL	08002-13-9	3	Food rat.
83595	REACTION PRODUCT OF DI- TER-BUTYLPHOSPHONITE WITH BIPHENYL, OBTAINED BY CONDENSATION OF 2,4-DI- TER-BUTYLPHENOL WITH FRIEDEM- ER REACTION PRODUCT OF PHOSPHORUS TRICHLORIDE AND BIPHENYL	119345-01-2	6	TDI: 0.3 mg/kg b.w. 90-day oral rat study and mutagenicity studies. (Sandoz report 1979).
83610	RESIN ACIDS AND ROSIN ACIDS	73138-82-6	2	Group [1D]: 1 mg/kg b.w. (SCF, 17th Series, 1986)
83620	RESIN ACIDS AND ROSIN ACIDS, CERIUM SALTS		8	1.2 (-1 mg/kg b.w.) for resin acids. 1.8 for cerium. 1.3 for cobalt. R: 0.05 mg/kg of tool (as Co). (RIVM, summary data, October 1992) (CSHM/1707).
83630	RESIN ACIDS AND ROSIN ACIDS, COBALT SALTS	68956-82-1	2-3	L2 for resin and rosins acids. TDI: 1 mg/kg b.w. 1.2 (-1 mg/kg b.w.) for resin acids. 1.2 for lithium. Group TD: 0.01 mg/kg b.w. (as f.i.). See references for 38000 in L2 in this report.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
83650	RESIN ACIDS AND ROSIN ACIDS, MANGANESE SALTS	090008-34-8	2	L2 (= 1 mg/kg b.w.) for resin acids.
83660	RESIN ACIDS AND ROSIN ACIDS, ZIRCONIUM SALTS	-	7	L2 for Mn. Group TD1: 0.1 mg/kg b.w. (as Mn). See references for 30180 in L2 in this report.
83670	RICINERIAN OIL, SULPHATED, AMMONIUM, POTASSIUM, OR SODIUM SALT	-	9	L2 for zirconium. See references for 54220.
83690	RICINOLEAMIDE	35732-94-6	8	TDI: 0.7 mg/kg b.w. based on TDI for castor oil. (SCF, 7th Series, 1978).
83700	RICINOLEIC ACID	00141-22-0	2	L2 (= 0.7 mg/kg b.w.) for ricinoleic acid.
83720	RICINOLEIC ACID, CERIUM SALT	07492-63-9	8	1.8 for cerium.
83730	RICINOLEIC ACID, COBALT SALT	-	1-3	L2 (= 0.7 mg/kg b.w.) for ricinoleic acid.
				L3 for cobalt.
				R: 0.05 mg/kg of food (as Co). (RIVM, summary data, October 1992) (CS:PM/1707).
83760	RICINOLEIC ACID ESTERS WITH ALCOHOLS, ALIPHATIC, MONO-	-	9	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
83790	RICINOLEIC ACID, LITHIUM SALT	15465-06-8	2	L2 (= 0.3 mg/kg b.w.) for ricinoleic acid L2 for lithium. Group TDI: 0.01 mg/kg b.w. (as Li).
83805	RICINOLIC ACID, MANGANESE SALT	?	2-2	See references for 38000 in L2 in this report L2 for ricinoleic acid. TDI: 0.7 mg/kg b.w.
83820	RICINOLIC ACID, ZIRCONIUM SALT	?	7	See references for ricinoleic acid. L2 for Mn. Group TDI: 0.01 mg/kg b.w. (as Mn). See references for 30180 in L2 in this report. L2 (=0.7 mg/kg b.w.) for ricinoleic acid. L7 for zirconium. See references for 54220.
83840	ROSIN	08050-09-7	2	Group TDI: 1 mg/kg b.w. (SCF, 17th Series, 1986).
83920	ROSIN DERIVATIVES	-	9	ADI = 12.5 mg/kg b.w. (SCF, 32th Series, 1992).
84000	ROSIN, ESTER WITH GLYCEROL	08050-31-5	1	Group TDI = 1 mg/kg b.w. Included in the group TDI for colophony of 1 mg/kg b.w.
84080	ROSIN, ESTER WITH PENTALERYTRITOL	08050-26-8	2	(SCF, 6th Series, 1978) also including rosins (SCF, 17th Series, 1986).

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
84210	ROSIN HYDROGENATED GLYCEROL	65997-06-0	2	Group TDI: 1 mg/kg b.w. Included in the TDI for 24070/24130/24190/83610/83840/84080/ 84320/84460/84420.
84240	ROSIN, HYDROGENATED, ESTER WITH GLYCEROL	65997-13-9	3	Toxicologically acceptable.
84320	ROSIN, HYDROGENATED, ESTER WITH METHANOL	68050-15-5	2	Group TDI = 1 mg/kg b.w. Included in the group TDI for colophony of 1 mg/kg b.w. (SCF, 6th Series, 1978) also including rosins (SCF, 17th Series, 1986).
84400	ROSIN, HYDROGENATED, ESTER WITH PENTAERYTHRITOL	64365-17-9	2	Group TDI = 1 mg/kg b.w. Included in the group TDI for colophony of 1 mg/kg b.w. (SCF, 6th Series, 1978) also including rosins (SCF, 17th Series, 1986).
84420	ROSIN, PARTIALLY HYDROGENATED	65997-46-0	2	Group TDI: 1 mg/kg b.w. Included in the TDI for 24070/24130/24190/83610/83840/84080/84210 84320/84400. (SCF, 17th Series, 1986).
84440	ROTAMO	9		
84640	SALICYLIC ACID	00069-72-7	3	Naturally occurring in food in low concentration.
84720	SALICYLIC ACID, BENZYL ESTER	60118-58-1	7	Needful: hydrolysis data.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
84800	SALICYLIC ACID, 4-tert-BUTYLPHENYL ESTER	00087-48-3	2	TDI: 0.2 mg/kg b.w. 2-year oral rat study. (RIVM, March 1972). ADI: 0.5 mg/kg b.w. (ECCFA II M., 1967).
84960	SALICYLIC ACID, PHENYL ESTER	00119-36-8	4	Needed: hydrolysis data.
84990	SATIN WHITE	00118-55-8	7	
85040	SEBACIC ACID, ALKYL (C6-C12) ESTERS	12344-48-8	9	Group R: 0.05 mg/kg b.w.
85120	SEBACIC ACID, BIS(2-ETHYLHEXYL) ESTER	00122-62-3	6B	Group R: 0.05 mg/kg b.w. Available: Ames test and 3-week oral rat study. Needed: remaining toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation studies too.
85200	SEBACIC ACID, BIS(6-METHYLHEPTYL) ESTER	27214-90-0	6B	Group R: 0.05 mg/kg b.w. Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation studies too.
85280	SEBACIC ACID, BIS(2,2,6,6-TETRAMETHYL-4-PIPERIDYL) ESTER	52829-07-9	7	Available: 4 mutagenicity studies. Needed: migration data, use, stability during production and use.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
85360	SEBACIC ACID, DIBUTYL ESTER	00109-43-3	3	Toxicologically acceptable (hydrolyses in intestinal fluid to sebacic acid and butanol).
85440	SEBACIC ACID, DIMETHYL ESTER	00106-79-6	6B	Available: migration data in olive oil; hydrolysis data; inadequate semichronic oral rat and chronic oral rat and reproduction study; inadequate Ames test; inadequate <i>Drosophila</i> study; inadequate micronucleus assay; three adequate <i>in vitro</i> mutagenicity studies; peroxisome proliferations study. (RIVM/TNO July 1996, -- C.S.PM/2360) Group R: 0.05 mg/kg b.w.
85520	SEBACIC ACID, DI-n-OCTYL ESTER	02432-87-3	6B	Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation studies too. Group R: 0.05 mg/kg b.w. Available: 'data inadequate' (extract from Lefaux basis'). Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation studies too. AD: acceptable.
85550	SHELLAC	09000-59-3	1	(SCF, 26th Series, 1992).

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended

to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No.	SCF List	SCF Opinion
85570	SILANE COUPLED SILICA PREPARED FROM THE REACTION OF MICROCRYSTALLINE QUARTZ WITH N-BETA-(N-VINYL-BENZYLAMINO)ETHYL-GAMMA-AMINOPROPYLTRIMETHOXYSILANE,		9	
85600	MONGYDROGEN CHLORIDE SILICATES, NATURAL, (with the exception of asbestos)	3		Inert material. Some specific silicates have been allocated an ADI, not specified (25th Series report).
85610	SILICATES, NATURAL, SILANATED (with the exception of asbestos)	3		Inert material.
85680	SILICIC ACID	01343-98-2	2	TDI: not specified based on ADI; not specified for silicon dioxide.
85700	SILICIC ACID, BARIUM SALT	12650-28-1	3	L3 for silicic acid.
				L3 for barium.
				R: 1 mg/kg in food.
				(RIVM doc., May 1992 (CS/PM/1584)).

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
85760	SILICIC ACID, LITHIUM ALUMINUM SALT(2:1:1)	12068-40-5	2-3	L2 for Li Group TD1: 0.01 mg/kg b.w. (as Li). See references for 38000 in L2 in this report.
85840	SILICIC ACID, LITHIUM MAGNESIUM SODIUM SALT	53320-86-8	2-3	L2 for Al TDI: 1 mg/kg b.w. (as Al) based on JTAW; 7 mg/kg b.w. (as Al). (SCF, 25th Series, 1991).
85920	SILICIC ACID, LITHIUM SALT	12627-14-4	2-3	L3 for silicic acid. Inert, insoluble material. Group TD1: 0.01 mg/kg b.w. (as Li). See references for benzoic acid, lithium salt.
85980	SILICIC ACID, SALTS	-	2	L3 for silicic acid. Inert and insoluble material. TDI: not specified, based on Al; not specified for silicon dioxide. Inert material.
86000	SILICIC ACID, SIANATED	-	3	
86030	SILICIC ACID, TETRAEUBUTYL ESTER	04766-57-8	8	
86050	SILICIC ACID, TETRAETHYL ESTER	00078-10-4	8	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
86180	SILICIC ACID, ZIRCONIUM SALT	10101-52-7	7	L3 for silicic acid.
86166	SILICON CARBIDE	00409-21-2	3	1.7 for zirconium. See references for 54220.
86240	SILICON DIOXIDE	07631-86-9	1	Inert material. ADI: not specified. (SCF, Rx).
86260	SILICON DIOXIDE AMORPHOUS, FLUORINATED	-	8	3-D inert material.
86280	SILICON DIOXIDE AMORPHOUS, SILANATED	-	-	Inert material.
86285	SILICON DIOXIDE, SILANATED	-	3	Inert material.
86300	SILICONE OILS	63148-62-9	9	
86340	SILICON OXIDE	11126-22-0	9	
86402	SILOXANES AND SILICONES, DIMETHYL, HEXADECYLMETHYL, METHYL OCTADECYL	68037-78-5	9	
86404	SILOXANES AND SILICONES, DIMETHYL, HEXADECYLMETHYL, OCTADECYL METHYL, 11-METHOXY, 11-OXOUNDECYLMETHYL	-	-	
86406	SILOXANES AND SILICONES, DIMETHYL, 3-HYDROXYPROPYL METHYL, ETHOXYLATED	68937-54-2	9	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
86408	SILOXANES AND SILICONES, DIMETHYL, 3-HYDROXYPROPYL METHYL, ETHOXYLATED PROPOXYLATED	68937-55-3	9	
86410	SILOXANES AND SILICONES, DIMETHYL, HYDROXY-TERMINATED, ETHERS WITH POLYETHYLENE-POLYPROPYLENEGLYCOL MONOBUTYL ETHER	129893-29-9	4	
86412	SILOXANES AND SILICONES, DIMETHYL, HYDROXY-TERMINATED, ETHERS WITH POLYPROPYLENGLYCOL MONOBUTYLETHER	67762-96-3	9	
86414	SILOXANES AND SILICONES, DIMETHYL, HYDROXY-TERMINATED, ETHOXYLATED PROPOXYLATED	64365-23-7	9	
86416	SILOXANES AND SILICONES, DIMETHYL, METILOCTADECYL	67762-83-8	9	
86418	SILOXANES AND SILICONES, DIMETHYL POLYMERS WITH METHYLSILSESQUOXANES, ETHOXY-TERMINATED	68554-66-5	9	
86420	SILOXANES AND SILICONES, DIMETHYL, POLYMERS WITH METHYLSILSESQUOXANES, HYDROXY-TERMINATED	68554-67-6	9	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
86422	SILOXANES AND SILICONES, DIMETHYL POLYMERS WITH METHYLSILSESQUOXANES AND POLYETHYLENE-	68554-65-4		
86424	POLYPROPYLENEGLYCOL MONOBUTYL ETHER			
86440	SILOXANES AND SILICONES, DIMETHYL POLYMERS WITH METHYLSILSESQUOXANES AND POLYPROPYLENEGLYCOL MONOBUTYL ETHER	68554-64-3	9	
86480	SODIUM BISULPHITE		2	TDI: 1 mg/kg b.w. (as Al) based on PFW; 7 mg/kg b.w. (as Al). (SCF, 25th Report, 1991).
86560	SODIUM BROMIDE	07631-90-5	1	Group ADI: 0.7 mg/kg b.w. (JECFA 27 M., 1983).
86640	SODIUM CARBOXYMETHYCELLULOSE	09004-32-4	D	Group ADI: 1 mg/kg b.w. (as Br) as pesticide residue. See references for ammonium bromide in list 2. Group TD not specified for natural, regenerated and modified cellulose (SCF, 7th Report, 1978 and JECFA 17 M., 1973 and following).
86655	SODIUM DIALKYLSPHONIMIDES	-	9	
86670	SODIUM DITHIONITE	07775-14-6	8	
86720	SODIUM HYDROXIDE	01310-73-2	1	ADI: not specified. (SCF, Rv).
86800	SODIUM IODIDE	07681-82-5	1	PMADI: 0.017 mg/kg b.w. (as I) (JECFA 33 M., 1988).

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
86880	SODIUM MONOALKYL DIALKYLPHENOXYBENZENEDISULPHONATE	2	t-TDI = 0.15 mg/kg b.w. pending reproduction and teratogenicity studies.	
86920	SODIUM NITRITE	07632-00-0	Available; 2-year oral rat and dog studies. R: 0.01 mg/kg b.w. based on allowing one tenth of t-TDI for food packaging uses.	
86960	SODIUM SULPHITE	07757-83-7	Group ADI: 0.7 mg/kg b.w. (JECFA 27 M., 1983).	
87040	SODIUM TETRABORATE	01130-43-4	Group ADI: 0.2 mg/kg b.w. (as B). See references for boric acid.	
87120	SODIUM THIOSULPHATE	07772-98-7	Group ADI: 0.7 mg/kg b.w. as SO ₂ . Included in the group ADI for sulphites. (JECFA 27 M., 1983).	
87200	SORBIC ACID	00110-44-1	ADI: 25 mg/kg b.w. (SCF, 6th Series, 1978).	
87280	SORBITAN DIOLEATE	29116-98-1	Group ADI: 5 mg/kg b.w. based on the group ADI 5 mg/kg b.w. for sorbitan esters of lauric and oleic acids. (SCF, 7th Series, 1978).	
87360	SORBITAN ESTERS WITH ACIDS, ALIPH. MONOCARB. (MORE THAN C5)	9		
87440	SORBITAN ISOSTEARATE	711902-01-7		
87520	SORBITAN MONOOLEINATE	62568-11-0	Group ADI = 5 mg/kg b.w. based on the group ADI 5 mg/kg b.w. for sorbitan esters of lauric and oleic acids. (SCF, 7th Series, 1978).	
87560	SORBITAN MONOISOSTEARATE	54392-26-6	8	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
87660	SORBITAN MONOLAUATE	01338-39-2	1	Group ADI: 5 mg/kg b.w. for sorbitan monolaurate and sorbitan monooleate. (SCF, 7th Series, 1978).
87680	SORBITAN MONOOLEATE	01338-43-8	1	Group ADI: 5 mg/kg b.w. for sorbitan monolaurate and sorbitan monooleate. (SCF, 7th Series, 1978).
87760	SORBITAN MONOPALMITATE	26266-57-9	1	Group ADI: 25 mg/kg b.w. for sorbitan monostearate, sorbitan monopalmitate and sorbitan tristearate. (SCF, 7th Series, 1978).
87840	SORBITAN MONOSTEARATE	01338-41-6	1	Group ADI: 25 mg/kg b.w. for sorbitan monostearate, sorbitan monopalmitate and sorbitan tristearate. (SCF, 7th Series, 1978).
87880	SORBITAN SESQUIOLEATE	08007-43-0	?	Needed: hydrolysis data.
87920	SORBITAN TETRASTEARATE	61752-68-9	2	Group ADI: 5 mg/kg b.w. based on the group ADI 5 mg/kg b.w. for sorbitan esters of lauric and oleic acids. (SCF, 7th Series, 1978).
88000	SORBITAN TRISOSTEARATE	54392-27-7	9	
88080	SORBITAN TRIOLEATE	26266-58-0	2	Group ADI: 5 mg/kg b.w. based on the group ADI 5 mg/kg b.w. for sorbitan esters of lauric and oleic acids. (SCF, 7th Series, 1978).
88160	SORBITAN TRIPALMITATE	54140-20-4	2	Group ADI: 5 mg/kg b.w. based on the group ADI 5 mg/kg b.w. for sorbitan esters of lauric and oleic acids. (SCF, 7th Series, 1978).

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List No	SCF Opinion
88240	SORBITAN TRISTEARATE	26658-19-5	1	Group Adt. 25 mg/kg b.w. for sorbitan monostearate, sorbitan monopalmitinate and sorbitan tristearate, (SCF, 7th Series, 1978).
88320	SORBITOL	00050-70-4	1	Acceptable. (SCF, 16th Series, 1985).
88400	SORBITOL, ESTERS WITH ACIDS, ALIPH. MONOCARB. (MORE THAN C5)		9	
88480	SORBITOL, ESTERS WITH ACIDS, HYDROXYLATED, MONOCARB. (C12- (20))		9	
88495	SORBITOL, ESTERS WITH ERUCIC ACID?	7		Needed: hydrolysis data.
88510	SORBITOL, ESTERS WITH LAURIC ACID?	7		Needed: hydrolysis data.
88520	SORBITOL, ESTERS WITH LINOLEIC ACID	7		Needed: hydrolysis data.
88530	SORBITOL, ESTERS WITH MYRISTIC ACID	7		Needed: hydrolysis data.
88540	SORBITOL, ESTERS WITH OLEIC ACID?	7		Needed: hydrolysis data.
88550	SORBITOL, ESTERS WITH PALMITIC ACID	7		Needed: hydrolysis data.
88570	SORBITOL, ESTERS WITH PELARGONIC ACID	7		Needed: hydrolysis data.
88580	SORBITOL, ESTERS WITH RICINOLEIC ACID	7		Needed: hydrolysis data.
88590	SORBITOL, ESTERS WITH STEARIC ACID	7		Needed: hydrolysis data.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
88600	SORBITOL MONOSTEARATE	26836-47-5	2	TDI - not specified based on the ADI for sorbitol. (SCF, 17th Series, 1986).
88615/ 0	SOYA PROTEIN	68153-28-6	0	
88615/ 1	SOYA PROTEIN	68153-28-6	9	
88630/ 0	SOYBEAN OIL (food grade quality)	08901-22-7	0	
88630/ 1	SOYBEAN OIL.	08901-22-7	3	Food fat.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
88640	SOYBEAN OIL, EPOXIDISED	08013-07-8	2	The SCF-WG confirmed that the specification for soya bean oil should be maintained because it is toxicologically relevant. The oxirane figure reflects the degree of epoxidation and the iodine number reflects the degree of unsaturation of the material toxicologically tested.
88680	SPERMACET WAX			TDI: 1 mg/kg b.w. Available: 15-week and 2-year oral rat studies and 1-year oral dog study, reproduction and teratogenicity studies. ADs and TDIs are allocated in the light of lifelong average exposure and allowing for sporadic intakes above the set limits. For infants, however, the actual consumption pattern surveys have revealed intakes for prolonged periods of time which may exceed the TDI.
88710	SPIRM OIL	08002-23-1	8	(BIBRA report No 515/86; summary report prepared by the United Kingdom, January 1988).
88720	SPIRM OIL, HYDROGENATED	08002-24-2	8	
88740	SPIRM OIL, SULPHATED, AMMONIUM, POTASSIUM, OR SODIUM SALT	-	9	
88800	STARCH, EDIBLE	09005-25-8	0	
88880	STARCH, HYDROL YSED	68412-29-3	0	
88910	STARCH, MODIFIED	-	9	
88960	STEARAMIDE	00124-26-5	3	Same references as 68960.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No.	SCF List	SCF Opinion
89040	STEARIC ACID	00057-11-4	1	ADI: not specified. (SCF, 25th Series, 1990).
89120	STEARIC ACID, BUTYL ESTER	00123-95-5	7	Needed: hydrolysis data.
89150	STEARIC ACID, CERIUM SALT	16119-53-6	8	L1 (= not specified) for stearic acid.
89165	STEARIC ACID, COBALT SALT	13586-84-0	1-3	L8 for cerium. L3 for cobalt. R: 0.05 mg/kg of feed (as Co). (RIVM, summary data, October 1992) (CS/PM/1707).
				L1 for stearic acid. See references for stearic acid.
89170	STEARIC ACID, COBALT SALT	13586-84-0	1-3	L3 for cobalt. R: 0.05 mg/kg of feed (as Co). (RIVM, summary data, October 1992) (CS/PM/1707).
				L1 for stearic acid. See references for stearic acid.
89200	STEARIC ACID, COPPER SALT	07617-31-4	2	Group-ADI: 0.5 mg/kg b.w. (as Cu). Based upon PmtTDI 0.5 mg/kg b.w. (ECCFA 26 M., 1982).
89240	STEARIC ACID, DIGLYCERIDE	01323-83-7	10	Needed: hydrolysis data.
89280	STEARIC ACID, DODECYL ESTER	05303-25-3	7-P	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
89360	STEARIC ACID, ESTERS WITH ALCOHOLS, ALIPH.(C4-C22)	-	7	Needed; hydrolysis data.
89440	STEARIC ACID, ESTERS WITH ETHYLENEGLYCOL	2	TDI: 0.5 mg/kg b.w. (SCF, 6th Series, 1978)	
89520	STEARIC ACID, ESTERS WITH PENTAERYTHRITOL	08045-34-9	7	Needed; hydrolysis data.
89600	STEARIC ACID, ETHYLESTER	00111-61-5	7	Needed; hydrolysis data.
89680	STEARIC ACID, 2-ETHYHEXYL ESTER	22647-49-0	7	Needed; hydrolysis data.
89840	STEARIC ACID, HEPTYL ESTER	24466-84-0	7	Needed; hydrolysis data.
89920	STEARIC ACID, HEXADECYL ESTER	03190-63-2	7	Needed; hydrolysis data.
89950	STEARIC ACID, HEXYL ESTER	03460-37-5	7	Needed; hydrolysis data.
90000	STEARIC ACID, ISOBUTYL ESTER	00646-13-9	7	Needed; hydrolysis data.
90080	STEARIC ACID, ISODECYL ESTER	31565-38-5	8	
90260	STEARIC ACID, LITHIUM SALT	04485-12-5	1-2	L1 (= not specified) for stearic acid.
				L2 for Li.
				Group TDI: 0.01 mg/kg b.w. (as Li).
				See references for 38000 in 1.2 in this report.
90290	STEARIC ACID, MANGANESE SALT	10476-84-3	1-2	1.1 for stearic acid.
				AJU: not specified.
				See references for stearic acid.
				1.2 for Mn.
				Group TDI: 0.01 mg/kg b.w. (as Mn).
				See references for 30180 in 1.2 in this report.
90305	STEARIC ACID, NYNYL ESTER	28084-19-7	9	
90320	STEARIC ACID, OCTADECYL ESTER	02778-96-3	7	Needed; hydrolysis data.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
90460 STEARIC ACID, OCTYL ESTER	60169-36-4	?	Needed: hydrolysis data.	
90480 STEARIC ACID, PENTYL ESTER	06382-13-4	?	Needed: hydrolysis data	
90560 STEARIC ACID, 2-STEARAMIDOETHYL ESTER	14351-40-7	?	Needed: hydrolysis data.	
94600 STEARIC ACID, TIN(II) SALT	06994-59-8	1-1	L1 for the stearic acid. ADI: not specified. See references for stearic acid.	
			L1 for Tin. PTWI: 14 mg/kg b.w. (3rd JECFA, 1989)	
90640 STEARIC ACID, TRIDECYL ESTER	31556-45-3	7	Needed: hydrolysis data.	
90680 STEARIC ACID, ZIRCONIUM SALT	15844-92-5	7	L1 (- not specified) for stearic acid.	
			L7 for zirconium. See references for 54220.	
90720 STEAROYL BENZOYL METHANE	58446-52-9	2	TDI: 1.5 mg/kg b.w. 30-day oral rat, 90-day oral dog, 2-generation oral rat studies, mutagenicity and migration data. (RIVM report, June 1979).	
90800 STEAROYL-2-LACTYLIC ACID, CALCIUM SALT	05793-94-2	1	ADI: 20 mg/kg b.w. (SCF, 7th Series, 1978).	
90880 N-STEAROYL-SARCOSINE	00142-48-3	8	ADI: not specified.	
90960 SUCCINIC ACID	00119-15-6	1	(SCF, 25th Series, 1990).	
91040 SUCCINIC ACID, DIISODECYL ESTER	28801-70-9	8		
91120 SUCCINIC ACID, DISOCTYL ESTER	28880-24-2	8		

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No.	SCF List	SCF Opinion
91135	SUCCINIC ACID, DIMETHYL ESTER	00106-65-0	7	Needed: hydrolysis data.
91170	SUCCINIC ANHYDRIDE	00108-30-5	2	TDI; not specified based on ADI (= not specified) for succinic acid.
91185	SUCROSE	00057-50-1	0	
91200	SUCROSE ACETATE ISOBUTYRATE	00126-13-6	1	ADI: 10 mg/kg b.w. (SCF, Series, in press) (CS/PM/1561).
91280	SUCROSE ESTERS OF MONOCARB. ACIDS	-	9	
91360	SUCROSE OCTAACETATE	00126-14-7	3	Bitter taste.
91440	SULPHORCINIC ACID, SALTS	-	9	
91480	SULPHORCINOLIC ACID	-	8	
91520	SULPHOSUCCINIC ACID	05138-18-1	8	
91540	SULPHOSUCCINIC ACID, ALKYL(C4-C20) ESTERS, SALTS	-	9-P	Group R: 0.05 mg/kg b.w.
91560	SULPHOSUCCINIC ACID, BIS(1,3-DIMETHYLBUTYL) ESTER, SODIUM SALT	02373-38-8	6B- P	Group R: 0.05 mg/kg b.w. Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation studies. Group R: 0.05 mg/kg b.w.
91570	SULPHOSUCCINIC ACID, BIS(2-ETHYLHEXYL)ESTER	10041-19-7	6B	Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation studies too.
91580	SULPHOSUCCINIC ACID, DICYCLOHEXYL ESTER, SODIUM SALT	23386-52-9	8	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
91630	SULPHOSUCCINIC ACID, DIHEXYL ESTER, SODIUM SALT ⁱ	03006-15-3	6B	Group R: 0.05 mg/kg b.w. Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation studies too. Group R: 0.05 mg/kg b.w.
91650	SULPHOSUCCINIC ACID, DIISOBUTYL ESTER, SODIUM SALT	09127-39-9	6B	Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation studies too. Group R: 0.05 mg/kg b.w.
91665	SULPHOSUCCINIC ACID, DIISODECYL ESTER, SODIUM SALT	29857-13-4	6B	Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation studies too. Group R: 0.05 mg/kg b.w.
91672	SULPHOSUCCINIC ACID, DISODIUM DICRYLICYL ESTER, SODIUM SALT ^j	55184-72-0	6B-P	Group R: 0.05 mg/kg b.w. Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation studies too. Group R: 0.05 mg/kg b.w.
91680	SULPHOSUCCINIC ACID, DIOCYL ESTER, SODIUM SALT	01639-66-3	6B	Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation studies too. Group R: 0.05 mg/kg b.w.
91720	SULPHOSUCCINIC ACID, DIPENTYL ESTER, SODIUM SALT	00922-80-5	6B	Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation studies too.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No.	SCF List	SCF Option
91760	SULPHOSUCCINIC ACID, DITRIDECYL ESTER, SODIUM SALT	02673-22-5	6B	Group R: 0.05 mg/kg b.w. Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation studies too.
91780	SULPHOSUCCINIC ACID, 4-(2-(12-HYDROXY-1-OXOHEXYL)-AMINOETHYL)ESTER, DISODIUM SALT	67893-42-9	W8	
91800	SULPHOSUCCINIC ACID, ISOPROPYL ESTER, DISODIUM SALT	37294-49-8	6B	Group R: 0.05 mg/kg b.w. Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation studies too.
91840	SULPHUR	07704-34-9	3	Inert material.
91920	SULPHURIC ACID	07664-93-9	1	ADI: not specified. (SCF, Rx).
92000	SULPHURIC ACID, BARIUM SALT	07727-43-7	3	L3 for barium. R: 1 mg/kg (as Ba) in food or in food simulant, (KIVM doc., May 1992 (CSuPM 1584)).
				L3 for the compound. Insoluble material.
92020	SULPHURIC ACID, CHROMIUM (III) POTASSIUM SALT (2:1)	10141-00-1	7	Needed: migration data in the first instance.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Option
92030	SULPHURIC ACID, COPPER SALT	10124-44-4	2	L1 for sulphuric acid. ADI: not specified. See references for sulphuric acid in list 1.

L2 for copper(II).

Group-TDI: 0.5 mg/kg b.w. for copper
Based upon PMTDI 0.5 mg/kg b.w.
(JECFA, 26M, 1982).

L1 for sulphuric acid.

ADI: not specified.

See references for sulphuric acid in list 1.

L1 for the tin.

PTWE: 14 mg/kg b.w. (as Sn)
(33rd JECFA, 1989).

ADI: not specified.

(SCF, Rx).

61789-97-7 3
Toxicologically acceptable.

92080 TALC

1

14807-96-6 1
Toxicologically acceptable.

92100 TALLOW

9

61789-97-7 3
Toxicologically acceptable.

92120 TALLOW, SULPHATED, AMMONIUM, POTASSIUM, OR SODIUM SALT

9

39386-78-2 9
Toxicologically acceptable with JECFA specifications.

92140 TAMARIND SEED GUM

9

01401-55-4 3
Toxicologically acceptable with JECFA specifications.

92150 TANNIC ACIDS

9

00087-69-4 1
(Doc. 1 February 1993 - CS/PM/2536)

92160 TARTARIC ACID

1

ADI: 30 mg/kg b.w.
(SCF, Rx).

92180 TARTARIC ACID, DIBUTYL ESTER

7

00087-92-3 7
(Needed: hydrolysis data.)

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No.	NAME	CAS No.	SCF List	SCF Opinion
92195	TAURINE SALTS	-	0	TDI: 1 mg/kg b.w.
92205	TEREPHTHALIC ACID, DIESTER WITH 2,2'-METHYLINEBIS(4-METHYL-6-tert- BUTYLPHENOL)	57569-40-1	2	A 90-day oral rat study (CTV) report 5569, December 1977).
92220	TERPENE RESINS	-	9	
92250	TERTRABUTYLPHOSPHONIUM ACETATE	30345-49-4	8	
92300	1-TETRADECANOL	00112-72-1	3	Included in 33120. Same references as 25070.
92350	TETRAETHYLENEGLYCOL	00113-60-7	1	ADI: 10 mg/kg b.w. (SCF, 17th Series, 1986).
92400	N,N'-TETRAETHYLTHIURAM DISULPHIDE	00097-77-8	8	
92430	TETRAHYDROFURAN	00109-99-9	2	See references for same substance in monomer report.
92450	TETRAHYDROFURROL	00097-99-4	8	
92480	TRIARAKIS(2,4-DI-tert-BUTYLPHENYL)- 2,4'-BIPHENYLYLENE DIPHOSPHONITE	-	7	Needed: neurotoxicity study in hens.
92560	TETRAKIS(2,4-DI-tert-BUTYL-PHENYL)- 4,4'-BIPHENYLYLENE DIPHOSPHONITE	38613-77-3	2	TDI: 0.3 mg/kg b.w. 90-day oral rat study and mutagenicity studies, (Sandoz report 1979).
92640	N,N,N',N'-TETRAKIS(2- HYDROXYPROPYL)ETHYLENEDIAMIN E	00102-60-3	2	TDI: 1 mg/kg b.w. (SCF, 17th Series, 1986).
92670	TETRAMETHYLMONIUMCHLORIDE	00075-57-0	8	
92685	2,4,7,9-TETRAMETHYL-5-DIICYNE-4,7- DIOL	00126-86-3	8	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March ...

REF No	NAME	CAS No	SCF List	SCF Opinion
92695	1,1,7,7-TETRAMETHYLDIETHYLENETRIAMINE	40538-81-6	8	
92705	N,N,N',N'-TETRAMETHYLHEXAMETHYLENEDIAMINE	00111-18-2	8	
92720	N,N-TETRAMETHYLTUARAM DISULPHIDE	00137-26-8	8	
92740	TETRAPROPYLENE BENZENE SULPHONIC ACID, SODIUM SALT	11067-82-6	8	
92800	4,4'-THIOBIS(6-tert-BUTYL-3-METHYLPHENOL)	09096-69-5	2	t-TDI: 0.008 mg/kg b.w. pending results of ongoing 2-year and reproduction studies. Available: 28- and 90-day oral rat studies, one <i>in vitro</i> mutagenic test. (RIVM doc. 88/678608/007, 1 November 1988).
92860	THIOCYANIC ACID, AMMONIUM SALT	01762-95-4	8	
92880	THIODIETHANOL BIS(3-(3,5-Di-tert-BUTYL-4-HYDROXY PHENYL)PROPIONATE)	41484-35-9	2	TDI: 0.04 mg/kg b.w. 90-day oral rat study, mutagenicity studies. Desirable migration data. (RIVM report 88/678608/009, 1989-01-24).
92930	THIODIETHANOL-BIS(5-METHOXCARBONYL-2,6-DIMETHYL-1,4-DIHYDROPYRIDINE-3-CARBOXYLATE)	120218-34-0	2	TDI: 0.1 mg/kg b.w. 90-day oral rat study, mutagenicity tests negative, absence of bioaccumulation. (CS/PN/305,336,358,460).
92960	THIODIPROPIONIC ACID	00111-17-1	8	

REF. No.	NAME	CAS No.	SCF List	SCF Opinion
93000	THIODIPROPIONIC ACID, BIS(2-EHYLHEXYL) ESTER	10526-15-5	6B	Group R: 0.05 mg/kg b.w. Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation studies too.
93040	THIODIPROPIONIC ACID, DIBEHENYL ESTER	-	6B	Group R: 0.05 mg/kg b.w. Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation studies too.
93200	THIODIPROPIONIC ACID, DIHEXADECYL ESTER	03287-12-5	6B	Group R: 0.05 mg/kg b.w. Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation studies too.
93360	THIODIPROPIONIC ACID, DITETRADECYL ESTER	16345-54-3	6B	Group R: 0.05 mg/kg b.w. Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.05 mg/kg, peroxisome proliferation studies too.
93375	THIOPHENOXYPHENYLSULPHONIUM HEXAFLUOROANTIMONATE	71449-78-0	8	PTWI: 14 mg/kg b.w. (JECFA 1989)....
93390	THIOPHENOXYPHENYLSULPHONIUM HEXAFLUOROPROPIOSPIRATE	68156-13-8	8	PTWI: 14 mg/kg b.w. (JECFA 33rd Report 1989).
93415	TIN(II) CHLORIDE	07772-99-8	1	Acceptable. (SCF, 1st Series, 1975).
93420	TIN(IV) CHLORIDE	07646-78-8	1	PTWI: 14 mg/kg b.w. (JECFA 33rd Report 1989).
93440	TITANIUM DIOXIDE	13463-67-7	1	
93470	TITANIUM HYDROXIDE	20338-08-3	8	

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
93490	TITANIUM OXIDE	51745-87-0	9	
93520	alpha-TOCOPHEROL	00059-02-9	1	Acceptable. (SCF, 22th Series, 1989).
93540	TOLUENE	10191-41-0		R: 1,2 mg/kg of food.
93560	TOLGENESULPHONIC ACIDS	00104-15-4	8	
93585	p-TOLUENESULPHONIC ACID	00080-48-8	8	
93595	p-TOLUENESULPHONIC ACID, METHYL ESTER			See references for the same substance (PM REF. 25205) in monomer report.
93610	p-TOLUENESULPHONIC ACID, MORPHOLINE SALT	13732-62-2	5	
93630	TOLGENESULPHONYL CHLORIDE			
93680	TRAGACANTH GUM	00000-65-1	9	Due to morpholine component.
93720	2,4,6-TRIAMINO-1,3,5-TRIAZINE	00108-78-1	2	AJRI: not specified. (SCF, 21th Series, 1989). TDI: 0,5 mg/kg bw. (SCF, 17th Series, 1986).
93790	TRIBUTYLAmine	00102-82-9	8	
93840	TRICHLOROCYANURIC ACID	00087-90-1	D	Postponed. Waiting for an answer to the circular letter from EEC (CS/PFM/324) asking for information on technological function of the substance. Date limit: 30 June 1990. Needed: migration data and specifications.
93920	TRICHLOROFLUOROMETHANE	00075-69-4	7	
93940	TRICHLOROPHENOL, POTASSIUM SALT	01320-78-1	9	
93950	TRICHLOROPHENOL, SODIUM SALT	01320-79-2	9	

REF No	NAME	CAS No	SCF List No	SCF Opinion
93970	TRICYCLOCODECANEDIMETHANOL. BIS(HEXAHYDROPHthalate)	Available	W7	Available; inadequate migration data, 30-day oral rat study, mutagenicity studies.
				Needed: solubility, analytical data and information on impurities in first instance.
				(RIVM SDS CS/PA/2426; TNO 29 April 1995 = CS/PA/2590).
93980	1-TRIUDCANOI.	00112-70-9	3	See references for 'Alcohols, aliphatic, monohydric, saturated, linear, primary, (C4-C24)' (P.M.R.15; N.35120) in SCF List 3.
94000	TRIETHANOLAMINE	00102-71-6	8	
94040	TRIETHANOLAMINE ALKYL(C8- C14)SULPHATE	85665-45-8	D	
94060	TRIETHANOLAMINE ALKYL(C12- C14)SULPHATE	90583-18-9	D	
94080	TRIETHANOLAMINE ALKYLSULPHURIC ACIDS, SALTS		D	
94081	TRIETHANOLAMINE ALKYL(C8- C22)SULPHURIC ACIDS, LINEAR, PRIMARY, EVEN NUMBERED AND ITS SALTS	8		For alkyl(C8-C22)sulphuric acids, linear, primary, even numbered.
				1.3. Toxicologically acceptable.
				Same references as for 34281.
				For triethanolamine.
				1.8.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
94100	TRIETHYLAMMONIUM OLEATE	02717-15-9	8	1.8 for triethanolamine.

1.1 for oleic acid.

ADI: not specified.
(SCF, 25th Series, 1990).

00122-51-0 8
00077-89-4 8

00121-44-8 8
00280-57-9 8

00112-27-6 2
00112-27-6 2

Group TDI: 5 mg/kg b.w. (with polyethylene glycol).
(SCF, 17th Series, 1986).

TDI: 0.05 mg/kg b.w.
90-day and 2-year oral rat and 90-day oral dog

studies, teratogenicity and mutagenicity studies.

(RIVM report 89/678608/001, 1 September 1989).

Needed: migration data and specification.

26523-64-8 7
00421-63-2 8
00122-20-3 3

R: 5 mg/kg of food.

Available: migration, 3 negative mutagenicity tests.
90-day oral rat and dog studies.
(CS/PM/23/24).

Hydrophilic so no data on bioaccumulation required.

94680 TRIMELLITIC ACID, TRIALKYL(C1-C8) ESTER - 9 Group K 0.05 mg/kg b.w.

94720 TRIMELLITIC ACID, TRIALKYL(C7-C9) ESTER 68515-66-6 W9 Group R: 0.05 mg/kg b.w.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
94760	TRIMELLITIC ACID, TRIS(2-ESTER)	27251-75-8	9	Group R; 0.05 mg/kg b.w.
94800	TRIMELLITIC ACID, TRIS(2-ETHYLHEXYL) ESTER	03319-31-1	W6 B	Available: Ames test and induction of peroxisome proliferation. Needed: peroxisome proliferation study and tests for gene mutation and chromosome aberrations in mammalian cells <i>in vitro</i> .
94840	TRIMETHYLAAMMONIUM CHLORIDE	00593-81-7	8	
94880	TRIMETHYLIETHANOLAMMONIUM CHLORIDE	00067-48-1	8	
94960	1,1,1-TRIMETHYLOLPROPANE	00077-99-6	2	TDI = 0.1 mg/kg b.w. (SCF, 17th Series, 1986).
95040	2,3,6-TRIMETHYLPYRIDINE	01462-84-6	8	
95120	2,4,6-TRIMETHYL-PYRIDINE	00108-75-8	8	
95200	1,3,5-TRIMETHYL-2,4,6-TRIS(3,5-di(<i>t</i> - <i>t</i> -BUTYL-4-HYDROXYBENZYL)BENZENE	01709-70-2	2	t-TDI: 1 mg/kg b.w. pending check of the reports. 2-year oral studies in rats and dogs and oral carcinogenicity studies in mice and rats. (Shell report n. T.G.R. 0023.68, March 1969, T.G.R. 0024.68, Sept. 1968, T.G.R. 0019.69, March 1969).
95230	TRIPHENYLPHOSPHINE	00603-35-0	8	
95280	1,3,5-TRIS(<i>t</i> - <i>t</i> -BUTYL-3-HYDROXY-2,6-DIMETHYLBENZYL)-1,3,5-TRIAZINE-2,4,6(1H,3H,5H)-TRIONE	40601-76-1	2	t-TDI: 0.1 mg/kg b.w. Available: 90-day oral rat and dog studies. (RIVM document, June 1989). Needed: mutagenicity and migration data, impurities to be specified.

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March


REF No	NAME	CAS No	SCF List	SCF Opinion
95360	1,3,5-TRIS(3,5-DI-tert-BUTYL-4-HYDROXYBENZYL)-1,3,5-TRIAZINE-2,4,6(111,311,511)-TRIONE	27676-62-6	3	Restriction = 5 mg/kg of food or food simulant. Available: 3-month oral rat study, mutagenicity studies negative, migration data. (RIVM doc. February 1992).
95400	2,4,6-TRIS(DIMETHYLAMINO)METHYLPHENOL	00090-72-2	8	
95440	TRIS(2-ETHYLHEXYL)ACETYLICTRATE	60144-15-0	6B	Group R: 0.05 mg/kg b.w. Needed: toxicological data depending on migration level (see SCF guidelines) and, if migration exceeds 0.050 mg/kg, peroxisome proliferation studies too.
95520	1,1,3-TRIS(2-METHYL-4-DUODECYLPHOSPHATE)-5-tert-BUTYLPHENYL BUTANE	68958-97-4	8	
95680	VANILLIN	00121-33-5	1	ADI: 10 mg/kg b.w. (JECFA 11th, 1967).
95710	VEGETABLE OILS, FROM FOOD SOURCES, HYDROGENATED OR NOT	-	3	Food fats or similar to food fats.
95725	VIRMICULITE, REACTION PRODUCT WITH CITRIC ACID, LITHIUM SALT	110638-71-2 6*	2	Group II: 0.01 mg/kg b.w. as 1.1 (see references for 38000). Available: Migration data, 28-day oral rat study, Ames test, <i>in vitro</i> micronucleus test. No further data needed in view of its mineral nature (RFVM SDS CS/PM 2423).
95810	VINYLPYRROLIDONE	00088-12-0	6A	
95855	WATER	07732-18-5	0	Specification: Impurity levels not to exceed those set in the drinking water directive.


Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March


REF. No.	NAME	CAS No.	SCF List	SCF Opinion
95859	WAXES, HIGHLY REFINED, DERIVED FROM PETROLEUM BASED OR SYNTHETIC HYDROCARBON FEEDSTOCKS	-	2	Group ADI: 20 mg/kg b.w. for waxes conforming to the following specification: Viscosity not less than 11 centistokes at 100 °C; (Carbon number not less than 25 at the 5 % boiling point).
95870	WHEAT PROTEIN	-	0	Average molecular weight not less than 500.
95880	WHITE MINERAL OIL	08042-47-5	9	
95881	WHITE MINERAL OIL (HYDROGENATED)	-	D	
95882	WHITE MINERAL OIL (CONVENTIONAL)	08042-47-5	D	
95883	WHITE MINERAL OILS, PARAFFINIC, DERIVED FROM PETROLEUM BASED HYDROCARBON FEEDSTOCKS	-	2	Group ADI = 4 mg/kg b.w. for oils conforming to the following specifications: Viscosity: not less than 8.5 centistokes at 100 °C; Carbon number: not less than 25 at the 5 % boiling point;
95905	WOLASTONITE	13983-17-0	3	Average molecular weight not less than 480.
95920	WOOD FLOUR AND FIBRES, UNTREATED	-	3	Inert material.
95921	WOOD FLOUR AND FIBRES XANTHAN GUM	11138-66-2	9	Confirmed. ADI: not specified. (30th JECFA, 1986).

Compilation of the evaluations of the Scientific Committee for Food on certain monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs until 21 March

REF No	NAME	CAS No	SCF List	SCF Opinion
95945	XYLINE	01330-20-7 3	Group R; 0.02 mg/kg b.w. (with 95947, 95949, 95951) based on allowing one tenth of TDI for food contact materials.	2-year oral rat study, mutagenicity test negative. (WHO draft, Geneva, September 1952) (CS/PM/17/2).
95990	ZEIN	09010-66-6 0		
96000	ZINC ALKYLARYLDITHIOCARBAMATE	- 9		
96080	ZINC DIALKYL DITHIOCARBAMATE	- 9		
96160	ZINC DIRUTYLDITHIOCARBAMATE	00136-23-2 8		
96170	ZINC DIETHYL DITHIOCARBAMATE	14324-55-1 8		
96180	ZINC DUST	- 2	Group 'TDI - 1' mg/kg b.w.(as Zn) based on JECFA PMTDI = 1 mg/kg b.w. (as Zn) (JECFA, 26M, 1982).	
96190	ZINC HYDROXIDE	20427-58-1 2	Same reference as for 96180.	
96200	ZINC HYDROXYPHOSPHITE	55799-16-1 2,3	L2 for Zn	
			For zinc the same reference as for 96180.	
			L3 for phosphate.	
96240	ZINC OXIDE		Phosphite easily oxidised to phosphate.	
96320	ZINC SULPHIDE	01314-13-2 2	Same reference as for 96180.	
96400	ZIRCONIUM OXIDE	01314-98-3 2	Same reference as for 96180.	
		53801-45-9 7	1.7 for zirconium.	
96480	ZIRCONIUM AMMONIUM CARBONATE	32533-84-5 7	See references for 54220.	







European Commission

**Reports of the Scientific Committee for Food
(42nd series)**

Luxembourg: Office for Official Publications of the European Communities

1999 --- 279 pp. - 16,2 x 22,9 cm

Food — Science and techniques series

ISBN 92-828-5886-3

The Scientific Committee for Food was established by Commission Decision 74/234 EEC of 16 April 1974 (OJ L 136, 20.5.1974, p. 1), replaced by Commission Decision 95/273/EC of 6 July 1995 (OJ L 167, 18.7.1995, p. 22), to advise the Commission on any problem relating to the protection of the health and safety of persons arising, or likely to arise, from the consumption of food, in particular on nutritional, hygienic and toxicological issues.

The members are independent persons, highly qualified in fields associated with medicine, nutrition, toxicology, biology, chemistry, or other similar disciplines.

Responsibility for the Secretariat of the Scientific Committee for Food was transferred from Directorate-General III 'Industry' to Directorate-General XXIV 'Consumer Policy and Consumer Health Protection' with effect from 1 April 1997.

The present report deals with:

- 2 arsenic, barium, fluoride, boron and manganese in natural mineral waters
- 1 starch aluminium octenyl succinate (SAOS)
- 1 the additional information from the Austrian authorities concerning the marketing of Ciba-Geigy maize
- 1 aculight --- a fructo oligosaccharide (FOS)
- 1 diacetyl tartaric acid esters of mono and diglycerides (DATEM E-472e)
- 7 canthaxanthin
- 1 a request for the use of algal beta-carotene as a food colour
 - certain additives for use in foods for infants and young children in good health and in foods for special medical purposes for infants and young children
- 7 an additional list of monomers and additives used in the manufacture of plastics materials intended to come into contact with foodstuffs
- 7 clarification and explanation of the SCF's opinion of 7 June 1996 on BADGE.

