




PAFF Committee, Animal Health & Welfare

Brussels, 21-22 November 2019


African Swine Fever Preparedness in Greece

Ministry of Rural Development and Food
Directorate General of Veterinary Services
Animal Health Directorate
Department of Infectious and Parasitic Diseases


Pig farms density



Sows density




Pigs other than
sows/boars density




Data obtained by the
Web Based National
Database for the
registration of holdings-
animal identification

Commercial vs Backyard pig farms



Data obtained by the Web Based National Database for the registration of holdings-animal identification

Wild boars densities



Data obtained by the Hellenic Hunting Confederation

African Swine Fever- Legal framework

EU:

- Directive 2002/60
- Decision 2003/422/EC
- Impl.Decision 2014/709

National:

Disease Management:

- PD 56/2005 (harmonization of the EU Directive 2002/60)
- National Contingency Plan (Ministerial Decision 260918/22.01.2009)
- PD 133/1992 (notifiable disease)
- Joint Ministerial Decision 3067/297195/19.11.2019 (Measures following 24.10.2019 ASF case in Bulgaria)

Hunting procedures (Ministry of Environment and Energy):


- Ministerial Decision ΥΠΕΝ/ΔΔΔ/71418/545/ 2019 (Regulating wild boars populations – missions)
- Ministerial Decision ΥΠΕΝ/ΔΔΔ/71082/539 /2019 (Regulation of hunting)

Financial:

- Joint Ministerial Decision 1425/142381/14.06.2019 (other costs)
- Joint Ministerial Decision 2603/260091/14.10.2019 (remunerations)

Epidemiologic Situation in Greece

- No outbreaks confirmed in Greek territory.
- 125 outbreaks in neighboring Bulgaria (84 outbreaks in wild boars, 41 outbreaks in domestic pigs (07.11.2019 ADNS data).
- On 24th of October: confirmed outbreak of ASF in a wild boar found dead near Greek-Bulgarian borders.



Surveillance of ASF - Greece

2018

- ✓ 5 wild boars in the field (dead or hunted)
- ✓ 3 farmed wild boars

2019 (data until 12.11.2019)

- ✓ 7 wild boars found dead (passive s.)
- ✓ 4 hunted wild boars (active s.)
- ✓ 3 Backyard pigs (passive s.)
- ✓ 3 Free range pigs (active s.)

Low passive surveillance rates in wild boars:

- ❑ Lack of interest from hunters despite the awareness campaign conducted and the motivation provided
- ❑ Geographic relief in Greece: mountainous-rugged areas
- ❑ Increase in the wolves' population according to hunters, reduced possibilities to find dead wild boars

Preventive Actions against ASF in Greece

2017-2019: Informative circulars issued by the Central Competent Authority-CCA focusing on:

- ✓ The disease: (6 circulars: (2016:1, 2017:1, 2018:4))
- ✓ Sampling-surveillance of the disease (Passive): (22 circulars: (2016:1, 2017:1, 2018: 3, 2019:17))
- ✓ Controls and recording of backyard pigs: (6 circulars (2018:1, 2019:5))
- ✓ Preparedness of LDCCs and NDCC: (8 circulars: (2019))
- ✓ Biosecurity in pig farms and during hunting: (17 circulars (2016:1, 2017:1, 2018:5, 2019:10))
- ✓ Import controls: 3 (2018:1, 2019:2)

Awareness Campaign

General Public

1. Informative video of EFSA regarding ASF to MRDF website
(https://www.youtube.com/watch?v=eyQ4t1wHI2M&feature=emb_title)
2. Posters on ASF and risks of imported meat/meat products at the airports of Athens and Thessaloniki
3. Informative leaflets-posters to hunters' associations and pig farmers

Awareness Campaign Posters and leaflets

Pig farmers' associations, MRDF website

Αποφασίστηκε η υλοποίηση των κινήσεων με υλοποιημένα προγράμματα για τον έλεγχο της ασθένειας (Προστασία 1206/2009/ΕΕ).

- Εξοπλισμός όμοιο με αυτόν δεν επιτρέπεται να εμπορεύεται από τον ίδιο τον κτηνοτρόφο.
- Προσέλαση ενοικίων των απορριμμάτων στους ενδοεργασιακούς κλάδους.

Το ίδιο ισχύει και σχετικά με τον καθαρισμό των απορριμμάτων που μετακινούνται από τον κλάδο των ζώων ζώντων.

- Αποφυγή επαφής με ζώα άλλων κτηνοτρόφων, παραγωγών και άλλων κλάδων.
- Απολύμανση οχημάτων και υποστηρίξεων ζώων.
- Απόλυτη υγιεινή και απολύμανση εργαλείων και μηχανημάτων (συσκευασίες, μηχανήματα, λινά, εργαλεία κλπ) που μετακινούνται από τον κλάδο των ζώων ζώντων.

Θέματα, Εξοπλισμός
Ο καθαρισμός των απορριμμάτων από τον κλάδο των ζώων ζώντων.

- Η απολύμανση των οχημάτων και εργαλείων πριν από την προσηλωτική διαδικασία και απολύμανση.
- Μην διακρίνετε εξοπλισμό ζώων από άλλους κλάδους.
- Διατηρείτε τα εργαλεία σας κατά το δυνατό καθαρά και απολυμασμένα.

Εκπαιδευτικές Προσεγγίσεις
Ο καθαρισμός μπορεί να μεταφερθεί σε άλλους κλάδους της αγροτικής ζωής, να κληθεί ή να υποστηρίξει τον κλάδο των ζώων ή να εμπορεύσει με άλλα ζώα.

ΕΛΛΗΝΙΚΗ ΔΗΜΟΚΡΑΤΙΑ
Υπουργείο Αγροτικής Ανάπτυξης και Τροφίμων
Γενική Διεύθυνση Ποιοτικού Ελέγχου
Τμήμα Απορριμμάτων και Παραρτημάτων Νοσημάτων

ΕΝΗΜΕΡΩΣΗ για την Αφρικανική Πανώλη των χοίρων

Παράσταση των ομάδων μόνο στις απολυμασμένες και βελτιωμένες (σε εμφάνιση) ογκώδεις κρημνιστές (καλάβι ροζίν, κρέμα κ.λ.λ.)

- Τυποποίηση ομάδας απορριμμάτων στις απολυμασμένες ογκώδεις κρημνιστές.
- Μην απορριπτετε η ομάδα από ζώα που απορριπτετε (πυλόμενα ή άλλος κτηνοτρόφος).
- Μην απορριπτετε η ομάδα από ζώα που απορριπτετε (πυλόμενα ή άλλος κτηνοτρόφος).

Παράσταση των ομάδων μόνο στις απολυμασμένες και βελτιωμένες (σε εμφάνιση) ογκώδεις κρημνιστές (καλάβι ροζίν, κρέμα κ.λ.λ.)

- Τυποποίηση ομάδας απορριμμάτων στις απολυμασμένες ογκώδεις κρημνιστές.
- Μην απορριπτετε η ομάδα από ζώα που απορριπτετε (πυλόμενα ή άλλος κτηνοτρόφος).
- Μην απορριπτετε η ομάδα από ζώα που απορριπτετε (πυλόμενα ή άλλος κτηνοτρόφος).

Παράσταση των ομάδων μόνο στις απολυμασμένες και βελτιωμένες (σε εμφάνιση) ογκώδεις κρημνιστές (καλάβι ροζίν, κρέμα κ.λ.λ.)

- Τυποποίηση ομάδας απορριμμάτων στις απολυμασμένες ογκώδεις κρημνιστές.
- Μην απορριπτετε η ομάδα από ζώα που απορριπτετε (πυλόμενα ή άλλος κτηνοτρόφος).
- Μην απορριπτετε η ομάδα από ζώα που απορριπτετε (πυλόμενα ή άλλος κτηνοτρόφος).

Airports, ports, roads, entry points, BIPs, MRDF website

Hunting associations/clubs, MRDF website

Η Αφρικανική Πανώλη των χοίρων είναι επείγουσα κατάσταση και αποτελεί για τον κλάδο των ζώων ζώντων τον μεγαλύτερο κίνδυνο που αντιμετωπίζει.

Μετά την εξέταση του ζώου ή της κρέμας, είναι απαραίτητο να ελεγχθεί και να απολυμασθεί το χώρο που βρίσκεται το ζώο ή η κρέμα.

ΕΛΛΗΝΙΚΗ ΔΗΜΟΚΡΑΤΙΑ
Υπουργείο Αγροτικής Ανάπτυξης και Τροφίμων
Γενική Διεύθυνση Ποιοτικού Ελέγχου
Τμήμα Απορριμμάτων και Παραρτημάτων Νοσημάτων

Αφρικανική Πανώλη του χοίρου Συμβολή των Κυνηγιών

Η Αφρικανική Πανώλη είναι θανατηφόρο ιογενές νόσημα του χοίρου και του αγριχοίρου.

Μεταδίδεται πολύ εύκολα και επιβίβει μεγάλα διάστημα στα περιβάλλον και τα πτώματα των αγριχοίρων.

Η νόσος ΔΕΝ ΜΕΤΑΔΙΔΕΤΑΙ ΣΤΟΝ ΑΝΘΡΩΠΟ

Μέτρα πρόληψης κατά το κυνήγι:

- Περιορισμός χώρου αφάρσεως απλώντας ή απορριπτόμενων κυνηγετικών σκυλιών ή άλλων ζώων.
- Σωστή διαχείριση θημάτων.
- Κληρίση υπολείμματα ενδοράς και ενταφίσιμα πριν την απόρριψή τους.
- Επιλέγναι και κρέμας δεν κορηγοποιεί ως ζωοτροφή.
- Εκπαιδευτικές καθαριότητες εξοπλισμού/υποδημάτων/αχιμμάτων μετά το κυνήγι με κατάλληλα απολυμαντικά.
- 2% Υπεροξείδιο του υδρογόνου ή 70% Αλκοόλ (2-3% δραστικό κλάσμα)
- Απορριπτόμενα και υποκαταστάτα φανώδεις
- Ενταφίσιμα του κρέμας

Κατά τη διάρκεια του κυνηγιού προσέχετε για:

- απορριπτά σε διάφορα όργανα, εμβρότητα του δέρματος, του ρύγχους και των αυτιών,
- διάρροια (ίσως αιμορραγική),
- απλήνες διαγκωμένες, ακουρρωμένες με αιμορραγίες,
- αιμορραγίες στα εσωτερικά όργανα, διαγκωμένο ήπαρ,

Πώς αναγνωρίζεται η νόσος?

Η ασθένεια προέρχεται από τον κλάδο των ζώων ζώντων. Αν οι απορριμματα από τον κλάδο των ζώων ζώντων μετακινούνται από τον κλάδο των ζώων ζώντων.

ΕΛΛΗΝΙΚΗ ΔΗΜΟΚΡΑΤΙΑ
Υπουργείο Αγροτικής Ανάπτυξης και Τροφίμων
Γενική Διεύθυνση Ποιοτικού Ελέγχου
Τμήμα Απορριμμάτων και Παραρτημάτων Νοσημάτων

ΕΛΛΗΝΙΚΗ ΔΗΜΟΚΡΑΤΙΑ
Υπουργείο Αγροτικής Ανάπτυξης και Τροφίμων
Γενική Διεύθυνση Ποιοτικού Ελέγχου
Τμήμα Απορριμμάτων και Παραρτημάτων Νοσημάτων

Αφρικανική Πανώλη του χοίρου Συμβολή των Κυνηγιών

Η Αφρικανική Πανώλη είναι θανατηφόρο ιογενές νόσημα του χοίρου και του αγριχοίρου.

Μεταδίδεται πολύ εύκολα και επιβίβει μεγάλα διάστημα στα περιβάλλον και τα πτώματα των αγριχοίρων.

Η νόσος ΔΕΝ ΜΕΤΑΔΙΔΕΤΑΙ ΣΤΟΝ ΑΝΘΡΩΠΟ

Μέτρα πρόληψης κατά το κυνήγι:

- Περιορισμός χώρου αφάρσεως απλώντας ή απορριπτόμενων κυνηγετικών σκυλιών ή άλλων ζώων.
- Σωστή διαχείριση θημάτων.
- Κληρίση υπολείμματα ενδοράς και ενταφίσιμα πριν την απόρριψή τους.
- Επιλέγναι και κρέμας δεν κορηγοποιεί ως ζωοτροφή.
- Εκπαιδευτικές καθαριότητες εξοπλισμού/υποδημάτων/αχιμμάτων μετά το κυνήγι με κατάλληλα απολυμαντικά.
- 2% Υπεροξείδιο του υδρογόνου ή 70% Αλκοόλ (2-3% δραστικό κλάσμα)
- Απορριπτόμενα και υποκαταστάτα φανώδεις
- Ενταφίσιμα του κρέμας

Κατά τη διάρκεια του κυνηγιού προσέχετε για:

- απορριπτά σε διάφορα όργανα, εμβρότητα του δέρματος, του ρύγχους και των αυτιών,
- διάρροια (ίσως αιμορραγική),
- απλήνες διαγκωμένες, ακουρρωμένες με αιμορραγίες,
- αιμορραγίες στα εσωτερικά όργανα, διαγκωμένο ήπαρ,

Πώς αναγνωρίζεται η νόσος?

Η ασθένεια προέρχεται από τον κλάδο των ζώων ζώντων. Αν οι απορριμματα από τον κλάδο των ζώων ζώντων μετακινούνται από τον κλάδο των ζώων ζώντων.

ΕΛΛΗΝΙΚΗ ΔΗΜΟΚΡΑΤΙΑ
Υπουργείο Αγροτικής Ανάπτυξης και Τροφίμων
Γενική Διεύθυνση Ποιοτικού Ελέγχου
Τμήμα Απορριμμάτων και Παραρτημάτων Νοσημάτων

ΕΛΛΗΝΙΚΗ ΔΗΜΟΚΡΑΤΙΑ
Υπουργείο Αγροτικής Ανάπτυξης και Τροφίμων
Γενική Διεύθυνση Ποιοτικού Ελέγχου
Τμήμα Απορριμμάτων και Παραρτημάτων Νοσημάτων

ΠΡΟΣΟΧΗ

Κατά τη μεταφορά και διαχείριση χοιρινού κρέατος και κρετοσκευασμάτων από χοιρινό κρέας ή κρέας αγριχοίρου, ειδικότερα μη θερμικά επεξεργασμένων και χωρίς ειδική σήμανση, από χώρες με κρούσματα Αφρικανικής Πανώλης

Η Αφρικανική Πανώλη αποτελεί σοβαρό κίνδυνο των χοίρων και των αγριχοίρων και εξαπλώνεται στην Ευρώπη από το 2014

Η νόσος δεν μεταδίδεται στον άνθρωπο, ωστόσο έχει άλλες συνέπειες για την κτηνοτροφία και το εμπόριο προϊόντων από χοιρινό κρέας

- Τα μολυσμένα υπολείμματα χοιρινού κρέατος και κρετοσκευασμάτων απορριπτόμενα από τον κλάδο των ζώων ζώντων.
- Η απόρριψη υπολείμματα προϊόντων με χοιρινό κρέας θα πρέπει να γίνεται στους ενδοεργασιακούς κλάδους απορριμμάτων.
- Σε καμία περίπτωση δεν θα πρέπει να στη/ζονται οι χοίροι/αγριχοίροι με τα υπολείμματα αυτά!

Η νόσος δεν έχει εμφανιστεί μέχρι τώρα στην Ελλάδα και η απειρογενής κατάσταση της είναι αυθόρμητη όλη του χρόνου.
Για περισσότερες πληροφορίες απευθυνθείτε στα Τοπικά Κτηνιατρικά Αρμόδια και τον ιστοτόπο: www.minagric.gr

ΕΛΛΗΝΙΚΗ ΔΗΜΟΚΡΑΤΙΑ
Υπουργείο Αγροτικής Ανάπτυξης και Τροφίμων
Γενική Διεύθυνση Ποιοτικού Ελέγχου
Τμήμα Απορριμμάτων και Παραρτημάτων Νοσημάτων

ATTENTION

During transport and handling of pork meat as well as meat products from pork or wild boar meat, especially not heat treated products and without labeling, from countries with ASF outbreaks

African Swine Fever is a serious pig/wild boar disease which is spreading in Europe since 2014

The disease is not transmitted to human, though it has tremendous consequences in pig farming and the pork meat market

- Infected leftovers from pork meat and meat products are a key source of the disease in a country.
- Disposal of leftovers of pork meat products should be done at the appropriate waste bins.
- Under no circumstances should pigs/wild boars be fed with these leftovers!

This disease has not been recorded in Greece until now. It's not responsible to prevent its appearance.
For more information, contact the local Veterinary Services and look at the following link: www.minagric.gr

Awareness – Collaboration with involved stakeholders-authorities

Meetings/training courses including all stakeholders (2018-2019)

- Greek Federation of hunters (2017-2019)
- Local Veterinary Services (2018-2019)
- Pig breeders' Representatives (November and December 2018, 2019)
- Hunters (November and December 2018, 2019)
- Forestry Services (November and December 2018, 2019)
- Army (October 2019)
- Customs (November and December 2018)

Training

❖ 2019: Organization of trainings for veterinarians and pig farmers (with the collaboration of Aristotle University of Thessaloniki and Local Veterinary Services)

- ❑ Training on the procedures for visiting a suspect farm for sampling (vets) (October 2019)
- ❑ Training for sampling (vets) (October 2019)
- ❑ Training on Biosecurity (for both pig farmers & vets) (March 2019, October 2019)



❖ Publication of Biosecurity Measures Manual/e-book for pig farmers in collaboration with Aristotle University of Thessaloniki



<https://www.youtube.com/watch?v=c4yrE-O0yi4&feature=youtu.be>

Training – EU level

- EURL training activities – visit in Athens NRL
- February 2019: Visit of Greek official vets by the CCA to Lithuania, collection of information on the management of the disease, visits in the field (wild boar collection samples) (special thanks!!)
- November 2019: Visit of veterinarians of the Greek NRL to the NRL of Latvia (special thanks!!)
- Participation of Greek Veterinarians of RUs in BTSF on ASF

Other preparedness actions

- Staff recruitment:** Emergency recruitment of 44 (initial procurement for 46 persons) seasonal veterinarians for the prevention and eradication (if needed) of ASF
Seasonal vets recruited since September-October 2019 in high risk Regional Units (Regions: East Macedonia and Thrace, Central Macedonia, West Macedonia, Ipiros)
Main tasks: Visits to all backyard pig farms-registration/identification controls/biosecurity checks, clinical examinations, awareness (pig farmers-hunters)

- Wild boar population management:**
 - ✓ Official request addressed to the Ministry of Environment and Energy regarding modifications of hunting rules – wild boars population reduction
 - ✓ Compensation of 50 EURO for each wild boar found dead and buried

- Zoning:** Since 2018, 50km Zones of Intensive Surveillance for the disease in high risk areas bordering to Bulgaria (Regional Units of Evros, Rodopi, Xanthi, Drama and Serres)

- Controls:** Intensification of controls of backyard farms, commercial farms, slaughterhouses, entrance of vehicles carrying live animals, systems of cleansing and disinfection in farms and slaughterhouses

- Supplies:** New tender for purchase of field consumables

Preventive Actions against ASF in Greece

- Controls on the disinfection systems available in the sites of borders with Bulgaria – maintenance



- Collaboration between the Veterinary and Customs' services - random checks in vehicles transporting animals/feed/food arriving from affected countries

Preparedness – National and Local Level

- Establishment of the National Experts ASF Team and activation of the National Disease Control Center (03.10.2019) <http://www.minagric.gr/images/stories/docs/agrotis/XOIROI/omada-eidikon-afr-panoli.pdf>
- Establishment of Local Disease Control Centers (since summer 2019)
- Distribution of lists with contact details of Official Veterinarians responsible for ASF to Hunting associations and pig farmer's associations (summer 2019)

Measures adopted by the CAs in Xanthi and Drama RUs following Bulgarian case of 24/10/2019

- ✓ Decision adopted in Xanthi
- ✓ Decision adopted in Drama
- Identification-Registration-Clinical Testing of all pig/pig holdings
- Lab. Examination of all dead pigs/wild boars/animals with suspect clinical signs
- Lab.Examination of hunted wild boars
- Movements' controls
- Awareness campaigns
- Biosecurity checks

Controls – clinical tests – biosecurity		
Regional Unit	Number of backyard farms visited until early November 2019	Number of farms (intensive farming or not) visited until early November 2019
Drama	96	40
Xanthi	86	46

Joint Ministerial Decision


- National Experts' Team meeting & teleconference on 30/10/2019
- Epidemiological data in the area (roads, technical-physical barriers)– wild boars' population, hunting ground, pig farms densities, nature reserves, geographic relief



- Joint Ministerial decision of MRDF along with the Ministers of Environment, Internal Affairs, Development and Investments, regarding the implementation of measures at the area in Greece in close proximity to the outbreak that occurred in Bulgaria

Definition of two Areas where measures are to be applied related to: hunting, activities in forest, pig farms :

Areas 1 (orange) and 2 (yellow)




Measures to be imposed in Areas 1 and 2:

	Area 1	Area 2
<i>Hunting</i>	<ul style="list-style-type: none"> •Ban of activities within the Area I (except for wild boar intensive hunting). •Meat not intended for human consumption-sanitary burial. 	<ul style="list-style-type: none"> •Ban of activities within the Area II (except for wild boar intensive hunting). •By derogation hunting of other species may be conducted following special permission by the Local Veterinary Service. •Proper management of wild boar meat and carcasses.
<i>Forestry activities</i>	Ban of activities.	<ul style="list-style-type: none"> •Ban of activities. •By derogation forestry activities may be conducted following special permission by the Local Veterinary Service.
<i>Farms</i>	<ul style="list-style-type: none"> •Ban of live pigs movements and movements of pig products. •Clinical examination of pigs and controls regarding biosecurity measures along with sanctions in case of non-compliance(commercial and backyards farms). 	<ul style="list-style-type: none"> •Ban of live pigs movements and movements of pig products. By derogation, some movements can be allowed following special permission by the Local Veterinary Service. •Clinical examination of pigs and controls regarding biosecurity measures along with sanctions in case of non-compliance(commercial and backyards farms).
<i>Type of surveillance</i>	<p>Passive: Sampling of all wild boars found dead for laboratory examination. Sampling of all pigs found dead or sick in every pig holding.</p> <p>Active: Sampling of hunted/shot animals for laboratory examination. Sampling in every pig holding.</p>	<p>Passive: Sampling of all wild boars found dead for laboratory examination. Sampling of all pigs found dead or sick in every pig holding.</p> <p>Active: Sampling of hunted/shot animals for laboratory examination(depending on laboratory capacity). Sampling of all backyard pigs and specific number of pigs in commercial holdings.</p>
<i>Duration of measures</i>	<ul style="list-style-type: none"> •40 days following the ASF case in Bulgaria. •Then the same measures as for area II are being implemented. 	<ul style="list-style-type: none"> •1 year following the ASF case in Bulgaria based on the epidemiological situation.
<i>Other measures</i>	<ul style="list-style-type: none"> •Awareness campaign. •Placement of informative signs across the area. •Compensation of 50E for each wild boar found dead and buried for hunters/game keepers. Consideration to provide additional remuneration of 100 EURO for hunters for each wild boar hunted 	<ul style="list-style-type: none"> •Awareness campaign. •Placement of informative signs across the area •Compensation of 50E for each wild boar found dead and buried for hunters/game keepers. Consideration to provide additional remuneration of 100 EURO for hunters for each wild boar hunted

Impl. Decision 709/2014

ΑΦΡΙΚΑΝΙΚΗ ΠΑΝΩΛΗ ΤΩΝ ΧΟΙΡΩΝ ΣΤΗΝ ΠΕΡΙΟΧΗ ΤΗΣ ΒΟΥΛΓΑΡΙΑΣ (ΖΩΝΗ ΠΡΟΣΤΑΣΙΑΣ 20 km)



Contact Details

- ❑ Animal Health Directorate, Directorate General of Veterinary Services
Email: chdile@minagric.gr Email: chdile@minagric.gr;
lmkorou@minagric.gr Email: chdile@minagric.gr; lmkorou@minagric.gr;
gkomitas@minagric.gr

Tel: +30.212.5737/210-5271604-1608

- ❑ NRL, Department of Molecular Diagnostics, FMD, Virological, Rickettsial and Exotic diseases, Athens veterinary Center, Directorate General of Veterinary Services
 - Email: viruslab.ath@minagric.gr Email: viruslab.ath@minagric.gr;
eleni.chondrokouki@yahoo.gr; eagiann@minagric.gr;
eagiann@minagric.gr; ktasioudi@minagric.gr; akirtzalidou@minagric.gr
 - Tel: +30.2106011499