




**Review of Scientific Literature Relevant to the
Food/Feed and Environmental Risk Assessment of
Bt11 × MIR162 × MIR604 × GA21 Maize**

Literature Review

TEST GUIDELINE(S):

Not Applicable

AUTHOR(S):



COMPLETION DATE:

October 20, 2020

PERFORMING LABORATORY:

Syngenta Crop Protection, LLC
410 Swing Road
Post Office Box 18300
Greensboro, NC 27419-8300 USA

LABORATORY PROJECT ID:

Report Number: SSB-122-20

SPONSOR(S):

Syngenta Crop Protection, LLC
410 Swing Road
Post Office Box 18300
Greensboro, NC 27419-8300 USA

TABLE OF CONTENTS

TABLE OF CONTENTS	2	
LIST OF TABLES	4	
LIST OF FIGURES	4	
LIST OF ACRONYMS AND ABBREVIATIONS	5	
1.0	OBJECTIVE	6
2.0	FORMULATING REVIEW QUESTIONS AND CLARIFYING THEIR PURPOSE	7
2.1	Review Question	7
2.2	Eligibility/Inclusion Criteria	7
3.0	SEARCHING FOR/IDENTIFYING RELEVANT PUBLICATIONS	15
3.1	Electronic Bibliographic Databases	15
3.2	Internet Searches	15
3.2.1	Key organization pages included in the search	15
3.2.2	Web-based search engines and databases	16
3.2.3	Manual searches	16
3.2.3.1	Checking reference lists	16
3.2.3.2	Hand searching	16
3.2.3.3	Citation searching	16
3.3	Constructing the Search Strategy	16
3.3.1	Database searching	16
3.3.1.1	Approaches to develop searches	16
3.3.1.2	Search terms	16
3.3.1.3	Free-text searching functions	18
3.3.1.4	Search strings	18
3.3.1.5	Key elements of review questions to use for best result	18
3.3.1.6	Use of multiple languages	22
3.3.1.7	Time period	22
3.3.1.8	Internet searching of regulatory agency webpages	22
3.4	Reference Publications	23
4.0	Summarizing and Reporting the Data	23
4.1	Selecting Publications	23
4.1.1	Database records	23
4.1.2	Records from key organizations	24
4.2	Results of the Publication Selection Process	25

4.3	Relevant Publications.....	30
4.4	Excluded Publications After Detailed Assessment of Full-Text Documents	31
4.5	Unobtainable Publications	32
4.6	Unclear Publications	32
4.7	Full-Text Documents	32
4.8	Narrative Synthesis/Summary of Relevant Publications	32
4.9	Implications of Relevant Publications on Risk Assessment	33
5.0	RECORDS TO BE MAINTAINED	34
6.0	ARCHIVING OF RECORDS	34
7.0	REFERENCES	35
	APPENDIX SECTION	36
APPENDIX A	Search history and subject indexing.....	37

LIST OF TABLES

TABLE 1	Review question in PICO/PECO structure	7
TABLE 2	List of sub-combinations in scope for Bt11 × MIR162 × MIR604 × GA21 maize application.....	8
TABLE 3	Eligibility/inclusion criteria to establish relevance	9
TABLE 4	Overview of main categories of information/data requirements	12
TABLE 5	Internet pages included in the search	15
TABLE 6	Search string strategy	19
TABLE 7	Matrix for the event terms in scope for Bt11 × MIR162 × MIR604 × GA21 maize	22
TABLE 8	Nomenclature for the single event and newly expressed proteins from the ISAAA database for use in searching regulatory agency web pages....	23
TABLE 9	Electronic bibliographic database search results.....	26
TABLE 10	Regulatory agency webpage search details.....	27
TABLE 11	Results of the publication selection process, for each review question and or group of information/data requirements searched	28
TABLE 12	Report of all relevant publications retrieved after detailed assessment of full-text documents for relevance: ordered by category of information/data requirement(s).....	30
TABLE 13	Report of all publications excluded after detailed assessment of full-text documents	31
TABLE 14	Report of all publications excluded after assessment of internet documents	32
TABLE 15	Report of the reliability and implications for the risk assessment of all relevant publications retrieved after detailed assessment of full-text documents for relevance: ordered by category of information/data requirement(s)	33

LIST OF FIGURES

FIGURE 1	Flow chart of the publication selection process	29
----------	---	----

LIST OF ACRONYMS AND ABBREVIATIONS

CAB	Commonwealth Agricultural Bureaux
EFSA	European Food Safety Authority
EPSPS	5-enol pyruvylshikimate-3-phosphate synthase
ERA	Environmental Risk Assessment
EU	European Union
GMO	Genetically Modified Organism
ISAAA	International Service for the Acquisition of Agri-Biotech Applications
MEDLINE	MEDical Literature Analysis and Retrieval System (online version)
mEPSPS	double-mutated 5-enol pyruvylshikimate-3-phosphate synthase
NTO	Nontarget organisms
PAT	Phosphinothricin acetyltransferase
PICO/PECO	Population, Intervention/Exposure, Comparator, Outcomes
PMI	Phosphomannose isomerase

1.0 OBJECTIVE

The purpose of this systematic literature search is to identify literature and/or information on Bt11 × MIR162 × MIR604 × GA21 maize and all sub-combinations in scope that is relevant to the risk assessment of genetically modified organisms.

Syngenta developed Bt11 × MIR162 × MIR604 × GA21 (*Zea mays* L., corn) by combining four individual transformation events through conventional breeding. This stacked-event maize variety provides control of certain lepidopteran and coleopteran insect pests and tolerance to glyphosate and glufosinate-ammonium herbicides.

Maize plants derived from transformation Event Bt11 contain the gene *cry1Ab*, which encodes the insecticidal protein Cry1Ab, and the gene *pat*, which encodes the enzyme phosphinothricin acetyltransferase (PAT). The native, full-length Cry1Ab produced by the soil bacterium *Bacillus thuringiensis* subsp. *kurstaki* is active against certain lepidopteran insect pests. The Cry1Ab produced by Bt11 maize is a truncated version of Cry1Ab that retains activity against lepidopterans. The gene *pat* was derived from the soil bacterium *Streptomyces viridochromogenes*. PAT acetylates glufosinate-ammonium, thus inactivating it and conferring tolerance to glufosinate-ammonium herbicides.

Maize plants derived from Event MIR162 contain the transgene *vip3Aa20*, which encodes the insecticidal protein Vip3Aa20, and the transgene *pmi*, which encodes the enzyme phosphomannose isomerase (PMI). Vip3Aa20 is a variant of the native Vip3Aa1 protein from the soil bacterium *Bacillus thuringiensis* strain AB88, and is active against certain lepidopteran pests of maize, including *Spodoptera frugiperda* and *Helicoverpa zea*. The transgene *pmi* (also known as *manA*) was derived from *Escherichia coli* strain K-12. PMI enables transformed plant cells to utilize mannose as a primary carbon source; it was used as a selectable marker in the development of MIR162 maize.

Event MIR604 maize plants contain the transgene *mcry3A*, which encodes the insecticidal protein mCry3A, and the transgene *pmi*, which encodes the enzyme phosphomannose isomerase (PMI). The native Cry3A from the soil bacterium *Bacillus thuringiensis* subsp. *tenebrionis* is active against certain coleopteran pests of maize. The mCry3A produced by MIR604 was modified to have enhanced activity against the Western corn rootworm (*Diabrotica virgifera virgifera*) and other related coleopteran pests. The transgene *pmi* (also known as *manA*) was derived from *Escherichia coli* strain K-12. PMI enables transformed plant cells to utilize mannose as a primary carbon source; it was used as a selectable marker in the development of MIR604 maize. The PMI protein expressed in MIR604 maize differs from the *E.coli* PMI by two amino acids and was designated MIR604 PMI.

Maize plants derived from transformation event GA21 contain the transgene *mepsps*, which encodes the enzyme mEPSPS. The native 5-enol pyruvylshikimate-3-phosphate synthase (EPSPS) from *Z. mays* is involved in synthesis of aromatic amino acids and is inhibited by glyphosate. The double-mutated EPSPS (mEPSPS) produced by GA21 maize has low affinity for glyphosate compared to the native EPSPS, thus conferring tolerance to glyphosate in herbicide products.

Accordingly, Bt11 × MIR162 × MIR604 × GA21 maize produces the transgenic proteins present in Event Bt11, Event MIR162, Event MIR604, and Event GA21 maize. Records must be specific to Bt11 × MIR162 × MIR604 × GA21 maize, or any of the in-scope sub-combinations to be considered relevant.

This report defines the 1) review question; 2) the search strategy; and 3) the explicit methods for selecting and categorizing the records. The results of the selection process are reported including consideration of the implications of any findings. This report aims to comply with the EFSA explanatory note on literature searching for GMO applications (EFSA 2019).

2.0 FORMULATING REVIEW QUESTIONS AND CLARIFYING THEIR PURPOSE

2.1 Review Question

The review question associated with this literature search is:

Do either food/feed products derived from Bt11 × MIR162 × MIR604 × GA21 maize including all sub-combinations in scope or the combined intended traits have adverse effects on human and animal health and/or the environment?

This review question follows the PICO/PECO structure with key elements “Population, Intervention/Exposure, Comparator, Outcomes” (Table 1).

Because the search approach was not exclusionary (i.e., did not exclude the presence of any other events) searching the name of any of the single events comprising the Bt11 × MIR162 × MIR604 × GA21 maize stack had the possibility to return literature relevant to the stack of interest and all sub-combinations. A binary search term approach was developed to return literature on those titles related to all the possible stack combinations of this application. The interventions/exposures that appear in bold in Table 2 were used to develop the search terms. The boxes were used to identify the sub-combinations that would be captured by each search strategy. A similar approach was used for the proteins associated with the events.

TABLE 1 Review question in PICO/PECO structure

Element	Components of Review Question
<u>P</u> opulation	Human and animal health and the environment
<u>I</u> ntervention/ <u>E</u> xposure	Bt11 × MIR162 × MIR604 × GA21 maize and all sub-combinations in scope, derived food/feed products, and/or relevant combinations of Cry1Ab, PAT, Vip3Aa20, PMI (including MIR604 PMI), modified Cry3A (mCry3A) and mEPSPS and closely related variants
<u>C</u> omparator	conventional counterpart (if applicable)
<u>O</u> utcome	adverse effects

2.2 Eligibility/Inclusion Criteria

The sub-combinations relevant to the Bt11 × MIR162 × MIR604 × GA21 maize market authorization in the European Union (EU) are listed in Table 2.

Tables 3 and 4 summarize the eligibility/inclusion criteria for establishing relevance of retrieved records. Table 3 provides high level key concepts for inclusion/exclusion and Table 4 provides more explicit information on the information/data requirements concept. The eligibility/inclusion criteria are provided in the order of importance or ease of finding information on the criteria within a publication. The first failed eligibility/inclusion criterion was used as the primary reason for exclusion, and the remaining criteria was not assessed.

Internet pages results were screened by date to remove those published prior to 2019. Pages without dates were evaluated further using the criteria in Tables 3 and 4.

**TABLE 2 List of sub-combinations in scope for
Bt11 × MIR162 × MIR604 × GA21 maize application**

Bt11 × MIR162 Bt11 × MIR162 × MIR604 × GA21 Bt11 × MIR162 × MIR604 Bt11 × MIR162 × GA21	MIR162 × MIR604 MIR162 × MIR604 × GA21
Bt11 × MIR604 Bt11 × MIR604 × GA21	Bt11 × GA21
	MIR162 × GA21
	MIR604 × GA21

TABLE 3 Eligibility/inclusion criteria to establish relevance

Concepts	Criteria	Comment
Stacked events obtained by conventional crosses/subcombinations	This publication addresses the highest order breeding stack and/or a sub-combination or sub-combinations of the single events of the highest order breeding stack independently of its/their origin.	This permits the selection of publications on the higher order breeding stack and/or sub-combinations of the single events of the higher order that are in scope of the Bt11 × MIR162 × MIR604 × GA21 application, independently of their origin. This permits the exclusion of publications on the single events of the higher stacked event, because the risk assessment of GMO applications for stacked events covers only products in the scope of the GMO application – i.e., the higher order and sub-combinations of the singles involved, independently of their origin.
Intervention/exposure	Bt11 × MIR162 × MIR604 × GA21 maize and all sub-combinations in scope, derived food/feed products, and/or the intended trait(s)	Intended traits include glufosinate herbicide tolerance, glyphosate herbicide tolerance, coleopteran insect resistance, lepidopteran insect resistance and mannose metabolism. Closely related variants of the insecticidal proteins included as relevant were those that shared the same tertiary level of Crickmore nomenclature for Cry1Ab. Closely related variants of Vip3Aa20 are those that share the same secondary level of Crickmore nomenclature. Closely related variants of mCry3A include those that share the same secondary level of Crickmore nomenclature. Any enzyme classified as a 5-enol pyruvylshikimate-3-phosphate synthase was considered relevant if the EPSPS protein imparts the glyphosate tolerance trait. Any enzyme classified as a phosphinothricin acetyl transferase (PAT) was considered relevant. Any enzyme as a phosphomannose isomerase was considered relevant. Only unique protein combinations relevant to the stack and sub-combinations were in scope.

Concepts	Criteria	Comment
Information/data requirements	Data inform one or more information/data requirement(s) for the GMO and derived food/feed products under consideration, including the intended trait(s)	Publications that potentially contribute to the knowledge informing the risk assessment of Bt11 × MIR162 × MIR604 × GA21 maize (information/data requirements provided in Table 4) and all sub-combinations in scope were considered relevant. Based on the scope of the application certain information/data requirements are excluded. These are also detailed in Table 4. Publications addressing issues such as benefits, socio-economics, ethics, crop protection, detection methods, efficacy, public perception and risk communication were excluded using this criterion, as they are not relevant to the risk assessment as defined in this document.
Scope of GMO application	The pathways and level of exposure to the GMO, derived food/feed products, and the intended trait(s) addressed in the publication are relevant for the intended uses of the GMO and derived food/feed products under regulatory review	Publications must address pathways and levels of exposure relevant to the scope of the application: import and processing of Bt11 × MIR162 × MIR604 × GA21 maize and all sub-combinations in scope for food/feed uses.
Reporting format	Original/primary data are presented in the publication or it is a risk assessment from a relevant key organization (such as regulatory agencies and risk assessment bodies involved in the risk assessment of GMOs)	Records that do not present original/primary data (e.g., editorials, reviews, position papers) were excluded. Risk assessments performed and reported by relevant key organizations were included as relevant if they address Bt11 × MIR162 × MIR604 × GA21 maize, any of the relevant sub-combinations, and unique combinations of Cry1Ab, PAT, Vip3Aa20, PMI, mCry3A, MIR604 PMI, and mEPSPS and closely related variants.
Previously risk assessed publications	As indicated by EFSA, a publication should be included if it has not been previously risk assessed by EFSA and/or its GMO Panel and is not cited/referenced in an EFSA/GMO Panel output	If a publication has previously been considered by EFSA it was excluded. Any cited/referenced publications contained within documents produced by EFSA and/or its GMO Panel were excluded.
Access	Full-text document is accessible	If potentially relevant full-text documents cannot be obtained, then they were listed in a table with a description of the (unsuccessful) methods used to try to obtain a copy.
Population	Human and animal health, and/or the environment are addressed as general protection goals	All of the information/data requirements categories described in Table 4 are thought to inform the risk assessment related to human and animal health, and/or the environment. Therefore, if a publication meets the inclusion criteria described in this Table and is relevant to the information/data requirements in Table 4 it was considered relevant.

Concepts	Criteria	Comment
Outcomes	Effects/impacts on human and animal health, and/or the environment are addressed	Publications that address Bt11 × MIR162 × MIR604 × GA21 maize, or sub-combinations in scope also need to address effects/impacts on entities of concern, and potential determinants of exposure that place these entities at risk in order to be relevant to the risk assessment of Bt11 × MIR162 × MIR604 × GA21 maize, or sub-combinations in scope.
Comparator	If the publication is a comparative study that uses plant material as a test material, eligible publications must report a non-GM variety	Publications that address Bt11 × MIR162 × MIR604 × GA21 maize or sub-combinations in scope, must also include a conventional counterpart as a comparator in those cases where comparative analysis is conducted and plant material is used as test material. Any uncertainties about the appropriateness of the comparator was addressed in the assessment of the publication.
Plant species	The publication may address the same plant species as the GMO under consideration, but could also address any plant species producing unique combinations of Cry1Ab, PAT, Vip3Aa20, PMI (including MIR604 PMI), modified Cry3A (mCry3A) and mEPSPS proteins in the stack or sub-combinations in scope of the application.	The review question addresses the safe use of the intended trait(s) of Bt11 × MIR162 × MIR604 × GA21 maize and sub-combinations in scope. Therefore, GMOs that contain combinations of Cry1Ab, PAT, Vip3Aa20, PMI (including MIR604 PMI), modified Cry3A (mCry3A) and mEPSPS or closely related variants unique to the product and sub-combinations in scope, but are introduced into another plant species may be included. For certain types of data, the presence of the transgenic proteins in a different plant species does not impact the assessment of Bt11 × MIR162 × MIR604 × GA21 maize and sub-combinations in scope. Those types of data are identified as event specific in Table 4.
Target pest/organisms	Target pests/organisms addressed in the study are established in the EU	Records related to the intervention/exposure and target pests/organisms were excluded because the scope of the application is import for food/feed uses and this would be relevant for cultivation applications only.
Reporting format	A study should only be presented once, but if it is presented in more than one publication, all publications should be listed and grouped.	Duplicate publications were excluded at the initial screening stage. Only one copy of a study was presented even if it is reported in different publications.

TABLE 4 Overview of main categories of information/data requirements

Expert knowledge on data used in the risk assessment of the GMO is required but the list below provides some examples of relevant data/information. If certain data are considered stack/subcombination-specific or specific to unique combinations of the transgenic proteins expressed in the stack/subcombinations in scope then it is noted.

Information/data requirement	Non-exhaustive list of specific information/data requirements
Molecular characterization of the genetic modification of Bt11 × MIR162 × MIR604 × GA21 maize and sub-combinations in the scope	<ul style="list-style-type: none"> Information on the insert including: sequence, size, copy number, genetic element arrangement, deletions, location, sequence similarity searches, analysis of open reading frames (stack/sub-combination specific) Expression data of inserted/modified sequences (stack/sub-combination specific) Genetic stability (stack/sub-combination specific) Data on the equivalence between plant-produced and microbially-produced proteins (stack/sub-combination specific)
Agronomic, phenotypic and compositional characterization of the Bt11 × MIR162 × MIR604 × GA21 maize	<ul style="list-style-type: none"> Comparative assessment of agronomic and phenotypic characteristics under field or controlled conditions (stack/sub-combination specific) Comparative analysis of key nutritional constituents (stack/sub-combination specific)
Toxicological assessment of newly expressed protein(s), new constituents other than proteins, and the whole GM food/feed	<ul style="list-style-type: none"> Toxicity studies (protein combinations in scope) Feeding studies (stack/sub-combination specific)
Allergenicity assessment of the newly expressed protein and the GM food/feed, and adjuvanticity	<ul style="list-style-type: none"> Serum screening (protein combinations in scope) <i>In vivo</i> tests in animal models Expression data for endogenous allergens in maize (stack/sub-combination specific)
Nutritional assessment of the newly expressed protein(s), other new constituents, as well as potential alterations in the total diet of the consumer or the animal	<ul style="list-style-type: none"> Anticipated dietary intake of food/feed and the resulting nutritional impact (stack/sub-combination specific) Comparative growth performance studies with young rapidly growing animal species (stack/sub-combination specific).
Post-market monitoring	<ul style="list-style-type: none"> Description of mechanisms for determining actual changes to overall dietary intake patterns of the Bt11 × MIR162 × MIR604 × GA21 maize and sub-combinations in scope, to what extent this has occurred and whether or not the product induces known (side) effects or unexpected side effects Information on the reliability, sensitivity and specificity of the post market monitoring
Persistence and invasiveness assessment, including plant-to-plant gene transfer	<ul style="list-style-type: none"> Measurements of volunteer occurrence and establishment (stack/sub-combination specific) Replacement capacity (stack/sub-combination specific) Fitness of the Bt11 × MIR162 × MIR604 × GA21 plant in various environmental conditions – if the relevant combinations or sub-combinations of newly expressed proteins are expressed in a different plant species then the publication may be considered relevant.
Assessment of plant to micro-organism gene transfer	<ul style="list-style-type: none"> This type of data is covered in the scope of the single event literature review.

Information/data requirement	Non-exhaustive list of specific information/data requirements
Assessment of interactions with target organisms	<ul style="list-style-type: none"> Excluded based on the scope of the application. The scope of this application covers the import, processing, and food and feed use of Bt11 × MIR162 × MIR604 × GA21 maize and sub-combinations in the scope in the EU. According to the EFSA ERA Guidance (EFSA 2010): “<i>resistance development is only relevant for applications with scope cultivation of GM plants and not for applications restricted to import and processing of GM plants and their products</i>” (EFSA 2010). Therefore, an assessment of the potential resistance development in target organisms resulting from the import, processing and food and feed use Bt11 × MIR162 × MIR604 × GA21 maize and sub-combinations in scope is not relevant for this application.
Assessment of interactions with nontarget organisms	<ul style="list-style-type: none"> The EFSA ERA Guidance (EFSA 2010) states that: “in cases where the application does not include cultivation in the EU, direct environmental exposure of NTOs to the GM plant is via accidental release into the environment of seeds or propagules during transportation and processing. This may result in sporadic occurrence of feral plants and therefore exposure of NTO populations is likely to be negligible. The ERA will then focus on indirect exposure to products of the GM plant (e.g., through manure and faeces from animals fed the GM plant, and other by-products of industrial processes)”. Therefore, any publications that discuss direct exposure in test protein and laboratory studies or field survey data was considered not relevant based on scope of application.
Assessment of interactions with biogeochemical and abiotic processes	<ul style="list-style-type: none"> Excluded based on the scope of the application. The scope of this application covers the import, processing and food and feed use of Bt11 × MIR162 × MIR604 × GA21 maize and sub-combinations in scope in the EU. According to the EFSA ERA Guidance (EFSA 2010): “<i>applications concerning food/feed uses and import and processing do not require scientific information on possible environmental effects associated with the cultivation of the plant</i>” therefore, an assessment of the impacts of Bt11 × MIR162 × MIR604 × GA21 maize and sub-combinations in scope on biogeochemical processes resulting from specific cultivation, management and harvesting techniques is not relevant given the scope of this application.
Assessment of impact of specific cultivation, management and harvesting techniques	<ul style="list-style-type: none"> Excluded based on the scope of the application. The scope of this application covers the import, processing and food and feed use of Bt11 × MIR162 × MIR162 × GA21 maize and sub-combinations in the scope in the EU. Cultivation of Bt11 × MIR162 × MIR604 × GA21 maize in the EU is not included in the scope. According to the EFSA ERA guidance (EFSA 2010): “<i>for GM plants for import and processing that are not intended for cultivation in the EU, there is no need for an ERA for altered cultivation, management and harvesting techniques</i>”. Therefore, an assessment of impact of specific cultivation, management and harvesting techniques of Bt11 × MIR162 × MIR604 × GA21 maize is not relevant for this application.

Information/data requirement	Non-exhaustive list of specific information/data requirements
Risk mitigation	<ul style="list-style-type: none">Excluded based on the scope of the application. Risk mitigation measures such as high dose/refuge strategy, isolation distance from protected habitats hosting species of conservation concern that are at risk, integrated pest/weed management are only relevant to cultivation. The scope of this application covers the import, processing and food and feed use of Bt11 × MIR162 × MIR604 × GA21 maize and sub-combinations in scope.
Post-market environmental monitoring	<ul style="list-style-type: none">Excluded based on the scope of the application. Monitoring such as insect resistance is relevant only to cultivation. The scope of this application covers the import, processing and food and feed use of Bt11 × MIR162 × MIR604 × GA21 maize and sub-combinations in scope.

3.0 SEARCHING FOR/IDENTIFYING RELEVANT PUBLICATIONS

3.1 Electronic Bibliographic Databases

To search for different types of publications and unpublished work that could provide information on the review question, multidisciplinary citation databases which include grey literature (i.e., not peer reviewed) was used. Medline, Agricola, CAB Abstracts, and BIOSIS Previews (provided by Ovid Technologies) were searched. Each of the databases has a thesaurus. Searching these databases fulfills the requirement to search a minimum of at least two multi-disciplinary/large databases.

These databases were selected based on their coverage of scientific literature for relevant subjects including, but not limited to, biomedicine, plant diseases, agriculture, life sciences, pesticides, human health and nutrition, animal health, plant science, biotechnology, and environmental studies. Detailed information (e.g., list of subjects covered, coverage dates, update schedule, and sources for data) regarding each of the databases searched can be obtained upon request. The document types in these databases include journal articles, technical letters and notes, conference proceedings, book chapters, reports, and articles in press.

3.2 Internet Searches

3.2.1 Key organization pages included in the search

The regulatory agencies that post their risk assessments on their websites and regulate stacks (Table 5) were searched. The internet pages of these agencies were searched for documents related to Bt11 × MIR162 × MIR604 × GA21 maize and the subcombinations in scope of the application.

TABLE 5 Internet pages included in the search

Regulatory agency/risk assessment body	Web address
US Environmental Protection Agency	https://www.epa.gov/ingredients-used-pesticide-products/current-and-previously-registered-section-3-plant-incorporated
Health Canada ^a	https://www.canada.ca/en/health-canada/services/food-nutrition/genetically-modified-foods-other-novel-foods/approved-products.html
Office of the Gene Technology Regulator	http://www.ogtr.gov.au/
National Technical Commission on Biosafety ^b	http://ctnbio.mctic.gov.br/inicio
Ministry of Agriculture, Forestry and Fisheries	http://www.maff.go.jp/e/

^aAlso searches Environment and Climate Change Canada (<https://www.ec.gc.ca/cc/>) and Canadian Food Inspection Agency (<http://www.inspection.gc.ca/plants/plants-with-novel-traits/notices-of-submission/eng/1300143491851/1300143550790>)

^bPartial reports are excluded from review since there is no new information contained in these reports and they are not the official final opinion of the agency.

3.2.2 Web-based search engines and databases

General search engines such as GOOGLE Scholar and web-based databases known to contain information specifically on effects of GMOs were not searched. The search of the databases and key organization websites is considered to provide an adequately comprehensive search of literature.

3.2.3 Manual searches

3.2.3.1 Checking reference lists

For any reviews, methodological publications, guidelines and scientific opinions from regulatory agencies that were retrieved using the search strategy and classified as relevant to the review question, the reference list(s) from those records were manually searched for new records (2019 through the date the search was conducted) that met the eligibility/inclusion criteria.

3.2.3.2 Hand searching

Hand searching was not conducted. The search of the databases and key organization websites is considered to provide an adequately comprehensive search of literature.

3.2.3.3 Citation searching

Citation searching was not conducted. The search of the databases and key organization websites is considered to provide an adequately comprehensive search of literature.

3.3 Constructing the Search Strategy

3.3.1 Database searching

3.3.1.1 Approaches to develop searches

The “lumping” approach was utilized. A single search strategy was developed to capture all categories of information of interest in one search. This strategy was used because previous experience indicates that a manageable number of studies was returned.

3.3.1.2 Search terms

Identifying search terms

Search terms were identified by:

- Assessing subject indexing terms of relevant publications recorded in those electronic bibliographic databases that use thesauri
 - All publications returned from literature search reports that aim to comply with the EFSA explanatory note and deemed relevant to the review questions were examined to determine the subject indexing terms associated with it.

- Seeking suggestions from experts and stakeholders
 - The search terms were developed using a multi-disciplinary team (i.e. risk assessors, information specialists, regulatory affairs managers).

Free-text terms and subject indexing terms

The searches with the Ovid platform utilized the keyword search in the advanced search window. The keyword search uses a default set of fields designated .mp, which vary by database. Therefore, Ovid uses the term “keyword” to indicate that it is executing a multi-field search. In each database the specific fields searched are a different combination of free-text and controlled vocabulary fields, with Ovid switching automatically to the appropriate fields when a database is selected.¹

In Ovid, the fields used in the .mp keyword search are word searchable, therefore any search only has to find a single word in a controlled vocabulary field that contains phrases to return as search results all references indexed to that subject heading. Thus, a search strategy which includes “genetic*” will return the following (highlighted below):

- **Genetically modified** foods or **genetic engineering** in the Subject Headings field in Agricola,
- Zea mays: species, maize, common, **genetically modified**, strain-Bt10 [Gramineae] in the Organism field in BIOSIS Previews,
- **Genetically engineered** organisms in the Subject Headings field in CAB Abstracts,
- Plants, **Genetically Modified** / ge [**Genetics**] or **Genetic Engineering** in MeSH Subject Headings in Medline

Subsequent combining of terms, (genetic* AND (modif* OR engineer*)) (in bold), yields all references with these headings to be in the final results for that search set. Therefore, it is not necessary to search each exact controlled phrase in order to return all references for each of the specific headings.

¹In Agricola the .mp fields are: free-text—abstract; geographic area; identifier; meeting information; map information; note; original title; personal name as subject; title—and controlled vocabulary—category code; subject heading.

In BIOSIS Previews the .mp fields are: free-text—abstract; book title; gene name; miscellaneous descriptors; methods & equipment; original language book title; title—and controlled vocabulary—biosystematic codes; chemicals & biochemicals; concept codes; diseases; geopolitical locations; major concepts; organisms; parts, structure & systems of organisms; sequence data; super taxa; taxa notes; time.

In CAB Abstracts the .mp fields are: free-text—abstract; identifiers; original title; title—and controlled vocabulary—broad terms; geographic location; organism descriptors; subject headings.

In Medline the .mp fields are: free-text—abstract; keyword heading word; original title; synonyms; title; unique identifier—and controlled vocabulary—floating sub-heading word; name of substance word; organism supplementary concept word; protocol supplementary concept word; rare disease supplementary concept word; subject heading word.

Appendix A provides 1) the search history (including the full strategy used and fields searched as run in the database) and number of publications identified (line by line) for each bibliographic database prior to de-duplication and 2) the subject indexing used by each database as shown within the brackets after each search term.

3.3.1.3 Free-text searching functions

The search terms were selected to incorporate a wide variety of synonymous and related terms. Truncation and wildcards were used where appropriate to capture different conventions in spelling and variation in the endings of terms.

3.3.1.4 Search strings

Search strings were combined with Boolean and proximity operators appropriate for the scope of the review.

3.3.1.5 Key elements of review questions to use for best result

A very large number of publications were returned using only the four key elements of Event, Intended trait, newly expressed protein(s), and Trade Name. To prevent a very large number of publications from being returned while still achieving sensitivity, additional key elements were added to the search strategy. Sensitivity was defined as the ability to return the previously deemed relevant articles with the new search string. 'A very large number' is not defined in the Explanatory Note (EFSA 2019); however, the number returned with other search strategies (e.g., (Event OR Intended Trait OR Newly Expressed Protein(s) OR Trade Name) or (Event OR Trade name OR ((Intended Trait OR Newly Expressed Protein(s)) AND (Plant Species or GMO)))) was so large that it could not be de-duplicated by the search platform.

Therefore, the search structure included the following search concepts/key elements; Event, Trade Name, Newly Expressed Protein(s), or Intended Trait in the same publications as terms describing plant species and/or GMO general terms. The search strategy employed was:

- Event OR Trade name OR (Newly Expressed Protein(s) AND (GMO general OR Plant Species)) OR (Intended Trait – Insecticidal AND (GMO general AND Plant Species)) OR GMO general × Intended Traits

The search strategy employed captured literature relevant to Bt11 × MIR162 × MIR604 × GA21 maize and is provided in Table 6. The same search string was used in all databases. Since the Ovid search platform simultaneously searches free-text and subject headings there is no disadvantage to using all search terms in all databases. For example, if 'Genetically engineered organisms' is a subject heading in CAB Abstracts but not in Agricola including this term in the search of the Agricola databases still allows for free-text searching of this term.

Because the binary search strategy is not exclusionary it allows for the possibility of returning records on all of the subcombinations in scope of the application without searching all of the subcombinations separately (see Table 7 for an example matrix for the event terms).

TABLE 6 Search string strategy

Set	Field	Search String	Concepts/Key Elements
1	Topic	Bt11 OR Bt 11 OR SYN-BT?11-1	Event Bt11
2	Topic	MIR162 OR MIR 162 OR SYN-IR162-4	Event MIR162
3	Topic	MIR604 OR MIR 604 OR SYN-IR6?4-5	Event MIR604
4	Topic	GA21 OR GA 21 OR GA2I OR GA 2I OR MON ØØØ21* OR MON OOO21* OR MON 00021* OR MON empty setempty setempty set21* OR MONØØØ21* OR MONOOO21* OR MON00021* OR MONempty setempty setempty set21* OR MON ØØØ21* OR MON OOO21* OR MON 00021* OR MON empty setempty setempty set21* OR MONØØØ21* OR MONOOO21* OR MON00021* OR MONempty setempty setempty set21*	Event GA21
5		#1 AND (#2 OR #3 OR #4)	Relevant event combinations
6		#2 AND (#3 OR #4)	Relevant event combinations
7		#3 AND #4	Relevant event combinations
8		#5 OR #6 OR #7	All relevant single event combinations
9		Agrisure ^a	Trade name of the highest order stack, single events and subcombinations ^a
10	Topic	Cry1Ab* OR Cry 1Ab* OR Cry1 Ab* OR Cry 1 Ab* OR CryIAb* OR Cry IAb* OR CryI Ab* OR Cry I Ab*	Newly expressed protein in Bt11
11	Topic	Phosphinothricin N acetyltransferase OR Phosphinothricin N acetyl transferase OR Phosphinothricin acetyltransferase OR Phosphinothricin acetyl transferase OR PPT acetyltransferase OR PPT acetyl transferase OR PT N acetyltransferase OR PT N acetyl transferase OR Glufosinate acetyltransferase OR Glufosinate acetyl transferase OR Gluphosinate acetyltransferase OR Gluphosinate acetyl transferase OR pat OR 111069-93-3 OR EC 2.3.1.183 OR E.C. 2.3.1.183	Newly expressed protein in Bt11
12	Topic	Vip3AA20* OR Vip3 AA20* OR Vip3 AA 20* OR Vip3A A 20*	Newly expressed protein in MIR162
13	Topic	Phosphomannoisomerase OR Mannose 6-phosphate isomerase OR Phosphomannoseisomerase OR Phosphomannose isomerase OR 9023-88-5 OR AAA24109 OR EC 5.3.1.8 OR E.C. 5.3.1.8	Newly expressed protein in MIR162 and MIR604

Set	Field	Search String	Concepts/Key Elements
14	Topic	mCry3A* OR mCry 3A* OR mCry 3 A* OR Cry3A* OR Cry 3A* OR Cry 3 A*	Newly expressed protein in MIR604
15	Topic	5 enol pyruvyl shikimate 3 phosphate synthase OR 5 enolpyruvyl shikimate 3 phosphate synthase OR 5 enolpyruvylshikimate 3 phosphate synthase OR EPSP synthase OR MEPSP synthase OR EPSPS OR MEPSPS OR EC 2.5.1.1.9 OR E.C. 2.5.1.19	Newly expressed protein in GA21 maize
16		#10 AND (#12 OR #13 OR #14 OR #15)	Combinations of the newly expressed proteins in Bt11 (Cry1Ab) with those expressed in other events
17		#11 AND (#12 OR #13 OR #14 OR #15)	Combinations of the newly expressed proteins in Bt11 (PAT) with those expressed in other events
18		#12 AND (#14 OR #15)	Combinations of the newly expressed proteins in MIR162 with those expressed in other events
19		#13 AND #15	Combinations of the newly expressed proteins in MIR162 and MIR604 (PMI) with those expressed in other events
20		#14 AND #15	Combinations of the newly expressed proteins in MIR604 with those expressed in other events
21		#16 OR #17 OR #18 OR #19 OR #20	Combinations of newly expressed protein
22	Topic	((Insect or Insects or coleoptera* or lepidoptera* or pest or pests or stalkborer* or stalk borer* or borer* or cornborer* or corn borer* or noctuidae or Crambidae or Chrysomelidae or earworm* or ear worm* or armyworm* or army worm* or cutworm* or cut worm* or rootworm* or root worm* or Ostrinia or O nubilalis or Diatraea or D grandiosella or D crambidoides or Helicoverpa or H zea or Spodoptera or S frugiperda or S exigua or Papaipema or P nebris or Elasmopalpus or E lignosellus or D saccharalis or Striacosta or S albicosta or Agrotis or A ipsilon or Feltia or F jaculifera or Pseudaletia or P unipuncta or Diabrotica or D virgifera or D barberi or ECB or SWCB or SCSB or CEW or FAW or SCB or WBC or WCRW or WCR or NCRW or MCR or MCRW) adj2 (toleran* or resistan* or protect* or control*) or B thuringiensis or Bacillus thuringiensis or ((glufosinate* or gluphosinate* or Basta* or Liberty* or Ignite* or Rely* or Finale* or Challenge* or gl?phosate or gl?fosate or roundup* or round up* or herbicide* or pesticide*) adj2 (toleran* or resistan* or protect*)))	Intended traits
23	Topic	GMO* OR LMO* OR GM OR GE OR transgen* OR ((genetic* OR living OR biotech*) ADJ3 (modif* OR transform* OR manipul* OR improv* OR engineer* OR deriv*)) OR stack*	GMO general
24		#22 AND #23	Intended traits AND GMO general
25	Topic	GMHT OR GEHT OR GMHR OR GEHR OR GMHTs OR GEHTs OR GMHRs OR GEHRs	GMO general x intended traits – herbicidal

Set	Field	Search String	Concepts/Key Elements
26		#24 OR #25	(Intended traits AND GMO general) OR GMO general x intended traits - herbicidal
27	Topic	Maize* OR corn* OR Zea mays OR Z mays	Plant species
28		#26 AND #27	((Intended traits AND GMO general) OR GMO general x intended traits - herbicidal) AND plant species
29	Topic	((Bt OR Bacillus thuringiensis OR B thuringiensis) ADJ5 (maize* OR corn* OR mays)) OR Btmaize* OR Btcorn*	GMO general x intended traits
30		#8 OR #9 OR #21 OR #28 OR #29	(Combinations of Single event) OR (Trade names) OR (Newly expressed protein) OR (((Intended traits AND GMO general) OR GMO general x intended traits - herbicidal) AND Plant species) OR (GMO general x intended traits)

^aTrade names for all of the single events, the highest order stack and commercial sub-combinations all have Agrisure in their names. Therefore, by simply searching Agrisure it is possible to capture all relevant literature.

Agrisure Designation	Product
Agrisure TL, Agrisure TD, Agrisure CB/LL, Agrisure CB	Bt11
Agrisure GT, Agrisure TG, Agrisure Artesian GTA	GA21
Agrisure RW	MIR604
Agrisure Viptera	MIR162
Agrisure Viptera 2	Bt11 x MIR162
Agrisure 3000GT, Agrisure Artesian 3011A, Agrisure 3000GT CL	Bt11 x MIR604 x GA21
Agrisure CB/LL/RW, Agrisure CB/RW, Agrisure CB/RW, Agrisure CB/LL/RWA	Bt11 x MIR604
Agrisure GT/CB/LL, Agrisure 3010, Agrisure 3010A, Agrisure Bt/GT, Agrisure TLTG	GA21 x Bt11
Agrisure Viptera 3110, Agrisure Viptera 3110A, Agrisure TLTG Viptera, Agrisure Viptera 3,	GA21 x Bt11 x MIR162
Agrisure Viptera 3111, Agrisure Viptera 3111A, Agrisure Viptera 3111A, Agrisure Viptera 3111 CL, Agrisure Viptera 4	GA21 x Bt11 x MIR162 x MIR604

TABLE 7 Matrix for the event terms in scope for Bt11 × MIR162 × MIR604 × GA21 maize

Stacks in scope of the application	Binary terms					
	Bt11 × MIR162	Bt11 × MIR604	Bt11 × GA21	MIR162 × MIR604	MIR162 × GA21	MIR604 × GA21
Bt11 × MIR162 × MIR604 × GA21	X	X	X	X	X	X
Bt11 × MIR162 × MIR604	X	X		X		
Bt11 × MIR162 × GA21	X		X		X	
Bt11 × MIR604 × GA21		X	X			X
MIR162 × MIR604 × GA21				X	X	X
Bt11 × MIR162	X					
Bt11 × MIR604		X				
Bt11 × GA21			X			
MIR162 × MIR604				X		
MIR162 × GA21					X	
MIR604 × GA21						X

3.3.1.6 Use of multiple languages

The search terms used were in the English language or utilized the Roman alphabet. For the event name and trade names that do not use words in the English language, translations are unlikely to exist.

3.3.1.7 Time period

Due to the use of multiple (i.e., 4) multi-disciplinary databases and redundancy in coverage it is unlikely that late addition of a publication would be missed. Therefore, the returned literature was limited to that which was published between January 1, 2019 and the date of the last database update prior to the search (see Table 9). Ovid only allows for limiting search by year, so the results were deduplicated against the prior year's results (██████████ 2019).

The records returned from the search of the regulatory agency webpages were manually excluded if they were dated prior to 2019. If a date could not be determined for the record, then the record was reviewed for relevance using the criteria in Tables 3 and 4.

3.3.1.8 Internet searching of regulatory agency webpages

The search terms selected are the event and protein names from the International Service for the Acquisition of Agri-Biotech Applications (ISAAA) (Table 8). The descriptions and information for the top 50 hits or 10% of the total hits (whichever is greater) for each search term/web page was collected.

TABLE 8 Nomenclature for the single event and newly expressed proteins from the ISAAA database for use in searching regulatory agency web pages

Event	Search term	Concepts/Key Elements
Bt11	Bt11	Event name
Bt11	Cry1Ab	Newly expressed protein
Bt11	Phosphinothricin N-acetyltransferase	Newly expressed protein
MIR162	MIR162	Event name
MIR162	Vip3Aa20	Newly expressed protein
MIR604	MIR604	Event name
MIR604	mCry3A	Newly expressed protein
MIR162 and MIR604	Phosphomannose isomerase	Newly expressed protein
GA21	GA21	Event name
GA21	Modified 5-enolpyruvylshikimate-3-phosphate synthase enzyme	Newly expressed protein

3.4 Reference Publications

The search strategy is the same as the one that was previously validated with reference publications (██████████ 2019).

4.0 SUMMARIZING AND REPORTING THE DATA

4.1 Selecting Publications

4.1.1 Database records

The process for selecting relevant publications was conducted in two stages. The first stage required a preliminary assessment of titles and abstracts. Those records that are clearly not relevant from reviewing the title only were excluded from further review. For those records that appeared relevant or have unclear relevance the abstract was reviewed. Those records that are clearly not relevant from reviewing the abstract were excluded from further review, while records that are relevant or have unclear relevance were reviewed in Stage 2.

Full-length articles were reviewed in Stage 2. An explanation of exclusion is provided for any full-length records that are deemed not relevant in Stage 2. Any relevant records identified in Stage 2 were subjected to reliability assessment and evaluation of the implications of the record on the food and feed or environmental risk assessments.

Two independent reviewers examined the records for inclusion/exclusion for each eligible information/data requirement at all stages of review. Reviews and selections were conducted independently. During the rapid assessment process (Stage 1), only records that were deemed clearly not relevant by all reviewers were excluded from further review. This conservative approach ensures that all potentially relevant records are evaluated until they are deemed to be either relevant or clearly not relevant in Stage 2. Following the Stage 1 reviews, reviewers scored the records as either 1) relevant or unclear relevance, 2) clearly not relevant.

A kappa test was performed after the Stage 1 review and before any discussion of abstracts over which there was disagreement by the reviewers. Of the 281 records reviewed from the databases at Stage 1 there were 273 agreements to exclude, 1 record where both reviewers agreed to include it for Stage 2 review, and 7 disagreements – 3 where reviewer A selected exclude while reviewer B selected to include and 4 where reviewer A selected include while reviewer B selected to exclude. This yielded a kappa test score of 0.21.

Subsequently, the reviewers met to discuss the abstracts in which they disagreed and moved 4 of the records over which there was disagreement forward to full-length review for a total of 5 records that were reviewed in Stage 2. There was no disagreement among the reviewers after Stage 2 therefore no tie breaker review was needed.

Because of the format of documents retrieved from internet searching of key organizations (i.e., title and abstract is not often provided) the kappa test was conducted only on the output of the database search.

4.1.2 Records from key organizations

The records returned from searching the websites of key organizations were considered relevant if they are risk assessments, scientific opinions/reports concerning the commercial release of GMO being examined or documents on the biology of the crop of interest. The regulatory agency webpages that are searched do not post primary data; therefore, all other document types were not considered relevant.

The format of records returned from regulatory agency websites does not often meet the format required to assess them using the 2-stage process followed for the database records. Those websites at which the records are published in English were assessed by two independent reviewers. Due to format full-text documents were assessed to determine relevance. For those websites where the records are not published in English, the results were reviewed by a native speaker. If the document was deemed to be a relevant document type then it was translated into English and two independent reviewers determined if it met the criteria for inclusion. The rationale for record exclusion is provided only for those records classified as one of the relevant document types and if excluded based on other eligibility criteria.

The Intersecretarial Commission on Biosafety of GMOs (CIBIOGEM) and National Advisory Commission on Agricultural Biotechnology (CONABIA) do not post the relevant document types on their websites; therefore those agency websites were not searched.

For the purposes of generating the statistics related to the records returned from the search of the regulatory agency websites certain assumptions were made. A unique internet record was defined as a unique URL. If the URLs for two documents were identical except for the file format (e.g. pdf versus .doc or .docx), one of the documents was considered a duplicate and excluded from statistical accounting. Documents that were classified as relevant were manually examined to determine if there were any duplicates among them. If a duplicate was identified then it was excluded.

Documents that are clearly labeled as draft or with a line for a signature that is blank were not reviewed.

4.2 Results of the Publication Selection Process

For electronic bibliographic databases, the date on which the search was conducted, the date of the most recent update of the database, the service provider used, date span of the search, any limits applied to the search (e.g., study types, dates, languages) and the total number of records retrieved before and after removing duplicates was be recorded (Table 9).

Additionally, the line-by-line strategy with the number of publications identified per line is presented. See Appendix A.

TABLE 9 Electronic bibliographic database search results

Database	Search Date dd/mm/yyyy	Service provider	Date span of the search dd/mm/yyyy ^a	Any limits applied to the search	Total number of records retrieved after removing duplicates
Agricola	02/09/2020	Ovid Technologies	01/01/2019 – 31/08/2020	Dates	34
BIOSIS Previews	02/09/2020	Ovid Technologies	01/01/2019 – 30/08/2020	Dates	83
CAB Abstracts	03/09/2020	Ovid Technologies	01/01/2019 – 30/08/2020	Dates	62
Medline	03/09/2020	Ovid Technologies	01/01/2019 – 02/09/2020	Dates	102

^aOvid only allows results to be limited by year. The results were de-duplicated across databases and then de-duplicated against the prior year's returned records. The frequency of database update varies. Ovid has provided us with the following update information: Agricola updated monthly on the 1st of the month, BIOSIS Previews updated weekly on Mondays, CAB Abstracts updated weekly on Mondays and Medline updated daily.

For records from websites, the following were recorded (if available): the website name and service publisher used, justification for choosing the source, the URL, the date on which the search was conducted, the date of the most recent website update at the time it was searched, the date span of the search, the search terms used, any limits to the search, and the number of relevant records retrieved (Table 10).

There were no relevant publications returned from the search of the regulatory agency websites so no manual references were searched as presented in the flow chart of the publication selection process (Figure 1).

TABLE 10 Regulatory agency webpage search details

Regulatory agency name	URL	Date of Search dd/mm/yyyy	Date of Most Recent Website Update dd/mm/yyyy	Date Span of Search*	Total number of records retrieved after removing duplicates	Number of relevant records
Health Canada ^a	https://www.canada.ca/en/health-canada/services/food-nutrition/genetically-modified-foods-other-novel-foods/approved-products.html	29/07/2020	05/28/2020	No limitations	6	0
Ministry of Agriculture, Forestry and Fisheries	http://www.maff.go.jp/e/	20/07/2020	No update information provided	No limitations	3	0
National Technical Commission on Biosafety ^b	http://ctnbio.mcti.gov.br/	15/07/2020	No update information provided	No limitations	4	0
Office of the Gene Technology Regulator	http://www.ogtr.gov.au/	23/07/2020	23/07/2020	No limitations	2	0
US Environmental Protection Agency	https://www.epa.gov/ingredients-used-pesticide-products/current-and-previously-registered-section-3-plant-incorporated	05/08/2020	14/07/2020	No limitations	0	0

^aAlso searches Environment and Climate Change Canada (<https://www.ec.gc.ca/cc/>) and Canadian Food Inspection Agency (<http://www.inspection.gc.ca/plants/plants-with-novel-traits/notices-of-submission/eng/1300143491851/1300143550790>)

^bPartial reports are excluded from review and statistics since there is no new information contained in these reports and they are not the official final opinion of the agency.

Records published prior to 2019 were manually excluded (if any).

The results of the selection process are recorded in Table 11.

TABLE 11 Results of the publication selection process, for each review question and or group of information/data requirements searched


Review question and/or category of information/data requirement(s) captured in the search	Number of publications
Publications identified after all ^a searches of the scientific literature (excluding duplicates)	296
Database results identified	281
Internet results identified	15
Manual searching – checking reference lists ^b	0
Publications excluded from the search results after screening of title and abstracts ^c (stage 1)	276
Database results excluded	276
Internet results excluded	0
Manual searching - reference results excluded	0
Publications screened using full-text (stage 2)	20
Database results screened	5
Internet results screened	15
Manual searching - reference results screened	0
Publications excluded after full-text screening	19
Database results full-text excluded	4
Internet results full-text excluded	15
Manual search – references excluded	0
Unobtainable publications	0
Unclear publications	0
Publications considered relevant	1
Database results relevant	1
Internet results relevant	0
References from relevant internet documents	0

^aBoth from electronic bibliographic databases and other sources of scientific literature.

^bNo relevant records were returned from the searching of regulatory agency websites therefore there are no records reported as a result of manual searching.

^cDue to the formatting of records from the websites of key organizations (i.e., a lack of abstracts and in some cases titles) these records were reviewed in a single stage in which the full-text document was reviewed.

FIGURE 1 Flow chart of the publication selection process



4.3 Relevant Publications

A list of the full bibliographic references for all relevant publications, ordered by category of information/data requirement is recorded in Table 12.

TABLE 12 Report of all relevant publications retrieved after detailed assessment of full-text documents for relevance: ordered by category of information/data requirement(s)

List of bibliographic references for all relevant publications, classified by category of information/data requirements			
Category of information/data requirement(s)	Study author(s) and year	Title	Source
Persistence and invasiveness assessment, including plant-to-plant gene transfer	Dively <i>et.al.</i> 2020	Evaluation of gene flow in structured and seed blend refuge systems of non-Bt and Bt corn	Journal of Pest Science

Report of all relevant publications retrieved after assessment of internet documents

No publications were considered relevant after detailed assessment of internet documents.

4.4 Excluded Publications After Detailed Assessment of Full-Text Documents

A list of the full bibliographic references for all excluded studies retrieved from database searching after detailed assessment of full-text documents for relevance (i.e., stage 2), with justification for their exclusion, is recorded in Table 13 and 14.

TABLE 13 Report of all publications excluded after detailed assessment of full-text documents

List of bibliographic references for all relevant publications, classified by category of information/data requirements			
Study author(s) and year	Title	Source	Reason(s) for exclusion based on eligibility/inclusion criteria table
Alves <i>et.al.</i> 2020	Dung beetles and the conservation of diversity in an agricultural landscape with maize fields and Atlantic Forest remnants	Acta Oecologica	Intervention/exposure - The publication examined dung beetle populations adjacent to cultivated fields (i.e. the fields were not planted by the researchers). The authors asked the farmers to qualify their inputs in a survey where one of the options was “transgenic maize” and the results were compiled based on survey results. Therefore, while it is not know whether any of the maize products planted are those within the scope of this literature review because the data were combined it is not relevant.
Erasmus <i>et.al.</i> 2019	Introgression of a cry1Ab transgene into open pollinated maize and its effect on Cry protein concentration and target pest survival	PLoS ONE	Intervention/exposure – This study was performed on Bt11 maize and not the stack or sub-combinations in scope for this review
Fast <i>et.al.</i> 2020	Transgene expression in sprayed and non-sprayed herbicide-tolerant genetically engineered crops is equivalent	Regulatory Toxicology and Pharmacology	Intervention/exposure – This study was not performed on the stack or sub-combinations in scope for this review
Liu <i>et.al.</i> 2020	Development of a sensitive monoclonal antibody-based sandwich ELISA to detect Vip3Aa in genetically modified crops	Biotechnology Letters	Intervention/exposure – This study was not performed on the stack or sub-combinations in scope for this review

TABLE 14 Report of all publications excluded after assessment of internet documents

List of bibliographic references for all relevant publications, classified by category of information/data requirements ^a			
Study Author(s) and year	Title	Source	Reason(s) for exclusion based on eligibility/inclusion criteria table
National Technical Commission on Biosafety (CTNBio) 2019	Parecer Técnico nº 6516 – 2019 - Technical Opinion 6516/2019	http://ctnbio.mctic.gov.br/documents/566529/2262918/Parecer+T%C3%A9cnico+n%C2%BA%206516++2019/	Intervention/exposure
National Technical Commission on Biosafety (CTNBio) 2020	Parecer Técnico nº 6862 – 2020 - Technical Opinion: 6862/2020	http://ctnbio.mctic.gov.br/documents/566529/2273348/Parecer+T%C3%A9cnico+n%C2%BA%206862++2020/	Intervention/exposure
Office of the Gene Technology Regulator (OGTR) no date	Application for a licence for DIR of GM plants into the environment - limited and controlled release - example answers	http://www.ogtr.gov.au/internet/ogtr/publishing.nsf/Content/dirapps-limitedandcontrolledanswers-toc	Intervention/exposure

^aThe other 12 records excluded and not presented in this table did not fulfill the eligibility criteria for report format.

4.5 Unobtainable Publications

No publications were considered unobtainable.

4.6 Unclear Publications

No publications were considered unclear.

4.7 Full-Text Documents

Full text documents for all relevant publications were compiled using a reference management software (.RIS format) and accompany this final report.

4.8 Narrative Synthesis/Summary of Relevant Publications

A narrative synthesis/summary of the relevant studies describing their overall volume, strength, and direction per main category of information/data requirements was not reported because this literature review was conducted for annual PMEM reports on GMOs authorized in the EU market and therefore it is not required.

4.9 Implications of Relevant Publications on Risk Assessment

The implications of the relevant publications on the risk assessment was assessed by considering whether the record presents new hazards, modified exposure pathways or new scientific uncertainties.

The record reliability and its implication on the risk assessment are recorded in Table 15.

TABLE 15 Report of the reliability and implications for the risk assessment of all relevant publications retrieved after detailed assessment of full-text documents for relevance: ordered by category of information/data requirement(s)

List of bibliographic references for all relevant publications, classified by category of information/data requirements			
Category of information/data requirement(s)	Publication (Author(s) and year)	Summary of reliability appraisal	Implications for the risk assessment
Persistence and invasiveness assessment, including plant-to-plant gene transfer	Dively <i>et al.</i> 2020	High:(the study clearly described the experimental design to allow for the study to be repeated independently; the study clearly described how the experimental procedures were performed and the reported results provide evidence of the reproducibility and accuracy of the findings)	This publication examined cross-fertilization rates of Bt11 × MIR604 × GA21 maize. The rates observed were comparable to those expected with maize generally. This publication has no impact on the risk assessment of Bt11 × MIR162 × MIR604 × GA21 maize.

5.0 RECORDS TO BE MAINTAINED

Records maintained include, but are not limited to, documentation of database search dates, database update dates, resolution of differences of opinion on records, the report, and any amendments or deviations.

6.0 ARCHIVING OF RECORDS

The protocol, protocol amendments or deviations, raw data, related documentation, and the final report are archived at Syngenta in Research Triangle Park NC, USA.

APPENDIX SECTION

APPENDIX A Search history and subject indexing



My Account Ask your Information Specialist Support & Training Help Feedback Logged in as [redacted] Logoff

Search My Workspace What's New

Search History (31)

View Saved

#	Searches	Results	Type	Actions	Annotations
1	(Bt11 or Bt 11 or SYN-BT711-1).mp. [mp=meeting information, title, original title, map information, note, abstract, heading words]	118	Advanced	Display Results More	Contract
2	(MIR162 or MIR 162 or SYN-IR162-4).mp. [mp=meeting information, title, original title, map information, note, abstract, heading words]	26	Advanced	Display Results More	
3	(MIR604 or MIR 604 or SYN-IR674-5).mp. [mp=meeting information, title, original title, map information, note, abstract, heading words]	26	Advanced	Display Results More	
4	(GA21 or GA 21 or GA2I or GA 2I or "MON ØØØ21" or MON OOO21* or MON 00021* or MON empty setempty setempty set21* or "MONØØØ21" or MONOOO21* or MON00021* or MONempty setempty setempty set21* or "MØN ØØØ21" or MØN OOO21* or MØN 00021* or MON empty setempty setempty set21* or "MONØØØ21" or MONOOO21* or MON00021* or MONempty setempty setempty set21*).mp. [mp=meeting information, title, original title, map information, note, abstract, heading words]	59	Advanced	Display Results More	
5	1 and (2 or 3 or 4)	32	Advanced	Display Results More	
6	2 and (3 or 4)	3	Advanced	Display Results More	
7	3 and 4	6	Advanced	Display Results More	
8	5 or 6 or 7	33	Advanced	Display Results More	
9	Agrisure*.mp. [mp=meeting information, title, original title, map information, note, abstract, heading words]	17	Advanced	Display Results More	
10	(Cry1Ab* or Cry 1Ab* or Cry1 Ab* or Cry 1 Ab* or Cry1Ab* or Cry 1Ab* or Cry 1 Ab* or Cry 1 Ab*).mp. [mp=meeting information, title, original title, map information, note, abstract, heading words]	940	Advanced	Display Results More	
11	(Phosphinothricin N acetyltransferase or Phosphinothricin N acetyl transferase or Phosphinothricin acetyltransferase or Phosphinothricin acetyl transferase or PPT acetyltransferase or PPT acetyl transferase or PT N acetyltransferase or PT N acetyl transferase or Glufosinate acetyltransferase or Glufosinate acetyl transferase or Glufosinate acetyltransferase or Glufosinate acetyl transferase or pat or 111069-93-3 or "EC 2.3.1.183" or "E.C. 2.3.1.183").mp. [mp=meeting information, title, original title, map information, note, abstract, heading words]	2714	Advanced	Display Results More	
12	(Vip3AA20* or Vip3 AA20* or Vip3 AA 20* or Vip3A A 20*).mp. [mp=meeting information, title, original title, map information, note, abstract, heading words]	17	Advanced	Display Results More	
13	(Phosphomannoisomerase or Mannose 6-phosphate isomerase or Phosphomannoisomerase or Phosphomannose isomerase or 9023-88-5 or AAA24109 or "EC 5.3.1.8" or "E.C. 5.3.1.8").mp. [mp=meeting information, title, original title, map information, note, abstract, heading words]	143	Advanced	Display Results More	
14	(mCry3A* or mCry 3A* or mCry 3 A* or Cry3A* or Cry 3A* or Cry 3 A*).mp. [mp=meeting information, title, original title, map information, note, abstract, heading words]	163	Advanced	Display Results More	
15	(5 enolpyruvyl shikimate 3 phosphate synthase or 5 enolpyruvyl shikimate 3 phosphate synthase or EPSP synthase or MEPSP synthase or EPSPS or MEPSPS or "EC 2.5.1.1.9" or "E.C. 2.5.1.1.9").mp. [mp=meeting information, title, original title, map information, note, abstract, heading words]	617	Advanced	Display Results More	
16	10 and (12 or 13 or 14 or 15)	34	Advanced	Display Results More	
17	11 and (12 or 13 or 14 or 15)	34	Advanced	Display Results More	
18	12 and (14 or 15)	4	Advanced	Display Results More	
19	13 and 15	3	Advanced	Display Results More	
20	14 and 15	2	Advanced	Display Results More	
21	16 or 17 or 18 or 19 or 20	64	Advanced	Display Results More	
22	((((Insect or Insects or coleoptera* or lepidoptera* or pest or pests or stalkborer* or stalk borer* or borer* or cornborer* or corn borer* or noctuidae or Crambidae or Chrysomelidae or earworm* or ear worm* or armyworm* or army worm* or cutworm* or cut worm* or rootworm* or root worm* or Ostrinia or O nubilalis or Diatraea or D grandiosella or D cramboides or Helicoverpa or H zea or Spodoptera or S frugiperda or S exigua or Papaipema or P nebris or Elasmopalpus or E lignosellus or D saccharalis or Striacosta or S albicosta or Agrotis or A ipsilon or Feltia or F jaculifera or Pseudaletia or P unipuncta or Diabrotica or D virgifera or D barberi or ECB or SWCB or SCSB or CEW or FAW or SCB or WBC or WCRW or WCR or NCRW or MCR or MCRW) adj2 (toleran* or resistan* or protect* or control*)) or B thuringiensis or Bacillus thuringiensis or ((glufosinate* or glufosinate* or Basta* or Liberty* or Ignite* or Rely* or Finale* or Challenge* or gl?phosate or gl?fosate or roundup* or round up* or herbicide* or pesticide*) adj2 (toleran* or resistan* or protect*))).mp. [mp=meeting information, title, original title, map information, note, abstract, heading words]	135219	Advanced	Display Results More	

<input type="checkbox"/>	23	(GMO* or LMO* or GM or GE or transgen* or ((genetic* or living or biotech*) adj3 (modif* or transform* or manipul* or improv* or engineer* or deriv*) or stack*),mp. [mp=meeting information, title, original title, map information, note, abstract, heading words]	116653	Advanced	Display Results More	
<input type="checkbox"/>	24	22 and 23	7495	Advanced	Display Results More	
<input type="checkbox"/>	25	(GMHT or GEHT or GMHR or GEHR or GMHTs or GEHTs or GMHRs or GEHRs).mp. [mp=meeting information, title, original title, map information, note, abstract, heading words]	116	Advanced	Display Results More	
<input type="checkbox"/>	26	24 or 25	7585	Advanced	Display Results More	
<input type="checkbox"/>	27	(Maize* or corn* or Zea mays or Z mays).mp. [mp=meeting information, title, original title, map information, note, abstract, heading words]	170661	Advanced	Display Results More	
<input type="checkbox"/>	28	26 and 27	1839	Advanced	Display Results More	
<input type="checkbox"/>	29	((Bt or Bacillus thuringiensis or B thuringiensis) adj5 (maize* or corn* or mays) or Btmaize* or Btcorn*).mp. [mp=meeting information, title, original title, map information, note, abstract, heading words]	1229	Advanced	Display Results More	
<input type="checkbox"/>	30	8 or 9 or 21 or 28 or 29	2163	Advanced	Display Results More	
<input type="checkbox"/>	31	limit 30 to yr="2019 -Current"	83	Advanced	Display Results More	

Save Remove Combine with: AND OR

Save All Edit Create RSS View Saved

Basic Search | Find Citation | Search Tools | Search Fields | **Advanced Search** | Multi-Field Search

1 Resource selected | [Hide](#) | [Change](#)

AGRICOLA 1970 to August 2020

Enter keyword or phrase (* or \$ for truncation)

Keyword Author Title Journal

Limits (expand) Map Term to Subject Heading

Options

Print Email Export + My Projects Keep Selected

Search Information

You searched:
limit 30 to yr="2019 -Current"

Search terms used:
1
3
5
11
21
182
604
111069-93-3
enol
pyruvyl
shikimate
phosphate
synthase
enolpyruvyl
enolpyruvylshikimate
9023-88-5
a
ipsilon
aaa24109
agnisure*
agrotis
army
worm*
armyworm*
b
thuringiensis
bacillus
basta*
biotech*
borer*
bt
bt11
btcorn*
btmaize*
cew

All

1. **Efficacy of *Bacillus thuringiensis* (Bt) maize expressing Cry1F, Cry1A,105, Cry2Ab2 and Vip3Aa20 proteins to manage the fall armyworm (*Lepidoptera: Noctuidae*) in Brazil**

Moscardini, ValAcria F. Marques, Luiz H. Santos, AntA'nio C. Rossetto, JaAcidino Silva, Oscar A.B.N. Rampazzo, Pedro E. Castro, Boris A.

Crop protection, 2020 Nov. 137(137)
[Journal Article. Government Publication]

AN: IND606978243.

[Abstract](#) [Cite](#) [+ My Projects](#) [+ Annotate](#)

[Abstract Reference](#)
[Complete Reference](#)

[Find Similar](#)
[Find Citing Articles](#)

Obtain Full Text
branchOUT

AB Recommendations to manage the impact of *Spodoptera frugiperda* (*Lepidoptera: Noctuidae*) to **maize** production include the use of **Bt** crops where **approved**, combined with the **adoption** of integrated **pest** management (IPM) and **insect resistance** management (IRM) practices. This study evaluated the efficacy of **Bt maize** expressing proteins Cry1FA" "+A" "**Cry** 1A,105A" "+A" "**Cry**2Ab2A" "+A" "**Vip3Aa20** to **control S. frugiperda** under field conditions in Brazil. This **Bt maize** technology effectively managed seedling cutting injury, significantly reduced foliar feeding and **achieved** near 100% **protection** from kernel-feeding caused by both a Cry1F-resistant strain and a field-collected population of **S. frugiperda**. Consistent field-collected data **across** several years and planting regions suggest that this **Bt maize** technology will be an important tool for the effective management of **all** important feeding injury types caused by **S. frugiperda** in Brazil. **As** with **any Bt maize** hybrid, its implementation within IPM and IRM practices should help growers maintain **maize** crop sustainability in Brazil.

2. **Bt maize genotypes do not harm *Trichogramma pretiosum* when exposed to vegetative and reproductive structures**

Spagnol, Daniel Castilhos, Rodolfo Vargas Pasini, Rafael Antonio GrA1/4tzmacher, Anderson Dionei Afonso da Rosa, Ana Paula Schneid

Biocontrol science and technology, 2020 May 3. 30(5) p. 480-484.
[Journal Article. Government Publication]

AN: IND606938986.

[Abstract Reference](#)
[Complete Reference](#)

[Find Similar](#)
[Find Citing Articles](#)



Search My Workspace What's New

Search History (31)

View Saved

#	Searches	Results	Type	Actions	Annotations
1	(Bt11 or Bt 11 or SYN-BT711-1).mp. [mp=abstract, original language book title (non-english), book title (english), title, heading words]	317	Advanced	Display Results More	Contract
2	(MIR162 or MIR 162 or SYN-IR162-4).mp. [mp=abstract, original language book title (non-english), book title (english), title, heading words]	107	Advanced	Display Results More	
3	(MIR604 or MIR 604 or SYN-IR674-5).mp. [mp=abstract, original language book title (non-english), book title (english), title, heading words]	72	Advanced	Display Results More	
4	(GA21 or GA 21 or GA2I or GA 2I or "MON ØØØ21*" or MON OOO21* or MON 00021* or MON empty setempty setempty set21* or "MONØØØ21*" or MONOOO21* or MON00021* or MONempty setempty setempty set21* or "MØN ØØØ21*" or MØN OOO21* or MØN 00021* or MON empty setempty setempty set21* or "MONØØØ21*" or MONOOO21* or MON00021* or MONempty setempty setempty set21*).mp. [mp=abstract, original language book title (non-english), book title (english), title, heading words]	157	Advanced	Display Results More	
5	1 and (2 or 3 or 4)	83	Advanced	Display Results More	
6	2 and (3 or 4)	12	Advanced	Display Results More	
7	3 and 4	28	Advanced	Display Results More	
8	5 or 6 or 7	93	Advanced	Display Results More	
9	Agrisure*.mp. [mp=abstract, original language book title (non-english), book title (english), title, heading words]	30	Advanced	Display Results More	
10	(Cry1Ab* or Cry 1Ab* or Cry1 Ab* or Cry 1 Ab* or Cry1Ab* or Cry 1Ab* or Cry1 Ab* or Cry 1 Ab*)*.mp. [mp=abstract, original language book title (non-english), book title (english), title, heading words]	2044	Advanced	Display Results More	
11	(Phosphinothricin N acetyltransferase or Phosphinothricin N acetyl transferase or Phosphinothricin acetyltransferase or Phosphinothricin acetyl transferase or PPT acetyltransferase or PPT acetyl transferase or PT N acetyltransferase or PT N acetyl transferase or Glufosinate acetyltransferase or Glufosinate acetyl transferase or Glufosinate acetyltransferase or Glufosinate acetyl transferase or pat or 111069-93-3 or "EC 2.3.1.183" or "E.C. 2.3.1.183").mp. [mp=abstract, original language book title (non-english), book title (english), title, heading words]	6815	Advanced	Display Results More	
12	(Vip3AA20* or Vip3 AA20* or Vip3 AA 20* or Vip3A A 20*).mp. [mp=abstract, original language book title (non-english), book title (english), title, heading words]	41	Advanced	Display Results More	
13	(Phosphomannoisomerase or Mannose 6-phosphate isomerase or Phosphomannoisomerase or Phosphomannose isomerase or 9023-88-5 or AAA24109 or "EC 5.3.1.8" or "E.C. 5.3.1.8").mp. [mp=abstract, original language book title (non-english), book title (english), title, heading words]	624	Advanced	Display Results More	
14	(mCry3A* or mCry 3A* or mCry 3 A* or Cry3A* or Cry 3A* or Cry 3 A*).mp. [mp=abstract, original language book title (non-english), book title (english), title, heading words]	388	Advanced	Display Results More	
15	(5 enolpyruvyl shikimate 3 phosphate synthase or 5 enolpyruvyl shikimate 3 phosphate synthase or EPSP synthase or MEPSP synthase or EPSPS or MEPSPS or "EC 2.5.1.1.9" or "E.C. 2.5.1.1.9").mp. [mp=abstract, original language book title (non-english), book title (english), title, heading words]	5052	Advanced	Display Results More	
16	10 and (12 or 13 or 14 or 15)	99	Advanced	Display Results More	
17	11 and (12 or 13 or 14 or 15)	72	Advanced	Display Results More	
18	12 and (14 or 15)	15	Advanced	Display Results More	
19	13 and 15	3	Advanced	Display Results More	
20	14 and 15	11	Advanced	Display Results More	
21	16 or 17 or 18 or 19 or 20	161	Advanced	Display Results More	
22	((Insect or Insects or coleoptera* or lepidoptera* or pest or pests or stalkborer* or stalk borer* or borer* or cornborer* or corn borer* or noctuidae or Crambidae or Chrysomelidae or earworm* or ear worm* or armyworm* or army worm* or cutworm* or cut worm* or rootworm* or root worm* or Ostrinia or O nubilalis or Diatraea or D grandiosella or D crambidoides or Helicoverpa or H zea or Spodoptera or S frugiperda or S exigua or Papaipema or P nebris or Elasmopalpus or E lignosellus or D saccharalis or Striacosta or S albicosta or Agrotis or A ipsilon or Feltia or F jaculifera or Pseudaletia or P unipuncta or Diabrotica or D virgifera or D barberi or ECB or SWCB or SCSB or CEW or FAW or SCB or WBC or WCRW or WCR or NCRW or MCR or MCRW) adj2 (toleran* or resistan* or protect* or control*) or B thuringiensis or Bacillus thuringiensis or ((glufosinate* or glufosinate* or Basta* or Liberty* or Ignite* or Rely* or Finale* or Challenge* or gl?phosate or gl?fosate or roundup* or round up* or herbicide* or pesticide*) adj2 (toleran* or resistan* or protect*))).mp. [mp=abstract, original language book title (non-english), book title (english), title, heading words]	430828	Advanced	Display Results More	

<input type="checkbox"/>	23	(GMO* or LMO* or GM or GE or transgen* or ((genetic* or living or biotech*) adj3 (modif* or transform* or manipul* or improv* or engineer* or deriv*) or stack*),mp, [mp=abstract, original language book title (non-english), book title (english), title, heading words]	550757	Advanced	Display Results More	<input type="checkbox"/>
<input type="checkbox"/>	24	22 and 23	18113	Advanced	Display Results More	<input type="checkbox"/>
<input type="checkbox"/>	25	(GMHT or GEHT or GMHR or GEHR or GMHTs or GEHTs or GMHRs or GEHRs).mp, [mp=abstract, original language book title (non-english), book title (english), title, heading words]	140	Advanced	Display Results More	<input type="checkbox"/>
<input type="checkbox"/>	26	24 or 25	18173	Advanced	Display Results More	<input type="checkbox"/>
<input type="checkbox"/>	27	(Maize* or corn* or Zea mays or Z mays).mp, [mp=abstract, original language book title (non-english), book title (english), title, heading words]	332825	Advanced	Display Results More	<input type="checkbox"/>
<input type="checkbox"/>	28	26 and 27	3567	Advanced	Display Results More	<input type="checkbox"/>
<input type="checkbox"/>	29	((Bt or Bacillus thuringiensis or B thuringiensis) adj5 (maize* or corn* or mays)) or Btmaize* or Btcorn*).mp, [mp=abstract, original language book title (non-english), book title (english), title, heading words]	2137	Advanced	Display Results More	<input type="checkbox"/>
<input type="checkbox"/>	30	8 or 9 or 21 or 28 or 29	4551	Advanced	Display Results More	<input type="checkbox"/>
<input type="checkbox"/>	31	limit 30 to yr="2019 -Current"	231	Advanced	Display Results More	<input type="checkbox"/>

Save Remove Combine with: AND OR

Save All Edit Create RSS View Saved

Basic Search | Find Citation | Search Tools | Search Fields | **Advanced Search** | Multi-Field Search

1 Resource selected | [Hide](#) | [Change](#)

BIOSIS Previews 1990 to 2020 Week 40

Enter keyword or phrase Keyword Author Title Journal
 (* or \$ for truncation)

Limits (expand) Map Term to Subject Heading

Options

Print Email Export + My Projects Keep Selected

To search Open Access content on Ovid, go to [Basic Search](#).

View By

Text (231 Results)

Multimedia (0 Results)

Search Information

You searched:

limit 30 to yr="2019 -Current"

Search terms used:

1
3
5
11
21
162
604
111069-93-3
encl
pyruvyl
shikimate
phosphate
synthase
enclpyruvyl
enclpyruvylshikimate
9023-88-5
a
ipsilon
aaa24109
agrisure*
agrotis
army
worm*
armyworm*
b
thuringiensis
bacillus
basta*

All [Next >](#)

1. **Fluorescence of chlorophyll a in transgenic maize with herbicide application and attacked by Spodoptera frugiperda (Lepidoptera: Noctuidae)**

Rocha de Souza, Michael William [Author, Reprint Author; E-mail: michael512011@hotmail.com]; Ferreira, Evander Alves [Author]; dos Santos, Jose Barbosa [Author]; Soares, Marcus Alvarenga [Author]; de Castro e Castro, Barbara Monteiro [Author]; Zanoncio, Jose Cola [Author].

Phytoparasitica, 48(4). SEP 2020.

[Article]

[Abstract](#) [Cite](#) [+ My Projects](#) [+ Annotate](#)

[Abstract Reference](#)
[Complete Reference](#)

[Find Similar](#)
[Find Citing Articles](#)

Obtain Full Text
branchOUT

AB Physiological changes in **maize** plants, submitted to **herbicides and pests**, should be studied for integrated management in this crop. The objective was to evaluate the chlorophyll a fluorescence in **maize** genotypes damaged or not by **Spodoptera frugiperda**, and sprayed with **herbicides**. The **herbicides atrazine and nicosulfuron** were **applied** to the plants at doses of 3 kg ha(- 1) and 0.06 kg ha(- 1), respectively. A randomized block design in a factorial scheme with **an additional** treatment 3 (2 x 2 + 1) was used, being the factor **A: maize** leaves exposed or not to the **attack of S. frugiperda**; factor **B: Herculex (R) (transgenic maize** encoding the Cry1F protein) and Isohybrid (non-transgenic **maize**) genotypes **and an additional** treatment represented by the PowerCore (R) genotype (**stacked transgenic maize** encoding the Cry1F, Cry1A,105 and Cry2Ab2 proteins). The initial fluorescence of chlorophyll a (F0 - electrons quantum(- 1)), maximum fluorescence (Fm - electron quantum(- 1)), ratio between variable fluorescence **and** maximum fluorescence of chlorophyll a (Fv/Fm) **and** electron transport rate ETR-mu mols electrons m(- 2) s(- 1)) were **analyzed**. The initial fluorescence of chlorophyll a increased **and** Fm, Fv/Fm **and** ETR decreased in plants **attacked** by the **pest**. The PowerCore (R) chlorophyll fluorescence remained in characteristic patterns. Chlorophyll a fluorescence was similar between genotypes with or without **herbicides application**. Damage by **S. frugiperda** increased the initial fluorescence of chlorophyll a **and** reduced the variable fluorescence/maximum fluorescence ratio **and** electron transport rate, indicating physiological stress in **maize** plants. The **herbicides** do not cause physiological stress in plants of **maize** genotypes with characteristic values of chlorophyll a fluorescence.

2. **Research on the Gene Flow From Transgenic EPSPS plus PAT Soybean 54003, 14 to Non-**



My Account Ask your Information Specialist Support & Training Help Feedback Logged in as [redacted] Logoff

Search My Workspace What's New

▼ Search History (31)

View Saved

# ▲	Searches	Results	Type	Actions	Annotations
<input type="checkbox"/>	1 (Bt11 or Bt 11 or SYN-BT711-1).mp. [mp=abstract, title, original title, broad terms, heading words, identifiers, cabicodes]	271	Advanced	Display Results More	Contract
<input type="checkbox"/>	2 (MIR162 or MIR 162 or SYN-IR162-4).mp. [mp=abstract, title, original title, broad terms, heading words, identifiers, cabicodes]	57	Advanced	Display Results More	
<input type="checkbox"/>	3 (MIR604 or MIR 604 or SYN-IR674-5).mp. [mp=abstract, title, original title, broad terms, heading words, identifiers, cabicodes]	51	Advanced	Display Results More	
<input type="checkbox"/>	4 (GA21 or GA 21 or GA21 or GA 21 or "MON ØØØ21" or MON OOO21* or MON 00021* or MON empty setempty setempty set21* or "MONØØØ21" or MONOOO21* or MON00021* or MONempty setempty setempty set21* or "MØN ØØØ21" or MØN OOO21* or MØN 00021* or MON empty setempty setempty set21* or "MONØØØ21" or MONOOO21* or MON00021* or MONempty setempty setempty set21*).mp. [mp=abstract, title, original title, broad terms, heading words, identifiers, cabicodes]	140	Advanced	Display Results More	
<input type="checkbox"/>	5 1 and (2 or 3 or 4)	67	Advanced	Display Results More	
<input type="checkbox"/>	6 2 and (3 or 4)	10	Advanced	Display Results More	
<input type="checkbox"/>	7 3 and 4	20	Advanced	Display Results More	
<input type="checkbox"/>	8 5 or 6 or 7	70	Advanced	Display Results More	
<input type="checkbox"/>	9 Agrisure*.mp. [mp=abstract, title, original title, broad terms, heading words, identifiers, cabicodes]	25	Advanced	Display Results More	
<input type="checkbox"/>	10 (Cry1Ab* or Cry 1Ab* or Cry1 Ab* or Cry 1 Ab* or Cry1Ab* or Cry 1Ab* or Cry1 Ab* or Cry 1 Ab*).mp. [mp=abstract, title, original title, broad terms, heading words, identifiers, cabicodes]	1598	Advanced	Display Results More	
<input type="checkbox"/>	11 (Phosphinothricin N acetyltransferase or Phosphinothricin N acetyl transferase or Phosphinothricin acetyltransferase or Phosphinothricin acetyl transferase or PPT acetyltransferase or PPT acetyl transferase or PT N acetyltransferase or PT N acetyl transferase or Glufosinate acetyltransferase or Glufosinate acetyl transferase or Glufosinate acetyltransferase or Glufosinate acetyl transferase or pat or 111069-93-3 or "EC 2.3.1.183" or "E.C. 2.3.1.183").mp. [mp=abstract, title, original title, broad terms, heading words, identifiers, cabicodes]	2338	Advanced	Display Results More	
<input type="checkbox"/>	12 (Vip3AA20* or Vip3 AA20* or Vip3 AA 20* or Vip3A A 20*).mp. [mp=abstract, title, original title, broad terms, heading words, identifiers, cabicodes]	30	Advanced	Display Results More	
<input type="checkbox"/>	13 (Phosphomannoisomerase or Mannose 6-phosphate isomerase or Phosphomannoisomerase or Phosphomannose isomerase or 9023-88-5 or AAA24109 or "EC 5.3.1.8" or "E.C. 5.3.1.8").mp. [mp=abstract, title, original title, broad terms, heading words, identifiers, cabicodes]	227	Advanced	Display Results More	
<input type="checkbox"/>	14 (mCry3A* or mCry 3A* or mCry 3 A* or Cry3A* or Cry 3A* or Cry 3 A*).mp. [mp=abstract, title, original title, broad terms, heading words, identifiers, cabicodes]	263	Advanced	Display Results More	
<input type="checkbox"/>	15 (5 enol pyruvyl shikimate 3 phosphate synthase or 5 enolpyruvyl shikimate 3 phosphate synthase or 5 enolpyruvylshikimate 3 phosphate synthase or EPSP synthase or MEPSP synthase or EPSPS or MEPSPS or "EC 2.5.1.1.9" or "E.C. 2.5.1.1.9").mp. [mp=abstract, title, original title, broad terms, heading words, identifiers, cabicodes]	1032	Advanced	Display Results More	
<input type="checkbox"/>	16 10 and (12 or 13 or 14 or 15)	78	Advanced	Display Results More	
<input type="checkbox"/>	17 11 and (12 or 13 or 14 or 15)	65	Advanced	Display Results More	
<input type="checkbox"/>	18 12 and (14 or 15)	7	Advanced	Display Results More	
<input type="checkbox"/>	19 13 and 15	3	Advanced	Display Results More	
<input type="checkbox"/>	20 14 and 15	5	Advanced	Display Results More	
<input type="checkbox"/>	21 16 or 17 or 18 or 19 or 20	133	Advanced	Display Results More	
<input type="checkbox"/>	22 (((Insect or Insects or coleoptera* or lepidoptera* or pest or pests or stalkborer* or stalk borer* or borer* or comborer* or corn borer* or noctuidae or Crambidae or Chrysomelidae or earworm* or ear worm* or armyworm* or army worm* or cutworm* or cut worm* or rootworm* or root worm* or Ostrinia or O nubilalis or Diatraea or D grandiosella or D cramboides or Helicoverpa or H zea or Spodoptera or S frugiperda or S exigua or Papaipema or P nebris or Elasmopalpus or E lignosellus or D saccharalis or Striacosta or S albicosta or Agrotis or A ipsilon or Feltia or F jaculifera or Pseudaletia or P unipuncta or Diabrotica or D virgifera or D barberi or ECB or SWCB or SCSB or CEW or FAW or SCB or WBC or WCRW or WCR or NCRW or MCR or MCRW) adj2 (toleran* or resistan* or protect* or controf*)) or B thuringiensis or Bacillus thuringiensis or ((glufosinate* or glufosinate* or Basta* or Liberty* or Ignite* or Rely* or Finale* or Challenge* or gl?phosate or gl?fosate or roundup* or round up* or herbicide* or pesticide*) adj2 (toleran* or resistan* or protect*))).mp. [mp=abstract, title, original title, broad terms, heading words, identifiers, cabicodes]	218048	Advanced	Display Results More	
<input type="checkbox"/>	23 (GMO* or LMO* or GM or GE or transgen* or ((genetic* or living or biotech*) adj3 (modif* or	188706	Advanced	Display Results More	

https://ovidsp.dc2.ovid.com/ovid-b/ovidweb.cgi?&S=HBJEFPNABIEBPKMICIPAKCHPEHFEEFAA00&C=_main&tab=search&Main+Search+Page=1

1/2

transform* or manipulat* or improv* or engineer* or deriv*) or stack*).mp. [mp=abstract, title, original title, broad terms, heading words, identifiers, cabicodes]

<input type="checkbox"/>	24	22 and 23	16619	Advanced	Display Results More	
<input type="checkbox"/>	25	(GMHT or GEHT or GMHR or GEHR or GMHTs or GEHTs or GMHRs or GEHRs).mp. [mp=abstract, title, original title, broad terms, heading words, identifiers, cabicodes]	221	Advanced	Display Results More	
<input type="checkbox"/>	26	24 or 25	16742	Advanced	Display Results More	
<input type="checkbox"/>	27	(Maize* or corn* or Zea mays or Z mays).mp. [mp=abstract, title, original title, broad terms, heading words, identifiers, cabicodes]	373317	Advanced	Display Results More	
<input type="checkbox"/>	28	26 and 27	3277	Advanced	Display Results More	
<input type="checkbox"/>	29	((Bt or Bacillus thuringiensis or B thuringiensis) adj5 (maize* or corn* or mays) or Btmaize* or Btcorn*).mp. [mp=abstract, title, original title, broad terms, heading words, identifiers, cabicodes]	2173	Advanced	Display Results More	
<input type="checkbox"/>	30	8 or 9 or 21 or 28 or 29	4123	Advanced	Display Results More	
<input type="checkbox"/>	31	limit 30 to yr="2019 -Current"	162	Advanced	Display Results More	

Save Remove Combine with: AND OR

Save All Edit Create RSS View Saved

Basic Search | Find Citation | Search Tools | Search Fields | **Advanced Search** | Multi-Field Search

1 Resource selected | Hide | Change

CAB Abstracts 1973 to 2020 Week 34

Enter keyword or phrase (* or \$ for truncation)

Keyword Author Title Journal

Limits (expand) Map Term to Subject Heading

Options

Print Email Export + My Projects Keep Selected

Search Information

You searched:
limit 30 to yr="2019 -Current"

Search terms used:

- 1
- 3
- 5
- 11
- 21
- 162
- 604
- 111069-93-3
- end
- pyruvyl
- shikimate
- phosphate
- synthase
- endopyruvyl
- endopyruvylshikimate
- 9023-88-5
- a
- ipslon
- aaa24109
- agrisure*
- agrotis
- army
- worm*
- armyworm*
- b
- thuringiensis
- bacillus
- basta*
- biotech*
- borer*
- bt
- bt11
- btcorn*
- btmaize*
- cew
- challenge*

All [Next >](#)

1. **Biology and management of pest *Diabrotica* species in South America.**

Walsh, G. C. Avila, C. J. Cabrera, N. Nava, D. E. Pinto, A. de S. Weber, D. C.
Insects; 2020. 11(7)158 ref.
[Journal article]

[Abstract](#) [Cite](#) [+ My Projects](#) [+ Annotate](#)

AB The genus *Diabrotica* has over 400 described species, the majority of them neotropical. However, only three species of neotropical *Diabrotica* are considered **agricultural pests**: *D. speciosa*, *D. balteata*, and *D. viridula*. *D. speciosa* and *D. balteata* are polyphagous both **as adults and** during the larval stage. *D. viridula* are stenophagous during the larval stage, feeding essentially on **maize roots, and polyphagous as adults**. The larvae of the three species are **pests on maize**, but *D. speciosa* larvae **also** feed on potatoes and peanuts, while *D. balteata* larvae feed on beans and peanuts. None of these species express a winter/dry season egg diapause, displaying instead several continuous, latitude-mediated generations per year. This hinders the use of crop rotation **as a management tool, although** early planting can help in the temperate regions of the distribution of *D. speciosa*. The parasitoids of **adults**, *Celatoria bosqi* and *Centistes gasseni*, do not exert much **control on *Diabrotica*** populations, or show potential for inundative biocontrol plans. Management options are limited to insecticide **applications and Bt genetically modified (GM) maize**. Other techniques that show promise are products using *Beauveria bassiana* and *Heterorhabditis bacteriophora*, semiochemical **attractants** for monitoring purposes or **as toxic baits, and plant resistance**.

[Abstract Reference](#)
[Complete Reference](#)

[Find Similar](#)
[Find Citing Articles](#)

Obtain Full Text
branchOUT
PLANTWISE

2. **First records of *Leucania rawlini* Adams and *L. senescens* Moschler (Lepidoptera: Noctuidae) in Brazil: redescription, potential association with Bt maize, larval parasitoids, and spatial and temporal distribution.**

Cocco, J. Dolibaina, D. R. Casagrande, M. M. Specht, A. Foerster, L. A.
Zootaxa; 2019. 4604(3):441-460. many ref.
[Journal article]

[Abstract](#) [Cite](#) [+ My Projects](#) [+ Annotate](#)

[Abstract Reference](#)
[Complete Reference](#)

[Find Similar](#)
[Find Citing Articles](#)

Obtain Full Text
branchOUT
PLANTWISE



[Search](#)
[My Workspace](#)
[What's New](#)

▼ Search History (31)

[View Saved](#)

# ▲	Searches	Results	Type	Actions	Annotations
<input type="checkbox"/>	1 (Bt11 or Bt 11 or SYN-BT711-1).mp. [mp=title, abstract, original title, name of substance word, subject heading word, floating sub-heading word, keyword heading word, organism supplementary concept word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier, synonyms]	141	Advanced	Display Results More	Contract
<input type="checkbox"/>	2 (MIR162 or MIR 162 or SYN-IR162-4).mp. [mp=title, abstract, original title, name of substance word, subject heading word, floating sub-heading word, keyword heading word, organism supplementary concept word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier, synonyms]	50	Advanced	Display Results More	
<input type="checkbox"/>	3 (MIR604 or MIR 604 or SYN-IR674-5).mp. [mp=title, abstract, original title, name of substance word, subject heading word, floating sub-heading word, keyword heading word, organism supplementary concept word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier, synonyms]	31	Advanced	Display Results More	
<input type="checkbox"/>	4 (GA21 or GA 21 or GA2I or GA 2I or "MON ØØØ21*" or MON ØØØ21*" or MON 00021*" or MON empty setempty setempty set21*" or "MONØØØ21*" or MONØØØ21*" or MONØØØ21*" or MONempty setempty setempty set21*" or "MON ØØØ21*" or MON ØØØ21*" or MON 00021*" or MON empty setempty setempty set21*" or "MONØØØ21*" or MONØØØ21*" or MONØØØ21*" or MONempty setempty setempty set21*).mp. [mp=title, abstract, original title, name of substance word, subject heading word, floating sub-heading word, keyword heading word, organism supplementary concept word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier, synonyms]	84	Advanced	Display Results More	
<input type="checkbox"/>	5 1 and (2 or 3 or 4)	37	Advanced	Display Results More	
<input type="checkbox"/>	6 2 and (3 or 4)	7	Advanced	Display Results More	
<input type="checkbox"/>	7 3 and 4	9	Advanced	Display Results More	
<input type="checkbox"/>	8 5 or 6 or 7	38	Advanced	Display Results More	
<input type="checkbox"/>	9 Agrisure*.mp. [mp=title, abstract, original title, name of substance word, subject heading word, floating sub-heading word, keyword heading word, organism supplementary concept word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier, synonyms]	9	Advanced	Display Results More	
<input type="checkbox"/>	10 (Cry1Ab* or Cry 1Ab* or Cry1 Ab* or Cry 1 Ab* or Cry1Ab* or Cry 1Ab* or Cry 1 Ab* or Cry 1 Ab*).mp. [mp=title, abstract, original title, name of substance word, subject heading word, floating sub-heading word, keyword heading word, organism supplementary concept word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier, synonyms]	892	Advanced	Display Results More	
<input type="checkbox"/>	11 (Phosphinothricin N acetyltransferase or Phosphinothricin acetyl transferase or PPT acetyltransferase or PPT acetyl transferase or PT N acetyltransferase or PT N acetyl transferase or Glufosinate acetyltransferase or Glufosinate acetyl transferase or Glufosinate acetyltransferase or Glufosinate acetyl transferase or pat or 111069-93-3 or "EC 2.3.1.183" or "E.C. 2.3.1.183").mp. [mp=title, abstract, original title, name of substance word, subject heading word, floating sub-heading word, keyword heading word, organism supplementary concept word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier, synonyms]	5265	Advanced	Display Results More	
<input type="checkbox"/>	12 (Vip3AA20* or Vip3 AA20* or Vip3 AA 20* or Vip3A A 20*).mp. [mp=title, abstract, original title, name of substance word, subject heading word, floating sub-heading word, keyword heading word, organism supplementary concept word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier, synonyms]	20	Advanced	Display Results More	
<input type="checkbox"/>	13 (Phosphomannoisomerase or Mannose 6-phosphate isomerase or Phosphomannoisomerase or Phosphomannose isomerase or 9023-88-5 or AAA24109 or "EC 5.3.1.8" or "E.C. 5.3.1.8").mp. [mp=title, abstract, original title, name of substance word, subject heading word, floating sub-heading word, keyword heading word, organism supplementary concept word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier, synonyms]	487	Advanced	Display Results More	
<input type="checkbox"/>	14 (mCry3A* or mCry 3A* or mCry 3 A* or Cry3A* or Cry 3A* or Cry 3 A*).mp. [mp=title, abstract, original title, name of substance word, subject heading word, floating sub-heading word, keyword heading word, organism supplementary concept word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier, synonyms]	190	Advanced	Display Results More	
<input type="checkbox"/>	15 (5 enol pyruvyl shikimate 3 phosphate synthase or 5 enolpyruvyl shikimate 3 phosphate synthase or 5 enolpyruvylshikimate 3 phosphate synthase or EPSP synthase or MEPSP synthase or EPSPS or MEPSPS or "EC 2.5.1.1.9" or "E.C. 2.5.1.1.9").mp. [mp=title, abstract, original title, name of substance word, subject heading word, floating sub-heading word, keyword heading word, organism supplementary concept word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier, synonyms]	4441	Advanced	Display Results More	

<input type="checkbox"/>	16	10 and (12 or 13 or 14 or 15)	46	Advanced	Display Results More	
<input type="checkbox"/>	17	11 and (12 or 13 or 14 or 15)	27	Advanced	Display Results More	
<input type="checkbox"/>	18	12 and (14 or 15)	3	Advanced	Display Results More	
<input type="checkbox"/>	19	13 and 15	2	Advanced	Display Results More	
<input type="checkbox"/>	20	14 and 15	2	Advanced	Display Results More	
<input type="checkbox"/>	21	16 or 17 or 18 or 19 or 20	71	Advanced	Display Results More	
<input type="checkbox"/>	22	(((Insect or Insects or coleoptera* or lepidoptera* or pest or pests or stalkborer* or stalk borer* or borer* or cornborer* or corn borer* or noctuidae or Crambidae or Chrysomelidae or earworm* or ear worm* or armyworm* or army worm* or cutworm* or cut worm* or rootworm* or root worm* or Ostrinia or O nubilalis or Diatraea or D grandiosella or D crambidoidea or Helicoverpa or H zea or Spodoptera or S frugiperda or S exigua or Papaipema or P nebris or Elasmopalpus or E lignosellus or D saccharalis or Striacosta or S albicosta or Agrotis or A ipsilon or Feltia or F jaculifera or Pseudaletia or P unipuncta or Diabrotica or D virgifera or D barberi or ECB or SWCB or SCSB or CEW or FAW or SCB or WBC or WCRW or WCR or NCRW or MCR or MCRW) adj2 (toleran* or resistan* or protect* or control*)) or B thuringiensis or Bacillus thuringiensis or ((glufosinate* or glufosinate* or Basta* or Liberty* or Ignite* or Rely* or Finale* or Challenge* or gl?phosate or gl?fosate or roundup* or round up* or herbicide* or pesticide*) adj2 (toleran* or resistan* or protect*))) .mp. [mp=title, abstract, original title, name of substance word, subject heading word, floating sub-heading word, keyword heading word, organism supplementary concept word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier, synonyms]	44327	Advanced	Display Results More	
<input type="checkbox"/>	23	(GMO* or LMO* or GM or GE or transgen* or ((genetic* or living or biotech*) adj3 (modif* or transform* or manipulat* or improv* or engineer* or deriv*)) or stack*).mp. [mp=title, abstract, original title, name of substance word, subject heading word, floating sub-heading word, keyword heading word, organism supplementary concept word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier, synonyms]	447054	Advanced	Display Results More	
<input type="checkbox"/>	24	22 and 23	5759	Advanced	Display Results More	
<input type="checkbox"/>	25	(GMHT or GEHT or GMHR or GEHR or GMHTs or GEHTs or GMHRs or GEHRs).mp. [mp=title, abstract, original title, name of substance word, subject heading word, floating sub-heading word, keyword heading word, organism supplementary concept word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier, synonyms]	684	Advanced	Display Results More	
<input type="checkbox"/>	26	24 or 25	6410	Advanced	Display Results More	
<input type="checkbox"/>	27	(Maize* or corn* or Zea mays or Z mays).mp. [mp=title, abstract, original title, name of substance word, subject heading word, floating sub-heading word, keyword heading word, organism supplementary concept word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier, synonyms]	246362	Advanced	Display Results More	
<input type="checkbox"/>	28	26 and 27	1428	Advanced	Display Results More	
<input type="checkbox"/>	29	(((Bt or Bacillus thuringiensis or B thuringiensis) adj5 (maize* or corn* or mays) or Btmaize* or Btcorn*).mp. [mp=title, abstract, original title, name of substance word, subject heading word, floating sub-heading word, keyword heading word, organism supplementary concept word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier, synonyms]	804	Advanced	Display Results More	
<input type="checkbox"/>	30	8 or 9 or 21 or 28 or 29	1674	Advanced	Display Results More	
<input type="checkbox"/>	31	limit 30 to yr="2019 -Current"	169	Advanced	Display Results More	

Save Remove Combine with: AND OR

Save All Edit Create RSS View Saved

Basic Search | Find Citation | Search Tools | Search Fields | **Advanced Search** | Multi-Field Search

1 Resource selected | Hide | Change

Ovid MEDLINE(R) ALL 1946 to September 02, 2020

Enter keyword or phrase Keyword Author Title Journal
 (* or \$ for truncation)

Limits (expand) Map Term to Subject Heading

Options Print Email Export + My Projects Keep Selected

To search Open Access content on Ovid, go to [Basic Search](#).

View By: Text (169 Results) Multimedia (0 Results)

All Next >

1. Performance of *Sesamia nonagrioides* on cultivated and wild host plants: Implications for Bt Abstract Reference