



**MINISTÈRE  
DE L'AGRICULTURE  
ET DE L'ALIMENTATION**

*Liberté  
Égalité  
Fraternité*



# **HIGHLY PATHOGENIC AVIAN INFLUENZA SITUATION IN FRANCE**


SCoPAFF  
March, 14 2022

## Zones réglementées liées aux foyers et cas sauvages IAHP détectés en France

# HPAI situation

Last update 10/03/2022

- **Poultry: 626 confirmed outbreaks**
  - ✓ South-West region: 361
  - ✓ West : 238
  
- **Wildlife: 36 cases**






# South-West region

Update 03/10/2022

- **361 confirmed outbreaks**
- Stabilization in the central coalescent area (none outbreak)
- Evolving situation in the area at the Hautes-Pyrénées/Gers border

## Zones réglementées liées aux foyers IAHP dans le Sud-Ouest



# West region


Update 10/03/2022

- **238 confirmed outbreaks**

All sectors affected:  
60% ducks and 10% turkeys

- **Very evolving situation since 26/02/2022**

## Zones réglementées et foyers IAHP dans l'Ouest




Référentiel : Open Street Map, © IGN Données : DGAL/MAA

Date d'édition : 08/03/2022

# Evolution of the number of outbreaks

**Two epidemiological waves**  
(Period from 12/01/2021 to 10/03/2022)

- ✓ The first wave in South West area
- ✓ The second wave in West region







**MINISTÈRE  
DE L'AGRICULTURE  
ET DE L'ALIMENTATION**


*Liberté  
Égalité  
Fraternité*



# Control strategy in South-West region

# Control strategy in South-West

- Further restricted zone (ZRS)
- In the central coalescent area, “**Regional fallow**” i.e. depopulation of all poultry farms in order to quickly reduce animal density and stop the spread
  - ▶ **Zone à dépeupler (ZAD)** in red
- Peripheral areas to the ZAD :  
Perifocal preventive depopulation



# Restocking in South-West

- Same strategy applied to palmipeds and gallinaceous birds
  - **Zonal approach:** coherent geographical perimeter(s) constituting the same epidemiological entity.
    - ✓ Zone to depopulate (ZAD)
    - ✓ Peripheral areas to the ZAD
    - ✓ Isolated areas
  - **Criteria to consider stabilization of the zone :** no new HPAI outbreak should be confirmed within 21 days.
  - Consideration of **Areas at high risk of spread (ZRD)**
  - Implementation of a “**vide sanitaire**” : 4 weeks in addition to the minimum duration after the last outbreak
-





**MINISTÈRE  
DE L'AGRICULTURE  
ET DE L'ALIMENTATION**

*Liberté  
Égalité  
Fraternité*



**FRANCE22**  
PRÉSIDENTIE FRANÇAISE  
DU CONSEIL DE L'UNION  
EUROPÉENNE


# **Control strategy in West region**

Vendée, Loire Atlantique, Deux Sèvres et Maine et Loire

# Restricted zone


- **Extension of the surveillance zone to a minimum of 20 km around the outbreaks and taking into account the ZRD - area at high risk of spread (Prefectural Decrees from March, 7-8<sup>th</sup> 2022)**
- **Outbreak depopulation :**  
**Large volumes of animals: 10-20,000 poultry per building / several buildings per farm**
- **Preventive depopulation**

Zones réglementées et foyers IAHP dans l'Ouest



# Stand-still : ban of movements

- Exemption for slaughter in the restricted area
- Exemptions for **hatching eggs and day-old chicks** to free zone:
  - Strengthened biosafety protocol (Technical Instruction n°2022-192)
  - Before leaving the restricted area, mandatory passage through a washing station





Thank you for your attention

