

MINISTRY OF AGRICULTURE OF THE RUSSIAN FEDERATION

**ORDER
No. 456 dd. December 29, 2010**

**ON APPROVAL OF THE RULES OF PLANT QUARANTINE ASSURANCE
WHILE IMPORTING QUARANTINE PRODUCTS IN THE RUSSIAN
FEDERATION, AS WELL AS DURING STORAGE, CARRIAGE,
TRANSPORTATION, PROCESSING AND USAGE THEREOF**

In order to implement article 2 of the Protocol of 21 May 2010 amending the Customs Union Agreement on Plant Quarantine dd. December 11, 2009, and in accordance with paragraphs 1 and 5.2.25.25. of the Regulation on the Ministry of Agriculture of the Russian Federation as approved by Government Regulation of the Russian Federation no. 450 dated 12 June 2008 (Code of Laws of the Russian Federation, 2008, № 25, Art. 2983; № 32, art. 3791; № 42 Art. 4825; № 46, Art. 5337, 2009, № 1, Art. 150; № 3, Art. 378; № 6, Art. 738; № 9, Art. 1119, Art. 1121; № 27, Art. 3364; № 33, Art. 4088, 2010, № 4, Art. 394; № 5, Art. 538; № 16, art. 1917; № 23, Art. 2833; № 26, st.3350; № 31, art. 4251; № 32 , Art. 4330; № 40, Art. 5068), hereby it is ordered as follows:

1. To approve the attached Rules of Plant Quarantine Assurance While Importing Quarantine Products in the Russian Federation, as well as During Storage, Carriage, Transportation, Processing and Usage Thereof (hereinafter the Plant Quarantine Assurance Rules).
2. The Plant Cultivation and the Federal Veterinary and Phytosanitary Monitoring Service acting jointly with the interested subdivisions of the Ministry shall assure notification of the foreign economic activity participants of the quarantine phytosanitary requirements of the Russian Federation in digital format subject to their individual requests.
3. Order of the Ministry of Agriculture of the Russian Federation no. 681 dated September 3, 2002 On Approval of the Rules of Plant Quarantine Assurance while Importing, Storing, Carrying, Processing and Using Grain and its Derivatives Imported into the Russian Federation for Alimentation, Feeding and Technical Purposes (registered by the Minitsr of Justice of the Russian Federation under no. 4008 on December 9, 2002) shall become ineffective.
4. The control over implementation of the Order shall be imposed on the Deputy Minister, O,N, Aldoshin.

Minister
E. SKRYNNIK

Annex
to Order of the Ministry of Agriculture of the Russian Federation
No.456 dd. December 29, 2010

**RULES OF PLANT QUARANTINE ASSURANCE WHILE IMPORTING
QUARANTINE PRODUCTS IN THE RUSSIAN FEDERATION, AS WELL AS
DURING STORAGE, CARRIAGE, TRANSPORTATION, PROCESSING AND
USAGE THEREOF**

I. General Provisions

1. These Rules are intended to prevent penetration and distribution of quarantine objects in the Russian Federation.

These Rules have been developed in accordance with the International Convention on Quarantine and Plant Protection, 1997, FAO, Rome, Commission Decision of the Customs Union no. 318 dd. June 18, 2010 On Assurance of Plant Quarantine in the Customs Union, Decree of the President no. 120 dd. January 30, 2010 On Approval of the Doctrine of Food Security in the Russian Federation (Code of Laws of the Russian Federation, 2010, no. 5, Art. 502, Rossiyskaya Gazeta, no. 21, 03.02.2010) and other regulatory acts of the Russian Federation in the field of plant quarantine.

2. These Rules cover the quarantine products being imported in the Russian Federation, which is included in the List of Quarantine Products (Quarantine Cargo, Quarantine Materials, Quarantine Goods) subject to Quarantine Phytosanitary Control (Supervision) at the Customs Border of the Customs Union and in the Customs Territory of

the Customs Union as approved by a Decision of the Customs Union Committee no. 318 dd. June 18, 2010 (hereinafter the Quarantine Products).

3. The types of quarantine products shall be identified in accordance with the stock list of the foreign economic activity of the Customs Union.

II. Quarantine Phytosanitary Requirements of the Russian Federation for the Quarantine Products Imported in the Russian Federation

4. The imported quarantine products should be free of quarantine facilities in a viable state included in the List of quarantine objects (plant pests, plant pathogens and plants (weeds)) as approved by Order of the Ministry of Agriculture of Russia no. 673 dd. December 26, 2007 (registered with the Ministry of Justice of Russia under no. 10903 on January 17, 2008, Bulletin of normative acts of federal executive bodies, 2008, no. 6) (hereinafter the List of Quarantine Objects), specific for the type of quarantine objects, the country of origin or country of export quarantine products according to Appendix to these Rules.

2. If there are any quarantine objects in a viable state in the lot of imported quarantine products the owner of the lot shall assure processing thereof in accordance with the technologies that ensure that the quarantine facilities lose their viability (hereinafter the Processing) or get desinfected.

3. The quarantine objects referred to a group of high phytosanitary risk should be accompanied by a phytosanitary certificate (a re-export phytosanitary certificate) issued by a competent authority of the country of (re-) export of the quarantine products.

III. Quarantine Phytosanitary Requirements of the Russian Federation for the Processes of Import, Carriage, Transportation, Storage and Usage of Import Quarantine Products

1. Quarantine Phytosanitary Requirements for Importing Quarantine Products of High Phytosanitary Risk

7. A lot of high phytosanitary risk quarantine products shall be imported in the Russian Federation subject to a phytosanitary certificate issued by a competent authority of the exporting country, which shall confirm compliance of such products with the Russian Federation requirements in the field of plant quarantine.

8. In case of export of high phytosanitary risk quarantine products from a country in respect of which no information on occurrence of quarantine objects is contained in the Appendix to these Rules the quarantine products imported from such country shall be subject to inspection on a compulsory basis.

2. Quarantine Phytosanitary Requirements for Importing Grain and its Derivatives, as well as for the Processes of Import Carriage, Transportation, Storage and Usage thereof

9. The Grain and its derivatives may be imported into the Russian Federation throughout the year with the exception of the cases stipulated in these Rules.

10. The Grain and its derivatives imported into the Russian Federation for further processing shall be processed in accordance with the technologies that assure absence of viability of the seeds irrespective of presence or absence of quarantine weed seeds.

The grain and its derivatives may not be brought from the place of their processing together with viable seeds.

11. Waste grain and its derivatives shall be processed, disposed of, destroyed according to the technology that assures non-viability of seeds.

12. No grain and its derivatives containing striga seeds shall be allowed for import into the Russian Federation.

The grain and its derivatives may be imported into the Russian Federation only from the countries free of striga among the countries of striga dissemination specified in Appendix to these Rules; the absence of striga shall be confirmed by a competent authority of the exporting country on the basis of inspections carried out not later than three year prior to delivery of grain and its derivatives to the Russian Federation. The competent authority shall mention the respective information in the "supplementary declaration" section of the phytosanitary certificate. The grain and its derivatives may be brought from striga dissemination countries into the Russian Federation only after the phytosanitary state of the lot of quarantine products has been established.

13. It shall be allowed to import for further processing the corn grain containing pathogens diplodia maize (Stenocarpella macrospora; Stenocarpella maydis), southern maize Helminthosporium race T (Cochliobolus heterostrophus race T) and bacterial wilt (wilt) of maize (Pantoe stewartii).

14. Wheat, rye, meslin and their derivatives may be imported into the Russian Federation from the countries <*> of dissemination of Indian wheat smut (*Tilletia indica*) only if they originate from the areas free of Indian smut, which must be confirmed by field inspections and laboratory studies and reflected additional declaration of a

phytosanitary certificate issued by the competent authority of the exporting country. Import and use of wheat, its processing products from the spread of Indian smut can be resolved only on the advice of the laboratory examination.

<*> The quarantine objects that are spread in the exporting countries and specific for quarantine products imported into the Russian Federation are listed in Appendix to these Rules.

In case of detection of Indian smut of wheat the wheat grain and its derivatives shall be returned, disposed of or destroyed.

Wheat, rye, meslin and their derivatives may be imported into the Russian Federation from the countries of dissemination of Indian wheat smut only from November 1 till March 31 through the ports of St. Petersburg and the ports of the Arctic Ocean, Magadan, Petropavlovsk-Kamchatsky for usage for technical purposes at mills and bakery enterprises of the Novgorod, Vologda, Kirov, Perm, Sverdlovsk, Tyumen, Tomsk, Krasnoyarsk, Murmansk Regions, the Republic of Karelia, Arkhangelsk Region, Komi Republic, Kamchatka Region, Sakhalin Region, Magadan Region, Sakha Republic.

The unloading of wheat, rye, meslin and their derivatives shall be carried out in ports on isolated piers according to the ship board-vehicle scheme; after the transportation has been completed the vehicle shall be treated.

The wheat, rye, meslin and their derivatives imported from the countries of dissemination of Indian wheat smut shall not be used for retail and feeding.

The package used for wheat grain and its derivatives imported from the countries of dissemination of Indian wheat smut shall be disinfected by thermal method at temperatures higher than 110 °C at any point of the package with the exposure period of at least 3 hours or destroyed.

15. The grain and its derivatives imported into the territory of the Russian Federation from the countries of dissemination of Capridae beetle (*Trogoderma granarium*) specified in the Appendix to these Rules upon detection in any of them of any live objects in the active state shall be subject to preventive disinfection in the transport following the regime of treatment against the larvae of Capridae beetle, and in case of failure to perform such treatment the grain and its derivatives shall be returned or destroyed.

The malt originating from countries of dissemination of Capridae beetle may be unloaded from transport at the point of destination only after its quarantine pest inspection of vehicles; the usage of such malt shall be allowed exclusively on the basis of quarantine pest inspection in warehouses.

16. If any living specimens of caryopses (*Callosobruchus* spp.) are detected in black crop grains and their derivatives the grain shall be disinfected, and in case of failure returned or destroyed, and the vehicles shall be disinfected.

17. In the Russian Federation, the grain, meal, oilcake may be transported in the holds of ships, containers, wagons subject to application of measures for elimination of spillage.

The grain, meal, oilcake may be transported from the storing companies to enterprises for their processing by motor transport using all-metal containers (including containers). The outside surfaces of containers and vehicles must be free of spillage of grain, meal, oilcake.

18. If the grain and its derivatives are imported packed the package must be new and gas-permeable.

19. While unloading grain and its derivatives from the holds of ships the technical means that exclude spillage in the water shall be used.

The unloading of grain, meal, oilcake from transport shall be allowed only in the areas with hard surface (concrete, asphalt).

The railway cars may be brought outside the unloading areas only if they have been fully cleared from grain and its derivatives including the outside surfaces of cars.

20. Spillage of grain and its products in the unloading areas and on railroad tracks shall be removed on a daily basis.

21. Vehicles, vessels, storage facilities and equipment used for storage, transportation, processing of grain and its derivatives shall be cleared from spillage and residues of grain and its derivatives.

22. Waste grain and its derivatives that do not represent any economic value shall be destroyed through incineration in the places of unloading, storage and processing thereof. The materials remaining from incineration shall be buried in phytosanitary pits or at a depth of 50 cm at least.

23. The warehouses of organizations, individual entrepreneurs and citizens engaged into storage and processing of grain and its derivatives shall be subject to preventive phytosanitary decontamination through fumigation on a regular basis, but not less than once a year.

24. It shall be prohibited to use as seeds the grain that is imported into the Russian Federation for the purpose of alimentation, animal feeding and for technical purposes.

25. The organizations, individual entrepreneurs and citizens engaged into storage and processing of imported grain and its derivatives must have:

- a technology of processing of the grain and its derivatives assuring non-viability of seeds;
- protected areas;
- unloading areas with hard surface;

- furnaces or equipment for incineration of waste grain and its derivatives, sweepings and debris or phytosanitary pits.

**3. Quarantine Phytosanitary Requirements for Importing
Seeds and Planting Material, as well as for the Processes of Import
Carriage, Transportation, Storage and Usage thereof**

26. It shall be prohibited to import into the Russian Federation the plant seeds and planting material infected with quarantine pests that are included in the List of Quarantine Objects.

27. At the points of entry the lots of seeds and planting material shall be subject to identification under their accompanying phytosanitary certificates and through visual inspection.

28. The seeds and planting material must be in original packaging till completion of the inspection, sampling and expert examination of samples.

29. It shall be prohibited to use seeds and planting material according to their intended use unless the results of laboratory phytosanitary examination have been received. Pending completion of expert examination the quarantine material must be kept in the conditions that prevent dissemination of quarantine pests.

30. The potato imported into the Russian Federation for seeds and breeding shall include actual seeds, tubers, tuber-bearing species of the Solanum genus (mainly S. tuberosum), minitubers (tubers originating from microplant potatoes grown in breeding ground) and microplants (plants including tubers contained in tissue culture of tuber Solanum spp.). The breeding material that has not been specified hereabove may also include other stolons or tuber species or hybrids of Solanum.

31. Lots of seed potatoes must be packed in new packaging.

32. The content of soil in lots of seed potato shall not exceed 1% of the product weight.

33. Potted plants and plants with closed root system must be imported into the Russian Federation in nutrient substrate free of quarantine pests.

34. The plants with a lump of basal soil from the areas, places and / or sites of production that are recognized to be free from quarantine pests may be imported into the Russian Federation subject to quarantine phytosanitary control including mandatory laboratory examination of soil samples against the full range of quarantine objects that can spread with the soil.

35. The planting material of fruits, berries, ornamental plants and vines (except strawberries) imported in the Russian Federation shall be dormant and contain no leaves, flowers and fruits.

36. It shall be prohibited to import seeds and planting materials in luggage, carry-on baggage and by post unless such seeds and planting materials are accompanied by a phytosanitary certificate.

37. If any quarantine pests have been detected in lots of imported seed and planting material such lots shall be subject to disinfection, and in case of impossibility thereof the seed and planting material shall be returned or destroyed.

38. If any quarantine pests are detected in a lot of seed or planting material only the infected part of the lot shall be subject to decontamination, return or destruction.

Seed potatoes must be produced in the areas, locations and / or sites of production that are free of pathogens of fungal, bacterial, viral, nematode diseases included in the List of Quarantine Objects , which shall be confirmed by respective information in the "supplementary declaration" section of the phytosanitary certificate.

39. Seedlings, rootstocks, cuttings of pome fruits, stone fruit and nut crops must be free of pests, pathogens of fungal, bacterial, viral and nematode diseases, and produced in the areas, places and / or sites free from the abovementioned diseases, which must be confirmed by relevant information mentioned in the "supplementary declaration" of the phytosanitary certificate.

40. It shall be allowed to import planting material from areas of widespread Quadraspidiotus porniciosus and Pseudaulacaspis pentagona, i.e. from the country or a part of country for which such organisms have no quarantine value provided decontamination of plants in the exporting country, which shall be confirmed by relevant information mentioned in the "supplementary declaration" of the phytosanitary certificate.

41. It shall be allowed to import and sell planting and inoculative material from the areas of dissemination of Quadraspidiotus porniciosus and Pseudaulacaspis pentagona from the countries specified in the Appendix to these Rules subject to their prior disinfection.

42. It shall be allowed to import seedlings and cuttings of apple rootstocks, cherries from the areas, locations and production sites free of Cherry rasp leaf nepovirus cheravirusa rasp leaf cherry, which shall be confirmed by relevant information mentioned in the "supplementary declaration" of the phytosanitary certificate.

43. Sowing (planting) performed using imported seed and planting material are subject to quarantine phytosanitary inspection.

**4. Quarantine Phytosanitary Requirements for Importing
Fruits and Vegetables, and Potatoes for Food and Technical Purposes,
as well as for the Processes of Import
Carriage, Transportation, Storage and Usage thereof**

44. It shall be forbidden to import pome fruit, stone fruit, citrus and other crops with quarantine objects included in the List of Quarantine Objects except as provided in these regulations.

45. Each package of fruits and vegetables must be marked with information about the types of products, their country of origin, exporter and / or re-exporter.

46. Fruits and vegetables should be in original packaging till completion of the state quarantine pest control.

47. If quarantine pests are found in the specimen (s) of fruits and vegetables sampled from a lot such lot shall be disinfected or in case of failure returned or destroyed.

48. The admixture of soil in potatoes and other tuberous plants and root vegetables should not exceed 1% of the weight of products.

49. The import and sale of pome and stone fruit crops damaged by eastern moth Grapholitha molesta Busck and peach moth Carposina niponensis Wisgh to the north of the border of the area of potential habitat located along the line connecting the cities of Petrozavodsk, Syktyvkar, Solikamsk, Perm, Ekaterinburg, Omsk, Tomsk, Krasnoyarsk, Irkutsk, Ulan-Ude, Chita, Blagoveshchensk, Khabarovsk, Aleksandrov-Sakhalinsk shall be allowed throughout the year without any restrictions.

50. In the areas of risk, i.e. to the south of the line specified in paragraph 4.7 the import and sale of pome and stone fruit crops damaged by eastern moth Grapholitha molesta Busck and peach moth Carposina niponensis Wisgh shall be allowed from October 15 till April 15. In the period from April 16 to October 14, the pome and stone fruit crops brought into this area shall be totally free from eastern and peach moth, which shall be established at entrance of the abovementioned products in the Russian Federatio following examination, and where necessary inspection of this type of quarantine products.

51. The import of fruits damaged by the Mediterranean fruit fly Ceratitis capitata Wied and fruit weevil Conotrachelus nepuphar Hb. Into the area located to the north of the administrative boundaries of Rostov and Voronezh regions, shall be allowed without restrictions, and for the area located to the south of the border the import shall be allowed in the period from November 1 to March 31. In case of import of citrus fruit damaged by the Mediterranean fruit fly Ceratitis capitata Wied. and fruit weevil Conotrachelus nepuphar Hb. through the southern ports of the Black and Azov Seas it shall be permitted to export them to the regions located to the north of the administrative boundaries of Rostov and Voronezh regions subject to their transportation in refrigerated trucks and refrigerated sections of motor and railway transport.

The motor refrigerators and refrigerated sections of motor and railway transport shall not be open when they are to the south of the abovementioned borders.

52. To the south of the administrative boundaries of Rostov and Voronezh regions the use of fruit damaged by the Mediterranean fruit fly Ceratitis capitata Wied and fruit weevil Conotrachelus nepuphar Hb. shall be allowed throughout the entire year subject to disinfection.

53. The transportation of the products contaminated by quarantine pests in the risk area of Russia, i.e. in the territory where the soil and climatic conditions allow acclimatization of a quarantine object and which can become a potential habitat of quarantine object dissemination shall be allowed exclusively in covered, properly working and sealed railway cars, trucks, motor refrigerators or containers.

54. It shall be prohibited to use phytogenous bedding for importing fruits and vegetables.

55. The refrigeration of citrus fruits shall be carried out in summer (from April 1 to October 1) using refrigerators working in the anti-Mediterranean fruit fly (Ceratitis capitata) modes. It shall be allowed to perform refrigeration on the way subject to measuring of temperatures in each hold and each hold deck at least 3 times per day if the way to Russian ports takes not less than 20 days, and the temperature in holds for such period shall not exceed 4.5°C

5. Quarantine Phytosanitary Requirements for Importing Cut Fresh Flowers, as well as for the Processes of Import Carriage, Transportation, Storage and Usage thereof

56. It shall be prohibited to import cut fresh flowers with quarantine objects included in the List of Quarantine Objects.

57. Each package of cut fresh flowers should be marked with information about the types of products, their country of origin and exporting party.

58. Cut fresh flowers should be in original packaging till completion of the quarantine phytosanitary control.

59. A lot of cut fresh flowers infected with quarantine objects shall be disinfected or in case of failure returned or destroyed.

60. If it has been detected that a lot of cut fresh flowers being a part of cargo containing several lots has been infected only the infected lot of cut fresh flowers shall be decontaminated or in case of failure returned or destroyed.

61. The area, location and site of production of chrysanthemums (*Chrysanthemum*, *Dendranthema*) should be free from the pathogen of chrysanthemums askohitoza *Didymella ligulicola* (KF Baker, Dimock & Davis) von Arx and chrysanthemum white rust pathogen *Puccinia horiana* P. Henn., which must be confirmed by a competent authority of the exporting country according to the results of inspections performed during the three years preceding to shipment. A respective record thereof shall be made in the "supplementary declaration" section of a phytosanitary certificate.

62. 1-2 bouquets of fresh flowers may be brought into the Russian Federation without any phytosanitary certificate as carry-on luggage, baggage and through postal delivery subject to the results of quarantine phytosanitary control.

**6. Quarantine Phytosanitary Requirements for Importing
Wood Packaging and Mounting Parts, as well as for the Processes of Import
Carriage, Transportation, Storage and Usage thereof**

63. Wood packaging and mounting materials imported into the Russian Federation, including the parts of repaired wood packaging and mounting materials must be decontaminated and labeled in the prescribed manner.

64. While carrying out quarantine phytosanitary control (supervision) of wood packaging and mounting materials no phytosanitary certificates shall be requested. The official of a competent authority performing such examination or inspection of the abovementioned quarantine products shall verify availability of special international label.

65. In the absence of labeling the wood packaging and mounting materials may be imported on the basis of the results of a quarantine phytosanitary control.

66. Wood packaging and mounting materials that should be decontaminated, returned or destroyed shall be stored in the conditions that exclude dissemination of quarantine object from the moment of their detection till application of respective phytosanitary measures.

**7. Phytosanitary Requirements for Importing
Quarantine Products of Low Phytosanitary Risk**

67. Low phytosanitary risk products are imported into the Russian Federation without any phytosanitary certificate of the exporting country.

68. In respect of low phytosanitary risk products the selective quarantine phytosanitary monitoring shall be carried out.

69. In case of export of low phytosanitary risk quarantine products from a country in respect of which no information regarding dissemination of quarantine objects is contained in the Appendix to these Rules the quarantine products exported from such country shall be subject to compulsory quarantine examination.

70. If a quarantine object is detected in the imported quarantine products of low phytosanitary risk as a result of quarantine phytosanitary monitoring the respective phytosanitary measures shall be applied to such products.

**Appendix
To the Rules of Plant Quarantine Assurance
While Importing Quarantine Products in the
Russian Federation, as well as during
Storage, Carriage, Transportation, Processing
and Usage Thereof**

**QUARANTINE OBJECTS
DISSEMINATED IN THE EXPORTING COUNTRIES
AND SPECIFIC OF QUARANTINE PRODUCTS
IMPORTED IN THE RUSSIAN FEDERATION**

From Europe

From the Republic of Austria

Pests:

DESCRIPTION IN RUSSIAN AND LATIN	TYPE OF QUARANTINE PRODUCTS OF PHYTOSANITARY RISK FOR THE RUSSIAN FEDERATION (CUSTOMS COMMODITY CODE)
Hyphantria cunea Drury	0604 91 900 0; 0604 99 100 0; 0806; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0; 1404 90 000 0; 4401 30 900 0

<i>Grapholitha molesta</i> Busck.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
<i>Quadraspidiotus perniciosus</i> Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
<i>Trogoderma granarium</i> Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000 0; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
<i>Ceratitis capitata</i> (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
<i>Bemisia tabaci</i> Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
<i>Pseudaulacaspis pentagona</i> (Targ. - Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
<i>Viteus vitifoliae</i> (Fitch.)	2530 90 980 0
<i>Liriomyza huidobrensis</i> Blanch.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

<i>Ralstonia solanacearum</i> (Smith) Yabuuchi et al. (=Pseudomonas solanacearum) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
<i>Pantoea stewartii</i> subsp. <i>stewartii</i> (Smith) Mergaert et al. (=Erwinia stewartii) (Smith) Dye	0106 90 009; 0712 90 110 0; 1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
<i>Xylophilus ampelinus</i> (Panagopoulos) Willems et al. (=Xanthomonas ampelina Panagopoulos)	0601; 0806; 3002 90 500 0; 3002 90 900 0
<i>Erwinia amylovora</i> (Burill.) Winslow et al.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808; 0809; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
<i>Globodera pallida</i> (Stone) Behrens	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
<i>Stenocarpella maydis</i> (Berkeley) Sutton (=D. maydis) (Berkeley) Saccardo)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)

Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Synchytrium endobioticum (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0
Phytophthora fragariae Hickman	0601; 2530 90 980 0
Plum pox potyvirus	0809; 0810 (except 0810 60 000 0)

Undesirable plants:

Ambrosia artemisiifolia L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Ambrosia trifida L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Solanum rostratum Dun.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Republic of Albania

Pests:

<i>Quadraspidiotus perniciosus</i> Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
<i>Phthorimaea operculella</i> Zell.	0701; 2530 90 980 0
<i>Ceratitis capitata</i> (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
<i>Bemisia tabaci</i> Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
<i>Pseudaulacaspis pentagona</i> (Targ. - Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
<i>Viteus vitifoliae</i> (Fitch.)	2530 90 980 0

Infestants:

(<i>Cochliobolus heterostrophus</i> Drechsler (= <i>Bipolaris maydis</i> (Nisikado) Shoem) (race T)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)
Plum pox potyvirus	0809; 0810 (except 0810 60 000 0)
<i>Globodera rostochiensis</i> (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0

Undesirable plants:

<i>Cuscuta</i> spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
---------------------	--

From the Republic of Belarus

Pests:

<i>Grapholita molesta</i> Busck.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
----------------------------------	--

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Synchytrium endobioticum (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0

Undesirable plants:

Ambrosia artemisiifolia L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 09 10; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10; 5201 00; 5202; 5301; 5302
Acroptilon repens DC.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Kingdom of Belgium

Pests:

Frankliniella occidentalis Perg.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
-------------------------------------	--

<i>Quadrapsidiotus perniciosus</i> Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
<i>Trogoderma granarium</i> Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
<i>Viteus vitifoliae</i> (Fitch.)	2530 90 980 0
<i>Callosobruchus</i> spp.	1201 00
<i>Bemisia tabaci</i> Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
<i>Liriomyza huidobrensis</i> Blanch.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

<i>Didymella ligulicola</i> (K.F. Baker, Dimock & Davis) von Arx	0601; 0603 11 000 0 - 0603 19 800 0; 2530 90 980 0
<i>Ralstonia solanacearum</i> (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith)	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
<i>Erwinia amylovora</i> (Burill.) Winslow et al.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808; 0809; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
<i>Globodera pallida</i> (Stone) Behrens	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
<i>Synchytrium cndobioticum</i> (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0
<i>Meloidogyne chitwoodi</i> Golden et al.	0106 90 001 0; 0601; 0701; 0703; 0706; 0714 20 100 0; 1212 91; 1214; 9705 00 000 0
<i>Globodera rostochiensis</i> (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
<i>Phytophthora Fragariae</i> Hickman	0601; 2530 90 980 0
<i>Plum pox potyvirus</i>	0809; 0810 (except 0810 60 000 0)

Undesirable plants:

Ambrosia artemisiifolia L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Ambrosia trifida L. -	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Ambrosia psilostachya DC.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 60; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Solanum triflorum Nutt.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Republic of Bulgaria

Pests:

<i>Hyphantria cunea</i> Drury	0604 91 900 0; 0604 99 100 0; 0806; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0; 1404 90 000 0; 4401 30 900 0
<i>Grapholitha molesta</i> Busck.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
<i>Quadraspidiotus perniciosus</i> Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 0000 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
<i>Phthorimaea operculella</i> Zell.	0701; 2530 90 980 0
<i>Pseudaulacaspis pentagona</i> (Targ. - Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 0000 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
<i>Viteus vitifoliae</i> (Fitch.)	2530 90 980 0
<i>Callosobruchus</i> spp.	1201 00

Infestants:

<i>Didymella ligulicola</i> (K.F. Baker, Dimock & Davis) von Arx	0601; 0603 11 000 0 - 0603 19 800 0; 2530 90 980 0
<i>Ralstonia solanacearum</i> (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith)	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
<i>Xylophilus ampelinus</i> (Panagopoulos) Willems et al. (=Xanthomonas ampelina Panagopoulos)	0601; 0806; 3002 90 500 0; 3002 90 900 0
<i>Erwinia amylovora</i> (Burill.) Winslow et al.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808; 0809; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
<i>Globodera pallida</i> (Stone) Behrens	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
<i>(Cochliobolus heterostrophus</i> Drechsler (=Bipolaris maydis (Nisikado) Shoem) (race T))	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)
<i>Synchytrium endobioticum</i> (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0 3101 00 000 0
<i>Globodera rostochiensis</i> (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
<i>Grapevine flavescence doree</i> phytoplasma	0106 90 009; 0601; 0806; 3002 90 500 0; 3002 90 900 0
<i>Phytophthora Fragariae</i> Hickman	0601; 2530 90 980 0

Plum pox potyvirus	0809; 0810 (except 0810 60 000 0)
-----------------------	-----------------------------------

Undesirable plants:

Solanum rostratum Dun.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From Bosnia and Herzegovina

Pests:

Liriomyza trifolii Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Viteus vitifoliae (Fitch.)	2530 90 980 0
Callosobruchus spp.	1201 00

Infestants:

Erwinia amylovora (Burill.) Winslow et al.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808; 0809; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
---	---

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	--

From Montenegro

Pests:

Liriomyza trifolii Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Viteus vitifoliae (Fitch.)	2530 90 980 0
Callosobruchus spp.	1201 00

Infestants:

Erwinia amylovora (Burill.) Winslow et al.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808; 0809; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
--	---

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	--

From the United Kingdom of Great Britain and Northern Ireland

Pests:

Spodoptera litura Fabr.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0708; 0709; 1214; 2530 90 980 0
Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0

Frankliniella occidentalis Perg.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Callosobruchus spp.	1201 00
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Pseudaulacaspis pentagona (Targ.-Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Viteus vitifoliae (Fitch.)	2530 90 980 0
Liriomyza huidobrensis Blanch.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Didymella ligulicola (K.F. Baker, Dimock & Davis) von Arx	0601; 0603 11 000 0 - 0603 19 800 0; 2530 90 980 0
Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Erwinia amylovora (Burill.) Winslow et al.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808; 0809; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Globodera pallida (Stone) Behrens	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Synchytrium endobioticum (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0
Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Phytophthora Fragariae Hickman	0601; 2530 90 980 0
Plum pox potyvirus	0809; 0810 (except 0810 60 000 0)

Undesirable plants:

Ambrosia artemisiifolia L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Ipomoea hederacea L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Solanum carolinense L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205.(except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Republic of Hungary

Pests:

Hyphantria cunea Drury	0604 91 900 0; 0604 99 100 0; 0806; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0; 1404 90 000 0; 4401 30 900 0
Grapholita molesta Busck.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0

Frankliniella occidentalis Perg.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Quadraspidiotus perniciosus Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Pseudaulacaspis pentagona (Targ.-Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Viteus vitifoliae (Fitch.)	2530 90 980 0
Callosobruchus spp.	1201 00

Infestants:

Didymella ligulicola (K.F. Baker, Dimock & Davis) von Arx	0601; 0603 11 000 0 - 0603 19 800 0; 2530 90 980 0
Xylophilus ampelinus (Panagopoulos) Willems et al. (=Xanthomonas ampelina Panagopoulos)	0601; 0806; 3002 90 500 0; 3002 90 900 0
Erwinia amylovora (Burill.) Winslow et al.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808; 0809; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Synchytrium endobioticum (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0
Phytophthora Fragariae Hickman	0601; 2530 90 980 0
Diaporthe helianthi Munt. Cvet. et al. (=Phomopsis helianthi Munt. Cvet. et al.)	1206 00 (except 1206 00 910 0); 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)

Plum pox potyvirus	0809; 0810 (except 0810 60 000 0)
-----------------------	-----------------------------------

Undesirable plants:

Ambrosia artemisiifolia L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Ambrosia psilostachya DC.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except; 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Federative Republic of Germany

Pests:

Liriomyza trifolii Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Grapholita molesta Busck.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Frankliniella occidentalis Perg.	0106 90 009; 0601; 0603 110 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

<i>Quadrapsidiotus perniciosus</i> Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
<i>Trogoderma granarium</i> Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
<i>Ceratitis capitata</i> (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
<i>Bemisia tabaci</i> Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
<i>Pseudaulacaspis pentagona</i> (Targ.-Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
<i>Viteus vitifoliae</i> (Fitch.)	2530 90 980 0
<i>Liriomyza huidobrensis</i> Blanch.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

<i>Didymella ligulicola</i> (K.F. Baker, Dimock & Davis) von Arx	0601; 0603 11 000 0 - 0603 19 800 0; 2530 90 980 0
<i>Ralstonia solanacearum</i> (Smith) Yabuuchi et al. (=Pseudomonas solanacearum) (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
<i>Erwinia amylovora</i> (Burill.) Winslow et al.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808; 0809; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
<i>Globodera pallida</i> (Stone) Behrens	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
<i>Globodera rostochiensis</i> (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Grapevine flavescence doree phytoplasma	0106 90 009; 0601; 0806; 3002 90 500 0; 3002 90 900 0
<i>Meloidogyne chitwoodi</i> Golden et al.	0106 90 001 0; 0601; 0701; 0703; 0706; 0714 20 100 0; 1212 91; 1214; 9705 00 000 0
<i>Synchytrium endobioticum</i> (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0

<i>Phytophthora Fragariae</i> Hickman	0601; 2530 90 980 0
Plum pox potyvirus	0809; 0810 (except 0810 60 000 0)
(Cochliobolus heterostrophus Drechsler (=Bipolaris maydis (Nisikado) Shoem) (race T)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)

Undesirable plants:

<i>Ambrosia artemisiifolia</i> L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
<i>Ambrosia trifida</i> L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
<i>Ambrosia psilostachya</i> DC.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
<i>Acroptilon repens</i> DC.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

Solanum rostratum Dun.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Hellenic Republic (except for Crete Island)

Pests:

Hyphantria cunea Drury	0604 91 900 0; 0604 99 100 0; 0806; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0; 1404 90 000 0; 4401 30 900 0
Grapholitha molesta Busck.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Quadraspidiotus perniciosus Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Callosobruchus spp.	1201 00
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0

Pseudaulacaspis pentagona (Targ.-Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Peach latent mosaic viroid	0802; 0809
Viteus vitifoliae (Fitch.)	2530 90 980 0

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Pantoea stewartii subsp. stewartii (Smith) Mergaert et al. (=Erwinia stewartii (Smith) Dye	0106 90 009; 0712 90 110 0; 1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Xylophilus ampelinus (Panagopoulos) Willems et al. (=Xanthomonas ampelina Panagopoulos)	0601; 0806; 3002 90 500 0; 3002 90 900 0
Erwinia amylovora (Burill.) Winslow et al.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808; 0809; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Globodera pallida (Stone) Behrens	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Peach latent mosaic viroid	0802; 0809
Plum pox potyvirus	0809; 0810 (except 0810 60 000 0)

Undesirable plants:

Solarium elaeagnifolium Cav.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
---------------------------------	---

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cenchrus pauciflorus Benth.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 00 0; 5201 00; 5202; 5301; 5302

From the Kingdom of Denmark

Pests:

Liriomyza trifolii Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Frankliniella occidentalis Perg.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Quadrastripiotus perniciosus Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 705 00 000 0; 2309
Phthorimaea operculella Zell.	0701; 2530 90 980 0

Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Liriomyza huidobrensis Blanch.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Didymella ligulicola (K.F. Baker, Dimock & Davis) von Arx	0601; 0603 11 000 0 - 0603 19 800 0; 2530 90 980 0
Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith.	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Erwinia amylovora (Burill.) Winslow et al.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808; 0809; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Synchytrium endobioticum (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0
Phytophthora Fragariae Hickman	0601; 2530 90 980 0
(Cochliobolus heterostrophus Drechsler (=Bipolaris maydis (Nisikado) Shoem) (race T)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)

Undesirable plants:

Ambrosia psilostachya DC.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306(except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
---------------------------	--

Solanum rostratum Dun.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Republic of Ireland

Pests:

Frankliniella occidentalis Perg.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Liriomyza huidobrensis Blanch.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Didymella ligulicola (K.F. Baker, Dimock & Davis) von Arx	0601; 0603 11 000 0 - 0603 19 800 0; 2530 90 980 0
---	---

<i>Erwinia amylovora</i> (Burill.) Winslow et al.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808; 0809; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
<i>Globodera pallida</i> (Stone) Behrens	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
<i>Globodera rostochiensis</i> (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
<i>Synchytrium endobioticum</i> (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0
<i>Phytophthora Fragariae</i> Hickman	0601; 2530 90 980 0

Undesirable plants:

<i>Cuscuta</i> spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
---------------------	---

From Iceland

Infestants:

<i>Globodera pallida</i> (Stone) Behrens	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
<i>Globodera rostochiensis</i> (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
<i>Synchytrium endobioticum</i> (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0

Undesirable plants:

<i>Cuscuta</i> spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
---------------------	---

From the Kingdom of Spain (with Balearic Islands
except for Majorca island)

Pests:

<i>Liriomyza trifolii</i> Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0,1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
<i>Grapholitha molesta</i> Busck.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
<i>Spodoptera littoralis</i> Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
<i>Frankliniella occidentalis</i> Perg.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
<i>Quadrapsidiotus perniciosus</i> Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
<i>Trogoderma granarium</i> Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
<i>Phthorimaea operculella</i> Zell.	0701; 2530 90 980 0
<i>Ceratitis capitata</i> (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
<i>Bemisia tabaci</i> Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
<i>Pseudaulacaspis pentagona</i> (Targ. - Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
<i>Viteus vitifoliae</i> (Fitch.)	2530 90 980 0
<i>Callosobruchus</i> spp.	1201 00
<i>Liriomyza huidobrensis</i> Blanch.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0,1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

<i>Didymella ligulicola</i> (K.F. Baker, Dimock & Davis) von Arx	0601; 0603 11 000 0 - 0603 19 800 0; 2530 90 980 0
--	---

Xylophilus ampelinus (Panagopoulos) Willems et al. (=Xanthomonas ampelina Panagopoulos)	0601; 0806; 3002 90 500 0; 3002 90 900 0
Erwinia amylovora (Burill.) Winslow et al.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808; 0809; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Globodera pallida (Stone) Behrens	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Synchytrium endobioticum (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0
Phytophthora Fragariae Hickman	0601; 2530 90 980 0
Diaporthe helianthi Munt. Cvet. et al. (=Phomopsis helianthi Munt. Cvet. et al.)	1206 00 (except 1206 00 910 0); 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)

Undesirable plants:

Ambrosia psilostachya DC.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Solanum elaeagnifolium Cav.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cenchrus pauciflorus Benth.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Bidens pilosa L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Republic of Italy (except for Sardinia and Sicily)

Pests:

Hyphantria cunea Drury	0604 91 900 0; 0604 99 100 0; 0806; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0; 1404 90 000 0; 4401 30 900 0
Liriomyza trifolii Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 09 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Grapholita molesta Busck.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Frankliniella occidentalis Perg.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Callosobruchus spp.	1201 00

Quadraspidiotas perniciosus Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Synchytrium endobioticum (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1204; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Pseudaulacaspis pentagona (Targ.-Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Viteus vitifoliae (Fitch.)	2530 90 980 0
Liriomyza huidobrensis Blanch.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Didymella ligulicola (K.F. Baker, Dimock & Davis) von Arx	0601; 0603 11 000 0 - 0603 19 800 0; 2530 90 980 0
Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Pantoea stewartii subsp. stewartii (Smith) Mergaert et al. (=Erwinia stewartii (Smith) Dye	0106 90 009; 0712 90 110 0; 1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Xylophilus ampelinus (Panagopoulos) Willems et al. (=Xanthomonas ampelina Panagopoulos)	0601; 0806; 3002 90 500 0; 3002 90 900 0
Erwinia amylovora (Burill.) Winslow et al;	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808; 0809; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0

Globodera pallida (Stone) Behrens	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Stenocarpella maydis (Berkeley) Sutton (=D. maydis (Berkeley) Saccardo)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)
Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Grapevine flavescence doree phytoplasma	0106 90 009; 0601; 0806; 3002 90 500 0; 3002 90 900 0
Synchytrium endobioticum (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0
Phytophthora Fragariae Hickman	0601; 2530 90 980 0
Diaporthe helianthi Munt. Cvet. et al. (=Phomopsis helianthi Munt. Cvet. et al.)	1206 00 (except 1206 00 910 0); 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)
Plum pox potyvirus	0809; 0810 (except 0810 60 000 0)
(Cochliobolus heterostrophus Drechsler (=Bipolaris maydis (Nisikado) Shoem) (race T)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)

Undesirable plants:

Ambrosia artemisiifolia L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Ambrosia Irifida L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

<i>Solanum elaeagnifolium</i> Cav.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
<i>Cuscuta</i> spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
<i>Cenchrus pauciflorus</i> Benth.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the island of Corsica (Republic of France)

Pests:

<i>Ceratitis capitata</i> (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
-----------------------------------	---

Undesirable plants:

<i>Cuscuta</i> spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
---------------------	---

From the island of Crete (Hellenic Republic)

Pests:

<i>Spodoptera littoralis</i> Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
-------------------------------------	--

Infestants:

<i>Erwinia amylovora</i> (Burill.) Winslow et al.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808; 0809; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
<i>Globodera rostochiensis</i> (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0

Undesirable plants:

<i>Cuscuta</i> spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
---------------------	--

From the Republic of Latvia

Infestants:

<i>Globodera rostochiensis</i> (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
<i>Synchytrium endobioticum</i> (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0

Undesirable plants:

<i>Cuscuta</i> spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
---------------------	--

From the Republic of Lithuania

Infestants:

Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Synchytrium endobioticum (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0
Plum pox potyvirus	0809; 0810 (except 0810 60 000 0)

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	---

From the Grand Duchy of Luxemburg

Pests:

Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Viteus vitifoliae (Fitch.)	2530 90 980 0

Infestants:

Didymella ligulicola (K.F. Baker, Dimock & Davis) von Arx	0601; 0603 11 000 0 - 0603 19 800 0; 2530 90 980 0
Erwinia amylovora (Burill.) Winslow et al.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808; 0809; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Globodera pallida (Stone) Behrens	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0

<i>Synchytrium endobioticum</i> (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0
<i>Phytophthora Fragariae</i> Hickman	0601; 2530 90 980 0
Plum pox potyvirus	0809; 0810 (except 0810 60 000 0)

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	---

From the Republic of Macedonia

Pests:

Liriomyza trifolii Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
-----------------------------	--

Infestants:

Erwinia amylovora (Burill.) Winslow et al.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808; 0809; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
---	---

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	---

From the island of Majorca (Kingdom of Spain)

Pests:

Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
---------------------------------	--

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	--

From the Republic of Malta
Pests:

Liriomyza trifolii Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Grapholitha molesta Busck.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Pseudaulacaspis pentagona (Targ.-Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Viteus vitifoliae (Fitch.)	2530 90 980 0

Infestants:

Globodera pallida (Stone) Behrens	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Synchytrium endobioticum (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	--

From the Republic of Moldova

Pests:

Hyphantria cunea Drury	0604 91 900 0; 0604 99 100 0; 0806; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0; 1404 90 000 0; 4401 30 900 0
Grapholita molesta Busck.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Quadraspidiotus perniciosus Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808

Infestants:

Didymella ligulicola (K.F. Baker, Dimock & Davis) von Arx	0601; 0603 11 000 0 - 0603 19 800 0; 2530 90 980 0
Ralstonia solanacearu (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Xylophilus ampelinus (Panagopoulos) Willems et al. (=Xanthomonas ampelina Panagopoulos)	0601; 0806; 3002 90 500 0; 3002 90 900 0
Grapevine flavescence doree phytoplasma	0106 90 009; 0601; 0806; 3002 90 500 0; 3002 90 900 0
Diaporthe helianthi Munt. Cvet. et al. (=Phomopsis helianthi Munt. Cvet. et al.)	1206 00 (except 1206 00 910 0); 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)
Plum pox potyvirus	0809; 0810 (except 0810 60 000 0)

Undesirable plants:

Ambrosia artemisiifolia L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Ambrosia trifida L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Solanum rostratum Dun.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0; 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cenchrus pauciflorus Benth.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	--

From the Kingdom of Netherlands

Pests:

Liriomyza trifolii Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 000 000
Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Frankliniella occidentalis Perg.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Thrips palmi Karny	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Viteus vitifoliae (Fitch.)	2530 90 980 0

<i>Liriomyza huidobrensis</i> Blanch.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
--	--

Infestants:

<i>Didymella ligulicola</i> (K.F. Baker, Dimock & Davis) von Arx	0601; 0603 11 000 0 - 0603 19 800 0; 2530 90 980 0
<i>Ralstonia</i> <i>solanacearum</i> (Smith) Yabuuchi et al. (= <i>Pseudomonas</i> <i>solanacearum</i> (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
<i>Erwinia amylovora</i> (Burill.) Winslow et al.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808; 0809; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
<i>Globodera</i> <i>pallida</i> (Stone) Behrens	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
<i>Globodera</i> <i>rostochiensis</i> (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
<i>Meloidogyne chitwoodi</i> Golden et al.	0106 90 001 0; 0601; 0701; 0703; 0706; 0714 20 100 0; 1212 91; 1214; 9705 00 000 0
<i>Synchytrium endobioticum</i> (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0
<i>Phytophthora Fragariae</i> Hickman	0601; 2530 90 980 0
Plum pox potyvirus	0809; 0810 (except 0810 60 000 0)

Undesirable plants:

<i>Ambrosia psilostachya</i> DC.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
<i>Ambrosia trifida</i> L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	--

From the Kingdom of Norway

Infestants:

Didymella ligulicola (K.F. Baker, Dimock & Davis) von Arx	0601; 0603 11 000 0 - 0603 19 800 0; 2530 90 980 0
Erwinia amylovora (Burill.) Winslow et al.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808; 0809; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Globodera pallida (Stone) Behrens	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Synchytrium endobioticum (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0
Phytophthora Fragariae Hickman	0601; 2530 90 980 0
Plum pox potyvirus	0809; 0810 (except 0810 60 000 0)

Undesirable plants:

Ambrosia trifida L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
---------------------	--

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	--

From the Republic of Poland

Pests:

Liriomyza trifolii - Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Frankliniella occidentalis Perg.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Quadrastripiotus perniciosus Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Pantoea stewartii subsp. stewartii (Smith) Mergaert et al. (=Erwinia stewartii (Smith) Dye	0106 90 009; 0712 90 110 0; 1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Erwinia amylovora (Burill. Winslow et al.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808; 0809; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Globodera pallida (Stone) Behrens	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Synchytrium endobioticum (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0
Diaporthe helianthi Munt. Cvet. et al. (=Phomopsis helianthi Munt. Cvet. et al.)	1206 00 (except 1206 00 910 0); 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)
Plum pox potyvirus	0809; 0810 (except 0810 60 000 0)

Undesirable plants:

Ambrosia psilostachya DC.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Ambrosia artemisiifolia L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Ambrosia trifida L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Acroptilon repens DC.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	--

From the Portuguese Republic

Pests:

Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 00; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Frankliniella occidentalis Perg.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Quadraspidiotus perniciosus Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 0000
Pseudaulacaspis pentagona (Targ. - Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808
Viteus vitifoliae (Fitch.)	2530 90 980 0
	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91
Liriomyza huidobrensis Blanch.	900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Bursaphelenchus - xylophilus (Steiner et Buhrer) Nickle	0604 91 200 0; 0604 91 400 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 4401 10 000; 4401 21 000 0; 4401 22 000 0; 4401 30; 4403 (except 4403 10 000); 4404; 1404 90 000 0; 4401 30 900 0; 4406 10 000 0; 4407; 4409; 4415; 4418 40 000 0; 4416 00 000 0; 4418 10; 4418 20
Xylophilus ampelinus (Panagopoulos) Willemse et al. (=Xanthomonas ampelina Panagopoulos)	0601; 0806; 3002 90 500 0; 3002 90 900 0
Globodera pallida (Stone) Behrens	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Stenocarpella maydis (Berkeley) Sutton (=D. maydis. (Berkeley) Saccardo)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)
Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Synchytrium endobioticum (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0
Plum pox potyvirus	0809; 0810 (except 0810 60 000 0)

Undesirable plants:

Ambrosia artemisiifolia L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

Bidens pilosa L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
------------------	---

From Romania

Pests:

Hyphantria cunea Drury	0604 91 900 0; 0604 99 100 0; 0806; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0; 1404 90 000 0; 4401 30 900 0
Liriomyza trifolii Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Grapholitha molesta Busck.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Quadrapsidiotus perniciosus Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Viteus vitifoliae (Fitch.)	2530 90 980 0

Infestants:

Pantoea stewartii subsp. stewartii (Smith) Mergaert et al. (=Erwinia stewartii (Smith) Dye	0106 90 009; 0712 90 110 0; 1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Erwinia amylovora (Burill.) Winslow et al.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808; 0809; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Stenocarpella maydis (Berkeley) Sutton (=D. maydis (Berkeley) Saccardo)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0
Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Synchytrium endobioticum (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0
Diaporthe helianthi Munt. Gvet. et al. (=Phomopsis helianthi Munt. Cvet. et al.)	1206 00 (except 1206 00 910 0); 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)

Plum pox potyvirus	0809; 0810 (except 0810 60 000 0)
-----------------------	-----------------------------------

Undesirable plants:

Ambrosia artemisiifolia L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Solanum triflorum Nutt.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the island of Sardinia (Republic of Italy)

Pests:

Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
-------------------------------	---

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	--

From the island of Sicily (Republic of Italy)

Pests:

Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Pseudaulacaspis pentagona (Targ.-Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808

Undesirable plants:

Solanum elaeagnifolium Cav.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Slovak Republic

Pests:

Hyphantria cunea Drury	0604 91 900 0; 0604 99 100 0; 0806; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0; 1404 90 000 0; 4401 30 900 0
Liriomyza triflli Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Grapholita molesta Busck.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Quadraspidiotus perniciosus Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Viteus vitifoliae (Fitch.)	2530 90 980 0

Infestants:

Erwinia amylovora (Burill.) Winslow et al.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808; 0809; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Globodera pallida (Stone) Behrens	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Synchytrium endobioticum (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0
Phytophthora Fragariae Hickman	0601; 2530 90 980 0
Diaporthe helianthi Munt. Cvet. et al. (=Phomopsis helianthi Munt. Cvet. et al.)	1206 00 (except 1206 00 910 0); 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0) 910 0, 1209 99 990 0)

Undesirable plants:

Ambrosia artemisiifolia L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Ambrosia trifida L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

Solanum rostratum Dun.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Solanum triflorum Nutt.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 0000; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Republic of Slovenia

Pests:

Hyphantria cunea Drury	0604 91 900 0; 0604 99 100 0; 0806; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0; 1404 90 000 0; 4401 30 900 0
Liriomyza trifolii Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Grapholita molesta Busck.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Quadraspidiotus perniciosus Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Viteus vitifoliae (Fitch.)	2530 90 980 0

Infestants:

Xylophilus ampelinus (Panagopoulos) Willems et al. (=Xanthomonas ampelina Panagopoulos)	0601; 0806; 3002 90 500 0; 3002 90 900 0
Synchytrium endobioticum (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0
Phytophthora Fragariae Hickman	0601; 2530 90 980 0
Plum pox potyvirus	0809; 0810 (except 0810 60 000 0)

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	--

From Ukraine

Pests:

Hyphantria cunea Drury	0604 91 900 0; 0604 99 100 0; 0806; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0; 1404 90 000 0; 4401 30 900 0
Grapholita molesta Busck.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Quadrapsidiotus perniciosus Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Viteus vitifoliae (Fitch.)	2530 90 980 0

Infestants:

Erwinia amylovora (Burill.) Winslow et al.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 604 91 900 0; 0604 99 100 0; 0808; 0809; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Xanthomonas oryzae pv. oryzae (Ishiyama) Swings et al.	0106 90 009; 1006; 1104; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0; 4601
Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0

<i>Synchytrium endobioticum</i> (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0
<i>Diaporthe helianthi</i> Munt. Cvet. et al. (=Phomopsis helianthi) Munt. Cvet. et al.)	1206 00 (except 1206 00 910 0); 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)
Plum pox potyvirus	0809; 0810 (except 0810 60 000 0)
(<i>Cochliobolus heterostrophus</i> Drechsler (=Bipolaris maydis (Nisikado) Shoem) (race T))	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)

Undesirable plants:

<i>Ambrosia artemisiifolia</i> L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
<i>Acroptilon repens</i> DC.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
<i>Solanum rostratum</i> Dun.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cenchrus pauciflorus Benth.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From Faeroe Islands (Kingdom of Denmark)

Infestants:

Globodera pallida (Stone) Behrens	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	--

From the Republic of Finland

Pests:

Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
------------------------------	--

Frankliniella occidentalis Perg.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Liriomyza huidobrensis Blanch.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Didymella ligulicola (K.F. Baker, Dimock & Davis) von Arx	0601; 0603 11 000 0 - 0603 19 800 0; 2530 90 980 0
Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Synchytrium endobioticum (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0
Plum pox potyvirus	0809; 0810 (except 0810 60 000 0)

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	---

From the Republic of France (except for Corsica)

Pests:

<i>Hyphantria cuncta</i> Drury	0604 91 900 0; 0604 99 100 0; 0806; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0; 1404 90 000 0; 4401 30 900 0
<i>Liriomyza trifolii</i> Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
<i>Grapholita molesta</i> Busck.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
<i>Spodoptera littoralis</i> Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
<i>Frankliniella occidentalis</i> Perg.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
<i>Callosobruchus</i> spp.	1201 00
<i>Quadraspidiotus perniciosus</i> Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
<i>Trogoderma granarium</i> Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
<i>Phthorimaea operculella</i> Zell.	0701; 2530 90 980 0
<i>Ceratitis capitata</i> (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
<i>Bemisia tabaci</i> Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
<i>Pseudaulacaspis pentagona</i> (Targ. - Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
<i>Viteus vitifoliae</i> (Fitch.)	2530 90 980 0
<i>Liriomyza huidobrensis</i> Blanch.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

<i>Didymella ligulicola</i> (K.F. Baker, Dimock & Davis) von Arx	0601; 0603 11 000 0 - 0603 19 800 0; 2530 90 980 0
--	--

Xylophilus ampelinus (Panagopoulus) Willems et al. (=Xanthomonas ampelina Panagopoulos)	0601; 0806; 3002 90 500 0; 3002 90 900 0
Erwinia amylovora (Burill.) Winslow et al.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808; 0809; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Globodera pallida (Stone) Behrens	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Stenocarpella maydis (Berkeley) Sutton (=D. maydis (Berkeley) Saccardo)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)
Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Grapevine flavescence doree phytoplasma	0106 90 009; 0601; 0806; 3002 90 500 0; 3002 90 900 0
Peach latent mosaic viroid	0802; 0809
Synchytrium endobioticum (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0
Phytophthora Fragariae Hickman	0601; 2530 90 980 0
Diaporthe helianthi Munt. Cvet. et al. (=Phomopsis helianthi Munt. Cvet. et al.)	1206 00 (except 1206 00 910 0); 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)
Plum pox potyvirus	0809; 0810 (except 0810 60 000 0)
(Cochliobolus heterostrophus Drechsler (=Bipolaris maydis (Nisikado) Shoem) (race T)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)

Undesirable plants:

Ambrosia psilostachya DC.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
------------------------------	---

Ambrosia artemisiifolia L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Ambrosia trifida L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Republic of Croatia

Pests:

Hyphantria cunea Drury	0604 91 900 0; 0604 99 100 0; 0806; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0; 1404 90 000 0; 4401 30 900 0
Liriomyza trifolii Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Grapholita molesta Busck.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Diabrotica virgifera Le Conte	1213 00 000 0
Quadraspidiotus perniciosus Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0

Viteus vitifoliae (Fitch.)	2530 90 980 0
-------------------------------	---------------

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	--

From the Czech Republic

Pests:

Hyphantria cunea Drury	0604 91 900 0; 0604 99 100 0; 0806; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0; 1404 90 000 0; 4401 30 900 0
Liriomyza trifolii Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Grapholita molesta Busck.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Quadraspidiotus perniciosus Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Viteus vitifoliae (Fitch.)	2530 90 980 0
Liriomyza huidobrensis Blanch.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Didymella ligulicola (K.F. Baker, Dimock & Davis) von Arx	0601; 0603 11 000 0 - 0603 19 800 0; 2530 90 980 0
Erwinia amylovora (Burill.) Winslow et al.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808; 0809; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Globodera pallida (Stone) Behrens	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Stenocarpella maydis (Berkeley) Sutton (=D. maydis (Berkeley) Saccardo)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)
Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Synchytrium endobioticum (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0
Phytophthora Fragariae Hickman	0601; 2530 90 980 0
Diaporthe helianthi Munt. Cvet. et al. (=Phomopsis helianthi Munt. Cvet. et al.)	1206 00 (except 1206 00 910 0); 1209 (except 1209 29 600 0; 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)
Plum pox potyvirus	0809; 0810 (except 0810 60 000 0)
(Cochliobolus heterostrophus Drechsler (=Bipolaris maydis (Nisikado) Shoem) (race T)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)

Undesirable plants:

Ambrosia artemisiifolia L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Ambrosia trifida L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

Solanum rostratum Dun.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Solanum triflorum Nutt.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 000 00 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cenchrus pauciflorus Benth.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Swiss Confederation

Pests:

Liriomyza trifolii Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Grapholita molesta Busck.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0

Frankliniella occidentalis Perg.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Quadraspidiotus perniciosus Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Pseudaulacaspis pentagona (Targ. - Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Viteus vitifoliae (Fitch.)	2530 90 980 0

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Pantoea stewartii subsp. stewartii (Smith) Mergaert et al. (=Erwinia stewartii (Smith) Dye	0106 90 009; 0712 90 110 0; 1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Xylophilus ampelinus (Panagopoulos) Willems et al. (=Xanthomonas ampelina Panagopoulos)	0601; 0806; 3002 90 500 0; 3002 90 900 0
Erwinia amylovora (Burill.) Winslow et al.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808; 0809; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Globodera pallida (Stone) Behrens	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0

Grapevine flavescence doree phytoplasma	0106 90 009; 0601; 0806; 3002 90 500 0; 3002 90 900 0
Synchytrium endobioticum (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0
Phytophthora Fragariae Hickman	0601; 2530 90 980 0
Plum pox potyvirus	0809; 0810 (except 0810 60 000 0)
(Cochliobolus heterostrophus Drechsler (=Bipolaris maydis (Nisikado) Shoem) (race T)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)

Undesirable plants:

Ambrosia artemisiifolia L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Ambrosia trifida L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Ipomoea hederacea L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

Ipomoea lacunosa L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Kingdom of Sweden

Pests:

Liriomyza trifolii Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705 - 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Frankliniella occidentalis Perg.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Pseudaulacaspis pentagona (Targ. - Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Liriomyza huidobrensis Blanch.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Didymella ligulicola (K.F. Baker, Dimock & Davis) von Arx	0601; 0603 11 000 0 - 0603 19 800 0; 2530 90 980 0
Ralstonia solanacearum (Smith) - Yabuuchi et. al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Erwinia amylovora (Burill.) Winslow et al.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808; 0809; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Globodera pallida (Stone) Behrens	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Synchytrium endobioticum (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0
Phytophthora Fragariae Hickman	0601; 2530 90 980 0
Plum pox potyvirus	0809; 0810 (except 0810 60 000 0)

Undesirable plants:

Ambrosia psilostachya DC.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
---------------------------	---

Ambrosia artemisiifolia L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Ambrosia trifida L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Helianthus ciliaris DC.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Republic of Estonia

Pests:

Frankliniella occidentalis Perg.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
----------------------------------	--

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Globodera rostochiensis. (Woll) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Synchytrium endobioticum (Schilb.) Pcrcival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 09 10; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	---

From the Republic of Serbia
Pests:

Hyphantria cunea Drury	0604 91 900 0; 0604 99 100 0; 0806; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0; 1404 90 000 0; 4401 30 900 0
Liriomyza trifolii Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Grapholitha molesta Busck.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Diabrotica virgifera Le Conte	1213 00 000 0
Quadraspidiotus pemiciosus Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Phthorimaea operculella Zell.	0701; 2530 90 980 0

Callosobruchus spp.	1201 00
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Pseudaulacaspis pentagona (Targ. - Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Viteus vitifoliae (Fitch.)	2530 90 980 0

Infestants:

Didymella ligulicola (K.F. Baker, Dimock & Davis) von Arx	0601; 0603 11 000 0 - 0603 19 800 0; 2530 90 980 0
Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith)	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Pantoea stewartii subsp. stewartii (Smith) Mergaert et al. (=Erwinia stewartii (Smith) Dye)	0106 90 009; 0712 90 110 0; 1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Xylophilus ampelinus (Panagopoulos) Willems et al. (=Xanthomolnas ampelina Panagopouios)	0601; 0806; 3002 90 500 0; 3002 90 900 0
Erwinia amylovora (Burill.) Winslow et al.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808; 0809; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Globodera pallida (Stone) Behrens	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0, 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Synchytrium endobioticum (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0
Diaporthe helianthi Munt. Cvet. et al. (=Phomopsis helianthi Munt. Cvet. et al.)	1206 00 (except 1206 00 910 0); 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)
Plum pox potyvirus	0809; 0810 (except 0810 60 000 0)
(Cochliobolus heterostrophus Drechsler (=Bipolaris maydis (Nisikado) Shoem) (race T)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)

Undesirable plants:

Ambrosia artemisiifolia L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Solanum rostratum Dun.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Northern and Central America

From Netherlands Antilles (except for
Lesser Antilles)

Pests:

Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
----------------------------	--

From the Commonwealth of the Bahamas

Pests:

Liriomyza trifolii Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Liriomyza sativae Blanch	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

From Barbados

Pests:

Liriomyza trifolii Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Thrips palmi Karny	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Liriomyza sativae Blanch	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	---

From Belize

Pests:

Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Callosobruchus spp.	1201 00
Liriomyza huidobrensis Blanch.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
--	---

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 - 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cenchrus pauciflorus Benth.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From Bermuda Islands (United Kingdom of Great Britain and Northern Ireland)

Pests:

Phthorimaea operculella Zell.	0701; 2530 90 980 0
Callosobruchus spp.	1201 00
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Pseudaulacaspis pentagona (Targ. - Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Viteus vitifoliae (Fitch.)	2530 90 980 0
Popillia japonica Newm.	0601; 0603 11 000 0 - 0603 19 800 0; 0701; 0702 00 000; 0703; 0706; 0804; 0805; 0806; 0807; 0808; 0809; 0810 (except 0810 60 000 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 2530 90 980 0

Infestants:

Erwinia amylovora (Burill.) Winslow et al.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808; 0809; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
---	---

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	--

From the Republic of Haiti

Pests:

Phthorimaea operculella Zell.	0701; 2530 90 980 0
Thrips paimi Karny	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Erwinia amylovora (Burill.) Winslow et al.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808; 0809; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	--

<i>Cenchrus pauciflorus</i> Benth.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
---------------------------------------	---

From Guadeloupe

Pests:

<i>Liriomyza trifolii</i> Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
<i>Thrips palmi</i> Karny	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
<i>Bemisia tabaci</i> Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
<i>Liriomyza sativae</i> Blanch	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

<i>Ralstonia solanacearum</i> (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
---	---

Undesirable plants:

<i>Ambrosia artemisiifolia</i> L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------------------------------	---

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 50; 5102; 103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	--

From the Republic of Guatemala

Pests:

Liriomyza trifolii Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Thrips paimi Karny	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Liriomyza huidobrensis Blanch.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Erwinia amylovora (Burill.) Winslow et al.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808; 0809; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	---

From the Republic of Honduras

Pests:

Callosobruchus spp.	1201 00
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Liriomyza huidobrensis Blanch.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Potato Andean mottle comovirus	0701
Xanthomonas oryzae pv. oryzae (Ishiyama) Swings et al.	0106 90 009; 1006; 1104; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0; 4601
Stenocarpella maydis (Berkeley) Sutton (=D. maydis (Berkeley) Saccardo)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cenchrus pauciflorus Benth.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From Grenada

Pests:

Thrips palmi Karny	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
-----------------------	--

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
--	---

From the Commonwealth of Dominica

Pests:

Thrips palmi Karany	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Liriomyza sativae Blanch	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
--	---

From the Dominican Republic

Pests:

Liriomyza trifolii Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Thrips palmi Karny	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Liriomyza sativae Blanch	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Liriomyza huidobrensis Blanch.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Phymatotrichopsis omnivore (Duggar.) Henne -bert (Phymatotrichum omnivorum (Duggar)	0601; 2530 90 980 0

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cenchrus pauciflorus Benth.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From Canada

Pests:

Anoplophora glabripennis (Motschulsky)	0106 90 009; 0604 91 900 0; 0604 99 100 0; 4401 10 000; 4401 21 000 0; 4401 22 000 0; 4401 30; 4403 (except 4403 10 000); 1404 90 000 0; 4401 30 900 0; 4406 10 000 0; 4407; 4409; 4415; 4418 40 000 0; 4416 00 000 0; 4418 10; 4418 20
---	---

<i>Hyphantria cunea</i> Drury	0604 91 900 0; 0604 99 100 0; 0806; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0; 1404 90 000 0; 4401 30 900 0
<i>Liriomyza trifolii</i> Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
<i>Grapholita molesta</i> Busck.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
<i>Quadraspidiotus perniciosus</i> Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
<i>Frankliniella occidentalis</i> Perg.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
<i>Trogoderma granarium</i> Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
<i>Phthorimaea operculella</i> Zell.	0701; 2530 90 980 0
<i>Conotrachelus nenuphar</i> Hb.	2530 90 980 0; 4401 10 000; 4401 21 000 0; 4401 22 000 0; 4401 30; 4403 (except 4403 10 000); 4404; 1404 90 000 0; 4401 30 900 0; 4406 10 000 0; 4418 40 000 0; 1404 90 000 0; 4408; 4416 00 00 0; 4418 10; 4418 20; 4418 50 000 0; 4601; 4602; 4808 10 000 0; 4819 10 000 0; 5301; 5302 5303
<i>Bemisia tabaci</i> Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
<i>Liriomyza sativae</i> Blanch	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
<i>Viteus vitifoliae</i> (Fitch.)	2530 90 980 0
<i>Rhagoletis pomonella</i> Walsh.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
<i>Popillia japonica</i> Newm.	0601; 0603 11 000 0 - 0603 19 800 0; 0701; 0702 00 000; 0703; 0706; 0804; 0805; 0806; 0807; 0808; 0809; 0810 (except 0810 60 000 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 2530 90 980 0

Infestants:

<i>Didymella ligulicola</i> (K.F. Baker, Dimock & Davis) von Arx	0601; 0603 11 000 0 - 0603 19 800 0; 2530 90 980 0
--	--

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Pantoea stewartii subsp. stewartii (Smith) Mergaert et al. (=Erwinia stewartii (Smith) Dye	0106 90 009; 0712 90 110 0; 1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Erwinia amylovora (Burill.) Winslow et al.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808; 0809; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Globodera pallida (Stone) Behrens	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Stenocarpella maydis (Berkeley) Sutton (=D. maydis (Berkeley) Saccardo)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)
Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Atropellis piniphilla (Weir.)	0604 91 200 0; 0604 91 400 0; 0604 91 900 0; 0604 99 100 0; 4401 10 000; 4401 21 000 0; 4401 22 000 0
Lohman & Cash u Atropellis pinicola Zeller & Gooding	4401 30; 4403 (except 4403 10 000); 4404; 1404 90 000 0; 4401 30 900 0; 4406 10 000 0; 4407; 4409; 4415; 4418 40 000 0; 4416 00 000 0; 4418 10; 4418 20
Synchytrium endobioticum (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0
Cherry rasp leaf nepovirus	0809
Peach rosette mosaic nepovirus	0809
Bursaphelenchus xylophilus (Steiner et Buhrer) Nickle	0604 91 200 0; 0604 91 400 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 4401 10 000; 4401 21 000 0; 4401 22 000 0; 4401 30; 4403 (except 4403 10 000); 4404; 1404 90 000 0; 4401 30 900 0; 4406 10 000 0; 4407; 4409; 4415; 4418 40 000 0; 4416 00 000 0; 4418 10; 4418 20
Ceratocystis fagacearum (Bretz.) Hunt.	0604 91 900 0; 0604 99 100 0; 0702 00 000; 4401 10 000; 4401 21 000 0; 4401 22 000 0; 4401 30; 4403 (except 4403 10 000); 4404; 1404 90 000 0; 4401 30 900 0; 4406 10 000 0; 4407; 4409; 4415; 4418 40 000 0; 4416 00 000 0; 4418 10; 4418 20
Diaporthe helianthi Munt. Cvet. et al. (=Phomopsis helianthi Munt. Cvet. et al.)	1206 00 (except 1206 00 910 0); 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)
Plum pox potyvirus	0809; 0810 (except 0810 60 000 0)
Cochliobolus heterostrophus Drechsler (=Bipolaris maydis (Nisikado) Shoem) (race T)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)

Undesirable plants:

Ambrosia psilostachya DC.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Ambrosia artemisiifolia L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Ambrosia trifida L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Iva axillaris Pursh.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Acroptilon repens DC.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

Ipomoea hederacea L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Ipomoea lacunosa L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Solanum carolinense L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Solanum rostratum Dun.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00, 1004 00 0000; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Solanum elaeagnifolium Cav.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5103 10 100 0; 5201 00; 5202; 5301; 5302

Solanum triflorum Nutt.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cenchrus pauciflorus Benth.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Republic of Costa Rica

Pests:

Liriomyza trifolii Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Premnotrypes spp.	0601; 0603 11 000 0 - 0603 19 800 0; 0701; 2530 90 980 0
Frankliniella occidentalis Perg.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Liriomyza sativae Blanch	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Pseudaulacaspis pentagona (Targ.-Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Liriomyza huidobrensis Blanch.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Pantoea stewartii subsp. stewartii (Smith) Mergaert et al. (=Erwinia stewartii (Smith) Dye	0106 90 009; 0712 90 110 0; 1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Xanthomonas oryzae pv. oryzae (Ishiyama) Swings et al.	0106 90 009; 1006; 1104; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0; 4601
Stenocarpella maydis (Berkeley) Sutton (=D. maydis (Berkeley) Saccardo)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)
Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	--

From the Republic of Cuba

Pests:

Liriomyza trifolii Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
-----------------------------	--

Quadraspidiotus perniciosus Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Callosobruchus spp.	1201 00
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Liriomyza sativae Blanch	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 9800; 3101 00 000 0
Pseudaulacaspis pentagona (Targ.-Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Stenocarpella maydis (Berkeley) Sutton (=D. maydis (Berkeley) Saccardo)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)

Undesirable plants:

Ambrosia artemisiifolia L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Ipomoea hederacea L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

Ipomoea lacunosa L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cenchrus pauciflorus Benth.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From Lesser Antilles (except for the islands of Martinique and Montserrat)

Pests:

Anoplophora glabripennis (Motschulsky)	0106 90 009; 0604 91 900 0; 0604 99 100 0; 4401 10 000; 4401 21 000 0; 4401 22 000 0; 4401 30; 4403 (except 4403 10 000); 1404 90 000 0; 4401 30 900 0; 4406 10 000 0; 4407; 4409; 4415; 4418 40 000 0; 4416 00 000 0; 4418 10; 4418 20
Ceratitis cupitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	--

From the Island of Martinique

Pests:

Liriomyza trifolii Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Thrips palmi Karny	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 - 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Liriomyza sativae Blanch	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
--	---

Undesirable plants:

Ambrosia artemisiifolia L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
----------------------------	---

<i>Cuscuta</i> spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 1000; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
---------------------	---

From the United Mexican States

Pests:

<i>Hyphantria cunea</i> Drury	0604 91 900 0; 0604 99 100 0; 0806; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0; 1404 90 000 0; 4401 30 900 0
<i>Liriomyza trifolii</i> Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
<i>Grapholita molesta</i> Busck.	0808, 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
<i>Quadraspidiotus perniciosus</i> Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
<i>Frankliniella occidentalis</i> Perg.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
<i>Trogoderma granarium</i> Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
<i>Phthorimaea operculella</i> Zell.	0701; 2530 90 980 0
<i>Callosobruchus</i> spp.	1201 00
<i>Ceratitis capitata</i> (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
<i>Bemisia tabaci</i> Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
<i>Liriomyza sativae</i> Blanch	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Pseudaulacaspis pentagona (Targ.-Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Viteus vitifoliae (Fitch.)	2530 90 980 0
Liriomyza huidobrensis Blanch.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Rhagoletis pomonella Walsh.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0

Infestants:

Didymella ligulicola (K.F. Baker, Dimock & Davis) von Arx	0601; 0603 11 000 0 - 0603 19 800 0; 2530 90 980 0
Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith)	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Pantoea stewartii subsp. stewartii (Smith) Mergaert et al. (=Erwinia stewartii (Smith) Dye	0106 90 009; 0712 90 110 0; 1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Erwinia amylovora (Burill.) Winslow et al.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808; 0809; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Thecaphora solani Thirum et O'Brien. (=Angiosorus solani Thirum et O'Brien.)	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0
Stenocarpella maydis (Berkeley) Sutton (=D. maydis (Berkeley) Saccardo)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)
Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Neovossia indica (Mitra) Mundkur (=Tilletia indica Mitra)	1001; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0
Peach latent mosaic viroid	0802; 0809
Synchytrium endobioticum (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0
Bursaphelenchus xylophilus (Steiner et Buhrer) Nickle	0604 91 200 0; 0604 91 400 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 4401 10 000; 4401 21 000 0; 4401 22 000 0; 4401 30; 4403 (except 4403 10 000); 4404; 1404 90 000 0; 4401 30 900 0; 4406 10 000 0; 4407; 4409; 4415; 4418 40 000 0; 4416 00 000 0; 4418 10; 4418 20
Phytophthora omnivore (Duggar.) Hennebert (Phytophthora omnivorum (Duggar))	0601; 2530 90 980 0

<i>Phytophthora Fragariae</i> Hickman	0601; 2530 90 980 0
(<i>Cochliobolus heterostrophus</i> Drechsler (= <i>Bipolaris maydis</i> (<i>Nisikado</i>) Shoem) (race T)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)

Undesirable plants:

<i>Ambrosia psilostachya</i> DC.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 - 11 000 0; 5102; 5103 10 100 0; 5201 00 - 5202; 5301; 5302
<i>Ambrosia artemisiifolia</i> L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
<i>Ambrosia trifida</i> L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
<i>Iva axillaris</i> Pursh.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

Ipomoea hederacea L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Ipomoea lacunosa L.	0708; 0712 90 110 0; 0713; 1001; 1002 00000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Solanum rostratum Dun.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Solanum elaeagnifolium Gav.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

<i>Helianthus ciliaris</i> DC.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
<i>Cenchrus pauciflorus</i> Benth.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Island of Montserrat

Pests:

<i>Liriomyza sativae</i> Blanch	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
---------------------------------	---

Undesirable plants

<i>Cuscuta</i> spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
---------------------	--

From the Republic of Nicaragua

Pests:

<i>Callosobruchus</i> spp.	1201 00
<i>Phthorimaea operculella</i> Zell.	0701; 2530 90 980 0
<i>Ceratitis</i> <i>capitata</i> (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0

Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Liriomyza huidobrensis Blanch.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi el. al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Xanthomonas oryzae pv. oryzae (Ishiyama) Swings et al.	0106 90 009; 1006; 1104; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0; 4601

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	--

From the republic of Panama

Pests:

Phthorimaea operculella Zell.	0701; 2530 90 980 0
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Liriomyza sativae Blanch	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Pseudaulacaspis pentagona (Targ.-Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808

<i>Liriomyza huidobrensis</i> Blanch.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
---------------------------------------	--

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Erwinia amylovora (Burill.) Winslow et al.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808; 0809; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Globodera pallida (Stone) Behrens	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Thecaphora solani Thirum et O'Brien. (=Angiosorus solani Thirum et O'Brien.)	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0
Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	--

From the Associated Free State of Puerto Rico

Pests:

Phthorimaea operculella Zell.	0701; 2530 90 980 0
Callosobruchus spp.	1201 00
Thrips palmi Karny	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Liriomyza sativae Blanch	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Pseudaulacaspis pentagona (Targ.-Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Pantoea stewartii subsp. stewartii (Smith) Mergaert et al. (=Erwinia stewartii (Smith) Dye	0106 90 009; 0712 90 100 0; 1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 3002 90 500 0; 3002 90 900 0; 9705 00 000 0

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	--

From the Republic of El Salvador

Pests:

Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Liriomyza huidobrensis Blanch.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Xanthomonas oryzae pv. oryzae (Ishiyama) Swings et al.	0106 90 009; 1006; 1104; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0; 4601
Stenocarpella maydis (Berkeley) Sutton (=D. maydis (Berkeley) Saccardo)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 00 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	---

From St. Vincent and the Grenadines

Pests:

Liriomyza sativae Blanch	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
--------------------------	--

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
--	---

From the Federation of Saint Kitts and Nevis

Pests:

Thrips pahmi Karny	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
-----------------------	--

Liriomyza sativae Blanch	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
--------------------------	--

From Saint Lucia

Pests:

Thrips palmi Karny	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Liriomyza sativae Blanch	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Ralstonia solanacearum (Smith). Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
---	---

From the United States of America (except for Hawaiian Islands)

Pests:

Spodoptera litura Fabr.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0708; 0709; 1214; 2530 90 980 0
Anoplophora glabripennis (Motschulsky)	0106 90 009; 0604 91 900 0; 0604 99 100 0; 4401 10 000; 4401 21 000 0; 4401 22 000 0; 4401 30; 4403 (except 4403 10 000); 1404 90 000 0; 4401 30 900 0; 4406 10 000 0; 4407; 4409; 4415; 4418 40 000 0; 4416 00 000 0; 4418 10; 4418 20
Hyphantria cunea Drury	0604 91 900 0; 0604 99 100 0; 0806; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0; 1404 90 000 0; 4401 30 900 0
Liriomyza trifolii Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Grapholita molesta Busck.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Diabrotica virgifera Le Conte	1213 00 000 0
Quadrastrioides perniciosus Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Frankliniella occidentalis Perg.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

<i>Trogoderma granarium</i> Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
<i>Phthorimaea operculella</i> Zell.	0701; 2530 90 980 0
<i>Thrips palmi</i> Karny	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
<i>Conotrachelus nenuphar</i> Hb.	2530 90 980 0; 4401 10 000; 4401 21 000 0; 4401 22 000 0; 4401 30; 4403 (except 4403 10 000); 4404; 1404 90 000 0; 4401 30 900 0; 4406 10 000 0; 4418 40 000 0; 1404 90 000 0; 4408; 4416 00 000 0; 4418 10; 4418 20; 4418 50 000 0; 4601; 4602; 4808 10 000 0; 4819 10 000 0; 5301; 5302 5303
<i>Ceratitis capitata</i> (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
<i>Bemisia tabaci</i> Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
<i>Liriomyza sativae</i> Blanch	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
<i>Pseudaulacaspis pentagona</i> (Targ.-Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
<i>Viteus vitifoliae</i> (Fitch.)	2530 90 980 0
	1201 00
<i>Callosobrachus</i> spp.	
<i>Liriomyza huidobrensis</i> Blanch.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
<i>Rhagoletis pomonella</i> Walsh.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
<i>Popillia japonica</i> Newm.	0601; 0603 11 000 0 - 0603 19 800 0; 0701; 0702 00 000; 0703; 0706; 0804; 0805; 0806; 0807; 0808; 0809; 0810 (except 0810 60 000 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 2530 90 980 0

Infestants:

Bursaphelenchus xylophilus (Steiner et Buhrer) Nickle	0604 91 200 0; 0604 91 400 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 4401 10 000; 4401 21 000 0; 4401 22 000 0; 4401 30; 4403 (except 4403 10 000); 4404; 1404 90 000 0; 4401 30 900 0; 4406 10 000 0; 4407; 4409; 4415; 4418 40 000 0; 4416 00 000 0; 4418 10; 4418 20
Didymella ligulicola (K.F. Baker, Dimock & Davis) von Arx	0601; 0603 11 000 0 - 0603 19 800 0; 2530 90 980 0
Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Pantoea stewartii subsp. stewartii (Smith) Mergaert et al. (=Erwinia stewartii (Smith) Dye	0106 90 009; 0712 90 110 0; 1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 3002 90 500 0; 3002 90 900 0; 9705 00 0000
Erwinia amylovora (Burill.) Winslow et al.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808; 0809; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Xanthomonas oryzae pv. oryzae (Ishiyama) Swings et al.	0106 90 009; 1006; 1104; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0; 4601
Globodera pallida (Stone) Behrens	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Stenocarpella maydis (Berkeley) Sutton (=D. maydis (Berkeley) Saccardo)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0 1209 99 910 0, 1209 99 990 0)
Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Neovossia indica (Mitra) Mundkur (=Tilletia indica Mitra)	1001; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0
Meloidogyne chitwoodi Golden et al.	0106 90 001 0; 0601; 0701; 0703; 0706; 0714 20 100 0; 1212 91; 1214; 9705 00 000 0
Peach latent mosaic viroid	0802; 0809
Atropellis piniphilla (Weir.) Lohman & Cash и Atropellis pinicola Zeller & Gooding	0604 91 200 0; 0604 91 400 0; 0604 91 900 0; 0604 99 100 0; 4401 10 000; 4401 21 000 0; 4401 22 000 0; 4401 30; 4403 (except 4403 10 000); 4404; 1404 90 000 0; 4401 30 900 0; 4406 10 000 0; 4407; 4409; 4415; 4418 40 000 0; 4416 00 000 0; 4418 10; 4418 20
Synchytrium endobioticum (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0

Cherry rasp leaf nepovirus	0604 91 900 0; 0604 99 100 0; 0810 (except 0810 60 000 0)
Peach rosette mosaic nepovirus	0604 91 900 0; 0604 99 100 0; 0809
Ceratocystis fagacearum (Bretz.) Hunt.	0604 91 900 0; 0604 99 100 0; 0702 00,000; 4401 10 000; 4401 21 000 0; 4401 22 000 0; 4401 30; 4403 (except 4403 10 000); 4404; 1404 90 000 0; 4401 30 900 0; 4406 10 000 0; 4407; 4409; 4415; 4418 40 000 0; 4416 00 000 0; 4418 10; 4418 20
Phymatotrichopsis omnivore (Duggar.) Henne -bert (<i>Phymatotrichum</i> <i>omnivorum</i> (Duggar))	0601; 2530 90 980 0
Phytophthora Fragariae Hickman	0601; 2530 90 980 0
Diaporthe helianthi Munt. Cvet. et al. (= <i>Phomopsis helianthi</i> Munt. Cvet. et al.)	1206 00 (except 1206 00 910 0); 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)
Plum pox potyvirus	0809; 0810 (except 0810 60 000 0)
(Cochliobolus heterostrophus Drechsler (= <i>Bipolaris maydis</i> (Nisikado) Shoem) (race T)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)

Undesirable plants:

Ambrosia psilostachya DC.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Ambrosia artemisiifolia L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

Ambrosia trifida L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Iva axillaris Pursh.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Acroptilon repens DC.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Ipomoea hederacea L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Ipomoea lacunosa L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

Solanum carolinense L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Solanum roslratum Dun.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Solanum elaeagnifolium Cav.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Solanum triflorum Nutt.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

Helianthus ciliaris DC.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Striga spp.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cenchrus pauciflorus Benth.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Republic of Trinidad and Tobago

Pests:

Liriomyza trifolii Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Phthorimaea operculella Zell.	0701; 2530 90 980 0

Callosobruchus spp.	1201 00
Thrips palmi Karny	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0; 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Liriomyza sativae Blanch	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Pseudaulacaspis pentagona (Targ.-Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Plum pox potyvirus	0809; 0810 (except 0810 60 000 0)

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	--

From Jamaica

Pests:

Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
--------------------------	--

Phthorimaea operculella Zell.	0701; 2530 90 980 0
Callosobruchus spp.	1201 00
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Liriomyza sativae Blanch	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Pseudaulacaspis pentagona (Targ. - Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Stenocarpella maydis (Berkeley) Sutton (=D. maydis (Berkeley) Saccardo)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0); 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cenchrus pauciflorus Benth.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Southern America

From the Argentine Republic

Pests:

<i>Hyphantria cunea</i> Drury	0604 91 900 0; 0604 99 100 0; 0806; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0; 1404 90 000 0; 4401 30 900 0
<i>Premnotrypes</i> spp.	0601; 0603 11 000 0 - 0603 19 800 0; 0701; 2530 90 980 0
<i>Grapholitha molesta</i> Busck.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
<i>Quadraspidiotus perniciosus</i> Gomst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
<i>Trogoderma granarium</i> Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
<i>Phthorimaea operculella</i> Zell.	0701; 2530 90 980 0
<i>Ceratitis capitata</i> - (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
<i>Bemisia tabaci</i> Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
<i>Liriomyza sativae</i> Blanch	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
<i>Pseudaulacaspis pentagona</i> (Targ.-Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
<i>Viteus vitifoliae</i> (Fitch.)	2530 90 980 0
<i>Liriomyza huidobrensis</i> Blanch.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 - 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Potato Andean latent tymovirus	0701
--------------------------------	------

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Xylophilus ampelinus (Panagopoulos) Willems et al. (=Xanthomonas ampelina Panagopoulos)	0601; 0806; 3002 90 500 0; 3002 90 900 0
Globodera pallida (Stone) Behrens	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Stenocarpella maydis (Berkeley) Sutton (=D. maydis (Berkeley) Saccardo)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)
Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Grapevine flavescence doree phytoplasma	0106 90 009; 0601; 0806; 3002 90 500 0; 3002 90 900 0
Diaporthe helianthi Munt. Cvet. et al. (=Phomopsis helianthi Munt. Cvet. et al.)	1206 00 (except 1206 00 910 0); 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)
Plum pox potyvirus	0809; 0810 (except 0810 60 000 0)
(Cochliobolus heterostrophus Drechsler (=Bipolaris maydis (Nisikado) Shoem) (race T)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)

Undesirable plants:

Ambrosia artemisiifolia L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
-------------------------------	---

Ipomoea hederacea L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Ipomoea lacunosa L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Solanum elaeagnifolium Cav.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 00 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cenchrus pauciflorus Benth.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Multinational State of Bolivia

Pests:

Premnotrypes spp.	0601; 0603 11 000 0 - 0603 19 800 0; 0701; 2530 90 980 0
Callosobruchus spp.	1201 00
Quadraspidiotus perniciosus Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0

Infestants:

Potato Andean mottle comovirus	0701
Potato Andean latent tymovirus	0701
Xanthomonas oryzae pv. oryzae (Ishiyama) Swings et al.	0106 90 009; 1006; 1104; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0; 4601
Globodera pallida (Stone) Behrens	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Thecaphora solani Thirum et O'Brien. (=Angiosorus solani Thirum et O'Brien.)	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0
Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Synchytrium endobioticum (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0
Potato Trichovirus	0701

Undesirable plants:

Ambrosia - artemisiifolia L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Solanum elaeagnifolium Cav.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cenchrus pauciflorus Benth.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Federative Republic of Brazil

Pests:

Hyphantria cunea Drury	0604 91 900 0; 0604 99 100 0; 0806; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0; 1404 90 000 0; 4401 30 900 0
Liriomyza trifolii Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Premnotypes spp.	0601; 0603 11 000 0 - 0603 19 800 0; 0701; 2530 90 980 0
Grapholitha molesta Busck.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Callosobruchus spp.	1201 00
Quadraspidiotus perniciosus Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Thrips palmi Karny	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Liriomyza sativae Blanch	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Pseudaulacaspis pentagona (Targ. - Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Viteus vitifoliae (Fitch.)	2530 90 980 0
Liriomyza huidobrensis Blanch.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Potato Andean mottle comovirus	0701
Potato Andean latent tymovirus	0701
Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith)) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Pantoea stewartii subsp. stewartii (Smith) Mergaert et al. (=Erwinia - stewartii (Smith) Dye	0106 90 009; 0712 90 110 0; 1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 3002 90 500 0; 3002 90 900 0; 9705 00 000 0

<i>Stenocarpella maydis</i> (Berkeley) Sutton (=D. <i>maydis</i> (Berkeley) Saccardo)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)
<i>Globodera</i> <i>rostochiensis</i> (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
<i>Neovossia indica</i> (Mitra) Mundkur (= <i>Tilletia indica</i> Mitra)	1001; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0
<i>Synchytrium endobioticum</i> (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0
<i>Phymatotrichopsis</i> <i>omnivore</i> (Duggar.) Henne - bert (<i>Phymatotrichum</i> <i>omnivorum</i> (Duggar))	0601; 2530 90 980 0
<i>Diaporthe</i> <i>helianthi</i> Munt. Cvet. et al. (= <i>Phomopsis helianthi</i> Munt. Cvet. et al.)	1206 00 (except 1206 00 910 0); 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)
(<i>Cochliobolus</i> <i>heterostrophus</i> Drechsler (= <i>Bipolaris maydis</i> (Nisikado) Shoem) (race T)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)

Undesirable plants:

<i>Ipomoea hederacea</i> L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
<i>Ipomoea</i> <i>lacunosa</i> L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

<i>Solanum elaeagnifolium</i> Cav.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
<i>Cuscuta</i> spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
<i>Cenchrus pauciflorus</i> Benth.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Bolivarian Republic of Venezuela

Pests:

<i>Liriomyza trifolii</i> Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
<i>Premnotrypes</i> spp.	0601; 0603 11 000 0 - 0603 19 800 0; 0701; 2530 90 980 0
<i>Quadrapsidiotus perniciosus</i> Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808

Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Thrips palmi Karny	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Liriomyza sativae Blanch	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Viteus vitifoliae (Fitch.)	2530 90 980 0
Callosobruchus spp.	1201 00
Liriomyza huidobrensis Blanch.	0106 - 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Xanthomonas oryzae pv. oryzae (Ishiyama) Swings et al.	0106 90 009; 1006; 1104; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0; 4601
Globodera pallida (Stone) Behrens	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Thecaphora solani Thirum et O'Brien. (=Angiosorus solani Thirum et O'Brien.)	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0

Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Phymatotrichopsis omnivore (Duggar.) Henne -bert (Phymatotrichum omnivorum (Duggar)	0601; 2530 90 980 0
Diaporthe helianthi Munt. Cvet. et al. (=Phomopsis helianthi Munt. Cvet. et al.)	1206 00 (except 1206 00 910 0); 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)
(Cochliobolus heterostrophus Drechsler (=Bipolaris maydis (Nisikado) Shoem) (race T)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)

Undesirable plants:

Solanum elaeagnifolium Cav.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cenchrus pauciflorus Benth.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Cooperative Republic of Guyana

Pests:

Liriomyza trifolii Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Thrips palmi Karny	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Undesirable plants:

Solanum elaeagnifolium Cav.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
-----------------------------	---

From the French Guiana

Pests:

Liriomyza trifolii Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Liriomyza sativae Blanch	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Pantoea stewartii subsp. stewartii (Smith) Mergaert et al. (=Erwinia stewartii (Smith) Dye	0106 90 009; 0712 90 110 0; 1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 3002 90 500 0; 3002 90 900 0; 9705 00 000 0

Undesirable plants:

Solanum elaeagnifolium Cav.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Republic of Colombia

Pests:

Liriomyza trifolii Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Premnotypes spp.	0601; 0603 11 000 0 - 0603 19 800 0; 0701; 2530 90 980 0
Grapholitha molesta Busck.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Frankliniella occidentalis Perg.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Liriomyza sativae Blanch	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Viteus vitifoliae (Fitch.)	2530 90 980 0

Liriomyza huidobrensis Blanch.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
-----------------------------------	--

Infestants:

Potato Andean mottle comovirus	0701
Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Erwinia amylovora (Burill.) Winslow et al.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808; 0809; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Xanthomonas oryzae pv. oryzae (Ishiyama) Swings et al.	0106 90 009; 1006; 1104; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0; 4601
Globodera pallida (Stone) Behrens	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Thecaphora solani Thirum et O'Brien. (=Angiosorus solani Thirum et O'Brien.)	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0
Stenocarpella maydis (Berkeley) Sutton (=D. maydis.(Berkeley) Saccardo).	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)
Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0

Undesirable plants:

Solanum elaeagnifolium Cav.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------------------------	---

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cenchrus pauciflorus Benth.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Republic of Paraguay

Pests:

Quadraspidiotus perniciosus Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
--	---

Undesirable plants:

Ambrosia artemisiifolia L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Solanum elaeagnifolium Cav.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cenchrus pauciflorus Benth.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Republic of Peru

Pests:

Liriomyza trifolii Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Premnotrypes spp.	0601; 0603 11 000 0 - 0603 19 800 0; 0701; 2530 90 980 0

Quadraspidiotus perniciosus Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Liriomyza sativae Blanch	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Liriomyza huidobrensis Blanch.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Pseudaulacaspis pentagona (Targ. - Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808
Viteus vitifoliae (Fitch.)	2530 90 980 0

Infestants:

Potato Andean mottle comovirus	0701
Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Pantoea stewartii subsp. stewartii (Smith) Mergaert et al. (=Erwinia stewartii (Smith) Dye	0106 90 009; 0712 90 110 0; 1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Globodera pallida (Stone) Behrens	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Thecaphora solani Thirum et O'Brien. (=Angiosorus solani Thirum et O'Brien.)	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0
Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Synchytrium endobioticum (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0

Undesirable plants:

Ambrosia artemisiifolia L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Solanum elaeagnifolium Cav.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Conchrus pauciflorus Benth.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Republic of Surinam

Pests:

Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
--	---

Undesirable plants:

Solanum elaeagnifolium Cav.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------------------------	---

From the Eastern Republic of Uruguay

Pests:

Grapholita molesta Busck.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Quadraspidiotus perniciosus Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0; 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Pseudaulacaspis pentagona (Targ. - Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Ambrosia artemisiifolia L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Solanum elaeagnifolium Cav.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cenchrus pauciflorus Benth.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Republic of Chile

Pests:

Premnotrypes spp.	0601; 0603 11 000 0 - 0603 19 800 0; 0701; 2530 90 980 0
Grapholitha molesta Busck.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Callosobruchus spp.	1201 00
Quadraspidiotus perniciosus Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Liriomyza sativae Blanch	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Viteus vitifoliae (Fitch.)	2530 90 980 0
Liriomyza huidobrensis Blanch.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Potato Andean latent tymovirus	0701
Erwinia amylovora (Burill.) Winslow et al.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808; 0809; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Globodera pallida (Stone) Behrens	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Thecaphora solani Thirum et O'Brien. (=Angiosorus solani Thirum et O'Brien.)	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0
Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Potato yellowing alfamovirus	0701
Synchytrium endobioticum (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0
Phytophthora Fragariae Hickman	0601; 2530 90 980 0
Plum pox potyvirus	0809; 0810 (except 0810 60 000 0)

Undesirable plants:

Ambrosia artemisiifolia L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Solanum elaeagnifolium Cav.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cenchrus pauciflorus Benth.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Republic of Ecuador

Pests:

Premnotrypes spp.	0601; 0603 11 000 0 - 0603 19 800 0; 0701; 2530 90 980 0
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0

Infestants:

Potato Andean mottle comovirus	0701
Ralstonia solanacearum (Smith) (=Pseudomonas solanacearum (Smith) Smith)	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Xanthomonas oryzae pv. oryzae (Ishiyama) Swings et al.	0106 90 009; 1006; 1104; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0; 4601
Globodera pallida (Stone) Behrens	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Thecaphora solani Thirum et O'Brien. (=Angiosorus solani Thirum et O'Brien.)	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0
Stenocarpella maydis (Berkeley) Sutton (=D. maydis (Berkeley) Saccardo)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)
Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Phytophthora Fragariae Hickman	0601; 2530 90 980 0

Undesirable plants:

Solanum elaeagnifolium Cav.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From Australlia and Oceania

From the Commonwealth of Australia

Pests:

<i>Spodoptera litura</i> Fabr.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0708; 0709; 1214; 2530 90 980 0
<i>Grapholitha molesta</i> Busck.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
<i>Quadraspidiotus perniciosus</i> Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
<i>Trogoderma granarium</i> Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0; 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
<i>Phthorimaea operculella</i> Zell.	0701; 2530 90 980 0
<i>Callosobruchus</i> spp.	1201 00
<i>Thrips palmi</i> Karny	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 - 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
<i>Ceratitis capitata</i> (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
<i>Bemisia tabaci</i> Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
<i>Pseudaulacaspis pentagona</i> (Targ. - Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
<i>Viteus vitifoliae</i> (Fitch.)	2530 90 980 0

Infestants:

<i>Didymella ligulicola</i> (K.F. Baker, Dimock & Davis) von Arx	0601; 0603 11 000 0 - 0603 19 800 0; 2530 90 980 0
--	--

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Xanthomonas oryzae pv. oryzicola (Fang. et al.) Swings et al.	0106 90 009; 1006; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Xanthomonas oryzae pv. oryzae (Ishiyama) Swings et al.	0106 90 009; 1006; 1104; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0; 4601
Stenocarpella maydis (Berkeley) Sutton (=D. maydis (Berkeley) Saccardo)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)
Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Grapevine flavescence doree phytoplasma	0106 90 009; 0601; 0806; 3002 90 500 0; 3002 90 900 0
(Cochliobolus heterostrophus Drechsler (= Bipolaris maydis (Nisikado) Shoem) (race T)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)

Undesirable plants:

Ambrosia psilostachya DC.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Ambrosia artemisiifolia L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

Iva axillaris Pursh.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Acroptilon repens DC.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 1000, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Solanum rostratum Dun.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Solanum elaeagnifolium Cav.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

Striga spp.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91, 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cenchrus pauciflorus Benth.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Republic of Vanuatu

Pests:

Spodoptera litura Fabr.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0708; 0709; 1214; 2530 90 980 0
Liriomyza sativae Blanch	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
--	---

From the American (Eastern) Samoa Islands

Pests:

Phthorimaea operculella Zell.	0701; 2530 90 980 0
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	--

From Hawaiian Islands (USA)

Pests:

Spodoptera litura Fabr.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 00; 0704; 0705; 0707 00; 0708; 0709; 1214; 2530 90 980 0
Grapholitha molesta Busck.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Quadraspidiotus perniciosus Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Callosobruchus spp.	1201 00
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Liriomyza sativae Blanch	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Pseudaulacaspis pentagona (Targ. - Toz.)	0106 90 009; 0602 (except - 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Liriomyza huidobrensis Blanch.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Phymatotrichopsis omnivore (Duggar.) Hennebert (Phymatotrichum omnivorum (Duggar))	0601, 2530 90 980 0
(Cochliobolus heterostrophus Drechsler (=Bipolaris maydis (Nisikado) Shoem) (race T)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	--

From the island of Guam (USA)

Pests:

Spodoptera litura Fabr.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0708; 0709; 1214; 2530 90 980 0
Liriomyza trifolii Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Thrips palmi Karny	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Liriomyza sativae Blanch	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Pseudaulacaspis pentagona (Targ. - Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
--	---

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	--

From the Independent State of Samoa (Western Samoa)

Pests:

Spodoptera litura Fabr.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0708; 0709; 1214; 2530 90 980 0
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Thrips palmi Karny	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	---

From Micronesia
(from Caroline Islands, Marshall Islands and Mariana Islands)

Pests:

Spodoptera litura Fabr.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0708; 0709; 1214; 2530 90 980 0
Pseudaulacaspis pentagona (Targ. - Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	---

From Cook Islands

Pests:

Spodoptera litura Fabr.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0708; 0709; 1214; 2530 90 980 0
Liriomyza sativae Blanch	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
--	---

From Micronesia (from Gilbert Islands and Nauru, Wake Island)

Pests:

Spodoptera litura Fabr.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0708; 0709; 1214; 2530 90 980 0
-------------------------	--

From New Zealand

Pests:

Spodoptera litura Fabr.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0708; 0709; 1214; 2530 90 980 0
-------------------------	--

<i>Grapholita molesta</i> Busck.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
<i>Quadraspidiotus</i> <i>perniciosus</i> Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808
<i>Frankliniella</i> <i>occidentalis</i> Perg.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
<i>Trogoderma</i> <i>granarium</i> Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
<i>Phthorimaea operculella</i> Zell.	0701; 2530 90 980 0
<i>Ceratitis</i> <i>capitata</i> (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
<i>Pemisia tabaci</i> Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
<i>Pseudaulacaspis pentagona</i> (Targ. - Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
<i>Viteus</i> <i>vitifoliae</i> (Fitch.)	2530 90 980 0

Infestants:

<i>Didymella ligulicola</i> (K.F. Baker, Dimock & Davis) von Arx	0601; 0603 11 000 0 - 0603 19 800 0; 2530 90 980 0
<i>Synchytrium endobioticum</i> (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0
<i>Phytophthora Fragariae</i> Hickman	0601; 2530 90 980 0

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	--

From the Kingdom of Tonga

Pests:

Spodoptera litura Fabr.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0708; 0709; 1214; 2530 90 980 0
Liriomyza trifolii Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
--	---

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	--

From the Wallis Islands and Futuna

Pests:

Spodoptera litura Fabr.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0708; 0709; 1214; 2530 90 980 0
-------------------------	--

Thrips palmi Karny	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
-----------------------	--

From the Republic of the Fiji Islands

Pests:

Spodoptera litura Fabr.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0708; 0709; 1214; 2530 90 980 0
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Callosobruchus spp.	1201 00
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Pseudaulacaspis pentagona (Targ. - Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
--	---

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	---

From French Polynesia

Pests:

<i>Spodoptera litura</i> Fabr.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0708; 0709; 1214; 2530 90 980 0
<i>Liriomyza sativae</i> Blanch	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

From Asia

From the Azerbaijani Republic

Pests:

<i>Hyphantria cunea</i> Drury	0604 91 900 0; 0604 99 100 0; 0806; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0; 1404 90 000 0; 4401 30 900 0
<i>Grapholitha molesta</i> Busck.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
<i>Quadraspidiotus perniciosus</i> Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
<i>Viteus vitifoliae</i> (Fitch.)	2530 90 980 0
<i>Callosobruchus</i> spp.	1201 00

Infestants:

<i>Plum pox</i> potyvirus	0809; 0810 (except 0810 60 000 0)
---------------------------	-----------------------------------

Undesirable plants:

<i>Ambrosia artemisiifolia</i> L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301, 5302
-----------------------------------	---

<i>Acroptilon repens</i> DC.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
<i>Solanum rostratum</i> Dun.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
<i>Cuscuta</i> spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Andaman Islands (Republic of India)

Undesirable plants:

<i>Cuscuta</i> spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
---------------------	--

From the Republic of Armenia

Pests:

<i>Grapholitha molesta</i> Busck.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
-----------------------------------	--

Quadraspidiotus perniciosus Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808
Viteus vitifoliae (Fitch.)	2530 90 980 0

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith)	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Erwinia amylovora (Burill.) Winslow et al.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808; 0809; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Grapevine flavescence doree phytoplasma	0106 90 009; 0601; 0806; 3002 90 500 0; 3002 90 900 0
Synchytrium endobioticum (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0

Undesirable plants:

Acroptilon repens DC.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Islamic Republic of Afghanistan

Pests:

<i>Spodoptera litura</i> Fabr.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0708; 0709; 1214; 2530 90 980 0
<i>Quadraspidiotus perniciosus</i> Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808
<i>Trogoderma granarium</i> Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
<i>Phthorimaea operculella</i> Zell.	0701; 2530 90 980 0
<i>Callosobruchus</i> spp.	1201 00
<i>Bemisia tabaci</i> Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
<i>Pseudaulacaspis pentagona</i> (Targ. - Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808

Infestants:

<i>Neovossia indica</i> (Mitra) Mundkur (=Tilletia indica Mitra)	1001; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0
---	--

Undesirable plants

<i>Acroptilon repens</i> DC.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
------------------------------	---

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	--

From the People's Republic of Bangladesh

Pests:

Spodoptera litura Fabr.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0708; 0709; 1214; 2530 90 980 0
Quadraspidiotus perniciosus Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 99 900 0; 9705 00 000 0; 2309
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Callosobruchus spp.	1201 00
Thrips palmi Karny	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Pseudaulacaspis pentagona (Targ. - Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Xanthomonas oryzae pv. oryzicola (Fang, et al.) Swings et al.	0106 90 009; 1006; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Xanthomonas oryzae pv. oryzae (Ishiyama) Swings et al.	0106 90 009; 1006; 1104; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0; 4601

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	---

From the Kingdom of Bahrain

Pests:

Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
------------------------------	--

Infestants:

Xanthomonas oryzae pv. oryzae (Ishiyama) Swings et al.	0106 90 009; 1006; 1104; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0; 4601
--	---

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	---

From the Union of Myanmar

Pests:

<i>Quadraspidiotus perniciosus</i> Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
<i>Trogoderma granarium</i> Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700, 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
<i>Phthorimaea operculella</i> Zell.	0701; 2530 90 980 0
<i>Callosobruchus</i> spp.	1201 00
<i>Ceratitis capitata</i> (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
<i>Pseudaulacaspis pentagona</i> (Targ. - Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808

Infestants:

<i>Xanthomonas oryzae</i> pv. <i>oryzae</i> (Ishiyama) Swings et al.	0106 90 009; 1006; 1104; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0; 4601
<i>Neovossia indica</i> (Mitra) Mundkur (= <i>Tilletia indica</i> Mitra)	1001; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0
Plum pox potyvirus	0809; 0810 (except 0810 60 000 0)

Undesirable plants:

<i>Cuscuta</i> spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
---------------------	--

Striga - spp.	0708; 0712 90 110; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
---------------	---

From the State of Brunei Darussalam

Pests:

Spodoptera litura Fabr.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0708; 0709; 1214; 2530 90 980 0
Thrips palmi Karny	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
--	---

From the Socialist Republic of Vietnam

Pests:

Spodoptera litura Fabr.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0708; 0709; 1214; 2530 90 980 0
Quadraspidiotus perniciosus Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309

Phthorimaea operculella Zell.	0701; 2530 90 980 0
Callosobruchus spp.	1201 00
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Erwinia amylovora (Burill.) Winslow et al.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808; 0809; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Xanthomonas oryzae pv. oryzae (Ishiyama) Swings et al.	0106 90 009; 1006; 1104; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0; 4601
Pantoea stewartii subsp. stewartii (Smith) Mergaert et al. (=Erwinia stewartii (Smith) Dye	0106 90 009; 0712 90 110 0; 1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Plum pox potyvirus	0809; 0810 (except 0810 60 000 0)

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	---

Striga spp.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205; 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
-------------	---

From Georgia, Republic of Abkhazia and the Republic of South Ossetia

Pests:

Hyphantria cunea Drury	0604 91 900 0; 0604 99 100 0; 0806; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0; 1404 90 000 0;, 4401 30 900 0
Grapholitha molesta Busck.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Quadraspidiotus perniciosus Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Pseudaulacaspis pentagona (Targ. - Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Viteus vitifoliae (Fitch.)	2530 90 980 0

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Synchytrium endobioticum (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0
(Cochliobolus heterostrophus Drechsler (=Bipolaris maydis (Nisikado) Shoem) (race T)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)

Undesirable plants:

Ambrosia artemisiifolia L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Ambrosia trifida L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Acroptilon repens DC.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Solanum carolinense L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the State of Israel

Pests:

Liriomyza trifolii Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0

Frankliniella occidentalis Perg.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Callosobruchus spp.	1201 00
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Pseudaulacaspis pentagona (Targ. - Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Viteus vitifoliae (Fitch.)	2530 90 980 0
Liriomyza huidobrensis Blanch.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Erwinia amylovora (Burill.) Winslow et al.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808; 0809; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Grapevine - flavescence doree phytoplasma	0106 90 009; 0601; 0806; 3002 90 500 0; 3002 90 900 0

<i>Synchytrium endobioticum</i> (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 11 00; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0
---	--

Undesirable plants:

<i>Ipomoea hederacea</i> L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
<i>Solanum elaeagnifolium</i> Cav.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006, 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
<i>Cuscuta</i> spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Republic of India

Pests:

<i>Callosobruchus</i> spp.	1201 00
<i>Spodoptera litura</i> Fabr.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0708; 0709; 1214; 2530 90 980 0
<i>Spodoptera</i> <i>littoralis</i> Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
<i>Quadraspidiotus</i> <i>perniciosus</i> Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808

Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Thrips palmi Karny	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Liriomyza sativae Blanch	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Pseudaulacaspis pentagona (Targ. - Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Liriomyza, huidobrensis Blanch.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Xanthomonas oryzae pv. oryzicola (Fang, et al.) Swings et al.	0106 90 009; 1006; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Erwinia amylovora (Burill.) Winslow et al.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808; 0809; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Xanthomonas oryzae pv. oryzae (Ishiyama) Swings et al.	0106 90 009; 1006; 1104; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0; 4601
Globodera pallida (Stone) Behrens	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0

<i>Stenocarpella maydis</i> (Berkeley) Sutton (=D. <i>maydis</i> (Berkeley) Saccardo)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)
<i>Giobodera</i> <i>rostochiensis</i> (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
<i>Neovossia indica</i> (Mitra) Mundkur (= <i>Tilletia indica</i> Mitra)	1001; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0
<i>Synchytrium endobioticum</i> (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0
Plum pox potyvirus	0809; 0810 (except 0810 60 000 0)
(<i>Cochliobolus</i> <i>heterostrophus</i> Drechsler (= <i>Bipolaris maydis</i> (Nisikado) Shoem) (race T)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)

Undesirable plants:

<i>Ipomoea hederacea</i> L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
<i>Solanum carolinense</i> L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
<i>Solanum elaeagnifolium</i> Cav.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Striga spp.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cenchrus pauciflorus Benth.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Bidens pilosa L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Republic of Indonesia (except for Java island)

Pests:

Spodoptera litura Fabr.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0708; 0709; 1214; 2530 90 980 0
-------------------------	--

Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Callosobruchus spp.	1201 00
Thrips palmi Karny	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Pseudaulacaspis pentagona (Targ. - Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808

Infestants:

Xanthomonas oryzae pv. oryzae (Ishiyama) Swings et al.	0106 90 009; 1006; 1104; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0; 4601
--	---

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Striga spp.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Hashemite Kingdom of Jordan

Pests:

<i>Spodoptera littoralis</i> Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
<i>Phthorimaea operculella</i> Zell.	0701; 2530 90 980 0
<i>Ceratitis capitata</i> (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
<i>Bemisia tabaci</i> Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
<i>Viteus vitifoliae</i> (Fitch.)	2530 90 980 0

Infestants:

<i>Erwinia amylovora</i> (Burill.) Winslow et al.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808; 0809; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
---	---

Undesirable plants:

<i>Cuscuta</i> spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
---------------------	--

From the Iraqui Republic

Pests:

<i>Callosobrachus</i> spp.	1201 00
<i>Spodoptera littoralis</i> Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
<i>Quadraspidiotus perniciosus</i> Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808

Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Phthorimaea operculella Zell.	0701; 2530 90 980 0

Infestants:

Neovossia indica (Mitra) Mundkur (=Tilletia indica Mitra)	1001; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0
---	--

Undesirable plants:

Acroptilon repens DC.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Islamic Republic of Iran

Pests:

Spodoptera litura Fabr.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0708; 0709; 1214; 2530 90 980 0
Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0

Quadraspidiotus perniciosus Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Callosobruchus spp. -	1201 00
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Pseudaulacaspis pentagona (Targ. - Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Stenocarpella maydis (Berkeley) Sutton (=D. maydis (Berkeley) Saccardo)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)
Diaporthe helianthi Munt. Cvet. et al.(=Phomopsis helianthi Munt. Cvet. et al.)	1206 00 (except 1206 00 910 0); 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)
Plum pox potyvirus	0809; 0810 (except 0810 60 000 0)

Undesirable plants:

<i>Acroptilon repens</i> DC.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
<i>Cuscuta</i> spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Arab Republic of Yemen

Pests:

<i>Spodoptera littoralis</i> Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
<i>Trogoderma granarium</i> Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
<i>Phthorimaea operculella</i> Zell.	0701; 2530 90 980 0
<i>Ceratitis capitata</i> (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
<i>Bemisia tabaci</i> Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
<i>Liriomyza sativae</i> Blanch	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Striga spp.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Republic of Kazakhstan

Pests:

Grapholitha molesta Busck.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Quadraspidiotus perniciosus Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Viteus vitifoliae (Fitch.)	2530 90 980 0

Undesirable plants:

Ambrosia psilostachya DC.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Ambrosia artemisiifolia L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Acroptilon repens DC.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Solarium rostratum Dun.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 - 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

Pests:

Spodoptera litura Fabr.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0708; 0709; 1214; 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
	1201 00
Callosobruchus spp.	

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith)	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Xanthomonas oryzae pv. oryzicola (Fang. et al.) Swings et al.	0106 90 009; 1006; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Xanthomonas oryzae pv. oryzae (Ishiyama) Swings et al.	0106 90 009; 1006; 1104; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0; 4601

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	--

From Cyprus Island (Republic of Cyprus,
Turkish Republic of Northern Cyprus)

Pests:

Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Frankliniella occidentalis Perg.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Liriomyza huidobrensis Blanch.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Erwinia amylovora (Burill.) Winslow et al.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808; 0809; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Globodera pallida (Stone) Behrens	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Phytophthora Fragariae Hickman	0601; 2530 90 980 0

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	--

From the Kyrgyz Republic

Pests:

Grapholitha molesta Busck.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Quadraspidiotus perniciosus Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808

Undesirable plants:

Acroptilon repens DC.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the People's Republic of China
(except for Taiwan)

Pests:

Spodoptera litura Fabr.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0708; 0709; 1214; 2530 90 980 0
-------------------------	--

<i>Anoplophora glabripennis</i> (Motschulsky)	0106 90 009; 0604 91 900 0; 0604 99 100 0; 4401 10 000; 4401 21 000 0; 4401 22 000 0; 4401 30; 4403 (except 4403 10 000); 1404 90 000 0; 4401 30 900 0; 4406 10 000 0; 4407; 4409; 4415; 4418 40 000 0; 4416 00 000 0; 4418 10; 4418 20
<i>Hyphantria cunea</i> Drury	0604 91 900 0; 0604 99 100 0; 0806; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0; 1404 90 000 0; 4401 30 900 0
<i>Grapholitha molesta</i> Busck.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
<i>Quadraspidiotus perniciosus</i> Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
<i>Trogoderma granarium</i> Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
<i>Phthorimaea operculella</i> Zell.	0701; 2530 90 980 0
<i>Callosobruchus</i> spp.	1201 00
<i>Thrips palmi</i> Karny	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
<i>Carposina niponensis</i> Wlsgh.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
<i>Bemisia tabaci</i> Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
<i>Pseudaulacaspis pentagona</i> (Targ. - Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
<i>Viteus vitifoliae</i> (Fitch.)	2530 90 980 0
<i>Popillia japonica</i> Newm.	0601; 0603 11 000 0 - 0603 19 800 0; 0701; 0702 00 000; 0703; 0706; 0804; 0805; 0806; 0807; 0808; 0809; 0810 (except 0810 60 000 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 2530 90 980 0

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Xanthomonas oryzae pv. oryzicola (Fang. et al.) Swings et al.	0106 90 009; 1006; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Pantoea stewartii subsp. stewartii (Smith) Mergaert et al. (=Erwinia stewartii (Smith) Dye	0106 90 009; 0712 90 110 0; 1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Erwinia amylovora (Burill.) Winslow et al.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808; 0809; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Xanthomonas oryzae pv. oryzae (Ishiyama) Swings et al.	0106 90 009; 1006; 1104; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0; 4601
Stenocarpella maydis (Berkeley) Sutton (=D. maydis (Berkeley) Saccardo)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)
Peach latent mosaic viroid	0802; 0809
Bursaphelenchus xylophilus (Steiner et Buhrer) Nickle	0604 91 200 0; 0604 91 400 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 4401 10 000; 4401 21 000 0; 4401 22 000 0; 4401 30; 4403 (except 4403 10 000); 4404; 1404 90 000 0; 4401 30 900 0; 4406 10 000 0; 4407; 4409; 4415; 4418 40 000 0; 4416 00 000 0; 4418 10; 4418 20
Plum pox potyvirus	0809; 0810 (except 0810 60 000 0)
(Cochliobolus heterostrophus Drechsler (=Bipolaris maydis (Nisikado) Shoem. (race T)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)

Undesirable plants:

Ambrosia artemisiifolia L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
----------------------------	--

<i>Acroptilon repens</i> DC.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
<i>Cuscuta</i> spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
<i>Striga</i> spp.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
<i>Bidens pilosa</i> L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Korea peninsula with neighbor islands (Republic of Korea, Korean Democratic People's Republic)

Pests:

<i>Spodoptera litura</i> Fabr.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0708; 0709; 1214; 2530 90 980 0
<i>Anoplophora glabripennis</i> (Motschulsky)	0106 90 009; 0604 91 900 0; 0604 99 100 0; 4401 10 000; 4401 21 000 0; 4401 22 000 0; 4401 30; 4403 (except 4403 10 000); 1404 90 000 0; 4401 30 900 0; 4406 10 000 0; 4407; 4409; 4415; 4418 40 000 0; 4416 00 000 0; 4418 10; 4418 20

Hyphantria cunea Drury	0604 91 900 0; 0604 99 100 0; 0806; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0; 1404 90 000 0; 4401 30 900 0
Grapholitha molesta Busck.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Quadraspidiotus perniciosus Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Callosobruchus spp.	1201 00
Carposina niponensis Wlsgh.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Pseudaulacaspis pentagona (Targ. - Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Viteus vitifoliae (Fitch.)	2530 90 980 0
Popillia japonica Newm.	0601; 0603 11 000 0 - 0603 19 800 0; 0701; 0702 00 000; 0703; 0706; 0804; 0805; 0806; 0807; 0808; 0809; 0810 (except 0810 60 000 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 2530 90 980 0

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Xanthomonas oryzae pv. oryzae (Ishiyama) Swings et al.	0106 90 009; 1006; 1104; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0; 4601
Synchytrium endobioticum (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0
Plum pox potyvirus	0809; 0810 (except 0810 60 000 0)

Undesirable plants:

Ambrosia artemisiifolia L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Lao People's Democratic Republic

Pests:

Spodoptera litura Fabr.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0708; 0709; 1214; 2530 90 980 0
Callosobruchus spp.	1201 00
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Xanthomonas oryzae pv. oryzicola (Fang. et al.) Swings et al.	0106 90 009; 1006; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Xanthomonas oryzae pv. oryzae (Ishiyama) Swings et al.	0106 90 009; 1006; 1104; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0; 4601

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Striga spp.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Republic of Lebanon

Pests:

Liriomyza trifolii Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Quadraspidiotus perniciosus Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Viteus vitifoliae (Fitch.)	2530 90 980 0
-------------------------------	---------------

Infestants:

Erwinia amylovora (Burill.) Winslow et al.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808; 0809; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Synchytrium endobioticum (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0
Phytophthora Fragariae Hickman	0601; 2530 90 980 0

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	---

From Malaysia

Pests:

Spodoptera litura Fabr.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0708; 0709; 1214; 2530 90 980 0
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Phthorimaea operculella Zell.	0701; 2530 90 980 0

Thrips palmi Karny	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Xanthomonas oryzae pv. oryzicola (Fang. et al.) Swings et al.	0106 90 009; 1006; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Pantoea stewartii subsp. stewartii (Smith) Mergaert et al. (=Erwinia stewartii (Smith) Dye	0106 90 009; 0712 90 110 0; 1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Xanthomonas oryzae pv. oryzae (Ishiyama) Swings et al.	0106 90 009; 1006; 1104; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0; 4601
Stenocarpella maydis (Berkeley) Sutton (=D. maydis (Berkeley) Saccardo)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)
(Cochliobolus heterostrophus Drechsler (=Bipolaris maydis (Nisikado) Shoem)(race T)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	---

From the Republic of Maldives

Pests:

<i>Spodoptera litura</i> Fabr.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0708; 0709; 1214; 2530 90 980 0
--------------------------------	--

From Mongolia

Infestants:

Plum pox potyvirus	0809; 0810 (except 0810 60 000 0)
-----------------------	-----------------------------------

Undesirable plants:

<i>Acroptilon repens</i> DC.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
<i>Cuscuta</i> spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the People's Democratic Republic of Yemen

Pests:

<i>Spodoptera littoralis</i> Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
<i>Trogoderma granarium</i> Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
<i>Phthorimaea operculella</i> Zell.	0701; 2530 90 980 0

Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Liriomyza sativae Blanch	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	--

From the Federal Democratic Republic of Nepal

Pests:

Spodoptera litura Fabr.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0708; 0709; 1214; 2530 90 980 0
Quadraspidiotus perniciosus Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Xanthomonas oryzae pv. oryzicola (Fang. et al.) Swings et al.	0106 90 009; 1006; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Xanthomonas oryzae pv. oryzae (Ishiyama) Swings et al.	0106 90 009; 1006; 1104; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0; 4601

<i>Stenocarpella maydis</i> (Berkeley) Sutton (=D. <i>maydis</i> (Berkeley) Saccardo)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)
<i>Neovossia indica</i> (Mitra) Mundkur (= <i>Tilletia indica</i> Mitra)	1001; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1109 99 990 0); 1213 00 000 0
<i>Synchytrium endobioticum</i> (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0

Undesirable plants:

<i>Cuscuta</i> spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
---------------------	---

From the United Arab Emirates

Pests:

<i>Spodoptera littoralis</i> Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
<i>Bemisia tabaci</i> Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

From the Okinawa Island (Japan)

Pests:

<i>Anoplophora glabripennis</i> (Motschulsky)	0106 90 009; 0604 91 900 0; 0604 99 100 0; 4401 10 000; 4401 21 000 0; 4401 22 000 0; 4401 30; 4403 (except 4403 10 000); 1404 90 000 0; 4401 30 900 0; 4406 10 000 0; 4407; 4409; 4415; 4418 40 000 0; 4416 00 000 0; 4418 10; 4418 20
<i>Grapholita molesta</i> Busck.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0

Infestants:

<i>Bursaphelenchus xylophilus</i> (Steiner et Buhrer) Nickle	0604 91 200 0; 0604 91 400 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 4401 10 000; 4401 21 000 0; 4401 22 000 0; 4401 30; 4403 (except 4403 10 000); 4404; 1404 90 000 0; 4401 30 900 0; 4406 10 000 0; 4407; 4409; 4415; 4418 40 000 0; 4416 00 000 0; 4418 10; 4418 20
---	--

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	--

From Oman

Pests:

Spodoptera litura Fabr.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 00; 0704; 0705; 0707 00; 0708; 0709; 1214; 2530 90 980 0
Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 00; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Liriomyza sativae Blanch	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Undesirable plants:

Striga spp.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
-------------	--

From the Islamic Republic of Pakistan

Pests:

Spodoptera litura Fabr.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 00; 0704; 0705; 0707 00; 0708; 0709; 1214; 2530 90 980 0
Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 00; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Quadraspidiotus perniciosus Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808

Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Callosobruchus spp.	1201 00
Thrips palmi Karny	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Pseudaulacaspis pentagona (Targ. - Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Xanthomonas oryzae pv. oryzicola (Fang. et al.) Swings et al.	0106 90 009; 1006; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Xanthomonas oryzae pv. oryzae (Ishiyama) Swings et al.	0106 90 009; 1006; 1104; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0; 4601
Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
- Neovossia indica (Mitra) Mundkur (-Tilletia indica Mitra)	1001; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0

Diaporthe helianthi Munt. Cvet. et al. (=Phomopsis helianthi Munt. Cvet. et al.)	1206 00 (except 1206 00 910 0); 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)
Plum pox potyvirus	0809; 0810 (except 0810 60 000 0)

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Striga spp.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Kingdom of Saudi Arabia

Pests:

Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0

Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
---------------------	--

Infestants:

Erwinia amylovora (Burill.) Winslow et al.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808; 0809; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
---	---

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Striga spp.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

from Republic of Singapore

Pests:

Spodoptera litura Fabr.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0708; 0709; 1214; 2530 90 980 0
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Callosobruchus spp.	1201 00
Thrips palmi Karny	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
--	---

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	---

From the Syrian Arab Republic

Pests:

Grapholita molesta Busck.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Callosobruchus spp.	1201 00
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Pseudaulacaspis pentagona (Targ. - Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Viteus vitifoliae (Fitch.)	2530 90 980 0

Infestants:

Neovossia indica (Mitra) Mundkur (=Tilletia indica Mitra)	1001; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0
Plum pox potyvirus	0809; 0810 (except 0810 60 000 0)

Undesirable plants:

Acroptilon repens DC.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

from HKSAR (Xianggang)

Pests:

Phthorimaea operculella Zell.	0701; 2530 90 980 0
Thrips palmi Karny	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Bursaphelenchus xylophilus (Steiner et Buhrer) Nickle	0604 91 200 0; 0604 91 400 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 4401 10 000; 4401 21 000 0; 4401 22 000 0; 4401 30; 4403 (except 4403 10 000); 4404; 1404 90 000 0; 4401 30 900 0; 4406 10 000 0; 4407; 4409; 4415; 4418 40 000 0; 4416 00 000 0; 4418 10; 4418 20
---	--

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	--

From the Republic of Tadzhikistan

Pests:

Quadraspidiotus perniciosus Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 99 990 0; 9705 00 000 0; 2309

Infestants:

Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
--	---

Undesirable plants:

Acroptilon repens DC.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
-----------------------	--

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	--

From the Kingdom of Thailand

Pests:

Spodoptera litura Fabr.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 00; 0704; 0705; 0707 00; 0708; 0709; 1214; 2530 90 980 0
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Callosobruchus spp.	1201 00
Thrips palmi Karny	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Liriomyza sativae Blanch	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Liriomyza huidobrensis Blanch.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Xanthomonas oryzae pv. oryzicola (Fang. et al.) Swings et al.	0106 90 009; 1006; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Pantoea stewartii subsp. stewartii (Smith) Mergaert et al. (=Erwinia stewartii (Smith) Dye	0106 90 009; 0712 90 110 0; 1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Xanthomonas oryzae pv. oryzae (Ishiyama) Swings et al.	0106 90 009; 1006; 1104; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0; 4601
(Cochliobolus heterostrophus Drechsler (=Bipolaris maydis (Nisikado) Shoem) (race T)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	--

From the Taiwan Island (People's Republic of China)

Pests:

Spodoptera litura Fabr.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0708; 0709; 1214; 2530 90 980 0
Anoplophora glabripennis (Motschulsky)	0106 90 009; 0604 91 900 0; 0604 99 100 0; 4401 10 000; 4401 21 000 0; 4401 22 000 0; 4401 30; 4403 (except 4403 10 000); 1404 90 000 0; 4401 30 900 0; 4406 10 000 0; 4407; 4409; 4415; 4418 40 000 0; 4416 00 000 0; 4418 10; 4418 20
Grapholita molesta Busck.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Quadraspidiotus perniciosus Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808

Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Callosobruchus spp.	1201 00
Thrips palmi Karny	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Pseudaulacaspis pentagona (Targ. - Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Xanthomonas oryzae pv. oryzae (Ishiyama) Swings et al.	0106 90 009; 1006; 1104; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0; 4601
Stenocarpella maydis (Berkeley) Sutton (=D. maydis (Berkeley) Saccardo)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)
Bursaphelenchus xylophilus (Steiner et Buhrer) Nickle	0604 91 200 0; 0604 91 400 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 4401 10 000; 4401 21 000 0; 4401 22 000 0; 4401 30; 4403 (except 4403 10 000); 4404; 1404 90 000 0; 4401 30 900 0; 4406 10 000 0; 4407; 4409; 4415; 4418 40 000 0; 4416 00 000 0; 4418 10; 4418 20
Phytophthora Fragariae Hickman	0601; 2530 90 980 0

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	--

From Turkmenistan

Pests:

Quadraspidiotus perniciosus Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Callosobruchus spp.	1201 00

Undesirable plants:

Acroptilon repens DC.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
-----------------------	--

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	--

From the Republic of Turkey

Pests:

Hyphantria cunea Drury	0604 91 900 0; 0604 99 100 0; 0806; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0; 1404 90 000 0; 4401 30 900 0
Grapholitha molesta Busck.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Quadraspidiotus perniciosus Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Callosobruchus spp.	1201 00
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Pseudaulacaspis pentagona (Targ. - Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Viteus vitifoliae (Fitch.)	2530 90 980 0

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum - (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Xylophilus ampelinus (Panagopoulos) Willems et al. (=Xanthomonas ampelina Panagopoulos)	0601; 0806; 3002 90 500 0; 3002 90 900 0
Erwinia amylovora (Burill.) Winslow et al.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808; 0809; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Neovossia indica (Mitra) Mundkur (=Tilletia indica Mitra)	1001; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0
Plum pox potyvirus	0809; 0810 (except 0810 60 000 0)

Undesirable plants:

Acroptilon repens DC.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Republic of Uzbekistan

Pests:

Hyphantria cunea Drury	0604 91 900 0; 0604 99 100 0; 0806; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0; 1404 90 000 0; 4401 30 900 0
Grapholitha molesta Busck.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0

Quadraspidiotus perniciosus Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Callosobruchus spp.	1201 00

Infestants:

Phymatotrichopsis omnivore (Duggar.) Hennebert (Phymatotrichum omnivorum (Duggar)	0601; 2530 90 980 0
---	---------------------

Undesirable plants:

Acroptilon repens DC.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Republic of the Philippines

Pests:

Spodoptera litura Fabr.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0708; 0709; 1214; 2530 90 980 0
-------------------------	--

	1201 00
Callosobruchus spp.	
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Thrips palmi Karny	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Xanthomonas oryzae pv. oryzicola (Fang. et al.) Swings et al.	0106 90 009; 1006; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Xanthomonas oryzae pv. oryzae (Ishiyama) Swings et al.	0106 90 009; 1006; 1104; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0; 4601
Stenocarpella maydis (Berkeley) Sutton (=D. maydis (Berkeley) Saccardo)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)
Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Plum pox potyvirus	0809; 0810 (except 0810 60 000 0)
(Cochliobolus heterostrophus Drechsler (=Bipolaris maydis (Nisikado) Shoem) (race T)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)

Undesirable plants:

Ipomoea hederacea L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Striga spp.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Bidens pilosa L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Democratic Socialist Republic of Sri Lanka
Pests:

Spodoptera litura Fabr.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0708; 0709; 1214; 2530 90 980 0
-------------------------	--

Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Phthorimaea operculella Zell.	0701; 2530 90 9800
Callosobruchus spp.	1201 00
Thrips palmi Karny	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Pseudaulacaspis pentagona (Targ. - Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Xanthomonas oryzae pv. oryzae (Ishiyama) Swings et al.	0106 90 009; 1006; 1104; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0; 4601
Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Plum pox potyvirus	0809; 0810 (except 0810 60 000 0)

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	--

From Java (Republic of Indonesia)

Pests:

Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
----------------------------	--

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	--

From Japan (except for Okinawa Island)

Pests:

Spodoptera litura Fabr.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0708; 0709; 1214; 2530 90 980 0
Hyphantria cunea Drury	0604 91 900 0; 0604 99 100 0; 0806; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0; 1404 90 000 0; 4401 30 900 0
Liriomyza trifolii Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Anoplophora glabripennis (Motschulsky)	0106 90 009; 0604 91 900 0; 0604 99 100 0; 4401 10 000; 4401 21 000 0; 4401 22 000 0; 4401 30; 4403 (except 4403 10 000); 1404 90 000 0; 4401 30 900 0; 4406 10 000 0; 4407; 4409; 4415; 4418 40 000 0; 4416 00 000 0; 4418 10; 4418 20
Grapholita molesta Busck.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Quadraspidiotus perniciosus Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808

Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Callosobruchus spp.	1201 00
Thrips palmi Karny	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Carposina niponensis Wlsgh.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Pseudaulacaspis pentagona (Targ.-Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Viteus vitifoliae (Fitch.)	2530 90 980 0
Popillia japonica Newm.	0601; 0603 11 000 0 - 0603 19 800 0; 0701; 0702 00 000; 0703; 0706; 0804; 0805; 0806; 0807; 0808; 0809; 0810 (except 0810 60 000 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 2530 90 980 0

Infestants:

Didymella ligulicola (K.F. Baker, Dimock & Davis) von Arx	0601; 0603 11 000 0 - 0603 19 800 0; 2530 90 980 0
Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Erwinia amylovora (Burill.) Winslow et al.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808; 0809; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0

Xanthomonas oryzae pv. oryzae (Ishiyama) Swings et al.	0106 90 009; 1006; 1104; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0; 4601
Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Peach latent mosaic viroid	0802; 0809
Synchytrium endobioticum (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0
Bursaphelenchus xylophilus (Steiner et Buhrer) Nickle	0604 91 200 0; 0604 91 400 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 4401 10 000; 4401 21 000 0; 4401 22 000 0; 4401 30; 4403 (except 4403 10 000); 4404; 1404 90 000 0; 4401 30 900 0; 4406 10 000 0; 4407; 4409; 4415; 4418 40 000 0; 4416 00 000 0; 4418 10; 4418 20
Phytophthora Fragariae Hickman	0601; 2530 90 980 0
(Cochliobolus heterostrophus Drechsler (=Bipolaris maydis (Nisikado) Shoem) (race T)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)

Undesirable plants:

Ambrosia artemisiifolia L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Ambrosia trifida L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

Ipomoea hederacea L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From Africa

From the Azores (Portuguese Republic)

Pests:

Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	--

From the Democratic and Popular Republic of Algeria

Pests:

<i>Spodoptera littoralis</i> Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
<i>Trogoderma granarium</i> Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
<i>Quadraspidiotus perniciosus</i> Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
<i>Phthorimaea operculella</i> Zell.	0701; 2530 90 980 0
<i>Callosobruchus</i> spp.	1201 00
<i>Ceratitis capitata</i> (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
<i>Viteus vitifoliae</i> (Fitch.)	2530 90 980 0

Infestants:

<i>Ralstonia solanacearum</i> (Smith) Yabuuchi et al. (= <i>Pseudomonas solanacearum</i> (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
<i>Globodera pallida</i> (Stone) Behrens	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
<i>Globodera rostochiensis</i> (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
<i>Synchytrium endobioticum</i> (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0

Undesirable plants:

Ambrosia artemisiifolia L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Bidens pilosa L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Republic of Angola

Pests:

Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0

Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Callosobruchus spp.	1201 00

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
--	---

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Striga spp.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Bidens pilosa L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Republic of Benin

Pests:

<i>Spodoptera littoralis</i> Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
<i>Ceratitis capitata</i> (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0

Infestants:

<i>Stenocarpella maydis</i> (Berkeley) Sutton (=D. <i>maydis</i> (Berkeley) Saccardo)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)
(<i>Cochliobolus heterostrophus</i> Drechsler (=Bipolaris maydis (Nisikado) Shoem) (race T)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)

Undesirable plants:

<i>Cuscuta</i> spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
<i>Striga</i> spp.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
<i>Bidens pilosa</i> L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

Pests:

Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Bidens pilosa L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Republic of Botswana

Pests:

Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
---------------------------------	--

Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
----------------------------	--

Undesirable plants:

Bidens pilosa L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
------------------	--

From Burkina Faso

Pests:

Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Xanthomonas oryzae pv. oryzae (Ishiyama) Swings et al.	0106 90 009; 1006; 1104; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0; 4601

Undesirable plants:

Striga spp.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Bidens pilosa L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Republic of Burundi

Pests:

Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Liriomyza sativae Blanch	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
--	---

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Striga spp.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Bidens pilosa L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Gabonese Republic

Pests:

Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0

Infestants:

Xanthomonas oryzae pv. oryzae (Lshiyama) Swings et al.	0106 90 009; 1006; 1104; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0; 4601
Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Striga spp.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Bidens pilosa L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Republic of Gambia

Pests:

Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 99 990 0; 9705 00 000 0; 2309

Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
--	---

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Striga spp.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Bidens pilosa L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Republic of Ghana

Pests:

<i>Spodoptera littoralis</i> Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
<i>Trogoderma granarium</i> Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
<i>Ceratitis capitata</i> (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
<i>Bemisia tabaci</i> Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
<i>Callosobruchus</i> spp.	1201 00

Infestants:

<i>Stenocarpella maydis</i> (Berkeley) Sutton (=D. <i>maydis</i> (Berkeley) Saccardo)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)
(<i>Cochliobolus heterostrophus</i> Drechsler (=Bipolaris <i>maydis</i> (Nisikado) Shoem) (race T)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)

Undesirable plants:

<i>Cuscuta</i> spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
---------------------	--

Striga spp.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Bidens pilosa L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Republic of Guinea

Pests:

Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Stenocarpella maydis (Berkeley) Sutton (=D. maydis (Berkeley) Saccardo)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)
---	---

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Striga spp.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Bidens pilosa L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Arab Republic of Egypt

Pests:

Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Quadraspidiotus perniciosus Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 99 990 0; 9705 00 000 0; 2309

Phthorimaea operculella Zell.	0701; 2530 90 980 0
Callosobruchus spp.	1201 00
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Pseudaulacaspis pentagona (Targ.-Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Callosobruchus spp.	1201 00

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Erwinia amylovora (Burill.) Winslow et al.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808; 0809; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Phytophthora Fragariae Hickman	0601; 2530 90 980 0
Plum pox potyvirus	0809; 0810 (except 0810 60 000 0)

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	---

Striga spp.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Solanum elaeagnifolium Cav.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Bidens pilosa L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From Zambia

Pests:

Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Stenocarpella maydis (Berkeley) Sutton (=D. maydis (Berkeley) Saccardo)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)
Plum pox potyvirus	0809; 0810 (except 0810 60 000 0)

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Bidens pilosa L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From Zanzibar archipelago (United Republic of Tanzania)

Pests:

Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
---------------------------------	--

Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0

Undesirable plants:

Bidens pilosa L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
------------------	---

From the Republic of Zimbabwe

Pests:

Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Quadraspidiotus perniciosus Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0

Liriomyza sativae Blanch	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Viteus vitifoliae (Fitch.)	2530 90 980 0

Infestants:

Didymella ligulicola (K.F. Baker, Dimock & Davis) von Arx	0601; 0603 11 000 0 - 0603 19 800 0; 2530 90 980 0
Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Stenocarpella maydis (Berkeley) Sutton (=D. maydis (Berkeley) Saccardo)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)
Synchytrium endobioticum (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0

Undesirable plants:

Striga spp.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Bidens pilosa L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Republic of Cape Verde

Pests:

<i>Spodoptera littoralis</i> Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 00; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
<i>Ceratitis capitata</i> (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0

Undesirable plants:

<i>Bidens pilosa</i> L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
-------------------------	--

From the Republic of Cameroon

Pests:

<i>Spodoptera littoralis</i> Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 00; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
<i>Ceratitis capitata</i> (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
<i>Bemisia tabaci</i> Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
<i>Liriomyza sativae</i> Blanch	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

<i>Xanthomonas oryzae</i> pv. <i>oryzae</i> (Ishiyama) Swings et al.	0106 90 009; 1006; 1104; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0; 4601
--	---

Undesirable plants:

Striga spp.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Bidens pilosa L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From Canary Islands

Pests:

Liriomyza trifolii Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Quadraspidiotus perniciosus Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Globodera pallida (Stone) Behrens	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	--

From the Republic of Kenya

Pests:

Liriomyza trifolii Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Frankliniella occidentalis Perg.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000 0; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Callosobruchus spp.	1201 00
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Didymella ligulicola (K.F. Baker, Dimock & Davis) von Arx	0601; 0603 11 000 0 - 0603 19 800 0; 2530 90 980 0
Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Stenocarpella maydis (Berkeley) Sutton (=D. maydis (Berkeley) Saccardo)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)
(Cochliobolus heterostrophus Drechsler (=Bipolaris maydis (Nisikado) Shoem) (race T)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Striga spp.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Bidens pilosa L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Union of the Comoros

Pests:

Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
---------------------------------	--

From the People's Republic of the Congo

Pests:

Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Quadraspidiotus perniciosus Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Plum pox potyvirus	0809; 0810 (except 0810 60 000 0)

Undesirable plants:

Cuscutaspp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
-------------	---

Bidens pilosa L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
------------------	---

From the Democratic Republic of Congo

Pests:

Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Quadraspidiotus perniciosus Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009, 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Callosobruchus spp.	1201 00

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Stenocarpella maydis (Berkeley) Sutton (=D. maydis (Berkeley) Saccardo)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Bidens pilosa L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Republic of Liberia

Pests:

Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 00; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Callosobruchus spp.	1201 00

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Bidens pilosa L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Great Socialist People's Libyan Arab Jamahiriya

Pests:

Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al.(=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Bidens pilosa L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Republic of Mauritius (except for the island of Rodriguez)

Pests:

Liriomyza trifolii Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Grapholita molesta Busck.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Callosobruchus spp.	1201 00

Thrips palmi Karny	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0), 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Pseudaulacaspis pentagona (Targ. - Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Liriomyza huidobrensis Blanch.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	---

From the Islamic Republic of Mauritania

Pests:

Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
--	---

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Striga spp.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Bidens pilosa L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Republic of Madagascar

Pests:

Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
---------------------------------	--

Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Callosobruchus spp.	1201 00
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Pseudaulacaspis pentagona (Targ. - Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Xanthomonas oryzae pv. oryzicola (Fang. et al.) Swings et al.	0106 90 009; 1006; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Xanthomonas oryzae pv. oryzae (Ishiyama) Swings et al.	0106 90 009; 1006; 1104; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0; 4601

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	---

Ambrosia artemisiifolia L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Striga spp.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Madeira archipelago

Pests:

Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Pseudaulacaspis pentagona (Targ. - Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808

Undesirable plants:

Ambrosia artemisiifolia L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
----------------------------	--

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	--

From Malawi

Pests:

Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Didymella ligulicola (K.F. Baker, Dimock & Davis) von Arx	0601; 0603 11 000 0 - 0603 19 800 0; 2530 90 980 0
Stenocarpella maydis (Berkeley) Sutton (=D. maydis (Berkeley) Saccardo)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	--

Bidens pilosa L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
------------------	---

From the Republic of Mali

Pests:

Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Xanthomonas oryzae pv. oryzae (Ishiyama) Swings et al.	0106 90 009; 1006; 1104; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0; 4601
--	---

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Striga spp.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Bidens pilosa L.	0708; 0712 90 1 10 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Kingdom of Morocco

Pests:

Grapholita molesta Busck.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 00; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Quadrastrioides perniciosus Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808

Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Viteus vitifoliae (Fitch.)	2530 90 980 0

Infestants:

Peach latent mosaic viroid	0802; 0809
Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Diaporthe helianthi Munt. Cvet. et al.(=Phomopsis helianthi Munt. Cvet. et al.)	1206 00 (except 1206 00 910 0); 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)

Undesirable plants:

Solanum elaeagnifolium Cav.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------------------------	---

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Striga spp.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Bidens pilosa L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Republic of Mozambique

Pests:

Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0

Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
---------------------	--

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al.(=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
(Cochliobolus heterostrophus Drechsler (=Bipolaris maydis (Nisikado) Shoem) (race T)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Striga spp.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0, 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Bidens pilosa L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

Pests:

Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	---

From Namibia

Pests:

Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
---------------------------------	--

Undesirable plants:

Striga spp.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Bidens pilosa L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Republic of Niger

Pests:

Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0

Infestants:

Xanthomonas oryzae pv. oryzae (Ishiyama) Swings et al.	0106 90 009; 1006; 1104; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0; 4601
(Cochliobolus heterostrophus Drechsler (=Bipolaris maydis (Nisikado) Shoem) (race T)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	---

Striga spp.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Bidens pilosa L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Federal Republic of Nigeria

Pests:

Spodoptera litura Fabr.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0708; 0709; 1214; 2530 90 980 0
Liriomyza trifolii Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Thrips palmi Karny	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0

Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Callosobruchus spp.	1201 00

Infestants:

Xanthomonas oryzae pv. oryzicola (Fang, et al.) Swings et al.	0106 90 009; 1006; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Stenocarpella maydis (Berkeley) Sutton (=D. maydis (Berkeley) Saccardo)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)
(Cochliobolus heterostrophus Drechsler (=Bipolaris maydis (Nisikado) Shoem) (race T)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)
Plum pox potyvirus	0809; 0810 (except 0810 60 000 0)

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Strig spp.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

Bidens pilosa L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
------------------	---

From the island of Réunion

Pests:

Spodoptera litura Fabr.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0708; 0709; 1214; 2530 90 980 0
Liriomyza trifolii Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Thrips palmi Karny	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0700 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Pseudaulacaspis pentagona (Targ. - Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808
Liriomyza huidobrensis Blanch.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0;
--	--

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	--

From the Republic of Rwanda

Pests:

Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
--	---

Undesirable plants:

<i>Striga</i> spp.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
<i>Bidens pilosa</i> L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

Fromteh island of Rodriguez

Pests:

<i>Spodoptera littoralis</i> Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
<i>Ceratitis capitata</i> (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0

Undesirable plants:

<i>Cuscuta</i> spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
---------------------	---

From the Democratic Republic of São Tomé and Príncipe

Pests:

<i>Spodoptera littoralis</i> Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
<i>Ceratitis capitata</i> (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0

<i>Pseudaulacaspis pentagona</i> (Targ. - Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
--	--

Undesirable plants:

<i>Cuscuta</i> spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
---------------------	---

From the Saint Helena Island

Pests:

<i>Spodoptera</i> <i>littoralis</i> Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
<i>Phthorimaea operculella</i> Zell.	0701; 2530 90 980 0
<i>Ceratitis</i> <i>capitata</i> (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0

Undesirable plants:

<i>Cuscuta</i> spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
---------------------	---

From the Republic of Seychelles

Pests:

<i>Spodoptera</i> <i>littoralis</i> Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
<i>Phthorimaea operculella</i> Zell.	0701; 2530 90 980 0
<i>Ceratitis</i> <i>capitata</i> (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0

Pseudaulacaspis pentagona (Targ. - Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
---	--

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
--	---

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	---

From the Republic of Senegal

Pests:

Liriomyza trifolii Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Callosobruchus spp.	1201 00
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0

Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
---------------------	--

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Xanthomonas oryzae pv. oryzicola (Fang, et al.) Swings et al.	0106 90 009; 1006; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
Xanthomonas oryzae pv. oryzae (Ishiyama) Swings et al.	0106 90 009; 1006; 1104; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0; 4601;

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Striga spp.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Bidens pilosa L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Republic of Somali

Pests:

<i>Spodoptera littoralis</i> Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
<i>Trogoderma granarium</i> Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
<i>Callosobruchus</i> spp.	1201 00
<i>Ceratitis capitata</i> (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
<i>Bemisia tabaci</i> Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

<i>Ralstonia solanacearum</i> (Smith) Yabuuchi et al. (= <i>Pseudomonas solanacearum</i> (Smith) Smith)	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
<i>Phymatotrichopsis omnivore</i> (Duggar.) Hennebert (<i>Phymatotrichum omnivorum</i> (Duggar))	0601; 2530 90 980 0

Undesirable plants:

<i>Cuscuta</i> spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
---------------------	--

Striga spp.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Bidens pilosa L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Republic of Sudan

Pests:

Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Callosobruchus spp.	1201 00
Thrips palmi Karny	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0703; 0704; 0705; 0707 00; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Liriomyza sativae Blanch	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Didymella ligulicola (K.F. Baker, Dimock & Davis) von Arx	0601; 0603 11 000 0 - 0603 19 800 0; 2530 90 980 0
Plum pox potyvirus	0809; 0810 (except 0810 60 000 0)

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Striga spp.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From Sierra Leone

Pests:

Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
------------------------------	--

Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Callosobruchus spp.	1201 00
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Stenocarpella maydis (Berkeley) Sutton (=D. maydis (Berkeley) Saccardo)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)
Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
(Cochliobolus heterostrophus Drechsler (=Bipolaris maydis (Nisikado) Shoem) (race T)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Striga spp.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Bidens pilosa L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the United Republic of Tanzania

Pests:

Liriomyza trifolii Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 99 990 0; 9705 00 000 0; 2309

Callosobruchus spp.	1201 00
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Pseudaulacaspis pentagona (Targ. - Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Stenocarpella maydis (Berkeley) Sutton (=D. maydis (Berkeley) Saccardo)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)
(Cochliobolus heterostrophus Drechsler (=Bipolaris maydis (Nisikado) Shoem) (race T)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Striga spp.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

Bidens pilosa L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
------------------	--

From the Republic of Togo

Pests:

Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Xanthomonas oryzae pv. oryzae (Ishiyama) Swings et al.	0106 90 009; 1006; 1104; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0; 4601
Stenocarpella maydis (Berkeley) Sutton (=D. maydis (Berkeley) Saccardo)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	--

Striga spp.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Bidens pilosa L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Republic of Tunisia

Pests:

Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Viteus vitifoliae (Fitch.)	2530 90 980 0

Infestants:

Didymella ligulicola (K.F. Baker, Dimock & Davis) von Arx	0601; 0603 11 000 0 - 0603 19 800 0; 2530 90 980 0
Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
Xylophilus ampelinus (Panagopoulos) Willems et al. (=Xanthomonas ampelina Panagopoulos)	0601; 0806; 3002 90 500 0; 3002 90 900 0
Globodera pallida (Stone) Behrens	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Globodera rostochiensis (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
Synchytrium endobioticum (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Bidens pilosa L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From Uganda

Pests:

Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Callosobruchus spp.	1201 00
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Infestants:

Ralstonia solanacearum (Smith) Yabuuchi et al. (=Pseudomonas solanacearum (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
--	---

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Striga spp.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

Bidens pilosa L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
------------------	---

From the Central African Republic

Pests:

Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

From the French territory of the Afars and Issas

Pests:

Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Callosobruchus spp.	1201 00
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
--------------	--

Bidens pilosa L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
------------------	---

From the Republic of Chad

Pests:

Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0

Undesirable plants:

Striga spp.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Bidens pilosa L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

From the Republic of Equatorial Guinea

Pests:

Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
---------------------------------	--

Bemisia tabaci Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0, 3101 00 000 0
---------------------	--

From Eritrea

Pests:

Liriomyza trifolii Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Phthorimaea operculella Zell.	0701; 2530 90 980 0
Callosobruchus spp.	1201 00
Ceratitis capitata (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0

Infestants:

Stenocarpella maydis (Berkeley) Sutton (=D. maydis (Berkeley) Saccardo)	1005; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0)
--	--

Undesirable plants:

Cuscuta spp.	0601; 0708; 0712 90 11 00; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
Striga spp.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302

Bidens pilosa L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
------------------	---

From the Republic of South Africa

Pests:

Spodoptera litura Fabr.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0708; 0709; 1214; 2530 90 980 0
Anoplophora glabripennis (Motschulsky)	0106 90 009; 0604 91 900 0; 0604 99 100 0; 4401 10 000; 4401 21 000 0; 4401 22 000 0; 4401 30; 4403 (except 4403 10 000); 1404 90 000 0; 4401 30 900 0; 4406 10 000 0; 4407; 4409; 4415; 4418 40 000 0; 4416 00 000 0; 4418 10; 4418 20
Hyphantria cunea Drury	0604 91 900 0; 0604 99 100 0; 0806; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0; 1404 90 000 0; 4401 30 900 0
Liriomyza trifolii Burg.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0705; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
Grapholita molesta Busck.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
Spodoptera littoralis Boisd.	0601; 0603 11 000 0 - 0603 19 800 0; 0702 00 000; 0704; 0705; 0707 00; 0709; 0806; 0808; 0809; 1214; 2530 90 980 0
Quadraspidiotus perniciosus Comst.	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
Trogoderma granarium Ev.	0801; 0802; 0803 00; 0804; 0805; 0806; 0813; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1101 00; 1102 (except 1102 90 900 1); 1104; 1106 10 000 0; 1107; 1201 00; 1202; 1203 00 000 0; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1208; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 1212 99 700 0; 1801 00 000 0; 1802 00 000 0; 2302; 2304 00 000; 2305 00 000 0; 2306 (except 2306 49 000 0); 2309 90 950 0; 2309 90 990 0; 9705 00 000 0; 2309
Phthorimaea operculella Zell.	0701; 2530 90 980 0
	1201 00
Callosobruchus spp.	

<i>Carposina niponensis</i> Wlsgh.	0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
<i>Ceratitis capitata</i> (Wied.)	0804; 0805; 0808; 0809; 0810 (except 0810 60 000 0); 2530 90 980 0
<i>Bemisia tabaci</i> Gen.	0106 90 009; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 0704; 0709; 1211 (except 1211 30 000 0, 1211 40 000 0); 1214; 2530 90 980 0; 3101 00 000 0
<i>Pseudaulacaspis pentagona</i> (Targ. - Toz.)	0106 90 009; 0602 (except 0602 90 100 0); 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0 0604 99 100 0; 0808
<i>Viteus vitifoliae</i> (Fitch.)	2530 90 980 0
<i>Popillia japonica</i> Newm.	0601; 0603 11 000 0 - 0603 19 800 0; 0701; 0702 00 000; 0703; 0706; 0804; 0805; 0806; 0807; 0808; 0809; 0810 (except 0810 60 000 0); 1211 (except 1211 30 000 0, 1211 40 000 0); 2530 90 980 0

Infestants:

<i>Ralstonia solanacearum</i> (Smith) Yabuuchi et al. (= <i>Pseudomonas solanacearum</i> (Smith) Smith	0106 90 001 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0
<i>Erwinia amylovora</i> (Burill.) Winslow et al.	0106 90 009; 0601; 0603 11 000 0 - 0603 19 800 0; 0604 91 900 0; 0604 99 100 0; 0808; 0809; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0
<i>Xanthomonas oryzae</i> pv. <i>oryzae</i> (Ishiyama) Swings et al.	0106 90 009; 1006; 1104; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 2530 90 980 0; 3002 90 500 0; 3002 90 900 0; 9705 00 000 0; 4601
<i>Globodera rostochiensis</i> (Woll.) Behrens.	0106 90 001 0; 0601; 0701; 0706; 0714 20 100 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0; 9705 00 000 0
<i>Meloidogyne chitwoodi</i> Golden et al.	0106 90 001 0; 0601; 0701; 0703; 0706; 0714 20 100 0; 1212 91; 1214; 9705 00 000 0
<i>Synchytrium endobioticum</i> (Schilb.) Percival	0601; 0701; 0706; 0714 20 100 0; 0714 90 110 0; 1212 91; 1214; 2530 90 980 0; 2703 00 000 0; 3101 00 000 0
<i>Bursaphelenchus xylophilus</i> (Steiner et Buhrer) Nickle	0604 91 200 0; 0604 91 400 0; 0604 91 900 0; 0604 99 100 0; 0702 00 000; 4401 10 000; 4401 21 000 0; 4401 22 000 0; 4401 30; 4403 (except 4403 10 000); 4404; 1404 90 000 0; 4401 30 900 0; 4406 10 000 0; 4407; 4409; 4415; 4418 40 000 0; 4416 00 000 0; 4418 10; 4418 20

Undesirable plants:

<i>Cuscuta</i> spp.	0601; 0708; 0712 90 110 0; 0713; 0806; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
<i>Striga</i> spp.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
<i>Solanum rostratum</i> Dun.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
<i>Cenchrus pauciflorus</i> Benth.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
<i>Bidens pilosa</i> L.	0708; 0712 90 110 0; 0713; 1001; 1002 00 000 0; 1003 00; 1004 00 000 0; 1005; 1006; 1007 00; 1008; 1104; 1107; 1201 00; 1204 00; 1205 (except 1205 10 900 0); 1206 00 (except 1206 00 910 0); 1207; 1209 (except 1209 29 600 0, 1209 29 800 0, 1209 91 100 0, 1209 99 910 0, 1209 99 990 0); 1213 00 000 0; 1214; 2302; 2304 00 000; 2306 (except 2306 49 000 0); 2309 90 990 0; 2530 90 980 0; 3101 00 000 0; 9705 00 000 0; 0904 - 0910; 1404 20 000 0; 1404 90 000 0; 2103 90 900 9; 2505; 2517 10 100 0; 5101 11 000 0; 5102; 5103 10 100 0; 5201 00; 5202; 5301; 5302
