#### Avian influenza

## Epidemiological situation Control measures and measures taken by CVO



General Veterinary Inspectorate 2-3 March 2017 r.

#### Epidemiological situation

Number of outbreaks of HPAI in Poland – **12 regions**:

•	lubuskie -	19
•	wielkopolskie -	11
•	małopolskie -	7
	dolnośląskie -	6
•	podkarpackie -	4
•	świętokrzyskie -	2
•	opolskie -	2
•	warmińsko-mazurskie	- 2
•	mazowieckie -	2
•	śląskie -	2
•	podlaskie -	1
•	kujawsko pomorskie -	1


# IN TOTAL – 59 outbreaks

#### Epidemiological situation

Number of occurences of HPAI in Poland – 10 regions:

- dolnośląskie 19
- lubuskie 7
- mazowieckie 7
  - zachodniopomorskie 7
- kujawsko-pomorskie 6
- małopolskie 5
- wielkopolskie 6
- opolskie 3
- łódzkie 1
- pomorskie 4

## IN TOTAL – 65 occurences



Region	Number of backyard holding	Number of commercial holding
LUBUSKIE	2	17
MAŁOPOLSKIE	7	-
WIELKOPOLSKIE	<del>-</del>	11
PODKARPACKIE	4	<del>-</del>
ŚWIĘTOKRZYSKIE	2	-
OPOLSKIE	2	<del>-</del>
DOLNOŚLĄSKIE	2	4
WARMIŃSKO-MAZURSKIE	<del>-</del>	2
MAZOWIECKIE	2	<del>-</del>
KUJAWSKO-POMORSKIE	1	<del>-</del>
ŚLĄSKIE	2	<del>-</del>
PODLASKIE	<del>-</del>	1
IN TOTAL	24	35

Region	Number of outbreaks	Number of poultry in all outbreaks
LUBUSKIE	19	397 805
MAŁOPOLSKIE	7	1 216
WIELKOPOLSKIE	11	351 158
PODKARPACKIE	4	273
ŚWIĘTOKRZYSKIE	2	115
OPOLSKIE	2	262
DOLNOŚLĄSKIE	6	285 523
WARMIŃSKO-MAZURSKIE	2	18 389
MAZOWIECKIE	2	78
ŚLĄSKIE	2	178
PODLASKIE	1	81 000
KUJAWSKO-POMORSKIE	1	41
IN TOTAL	59	1 136 038

#### Implemented measures:

- Measures for combating AI (stamping out, disinefction movement restrictions, etc.) in accordance with Directive 2005/94/EC
- Preventive culling of birds in protection areas (3 km) established around outbreaks (this option is used for the vast majority of outbreaks)
- Additional regulation (applicable to entire territory of PL) of Minister for Agriculture and Rural Developement – biosecurity and preventive measures for all holdings
- Cooperation with other authorities (help with proper staffing for certain activities, e.g. collection of manure)
- Awareness campaigns (farmers, hunters)
- Risk assessment
- Biosecurity controls

#### Measures taken by Chief Veterinary Officer at present in connection with risk of HPAI:

- Informing regional veterinary officers about new outbreaks in Member States;
- Recommendation for regional veterinary officers to:
  - tracking notifications of consignments of poultry and poultry products in the Trade Control Expert System (TRACES) from risk areas;
  - informing supervised holdings and slaughterhouses of the potential risks;
  - carry out information campaigns.

The Chief Veterinary Officer cooperates with National Veterinary Research Institute (National Reference Laboratory) in Puławy, regarding monitoring and prevention of risk of avian influenza.

#### Basis measures to be applied in all zones (protection, surveillance):

- a census of all the holdings;
- fairs, markets, shows or other gatherings of poultry or other captive birds are prohibited;
- any person entering or leaving holdings must apply appropriate biosecurity measures;
- disinfection of vehicles and equipment used for transporting live poultry or other captive birds, meat, feed, manure, slurry and bedding and any other material or substances likely to be contaminated;
- any increased morbidity or mortality or significant drop in production data in holdings is immediately reported to the competent authority;

# Establishment (and lifted) of protection, surveillance and other zones in cases of outbreaks

#### **HPAI**

a <u>protection zone</u> with a radius of at least 3 kilometers around the holding; a <u>surveillance zone</u> with a radius of at

least

10 kilometers around the holding,

Including the protection zone

Including the protection of t

## Thank you