# RESULTS OF THE IMPLEMENTATION OF THE 2015 RABIES ERADICATION PROGRAMME



**General Veterinary Inspectorate Polish Veterinary Inspection** 

### Measures foreseen within the programme

- Oral vaccination of wild foxes;
- Monitoring of vaccination effectiveness;
- Other measures implemented in outbreaks and surveillance zones.



#### Vaccination in Poland

- The vaccine distributed either from the planes or manually;
- **Plane distribution** performed in forest areas and wild foxes habitats (planes are equiped with appropriate GPS devices);
- Flight distances 500 m;
- **Manual distribution** performed in municipal agglomerations, dumping grounds, parks in cities, or cementaries (in 5 regions: lubelskie, małopolskie, podkarpackie, śląskie and świętokrzyskie);
- Two regular vacciantion campaigns carried out (spring and autumn);
- Additional campaign performed in the east part of Małopolskie region due to the epizootic situation;
- Vaccines used for foxes' immunization:
  - LYSVULPEN (spring and autumn campaign)
  - o FUCHSORAL (additional campaign).




#### Vaccination in Poland

- Vaccination performed under the responsibility of the competent regional veterinary officers, however coordinated at the central level;
- Number of vaccine baits varies between regions and depends on:
  - ✓ forestration level,
  - ✓ lay of the land,
  - ✓ wildlife population,
  - ✓ epizootic situation.
- Number of baits distributed (not less than 20 baits per 1 km<sup>2</sup>):
- ✓ 25 baits per 1 km² in the part of mazowieckie, podlaskie, śląskie and warmińsko-mazurskie regions,
- ✓ 30 baits per 1 km² in the part of lubelskie region and whole małopolskie, podkarpackie and świętokrzyskie regions,
- ✓ 20 baits per 1 km² in the rest of areas vaccinated;
- In total 8 107 429 doses of vaccine distributed in 2015.



#### **Vaccination in Poland**


areas vaccinated in the spring (April-June) and autumn campaign (September-October)





#### **Vaccination in Poland**

areas vaccinated in the additional campaign in malopolskie region (November-December)





#### Vaccination in the buffer zone in Ukraine

- Number of baits distributed 25 baits per 1 km<sup>2</sup>;
- In total 662 025 doses of vaccine distributed in 2015;
- Vaccine used for foxes' immmunization Brovarabies V-RG;
- Air distribution 660 000 baits;
- Manual distribution 2 025 baits;
- Flight distances approximatelly 500 m.



#### Vaccination

areas vaccinated in the autumn campaign (September-October) in the buffer zone in Ukraine



Spring campaign not performed due to late signing of the agreement with Ukraine.

### Monitoring of 2015 vaccination effectiveness in Poland

<u>TARGET</u>	<u>RESULTS</u>
8 foxes to be shot per 100 km² of foxes' habitat premisses covered by vaccination	Foxes shot – 13 284
<u>TESTS</u>	<u>RESULTS</u>
Uptake of vaccine (TC)	Number of juvenile foxes tested – 4 051 Uptake level: 85.19%
	Number of adult foxes tested – 9 112 Uptake level: 90.84%
Seroconversion (ELISA)	Number of juvenile foxes tested – 2 953 Seroconversion level: 49.88%
	Number of adult foxes tested – 7 174 Seroconversion level: 55.84%



Monitoring of 2015 vaccination effectiveness in the buffer zone in Ukraine

TARGET	RESULTS
4 foxes to be shot per 100 km² covered by vaccination	Foxes shot – 880
TESTS	RESULTS
Uptake of vaccine (TC)	Number of juvenile foxes tested – 240 Uptake level: 47.92%
	Number of adult foxes tested – 622 Uptake level: 59.49%
Seroconversion (FAVN)	Number of juvenile foxes tested – 55 Seroconversion level: 45.45%
	Number of adult foxes tested – 127 Seroconversion level: 55.91%



Number of animals tested in the framework of passive surveillance:


- •In Poland 3877;
- •In the buffer zone in Ukraine 531.

Number of animals tested in the framework of active surveillance:

- •In Poland 13 082;
- •In the buffer zone in Ukraine 880.



### Localization of rabies cases in Poland





### Cases of Rabies in Poland - Details

Area	Rables cases																								
VI 25	Domestic animal									Wildlife															
Region	gob	ŧ		equine	daays	peoß	6jd	stray dog	other		xoj	raccoon dog	Laccoon	Jow	badger	marten	other mustefides	other	wild boar	roe dest	red dear	вэр моргу	эцро	bat	
dolnoslaskie																									
kujawsko-pomorskie																			l						
lubelskie											6	1							1						
lubuskie																									
lodzkie																									
malopolskie	12	4	2								57	1				3									
mazowieckie																									
opolskie																									
podkarpackie											5				1	1								1	
podlaskie																									
pomorskie																									
slaskie																									
swietokrzyskie																									
warminsko-mazurskie																								2	
wielkopolskie																									
zachodniopomorskie																								1	
Total	12	4	2								68	2			1	4								4	

Domestic animals
Wildlife
Total

18 79 97



Cases of rabies in the buffer zone in Ukraine – Details

- Rabies cases in wildlife 21;
- Rabies cases in other species 19.




Localization of rabies cases in the buffer zone in Ukraine






#### No of cases in Poland





### Comparison with rabies situation in previous years

- Slight decrease of total number of rabies cases in Poland in comparision with the previous year;
- The most of rabies cases still localized in the south-eastern Poland;
- Only 5 rabies cases confirmed in animals other than bats in first five months of 2016 in Poland.





### THANK YOU FOR YOUR ATTENTION

E-mail contact address: pawel.makowski@wetgiw.gov.pl

