


**Emergency Authorisation for Plant
Protection Products (PPP)**
ESFC platform guidance
for MS users processing
emergency authorisations of
PPP

Emergency PPP v 9.2.0
November 2023

Table of Contents

1. Welcome to the ESFC	1
2. Logging in	4
2.1. Log into ESFC	5
2.2. SAAS registration	6
3. Access management	10
3.1. Manage your profile	11
3.2. Tracking applications	11
4. Using the ESFC platform	14
5. MS-CA initiates application	16
5.1. How to create an application	16
5.1.1. Product data	17
5.1.2. Classification and labelling	19
5.1.3. GAP Data	20
5.1.4. Consumer safety and justification	23
5.1.5. Documents	26
5.2. Submit application	27
6. Manage application	29
6.1. MS Data section	29
6.2. Authorisation overview	31
6.3. Decision for each use	32
6.4. Publish authorisation	33
6.5. Post-authorisation actions	34
7. Commission & EFSA's role	36

1 Welcome to the ESFC



Article 53 of Regulation (EC) No 1107/2009 allows Member States (Member State Competent Authorities – MS-CA) to authorise the placing on the market of plant protection products, in special circumstances and derogating from the regular authorisation process, for a period not exceeding 120 days and for limited and controlled use, where such a measure is necessary because of a danger which cannot be contained by any other reasonable means.

However, the recipient MS-CA **must inform the Commission and other MS-CAs** when granting or refusing emergency authorisations for PPP in accordance with Article 53. Detailed information about the situation and any measures taken to ensure consumer safety should will be provided. The E-Submission Food Chain platform (ESFC) enables Applicants and MS-CAs to input emergency requests and assessment outcomes. Emergency authorisations granted by MC-CA will be **electronically available** and **publicly accessible** on the [EU Pesticides database](#).

European Commission (EC) and other (non-recipient) MS-CA users have read-only access to all such applications.

OPEN THE PLATFORM: 



NOTE

Paragraphs 1 to 3 of Article 53 of Regulation (EC) No 1107/2009 shall not apply to plant protection products containing or composed of genetically modified organisms unless such release has been accepted in accordance with Directive 2001/18/EC.

Authorisation process principles

1. ESFC ensures there is transparency across the EU for emergency PPP authorisations and related substances.
2. The **Applicant-selected 'recipient' MS-CA** are responsible for PPP emergency authorisations, managed on their local systems and assessed locally.
3. While the recipient MS-CA receive applications submitted directly by an Applicant in ESFC, in certain cases they may also create and submit applications on behalf of the Applicant.
4. When emergency authorisations are **repeated**, a clear reasoning should be provided why no other solution has been found. Applicants should use the regular authorisation process to seek a longer-term solution to a recurring danger.




IMPORTANT

Go to the European Commission's [Procedure to apply for authorisation of a PPP](#) for details on all authorisations.

ESFC process principles

1. When starting an application, only applicants users with a PPP profile in **SAAS** will be able to view the emergency authorisation PPP domain option in the food domain drop-down list.
2. Since there is no standard EC-wide dataset for PPP emergency applications, to simplify the input process not all ESFC fields are set as 'mandatory'.
3. The ESFC platform enables an audit trail and central data storage, and it also shares certain communications between actors.

Emergency Authorisation for Plant Protection Products (PPP)



TIP

Because notifications arrive by email, to minimise avoidable delays or missing an applicant interaction, all ESFC users should maintain and monitor a stable IT environment – i.e. following mailbox filtering and email spam protocols etc.

2 Logging in

To access the ESFC platform, you need an **EU Login**. The European Commission Authentication Service (ECAS) allows users to access a wide range of Commission information systems and services, using a single username and password. If you do not have an EU Login account linked to your work email address, please follow the instructions [here](#).




IMPORTANT

To access the Emergency PPP domain on ESFC, you need to have or create your profile in [SAAS \[6\]](#).

To set up your new EU Login account, begin [here](#). If you already have a user account for EU Login, you can log directly into the ESFC platform via [this link](#):

To change your EU Login password or edit your EU authentication login account, click [here](#).

Emergency Authorisation for Plant Protection Products (PPP)





NOTE

The account will become inactive after six months if not used, but still accessible. You will be prompted to create a new password.

2.1 Log into ESFC

1. Click **Create new application** and select **Pesticides** from the domain dropdown.



2. Select **Plant Protection Products, Application for Emergency authorisation** and the **Member State**. Select the competent authority and click **Start process**.

Emergency Authorisation for Plant Protection Products (PPP)

The first screenshot shows a form titled 'Start new application' with five dropdown menus. The first three are 'Pesticides', 'Plant Protection Products', and 'Application for emergency authorisation'. The fourth is 'Recipient Member State', which is open, showing a list of countries including Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, and Luxembourg.

The second screenshot shows the same form, but the fifth dropdown menu is 'Bundesamt für Ernährungssicherheit'. A red box highlights the 'Start process' button. Below the form, a yellow box contains the text: 'Once the application is created, the food domain, authorisation type and application type cannot be changed. Please ensure that the selection you have made is correct before clicking 'Start process'.'

2.2 SAAS registration

Go to the [SANTE Authentication and Authorisation System \(SAAS\)](#). SAAS links your EU Login account to the ESFC platform by assigning a User Access Profile. After you are successfully authenticated by EU-Login and your SAAS 'PEST' access profile **is verified**, you will have access to the Emergency PPP authorisations on ESFC and be able to view (or create) applications.



NOTE



To log into SAAS, you will first be redirected to EU Login to log in your credentials. After entering your EU Login, you will be redirected back to the SAAS homepage.

1. Select 'ESFC' as the intended platform.



The screenshot shows the 'Saas - Authorization System' homepage. At the top, there is a navigation bar with 'Privacy Statement', 'Support', a user profile icon, 'Logout', and a language dropdown set to 'English (en)'. Below the navigation bar is the European Commission logo and the text 'Saas - Authorization System'. A breadcrumb trail reads 'European Commission > DG Health and Food Safety > Saas'. There are two tabs: 'Home' (selected) and 'Request access'. Below the tabs is a 'Select an application' dropdown menu. The menu is open, showing a list of applications. 'ESFC' is highlighted with a red box. Other applications in the list include AAC - Administrative Assistance (not Food Fraud!), AAC - Food Fraud, BP-Portal, Cosmetic Products Notification Portal, Cosmetic Products Notification Portal (readonly), CPMS, dyna_meetings, ERN Service Directory, EU Common Catalogue, Euceg reporting, EUCoding, European Reference Networks, EUROPHYT, Food System - CAP, FOREMATIS, FRUMATIS, GM Consultations, and GMO web. At the bottom right of the page, there is a footer with 'SANTE (v3.2) | Top | n0046qc9 (n0046qc9)'.

2. If you have no profile already set up, click 'Request profile', and then select your organisation (i.e. your MS-CA).


Emergency Authorisation for Plant Protection Products (PPP)



3. Select a **MS** folder (note the EC, EFSA and Applicant paths), then select **MS-PEST**.



4. Now within Pesticides, request access to your **Member State**, and select the appropriate MS-CA, if registered. Click **Select an access profile**.



NOTE

If your 'organisation' (i.e. your Competent Authority) is not registered, please contact Support who can add it.

5. Select the access rights you need. Click **Type a comment**.

Emergency Authorisation for Plant Protection Products (PPP)

New application access

1 Select application 2 Select organisation 3 **Select access profile** 4 Recap and Submission

*Access Profile

Name	Status	Description
<input type="checkbox"/> Applicant		
<input type="checkbox"/> EFSA-read		
<input type="checkbox"/> EFSA-write		
<input checked="" type="checkbox"/> MS-read		
<input checked="" type="checkbox"/> MS-write		

← Step 2 : select an organisation Cancel Step 4 : type a comment →

6. Enter an optional comment. Click **Submit request access**.

New application access

1 Select application 2 Select organisation 3 Select access profile 4 **Recap and Submission**

Summary

Application	ESFC
Organisation	AT_AGES
Access Profile	MS-read
	MS-write

Comments

Before submitting
A request to get access to an application will be validated by the administrators, this is a manual process and can take a few days.

← Step 3 : select an access profile Cancel **Submit request access**

7. Your request screen shows. Once access has been granted, you'll see your updated profile screen. We recommend you return to the page after 48 hours if you receive no notification. For significant delays, contact Support.

Saas - Authorization System

ESFC

European Commission | DG Health and Food Safety | Saas

Home Request access User Data details

Success
Your request for the access was created successfully. This request has to be validated by an administrator before it is activated. (Note: during saving some special characters may have been removed)

ESFC E-Submission Food Chain

User Profiles

25 records per page Search:

Status	Organisation	Access Profile
requested	MS / MS-PEST / AT / APP-RECIPIENTS / AT_AGES	MS-read (requested) MS-write (requested)

Showing 1 to 1 of 1 entries

Table legend Manage the user profiles you are Administrator of. Delete Reject request. * The search is not performed on this column.

Saas - Authorization System

ESFC

European Commission | DG Health and Food Safety | Saas

Home Request access User Data details

ESFC E-Submission Food Chain

User Profiles

25 records per page Search:

Status	Organisation	Access Profile
active	MS / MS-PEST / AT / APP-RECIPIENTS / AT_AGES	MS-read MS-write

Showing 1 to 1 of 1 entries

Table legend Manage the user profiles you are Administrator of. Delete Reject request. * The search is not performed on this column.




NOTE

For technical issues regarding the functioning of SAAS, please contact: **SANTE-SAAS2DEV@ec.europa.eu**

For issues related to EU Login, please contact the IT Helpdesk of DG SANTE: **ec-helpdesk-IT@ec.europa.eu**

For PPP support, please contact: **sante-e-submission-food-chain@ec.europa.eu**

3 Access management



The screenshot shows the ESFC dashboard with a navigation bar and a table of applications. The navigation bar includes tabs for 'Ongoing applications', 'Closed applications', 'Bookmarked applications', 'Archives', and 'PPPEA - Applications by MS'. The table below lists several applications with columns for Application number, Submission date, Authorisation type, Application type, Current state, Current phase, Applicant/Company name, and Subject of the request.

Application number	Submission date	Authorisation type	Application type	Current state	Current phase	Applicant/Company name	Subject of the request
PPP-2022-60798	06/10/2022 10:33	Plant Protection Products	Application for emergency authorisation	Application Received	Acknowledgement by MS/CA	BASF	
PPP-2022-60808	06/10/2022 11:25	Plant Protection Products	Application for emergency authorisation	Application Received	Acknowledgement by MS/CA	Test company XYZ - 06/10/2022	
PPP-2022-60814	06/10/2022 11:41	Plant Protection Products	Application for emergency authorisation	Application Received	Acknowledgement by MS/CA	Test company XYZ - 06/10/2022	
PPP-2022-60818	06/10/2022 11:51	Plant Protection Products	Application for emergency authorisation	Application Received	Acknowledgement by MS/CA	Test company XYZ - 06/10/2022	


The **ESFC dashboard** presents users with all ongoing, withdrawn and closed applications based on the domain selection in SAAS (with bookmark, archive, closed applications and PPPEA listings available to MS-CA and EC users).

Each recipient MS-CA has a functional mailbox which receives notifications of activity. Also, individual users attached to that 'organisation' in SAAS receive notifications via their own email address. To add additional users to an application, email the ESFC support team directly on: sante-e-submission-food-chain@ec.europa.eu. (The 'Manage dossiers access' button only applies to the Applicant user.)



NOTE

The '**Unsubscribe**' option in the user pull-down list will remove your personal email address as a recipient of notification pings. It **does not** effect the functional mailbox reception of the notifications.






IMPORTANT

Multiple users from the same MS-CA can access and work on the same application at once. It is important that there is some coordination because the platform currently does not limit access or flag parallel inputs. This means that for now, there is a risk of input overlaps (when the application is not in read-only mode).

3.1 Manage your profile

If you have logged into the ESFC platform successfully, but you do not see the correct (or any) applications, check that your profile is correct. Are you associated with the correct organisation and domains – i.e. MS-CA and PEST?

1. Check that your profile is correctly listing the appropriate domains. This can be done at the application library screen, or within an application.
 - Click the top-right corner and select '**User Profile Information**'.




2. To amend the information, email a request to: sante-e-submission-food-chain@ec.europa.eu

3.2 Tracking applications


Before submission, the application is automatically saved as *draft* and appears in the dashboard. Its content is viewable by the Applicant (and the recipient MS-CAs after its submission). Its content can be developed by the MS-CA after authorisation is granted with follow-up data until publishing.

When searching in the dashboard for an application, be sure to remove any spaces around the application number.



Emergency Authorisation for Plant Protection Products (PPP)



The search can also be made by product name.

Throughout the submission process, users who are connected to an application receive notification emails indicating activity. The email links back to the platform dashboard. Activity is also flagged by the notification bell , in date order for all your ongoing applications.


The status badges denote the current and next phase of the application. The dashboard timeline updates as the application proceeds through each phase. Note the possibility of bookmarking an application by clicking the star '☆'.






TIP

A completed or withdrawn application can be found in the '**Closed applications**' folder. Your bookmarks will appear in the bookmark folder (based on your log-in).




4 Using the ESFC platform

1. An emergency authorisation application is submitted via the ESFC platform. Recipient MS-CA users receive an email notification linking to the ESFC dashboard. **EC are not yet informed** of the application submission. Other MS-CAs are not informed.




2. In order to access the platform, all MS-CA users must confirm that they have read the **Privacy Notice**. This agreement is because applications may contain confidential data, personal information, or content provided without Applicant-owned intellectual property rights.
 - Remove the top blue info-bar maintenance messaging by clicking the 'x'.
 - Click the confirmation that you have read the Privacy Notice. This requirement applies to all MS-CA users, not just those from the recipient member state.

Emergency Authorisation for Plant Protection Products (PPP)



- The user's profile determines which submitted application are displayed. You can sort the dashboard content using the top-row fields.
 - Either type the application number, or click on the application in the notifications dropdown.



- The **PPPEA Applications overview** tab displays the EC-wide statistics, as captured by ESFC, for dossiers received and managed by each MS-CA.

Status	AT	BE	
Application Received	2	64	66
Withdrawn	0	17	17
Authorisation Rejected	0	3	3
Authorisation Granted	1	10	11
Authorisation Published	5	24	29
Total	8	118	

5 MS-CA initiates application

The MS-CA may create an application on behalf of an applicant.


If an applicant cannot enter its application into ESFC (for various reasons, e.g. the applicant is not expected to submit future applications and therefore setting up an account is considered unnecessary) the MS-CA can instead create the application on the Applicant's behalf, using the information already submitted through their local process.

This could take place in parallel with the assessment, after it, or even after the product has been used.

1. Create a Pesticides profile in SAAS. See [SAAS registration \[6\]](#).
2. Log in as MC-CA, then create and submit the application in ESFC on behalf of the **Applicant**. See [How to create an application \[16\]](#).
3. To receive and manage the application in ESFC, log in as the recipient **MS-CA**, then follow the steps for approval or rejection, depending on your local assessment outcome. See [Manage application \[29\]](#).

5.1 How to create an application

1. Once logged in, click **Create new application**.



- The top of the left pane shows the application status and phase. Note the sections list, and your MS-CA details below. The bottom section displays the authorisation and application type.

Now select the Applicant for whom you are creating an application. Use the '▼' arrow. The fields are populated with data held in SAAS.

If the Applicant does not appear in the dropdown list, it can be **manually entered**, but the details will not be stored in SAAS and will only exist for that application. Alternatively, the Applicant can register itself directly in SAAS.¹

- Complete the application, inputting information/files already received by your local system.



NOTE

To avoid possible duplication, the MS-CA user should first search in the dashboard for an existing emergency submission before proceeding. Note that an applicant-created **draft** application will **not** appear, so coordination may be necessary.

5.1.1 Product data

- Provide the **product trade name** – if there are multiple, click '+'. Complete the fields manually if it is a new product.

You can search the database if it already exists. Click '**Copy existing product details**'. In the pop-up, provide the company code or (partial) name, click '**Search**', and select from the displayed list. Click '**Select this product**'.

¹For more information, visit [PPPAMS \(europa.eu\)](http://PPPAMS.europa.eu).

Emergency Authorisation for Plant Protection Products (PPP)

Pesticides Application
PPP-2023-69250

Dossier saved at 09:24:31

Product Data

Product trade name(s)*
Enter the product trade name here...

Copy existing product details

Product company code *
a

Search by company existing product

Organisation ID	Company code	Formulation type	Function	substance
<input type="radio"/> 26037				
<input type="radio"/> 26037	ddd	AL - Other liquids to applied undiluted	nematicide	(E)-2-Methyl-6-methylene-3,7-octadien-2-ol (somyrcenol)

Select this product Cancel

- The product details are populated. The **Formulation type** drop-down list is based on the 'Catalogue of Pesticides Formulation types and International Coding Systems' GCPF (GIFAP). Revised in May 2008 (www.croplife.org).

Product Data

Dossier saved at 16:14:34

Product trade name(s)*
Product trade name

Copy existing product details

Product company code 2342342

Formulation type * AE - Aerosol dispenser

Clear

- Click the '+' to select one or more Functions from the drop-down list. Tick the relevant check boxes next to each relevant function. If you can't see a function that you wish to use within the list, select '**Other**' and the field allows a free-text entry. '**Clear**' and '**x**' delete and remove your selection.

Function attractant

Search for a function

other

attractant

fungicide

herbicide

insecticide

molluscicide

nematicide

plant growth regulator

Content of pure substance in product 87

Scale Enter a scale

Unit g/kg

- Select one (or multiple) active substance(s). You can '**Clear**' your Substance data and, using the arrow, select differently from the list. Similarly with the Unit type. You can select multiple substances using the '+' button. The **Content of pure substance in product** field will pre-populate the **Max app rate per prod** fields in the GAP Data section (Step 6).

The screenshot shows a form with several dropdown menus and input fields. Two dropdown menus are highlighted with red boxes. The first dropdown menu contains the following options: (4Z-9Z)-7,9-Dodecadien-1-ol, (E)-10-Dodecen-1-yl acetate, (E)-11-Tetradecen-1-yl acetate, (E)-2-Methyl-6-methylene-2,7-octadien-1-ol (myrcenol), (E)-2-Methyl-6-methylene-3,7-octadien-2-ol (isomyrcenol), (E)-5-Decen-1-ol, and (E)-5-Decen-1-yl acetate. The second dropdown menu contains the following options: IU/kg, spores/ml, cfu/kg, cfu/l, g/kg, g/l, granules/kg, and granules/l. Below these dropdowns are three rows of input fields. The first row has 'Aminopyralid' in the first dropdown, '3' in the second input, '2' in the third input, and 'g/kg' in the fourth dropdown. The second row has '(E)-5-Decen-1-ol' in the first dropdown, '1' in the second input, '2' in the third input, and 'g/kg' in the fourth dropdown. The third row has 'Select' in the first dropdown, 'Enter a content' in the second input, 'Enter a scale' in the third input, and 'Select' in the fourth dropdown. Red arrows point from the highlighted dropdown menus to the 'Clear' buttons in the first and second rows.

5.1.2 Classification and labelling

The classification fields and the product creation are combined in the ESFC flow – i.e. no longer are there two distinct phases for this, as was the case in PPPAMS.

1. If there is no classification required, click '**No classification**' and the selection field disappears. Otherwise, that selection is mandatory. Multiple are possible by using the '+'.
 '+'.

The screenshot shows the 'Classification and Labelling' section of a software interface. At the top right, it says 'Dossier saved at 09:22:56'. Below this, there is a 'Classification' section with a checkbox for 'No classification'. Below that is a dropdown menu labeled 'Classification*' with 'Flammable solid' selected. To the right of this dropdown are 'Clear', '-', and '+' buttons. Below the dropdown is a search bar with 'Search' text. To the right of the search bar are '-', and '+' buttons. Below the search bar is a list of classification options: 'Flammable solid' (highlighted in blue), 'Flammable liquid', 'Germ cell mutagenicity', 'Hazardous for the ozone layer', 'Hazardous to the aquatic environment', 'Organic peroxide', 'Oxidising gas', and 'Oxidising liquid'. To the right of this list is another dropdown menu with 'Clear', '-', and '+' buttons.

2. Select one (or multiple) **GHS pictograms** from the icon list. Values can be found in Regulation (EC) No 1272/2008.

The screenshot shows the 'GHS pictograms' section of a software interface. At the top, it says 'GHS pictograms'. Below this is a dropdown menu labeled 'GHS pictograms' with 'Xn' selected. To the right of this dropdown are 'Clear', '-', and '+' buttons. Below the dropdown is a search bar with 'Select a GHS pictograms' text. To the right of the search bar are '-', and '+' buttons. Below the search bar is a list of GHS pictograms: 'GHS01' (highlighted in blue), 'Xn', 'GHS03', 'GHS04', and 'GHS05'. Each pictogram is represented by a small icon and its corresponding label.

3. Select an optional **Signal**, indicating the relative level of severity for hazards of the product.

Signal

Signal

Search

warning

danger

4. Select one, or multiple, hazard statements(s).

Hazard statement

Hazard statement

ppp_hazards.H332

Clear - +

Search - +

H332

H334

H335

H336

5. Select the optional **Precautionary statement** from the drop-down list, advising on precautionary measures to prevent or minimise adverse effects on humans or the environment.

Precautionary statement

Precautionary statement

Search - +

P363

P370

P371

P372

P373

6. Provide an **additional statement** if necessary.

Additional statement

Additional statement

Input free-text statement here

5.1.3 GAP Data

Define how/when the product will be used, according to Good Agricultural Practices.



IMPORTANT

You can **shortcut the data entry process** by uploading an excel with the values, which ESFC will parse and pre-populate if formatted correctly. Click **Upload GAP Data**.

1. Provide the use(s) of the substance. Click **New use** if there are multiple uses.

Emergency Authorisation for Plant Protection Products (PPP)

The '▼' arrow **minimises** the data fields for each use type. Click the '📄' icon to create a duplicate (clone) use type.

Alternatively, download the **GAP Template**, then via the **Upload GAP Data** button provide all the information in an excel file.

The screenshot shows the 'GAP Data' interface with a table of use types. The table has columns: Use No, Type of user, Crops, Growing crops, Pets / Harmful organisms, and Action. There are three rows, all with 'Trained professional' as the user type and 'Not provided' for other fields. A 'Clone' tooltip is visible over the 'Action' column of the second row. Below the table are buttons for 'New use', 'Download GAP Template', 'Download GAP Data', and 'Upload GAP Data'. The 'Upload GAP Data' button is highlighted with a red box.

- Now complete the fields within each use. All emergency applications assume a **'Trained professional'** as the default.

This screenshot shows the 'Type of use' and 'Growing crops' selection fields. The 'Type of use' dropdown is set to 'Major' (highlighted with a red box) and 'Trained professional'. The 'Growing crops' dropdown is set to 'Indoor (I)'. A 'Glasshouse (G)' dropdown menu is open, showing options: 'Indoor (I)', 'Glasshouse (G)', and 'Outdoor or field use (F)'. The 'Glasshouse (G)' option is highlighted with a blue box.

- Using the European & Mediterranean Plant Protection Organisation database (EPPO), define the crop. Input a keyword or code into the **Search** field, and select the appropriate language. Select the relevant crops and click **'Add'**.

This screenshot shows the EPPO search interface. The search field contains 'lemon' and the language dropdown is set to 'français'. A table of search results is displayed with columns: Eppo Code, Name, Type, Language, Preferred, and Select. The table lists several lemon varieties, with 'African lemon savory', 'Bali lemon', and 'East Indian lemongrass' having their 'Select' checkboxes checked. A red box highlights the search field and the table. A 'Select crop(s)' button is visible in the background interface.

- In the same way, search and add the pest(s) for which the product will be (has been) used.

Emergency Authorisation for Plant Protection Products (PPP)

Search for an EPPO Code

Name or EPPO Code * Language

EPPO Code *	Name †	Type †	Language †	Preferred †	Select
TIBCSE	17-year locust	GAI	en	false	<input type="checkbox"/>
PRKAF	African locust bean	PFL	en	false	<input checked="" type="checkbox"/>
LOCUMM	African migratory locust	GAI	en	false	<input type="checkbox"/>
ROBKE	Allegheny moss locust	PFL	en	false	<input checked="" type="checkbox"/>
ANCRMA	Arabian tree locust	GAI	en	false	<input type="checkbox"/>
MENPME	Atlantic locust	GAI	en	false	<input type="checkbox"/>

EPPO Codes - terms of use

- The selections are displayed for each use type. Click the '🗑️' bin icon to remove a selection.

Good Agriculture Practice

Use No	Type of user	Crops	Growing crops	Pets / Harmful organisms	Action
1	Trained professional	<ul style="list-style-type: none"> [STIB] African lemon savory [CIDGR] Bali lemon [GANMD] bumpy lemon [CIDLO] canton lemon 	Indoor (I)	<ul style="list-style-type: none"> [PRKAF] African locust bean [ROBKE] Allegheny moss locust 	<input type="button" value="🗑️"/>

Type of use: Minor Type of user: Trained professional Growing crops: Indoor (I)

- Complete the remaining (mandatory) fields. Note that the **Maximum application rate per AS** value is based on the Product Data provided and will be re-calculated if the **Max app rate per prod**, **Scale** and **Unit** values are changed.

Method / kind: broadcast

Timing / Growth stage of crop and mission between * And *

Timing Start: 0 - Dry seed (see dressing takes place at stage 00)

Max No per use * 0* P.V. - Winter dormancy or resting period

Max app rate per prod * Scale Unit


Active substance name	Max. application rate per AS	Calculated scale	Calculated unit
Aminopyralid	0.27600002	37	granules/100_kg_seed
(E)-5-Decen-1-ol	10.235001	26	g/100_kg_seed

Min water volume Max water volume Dependent on development stage of crop Yes No PHI (days)

Seed treatment Yes No Remarks

- To enable wider team input and for convenience, you can download your supplied GAP data in excel format, share it for modifications, and re-upload. Alternatively, you can download the raw GAP template, complete it and re-upload.

Emergency Authorisation for Plant Protection Products (PPP)



5.1.4 Consumer safety and justification

This data is unique to the emergency authorisation process. You can refer to named files you provide in the Documents section.

Consumer safety and justification

Consumer safety

MRL Values Table

Default MRL of 0.01 mg/kg according to Art 18(1)(b) Reg 396/2005

Value of tMRL *

Value of tMRL

Validated analytical method *

Validated analytical method

Measures taken to ensure consumer safety *

Measures taken to ensure consumer safety

- Consumer safety:** The Maximum Residue Level (MRL) Values Table is set to the default maximum level. However, if an **active substance**² in the Product Data section is selected (in this case "Acetamiprid"), the MRL Values Table expands so you can identify the corresponding Food Product and its pesticide residue, as regulated across the EU.

Note that the active substance name and its residue name may be different.





²See Active substances, safeners and synergists


Emergency Authorisation for Plant Protection Products (PPP)

Consumer safety and justification Dossier saved at 13:45:36

Consumer safety

MRL Values Table

EPPO Code for CROP	Product	Pesticide residues	
		Acetamiprid	
Bali lemon	Select a product 	N/A	<input type="checkbox"/>
canton lemon	Select a product 	N/A	<input type="checkbox"/>
bumpy lemon	Select a product 	N/A	<input type="checkbox"/>
African lemon savory	Select a product 	N/A	<input type="checkbox"/>

- a. Click the '' list icon to select the Food Product for your crop, as selected in the GAP Data section. The PIMS database will display most food products and/or food families. Click the radial button next to your selection, then '**Select**'.

Consumer safety and justification Dossier saved at 13:45:36

Consumer safety

MRL Values Table





EPPO Code for	Choose a Food Product		Pesticide residues																
			Acetamiprid																
Bali lemon	<p>Please confirm a value, or perform your own search. Alternatively if the EPPO code represents a use for a bumpy lemon, select the option at the bottom of the list.</p> <p>EPPO Code: ENG Bali lemon LATIN: None</p> <p>Showing 382 results <input type="text" value="Filter..."/></p> <table border="1"> <thead> <tr> <th>Select</th> <th>CODE</th> <th>Proposed product category from the EU pesticides database</th> </tr> </thead> <tbody> <tr> <td><input type="radio"/></td> <td></td> <td>Not Applicable: bumpy lemon</td> </tr> <tr> <td><input type="radio"/></td> <td>0100000</td> <td>FRUITS, FRESH or FROZEN; TREE NUTS</td> </tr> <tr> <td><input checked="" type="radio"/></td> <td>0110000</td> <td>Citrus fruits</td> </tr> <tr> <td><input type="radio"/></td> <td>0110010</td> <td>Grapefruits</td> </tr> </tbody> </table> <p><input type="button" value="Select"/> <input type="button" value="Cancel"/></p>		Select	CODE	Proposed product category from the EU pesticides database	<input type="radio"/>		Not Applicable: bumpy lemon	<input type="radio"/>	0100000	FRUITS, FRESH or FROZEN; TREE NUTS	<input checked="" type="radio"/>	0110000	Citrus fruits	<input type="radio"/>	0110010	Grapefruits	N/A	<input type="checkbox"/>
Select	CODE	Proposed product category from the EU pesticides database																	
<input type="radio"/>		Not Applicable: bumpy lemon																	
<input type="radio"/>	0100000	FRUITS, FRESH or FROZEN; TREE NUTS																	
<input checked="" type="radio"/>	0110000	Citrus fruits																	
<input type="radio"/>	0110010	Grapefruits																	
canton lemon			N/A	<input type="checkbox"/>															
bumpy lemon			N/A	<input type="checkbox"/>															
African lemon savory			N/A	<input type="checkbox"/>															

- b. The corresponding MRL will display, with the appropriate regulation. Confirm the food type complies with this level using the check box.

Consumer safety and justification Dossier saved at 13:50:32

Consumer safety

MRL Values Table

EPPO Code for CROP	Product	Pesticide residues	
		Acetamiprid	
Bali lemon	Citrus fruits 	Default MRL of 0.9 Reg. (EU) 2019/88	<input checked="" type="checkbox"/>
canton lemon	Select a product 	N/A	<input type="checkbox"/>
bumpy lemon	Lemons 	Default MRL of 0.9 Reg. (EU) 2019/88	<input type="checkbox"/>
African lemon savory	Select a product 	N/A	<input type="checkbox"/>

- c. If the MRL is not relevant to a crop or food product, click 'N/A' in the 'Pesticide residues' column. You can also remove a selection using the 'Not Applicable' radial button within the list screen (in this case "bumpy lemons").

Emergency Authorisation for Plant Protection Products (PPP)

Choose a Food Product

Please confirm a value, or perform your own search.
Alternatively if the Eppo code represents a use for a **non-edible use**, select the option at the bottom of the list.

Eppo Code GANMD

ENG **bumpy lemon**

LATIN None

Showing 382 results

Select	CODE	Proposed product category from the EU pesticides database
<input checked="" type="radio"/>		Not Applicable - non-edible use
<input type="radio"/>	0100000	FRUITS, FRESH or FROZEN; TREE NUTS
<input type="radio"/>	0110000	Citrus fruits
<input type="radio"/>	0110010	Grapefruits
<input type="radio"/>	0110020	...

- Value of tMRL:** Include information on the measures taken to confine the commodities resulting from the treated crop to the territory of the notifying MS, pending the setting of a tMRL at EU level.
- Validated analytical method:** Provide details of the availability of the method for monitoring of residues in plants and plant products.
- Measures taken to ensure consumer safety:** Describe the consumer safety measures taken, indicating if the active substance(s) contained in the PPP being authorised is listed in Annex IV to Regulation (EC) No 396/2005, or would be expected to be listed in that Annex.

Provide the justification behind the emergency authorisation request.

Justification

Type of danger *

Type of danger

Size and effect of danger *

Size and effect of danger

Absence of any other reasonable means *

Absence of any other reasonable means

Rationale *

Rationale

Mitigation measures *

Mitigation measures

Applications in progress *

Applications in progress

Research activities *

Research activities

1. **Type of danger:** Provide reasoning for what category the 120-day authorisation is given. Whereas reference to the EU quarantine legislation may suffice for quarantine pest, elaborate reasoning should be provided for the 'Any harmful pest' category.
2. **Size and effect of danger:** Describe the area affected, the development over time of the infestation, and the agronomic and economic effects it has.
3. **Absence of any other reasonable means:** Describe the alternative control measures (chemical, non-chemical and cultural) and indicate why they do not (in combination) suffice. Describe which, if any, authorisations for the pest to be controlled exist in other Member States.
4. **Rationale:** Provide the rationale based on the available information to justify the emergency authorisation. A description of the consequence if authorisation is not given (e.g. crop losses, costs, environmental risks) should be considered. Describe what measures are taken to limit and control use.
5. **Mitigation measures:** Describe what mitigation measures are taken if needed for minimising risk to humans, animals, and the environment – attach summary risk assessment in the Documents section. Describe what measures are taken to limit and control use.
6. **Applications in progress:** The use notified may have been applied for already, or a suitable alternative PPP may be in the process of authorisation. Describe such applications, including a possible date of authorisation. For emergency authorisations that are in fact extensions of already authorised uses of products containing approved substances, reference to an ongoing Article 51 (minor use) or Article 33 (other uses) or Article 40 (mutual recognition) procedure should be given, where applicable.
7. **Research activities:** Describe the research efforts undertaken and/or in progress, their aims, their expected date of results.




NOTE

Enter "n/a" if a mandatory field is not applicable.

5.1.5 Documents


Upload any supporting documents, or documents referred to in the free-text fields, and label them accordingly. Make sure the content does not contain personal or confidential information.




5.2 Submit application

When all application sections have been completed, click '**Submit**'. If mandatory fields remain incomplete, error messages will appear. These needs to be addressed.

1. Complete the message displayed. Click '**Complete action**'.



2. Once submitted, the application process labels update in a new **application overview** screen. The icon allows a download (currently in excel format) of the application details.



3. The application can be withdrawn after submission, whether it was created by the Applicant or by the MS-CA on the Applicant's behalf. A notification is sent.



4. Now proceed as the recipient MS-CA to process the application.

6 Manage application

A notification is received by the MS-CA after an application is submitted (by Applicant, or on behalf of the Applicant). The MS-CA needs to:

- Process the application, including checking and modifying information in the dossier data section (C&L, GAP, Consumer safety and justification).



NOTE


It is essential that the MS-CA carefully checks and amends all information in the application, since this will be published if the authorisation is granted.

- Specify if an authorisation is granted or not granted.
- MS-CA can **develop the application** GAP Data right up until publishing, and specify the authorisation decision for each 'Use type'.
- Input the authorisation information/dates etc.
- Publish the application.
- Post-authorisation actions.

6.1 MS Data section

1. Log in as the MS-CA.

The **Overview** tab shows the application's progress. Click the **MS Data** tab to access the application processing fields.



2. Provide the **National application reference**, as assigned in the national system.

MS Data Dossier saved at 17:00:05

National application reference

BE-000-1234

3. Complete the date information fields.

The screenshot shows a web form with five input fields, each with a red border. The fields are labeled as follows:

- Application received
- Validity check date
- Equivalence check date
- Assessment date
- Draft report date

Supply the date when the application was received and select the validity check date, if relevant.

4. **Equivalence check date.**

5. The '**Assessment date**' refers to the date the assessment was finalised.

6. **Draft report date.**

7. Now provide links to the documentation hosted on the MS-CA's PPP system. Please only use **http://** or **https://** so the database can automate the link correctly.

The screenshot shows a web form with three input fields, each with a red border. The fields are labeled as follows:


- Comparative assessment report URL
- List of test and study report URL
- Registration report URL

URL link to the **Comparative assessment report URL**.

8. URL link to the **list of test and study reports** used to support the application.

9. Provide the **Registration report URL**.

10. Finally, select the MS-CA assessment outcome, either '**Authorisation cannot be granted**' or '**Authorisation to be granted**', and complete the message pop-up. Click '**Complete action**'.



The authorisation phase begins, go to the Authorisation overview screen.




IMPORTANT

To enable correct URL code behaviour, please ensure you only supply **http://** or **https://**

6.2 Authorisation overview

1. The Authorisation overview shows application path.
Click '**Authorisation**' tab to provide the authorisation background, dates, details, limitations and authorisation excel and pdf.



2. Provide the **National authorisation reference** number.
3. Select any **previous derogations** of the emergency authorisation, if any, from the dropdown list, in case the authorisation that you are creating has already been granted for this application for a period of 120 days and now needs to be extended.
4. Identify a **contact person** responsible for the authorisation at the MS-CA from the dropdown list, if any, with email/phone information (i.e. not a generic mailbox).

5. **Authorisation date**
6. **Entry into force**
7. **Expiry date**
8. Complete the fields for the area permitted to be treated, i.e. the size in your chosen units where the product will be used. The area **actually treated** is completed after the treatment with the product, see [Post-authorisation actions \[34\]](#).

The screenshot shows a form with three main sections:

- Area permitted to be treated:** Contains two input fields: 'Area permitted to be treated' and 'Units'.
- Area actually treated:** Contains two input fields: 'Area actually treated' and 'Area actually treated Units'.
- Further limitations:** Contains a large text area for 'Further limitations' and a checkbox labeled 'Control of quarantine pest(s)'.

9. The system imports the authorisation details in **excel** and **PDF** formats. These will appear on the public PPP database after publication.

6.3 Decision for each use

Until publishing, the application can be developed by the MS-CA.

1. In the **GAP Data** section, new 'Use types' can be added using the **Add a new use** button. Alternatively, the clone '📄' button will duplicate an existing 'Use type', which can then be edited. Each can also be deleted, '🗑️'.

GAP Data Dossier saved at 14:44:45

Good Agriculture Practice

Use No	Type of user	Crops	Growing crops	Pets / Harmful organisms	Action
1	Trained professional	<ul style="list-style-type: none"> [1POMF] Polemoniaceae [GANMD] bumpy lemon 	<ul style="list-style-type: none"> Indoor (I) 	<ul style="list-style-type: none"> [LOCUMA] Locusta migratoria manilensis [LOCUMI] Locusta migratoria migratoria 	<div style="border: 1px solid red; padding: 2px;"> 🗑️ 📄 Granted ▼ Clear </div>
2	Trained professional	<ul style="list-style-type: none"> [1POMF] Polemoniaceae 	<ul style="list-style-type: none"> Outdoor or field use (F) 	<ul style="list-style-type: none"> [LOCUMI] Locusta migratoria migratoria 	<div style="border: 1px solid red; padding: 2px;"> 🗑️ 📄 Select ▼ </div>
3	Trained professional	<ul style="list-style-type: none"> [1POMF] Polemoniaceae [PMNCO] Polemonium caeruleum 	<ul style="list-style-type: none"> Outdoor or field use (F) 	<ul style="list-style-type: none"> [GAMMLO] Gammarus locusta 	<div style="border: 1px solid red; padding: 2px;"> 🗑️ 📄 Please Select Granted Not granted Suspended Withdrawn </div>

Add a new use Download GAP Template Download GAP Data Upload GAP Data

- You have the option to download the existing dataset in excel format – or download the blank GAP template – which enables you to build the dataset 'offline', then re-upload it using the **Upload GAP Data** button.
- Each 'Use type' requires a decision in the Action column. Click the **Select** dropdown: **Granted**, **Not granted**, **Suspended** or **Withdrawn**.


6.4 Publish authorisation

- Click '**Publish**' and provide a message in the pop-up. The dossier enters the end phase.


The screenshot shows a pop-up window titled "Dossier PPP-2022-61845: Authorisation Granted". It features a progress bar with three stages: "Application Received" (Acknowledgement by MS/CA), "Authorisation Granted" (Validity Check by MS/CA), and "Authorisation Published" (Process Finished). The "Authorisation Published" stage is highlighted with a red box. Below the progress bar is a "Comments" section with a text area containing the message "Message appears on dossier flow". At the bottom of the pop-up, there are "Complete action" and "Close" buttons, both highlighted with red boxes. In the background, the "Publish" button in the top right corner of the application interface is also highlighted with a red box.

Emergency Authorisation for Plant Protection Products (PPP)

- Once you click '**Complete action**', the authorisation outcome and details are published. The dossier status is now **Process Finished**. Applicant, all MS-CAs and EC are notified. The original application can be downloaded from the icons displayed, the authorisation information can be obtained via the EU Pesticides database.



- All elements of the authorisation are publicly accessible and downloadable on the [Emergency Authorisations database](#).



6.5 Post-authorisation actions

The MS-CA must enter the **Area actually treated** after the authorisation has expired. The system will send a reminder email to the MS-CA user one month after that expiry date.

Emergency Authorisation for Plant Protection Products (PPP)

The screenshot displays a web application interface for managing emergency authorizations for plant protection products. On the left, a vertical sidebar contains a menu with the following items: Product Data, Classification and Labelling, GAP Data, Consumer safety and justification, Documents, PROCESS DATA, MS Data, **Authorisation** (highlighted with a red box), MEMBER STATES / COMPETENT AUTHORITIES (Romania / Ministry of Agriculture, Forests and Rural Development, National Phytosanitary Agency), and AUTHORISATION TYPE (Plant Protection Products). The main content area is divided into several sections: 'Area permitted to be treated' with a table for 'Area permitted to be treated' and 'Units'; 'Area actually treated' (highlighted with a red box) with input fields for 'Area actually treated' and 'Area actually treated Units'; 'Further limitations' (Not provided); 'Authorisation excel file' with a file upload field containing 'PPP-0000-18-authorisation.xls'; and 'Authorisation pdf file' with a file upload field containing 'PPP-0000-18-authorisation.pdf'. A red arrow points from the 'Authorisation' menu item to the 'Area actually treated' section.

The PDF in the public database will be replaced with a new version.

7 Commission & EFSA's role

The Standing Committee on Plants, Animal, Food and Feed, Section – Phytopharmaceuticals Legislation, will be informed about authorisations granted by Member States. The Commission and Member States may discuss and scrutinise notifications, including the justifications underpinning the emergency authorisation, where appropriate. Member States are also invited to analyse and comment on the notifications provided by other Member States. Where the justification provided by the Member State is not considered complete or acceptable, the Member State may be asked by the Commission to provide further information.

In cases where a Member State proposes to set a temporary MRL, such proposals will be referred for discussion to the Standing Committee on Plants, Animal, Food and Feed – Section Phytopharmaceuticals – Pesticides Residues.

Furthermore, following the notification of emergency authorisations in accordance with Article 53(1) of the Regulation, in accordance with Article 53(2), the Commission may consult EFSA for an opinion or for scientific or technical assistance – in particular, this may be done in case of repeated emergency authorisations. If so, EFSA shall provide its opinion or results of its work within one month of the request.

Where, based on EFSA's advice, the Commission concludes that an emergency authorisation is not justified, it may present a proposal to the Standing Committee in accordance with Article 53(3) providing that the Member State may not extend the duration of the authorisation or may not repeat it, or requiring the Member State to withdraw or amend it.

