





ASF epidemiological situation in Bulgaria /update/

PAFF AH&AW committee 23.01.2024




ASF in domestic pigs– Overview in 2023




Region	Date of confirmation	Holding category	No. of pigs affected	Culling and disposal of animals	Preliminary disinfection completed	Note
BG-ASF-2023-0096	19.07.2023	Backyard	1	22.07.2023	24/07/2023	Passive surveillance . Total stamping out at village level (22 pigs culled in total)
BG-ASF-2023-0098	26.07.2023	Backyard	1	27.07.2023	30.07.2023	The holding is located in a 10 km surveillance zone around BG-ASF-2023-0096.
BG-ASF-2023-00099	09/08/2023	Unknown	1	09.08.2023	09/08/2023	Notification by citizens


ASF in domestic pigs– Overview in 2023



Last outbreak confirmed -> 09.08.2023
More than 3 months elapsed



ASF in domestic pigs– monitoring in 2023



Holding category	Pig holdings, n	Pigs, n	Official control inspections, n	Number of samples from dead animals	Number of samples from live animals	Average number of official inspections	Prescriptions /penalties, n
Industrial	96	657649	208	7123	4858	2	4
Family	164	4656	289	51	1307	2	10
East Balkan pigs	9	307	17	0	29	7	0
Backyards	6077	1727	855	2	188		63

Commercial farms

- at least 2 inspections per farm.

Backyards sector

- less than 10 % of the sector is populated;
- Annual inventory with the presence of the official control.

East Balkan pigs

- decreased number of farm and pig population;
- at least 4 inspections per farm.



Other inspections: Official checks on:

- ban for live pig markets –361 inspection;
- illegal online trade – 16;
- free-ranging ban – 75;
- illegal movement of animals – 6.

Current regionalization

Annex I to Implementing Regulation (EU) 2023/594


Restricted zones III in Bulgaria proposed to be moved in Part II	Last ASF occurrence in domestic pigs
the Pazardzhik region: <ul style="list-style-type: none"> - the municipality of Pazardzhik: the villages of Apriltsi, Sbor, Tsar Asen, Rosen, Ovtchepoltsi, Gelemenovo, Saraya, Yunatsite, Velitchkovo - the municipality of Panagyurishte the villages of Popintsi, Levski, Elshitsa, - the municipality of Lesitchovo the villages of Pamidovo, Dinkata, Shtarkovo, Kalugerovo, - the municipality of Septemvri the village of Karabunar, - the municipality of Streltcha the village of Svoboda, 	last ASF occurrence in domestic pigs on 20.08.2021 – family farm
the Montana region: municipalities of Vulchedrum and Lom,	last ASF occurrence in domestic pigs on 27.07.2023 – backyard
the Lovech region: municipalities of Lukovit and Yablanitsa,	last ASF occurrence in domestic pigs on 10.08.2023 – backyard
the Vratsa region: municipality of Roman.	no outbreak of ASF in domestic pigs ever occurred



ASF monitoring in Restricted zones III

Holding category	Pig holdings, n	Pigs, n	Official control inspections, n	Number of samples from dead animals	Number of samples from live animals	Average number of official inspections	Prescriptions/penalties, n
Industrial	1	0	0	0	0	0	0
Family	3	103	21	4	30	5	5
Backyards	108	108	260	4	105	5	1

ASF in wild boar – Overview in 2023




- 19 affected regions currently;
- Cases in South and Southeast Bulgaria;
- Mainly ELISA positive WB.

Region	Tested WB			Ab+ WB				PCR+ WB			
	dead	healthy shoot	total	dead	healthy shoot	total	%Positive	dead	healthy shoot	total	%Positive
Total	29	11230	11259	1	836	837	7,43	2	0	2	0,02



Further measures in place

1. The National plan for control of ASF in wild boar (updated and to be adopted by the Council of Ministers (at the end of January 2024)

- part of the Multi-institutional plan for control and prevention against ASF enforced since 2020
- the roles and responsibilities of the relevant stakeholders, with a timetable for different measures;
- management of the wild boar population;
- targets and control of ASF;
- national biosecurity requirements related to the holdings of domestic pig population and during hunting of WB;
- other measures for prevention and control of ASF : ban on feeding, free-ranging ban, intensive searching for WB carcasses in the 20-km zones around the industrial holdings; intensive sanitary shooting/individual hunt in the 20-km zones around industrial holdings; financial incentives for hunters, etc);
- training and awareness campaigns;
- cross-border cooperation with other Member States and third countries.



Communication and awareness strategy



Африканската чума по свинете е особено опасна вирусна болест, която засяга свинете. Тя не е заразна за хората и не представлява да предизвика значителни икономически загуби в селското стопанство.

Болезта се предава от свинете на свинете, както и от диви свине. Тя може да оцелее в околната среда за дълъг период от време. Той се може да бъде разпространяван и чрез заразени обекти, храна, и може да бъде източник на зараза за домашните свине.

Симптоми на болестта включват: висока температура, нарушения в дишането, кожни лезии и внезапна смърт. Болестта може да премине през остра или хронична форма.

При съмнение за АЧС, се предприемат мерки като карантинна на фермата.

ИЗИСКВАНИЯ ЗА БИОСИГУРНОСТ В СВИНЕВЪДНИ СТОПАНСТВА ФАМИЛНИ ФЕРМИ

Членство до 10 души, най-малко стопанство, не по-голямо от 20 дка земни площи.

РЕГИСТРАЦИЯ НА СТОПАНСТВО:

- ЗАЯВЛЕНИЕ ЗА РЕГИСТРАЦИЯ ДО ОБЛАСТНА ДИРЕКЦИЯ ПО БЕЗОПАСНОСТ НА ХРАНИТЕ (ОДБ)
- ДОКУМЕНТ ЗА СОБСТВЕНОСТ НА ЗЕМЛИЩА
- ДОКТОРСКИ РЕЦЕПТИВЕН ВЕТЕРИНАРЕН ЛЕКЪР
- СТАВНОЩЕ ОТ КАМЕТА НА НАСЕЛВАНЕТО МЯСТО
- ТАКСА

БИОСИГУРНОСТ:

- **ОТПАДА** - да има достъп до пълнокръвни и млади свине
- **ПОСЕЩАВАНЕ НА СВИНЕ** - стабилни построения, съхраняващи храната и млякото, течащи водни фонтани, чешми, достъп до други животни
- **ВОДОСНАБДВАНЕ** - питейна вода от забранени източници
- **НА ВХОДА НА ФЕРМАТА** - да разполага с оборудване за измиване и дезинфекция на облеклото, както и бута с дезинфектант, износено от стопанството
- **СЪРЪВАНЕ НА ВЪТРЕШНАТА СРЕДА** - изчиставане на двора и околната среда, износване на отпадъци от стопанството
- **БОРБА С НАСЕКОМИ И ГРИЗАРИ** - износване на препарати против насекоми и гризачи, износване на средства за защита на животните от паразити, износване на средства за защита на хората
- **ВРЕМЕННО СЪХРАНЯВАНЕ НА ТРОПЕЖЕ НА УМРЕЛИ ЖИВОТНИ И СТЪРЧАЩИ ЖИВОТНИ ПРОДУКТИ (СКОП)** - износване на средства за защита на животните и дезинфекция на оборудването
- **ОБОРУДВАНЕ** - износване на средства за защита на хората, средства за защита на животните, дезинфекция
- **СВИНЕТЕ СЕ КОРИШАТ С ПОЛНОКЪРВНИ СВИНЕ**
- **ТОР** - не се използва на тор (40 дни) преди използването му за напашване
- **ТРАНСПОРТНИ СРЕДСТВА** - износване на средства за дезинфекция на транспортните средства, износване на средства за защита на хората
- **ДЪЛЖНОСТИ НА СВИНЕТА** - да се износват поне 40 дни след забавянето на свинете, а свинете да се поставят в 30 дни след забавянето

ВЕТЕРИНАРНОМЕДИЦИНСКИ МЕРКИ:

- **ИДЕНТИФИКАЦИОННИ МАРКИ** - износване на средства за идентификация на животните (маркиране) и износване на средства за защита на хората
- **СЪЗНАЧАВАНЕ НА ДОКУМЕНТИ** - износване на средства за защита на хората, износване на средства за защита на животните
- **КУМАРИНО ОТНОШЕНИЕ КЪМ ЖИВОТНИТЕ** - отглеждане на животните при спазване на изискванията за защита на животните
- **ЗОДВАНИ МЕРКИ** - износване на средства за защита на хората и животните





REPUBLIC OF BULGARIA
MINISTRY OF AGRICULTURE AND FOOD
BULGARIAN FOOD SAFETY AGENCY

Thank you for your attention!

Contact:

Bulgarian Food Safety Agency
Animal Health and Welfare Directorate

1606 Sofia, Bulgaria
tel.: +359 2 915 98 20
e_mail: ceo@bfsa.bg

