

**SCIENTIFIC AND COMMON NAMES  
OF  
AQUATIC SPECIES  
LISTED IN THE TABLE IN THE ANNEX  
TO  
COMMISSION IMPLEMENTING REGULATION (EU) 2018/1882  
(AS AMENDED BY COMMISSION IMPLEMENTING REGULATION (EU) 2022/925)**

<b>NAME OF LISTED DISEASE</b>	<b>LISTED SPECIES</b>			
<b>Epizootic haematopoietic necrosis</b>	<b>SUSCEPTIBLE SPECIES</b> <i>Scientific names</i>	<b>SUSCEPTIBLE SPECIES</b> <i>Common names</i>	<b>VECTOR SPECIES</b> <i>Scientific names</i>	<b>VECTOR SPECIES</b> <i>Common names</i>
	<i>Ameiurus melas</i>	Black bullhead	<i>Aristichthys nobilis</i>	Bighead carp
	<i>Bidyanus bidyanus</i>	Silver perch	<i>Carassius auratus</i>	Goldfish
	<i>Esox lucius</i>	Northern Pike	<i>Carassius carassius</i>	Crucian carp
	<i>Galaxias olidus</i>	Mountain galaxias	<i>Cyprinus carpio</i>	Common carp
	<i>Gambusia affinis</i>	Mosquito fish	<i>Hypophthalmichthys molitrix</i>	Silver carp
	<i>Gambusia holbrooki</i>	Eastern mosquitofish	<i>Leuciscus</i> spp.	Chub spp.
	<i>Macquaria australasica</i>	Macquarie perch	<i>Rutilus rutilus</i>	roach
	<i>Melanotaenia fluviatilis</i>	Crimson spotted rainbow fish	<i>Scardinius erythrophthalmus</i>	rudd
	<i>Oncorhynchus mykiss</i>	Rainbow trout	<i>Tinca tinca</i>	tench
	<i>Perca fluviatilis</i>	European Perch		
	<i>Sander lucioperca</i>	Pike-perch		
<b>Viral haemorrhagic septicaemia</b>	<b>SUSCEPTIBLE SPECIES</b> <i>Scientific names</i>	<b>SUSCEPTIBLE SPECIES</b> <i>Common names</i>	<b>VECTOR SPECIES</b> <i>Scientific names</i>	<b>VECTOR SPECIES</b> <i>Common names</i>
	<i>Alosa immaculata</i>	Pontic shad	<i>Acipenser baerii</i>	Siberian sturgeon
	<i>Ameiurus nebulosus</i>	Brown bullhead	<i>Acipenser gueldenstaedtii</i>	Danube sturgeon
	<i>Ambloplites rupestris</i>	Rock bass	<i>Acipenser ruthenus</i>	Sterlet sturgeon
	<i>Ammodytes hexapterus</i>	Pacific sand lance	<i>Acipenser stellatus</i>	Starry sturgeon
	<i>Aplodinotus grunniens</i>	Freshwater drum	<i>Acipenser sturio</i>	Sturgeon
	<i>Centrolabrus exoletus</i>	Rock cook	<i>Ameiurus melas</i>	Black bullhead
	<i>Clupea harengus</i>	Atlantic herring	<i>Argyrosomus regius</i>	Meagre
	<i>Clupea pallasii pallasii</i>	Pacific herring	<i>Aristichthys nobilis</i>	Bighead carp
	<i>Coregonus artedii</i>	Cisco	<i>Carassius auratus</i>	Goldfish
	<i>Coregonus clupeaformis</i>	Lake whitefish	<i>Carassius carassius</i>	Crucian carp
	<i>Coregonus lavaretus</i>	European whitefish	<i>Clarias gariepinus</i>	North African catfish
	<i>Ctenolabrus rupestris</i>	Goldsinny wrasse	<i>Cyprinus carpio</i>	Common carp

<i>Cyclopterus lumpus</i>	Lumpfish	<i>Dentex dentex</i>	Common dentex
<i>Cymatogaster aggregata</i>	Shiner perch	<i>Dicentrarchus labrax</i>	European seabass
<i>Dorosoma cepedianum</i>	American gizzard shad	<i>Diplodus puntazzo</i>	Sharpsnout seabream
<i>Danio rerio</i>	Zebra danio	<i>Diplodus sargus</i>	White seabream
<i>Engraulis encrasicolus</i>	European anchovy	<i>Diplodus vulgaris</i>	Common two-banded seabream
<i>Esox lucius</i>	Northern pike	<i>Epinephelus aeneus</i>	White grouper
<i>Esox masquinongy</i>	Muskellunge	<i>Epinephelus marginatus</i>	Dusky grouper
<i>Fundulus heteroclitus</i>	Mummichog	<i>Huso huso</i>	Beluga
<i>Gadus macrocephalus</i>	Pacific cod	<i>Hypophthalmichthys molitrix</i>	Silver carp
<i>Gadus morhua</i>	Atlantic cod	<i>Ictalurus punctatus</i>	Channel catfish
<i>Gaidropsarus vulgaris</i>	Three-bearded rockling	<i>Ictalurus spp.</i>	Catfish spp.
<i>Gasterosteus aculeatus</i>	Three-spine stickleback	<i>Leuciscus spp.</i>	Chub spp.
<i>Labrus bergylta</i>	Ballan wrasse	<i>Morone chrysops</i> x <i>Morone saxatilis</i>	White bass x striped bass hybrids
<i>Labrus mixtus</i>	Cuckoo wrasse	<i>Mugil cephalus</i>	Flathead grey mullet
<i>Lampetra fluviatilis</i>	River lamprey	<i>Oreochromis</i>	tilapia
<i>Lepomis gibbosus</i>	Pumpkinseed	<i>Pagellus bogaraveo</i>	Blackspot seabream
<i>Lepomis macrochirus</i>	Bluegill	<i>Pagellus erythrinus</i>	Common pandora
<i>Limanda limanda</i>	Common dab	<i>Pagrus major</i>	Red seabream
<i>Merlangius merlangus</i>	Whiting	<i>Pagrus pagrus</i>	Red porgy
<i>Micropterus dolomieu</i>	Smallmouth bass	<i>Pangasius pangasius</i>	Pangas catfish
<i>Micropterus salmoides</i>	Largemouth bass	<i>Rutilus rutilus</i>	Roach
<i>Micromesistius poutassou</i>	Blue Whiting	<i>Salvelinus alpinus</i>	Arctic char
<i>Morone americana</i>	White perch	<i>Salvelinus fontinalis</i>	Brook trout
<i>Morone chrysops</i>	White bass	<i>Sander lucioperca</i>	pikeperch
<i>Morone saxatilis</i>	Striped bass	<i>Scardinius erythrophthalmus</i>	Rudd
<i>Mullus barbatus</i>	Red mullet	<i>Sciaenops ocellatus</i>	Red drum
<i>Neogobius melanostomus</i>	Round goby	<i>Silurus glanis</i>	Wels catfish
<i>Notropis atherinoides</i>	Emerald shiner	<i>Solea senegalensis</i>	Senegalese sole
<i>Notropis hudsonius</i>	Spottail shiner	<i>Solea solea</i>	Common sole

	<i>Oncorhynchus kisutch</i>	Coho salmon	<i>Sparus aurata</i>	Gilthead seabream
	<i>Oncorhynchus mykiss</i>	Rainbow trout	<i>Thunnus</i> spp.	True tuna spp.
	<i>Oncorhynchus mykiss</i> X <i>Oncorhynchus kisutch</i> hybrids	Rainbow trout X coho salmon hybrids	<i>Thunnus thynnus</i>	Atlantic bluefin tuna
	<i>Oncorhynchus tshawytscha</i>	Chinook salmon	<i>Tinca tinca</i>	Tench
	<i>Paralichthys olivaceus</i>	Bastard halibut	<i>Umbrina cirrosa</i>	Shi drum
	<i>Perca flavescens</i>	American yellow perch		
	<i>Pimephales notatus</i>	Bluntnose minnow		
	<i>Pimephales promelas</i>	Fathead Minnow		
	<i>Platichthys flesus</i>	European Flounder		
	<i>Pleuronectes platessa</i>	European plaice		
	<i>Pomatoschistus minutus</i>	Sand goby		
	<i>Pomoxis nigromaculatus</i>	Black crappie		
	<i>Raja clavata</i>	Thornback ray		
	<i>Salmo marmoratus</i>	Marble trout		
	<i>Salmo salar</i>	Atlantic salmon		
	<i>Salmo trutta</i>	Brown trout		
	<i>Salvelinus namaycush</i>	Lake trout		
	<i>Sander vitreus</i>	Walleye		
	<i>Sardina pilchardus</i>	European pilchard		
	<i>Sardinops sagax</i>	South American pilchard		
	<i>Scomber japonicus</i>	Pacific chub mackerel		
	<i>Scophthalmus maximus</i>	Turbot		
	<i>Solea senegalensis</i>	Senegalese sole		
	<i>Sprattus sprattus</i>	European sprat		
	<i>Symphodus melops</i>	Corkwing wrasse		
	<i>Thaleichthys pacificus</i>	Eulachon		
	<i>Trachurus mediterraneus</i>	Mediterranean horse mackerel		
	<i>Trisopterus esmarkii</i>	Norway pout		
	<i>Thymallus thymallus</i>	Grayling		

	<i>Uranoscopus scaber</i>	Atlantic stargazer		
<b>Infectious haematopoietic necrosis</b>	<b><i>SUSCEPTIBLE SPECIES</i></b> <i>Scientific names</i>	<b><i>SUSCEPTIBLE SPECIES</i></b> <i>Common names</i>	<b><i>VECTOR SPECIES</i></b> <i>Scientific names</i>	<b><i>VECTOR SPECIES</i></b> <i>Common names</i>
	<i>Esox lucius</i>	Northern pike	<i>Acipenser baerii</i>	Siberian sturgeon
	<i>Onchorynchus clarkii</i>	Cutthroat trout	<i>Acipenser gueldenstaedtii</i>	Danube sturgeon
	<i>Oncorhynchus keta</i>	Chum salmon	<i>Acipenser ruthenus</i>	Sterlet sturgeon
	<i>Oncorhynchus kisutch</i>	Coho salmon	<i>Acipenser stellatus</i>	Starry sturgeon
	<i>Oncorhynchus masou</i>	Masu salmon	<i>Acipenser sturio</i>	Sturgeon
	<i>Oncorhynchus mykiss</i>	Rainbow trout	<i>Ameiurus melas</i>	Black bullhead
	<i>Oncorhynchus nerka</i>	Sockeye salmon	<i>Aristichthys nobilis</i>	Bighead carp
	<i>Oncorhynchus tshawytscha</i>	Chinook salmon	<i>Astacus astacus</i>	Noble Crayfish
	<i>Salmo marmoratus</i>	Marble trout	<i>Carassius auratus</i>	Goldfish
	<i>Salmo salar</i>	Atlantic Salmon	<i>Carassius carassius</i>	Crucian carp
	<i>Salmo trutta</i>	Brown trout	<i>Clarias gariepinus</i>	North African catfish
	<i>Salvelinus alpinus</i>	Arctic char	<i>Cyprinus carpio</i>	Common carp
	<i>Salvelinus fontinalis</i>	Brook trout	<i>Gadus morhua</i>	Atlantic cod
	<i>Salvelinus namaycush</i>	Lake trout	<i>Hippoglossus hippoglossus</i>	Atlantic halibut
			<i>Hypophthalmichthys molitrix</i>	Silver carp
			<i>Huso huso</i>	Beluga
			<i>Ictalurus punctatus</i>	Channel catfish
			<i>Ictalurus spp.</i>	Catfish spp.
			<i>Leuciscus spp.</i>	Chub spp.
			<i>Melanogrammus aeglefinus</i>	Haddock
			<i>Platichthys flesus</i>	European flounder
			<i>Pacifastacus leniusculus</i>	Signal Crayfish
			<i>Procambarus clarkii</i>	Red Swamp crawfish
			<i>Pangasius pangasius</i>	Pangas catfish
			<i>Rutilus rutilus</i>	Roach
			<i>Sander lucioperca</i>	Pikeperch
			<i>Scardinius erythrophthalmus</i>	Rudd

			<i>Silurus glanis</i>	Welsh catfish
			<i>Tinca tinca</i>	Tench
<b>Infection with HPR-deleted infectious salmon anaemia virus</b>	<b>SUSCEPTIBLE SPECIES</b> <i>Scientific names</i>	<b>SUSCEPTIBLE SPECIES</b> <i>Common names</i>	<b>VECTOR SPECIES</b> <i>Scientific names</i>	<b>VECTOR SPECIES</b> <i>Common names</i>
	<i>Oncorhynchus mykiss</i>	Rainbow trout		
	<i>Salmo salar</i>	Atlantic salmon		
	<i>Salmo trutta</i>	Brown trout		
<b>Koi herpes virus disease</b>	<b>SUSCEPTIBLE SPECIES</b> <i>Scientific names</i>	<b>SUSCEPTIBLE SPECIES</b> <i>Common names</i>	<b>VECTOR SPECIES</b> <i>Scientific names</i>	<b>VECTOR SPECIES</b> <i>Common names</i>
	All varieties and subspecies of <i>Cyprinus carpio</i> and <i>Cyprinus carpio</i> hybrids e.g. <i>Cyprinus carpio</i> × <i>Carassius auratus</i> , <i>Cyprinus carpio</i> × <i>Carassius carassius</i>	All varieties and subspecies of Common carp and Common carp hybrids e.g. Common carp x goldfish, common carp x crucian carp	<i>Carassius auratus</i>	Goldfish
<i>Ctenopharyngodon idella</i>			Grass carp	
<b>Infection with <i>Mikrocytos mackini</i></b>	<b>SUSCEPTIBLE SPECIES</b> <i>Scientific names</i>	<b>SUSCEPTIBLE SPECIES</b> <i>Common names</i>	<b>VECTOR SPECIES</b> <i>Scientific names</i>	<b>VECTOR SPECIES</b> <i>Common names</i>
	<i>Crassostrea gigas</i>	Pacific oyster		
	<i>Crassostrea sikamea</i>	Kumamoto oyster		
	<i>Ostrea edulis</i>	European flat oyster		
<b>Infection with <i>Perkinsus marinus</i></b>	<b>SUSCEPTIBLE SPECIES</b> <i>Scientific names</i>	<b>SUSCEPTIBLE SPECIES</b> <i>Common names</i>	<b>VECTOR SPECIES</b> <i>Scientific names</i>	<b>VECTOR SPECIES</b> <i>Common names</i>
	<i>Crassostrea gigas</i>	Pacific oyster	<i>Brachyura</i> spp.	Marine crabs
	<i>Crassostrea virginica</i>	Eastern oyster	<i>Cherax destructor</i>	Yabi crayfish
			<i>Homarus gammarus</i>	European lobster
			<i>Macrobrachium rosenbergii</i>	Giant river prawn
			<i>Palinurus</i> spp.	Spiny lobster
			<i>Penaeus indicus</i>	Indian white prawn
			<i>Penaeus japonicus</i>	Kuruma prawn

			<i>Penaeus kerathurus</i>	Caramote prawn
			<i>Penaeus stylirostris</i>	Blue shrimp
			<i>Penaeus vannamei</i>	Whiteleg shrimp
			<i>Portunus puber</i>	Swimming crab
			<i>Scylla serrata</i>	Indopacific swamp crab
<b>Infection with <i>Bonamia exitiosa</i></b>	<b><i>SUSCEPTIBLE SPECIES</i></b> <i>Scientific names</i>	<b><i>SUSCEPTIBLE SPECIES</i></b> <i>Common names</i>	<b><i>VECTOR SPECIES</i></b> <i>Scientific names</i>	<b><i>VECTOR SPECIES</i></b> <i>Common names</i>
	<i>Crassostrea ariakensis</i>	Suminoe oyster	<i>Crassostrea angulata</i>	Portuguese oyster
	<i>Crassostrea virginica</i>	Eastern oyster	<i>Crassostrea gigas</i>	Pacific oyster
	<i>Ostrea puelchana</i>	Argentinean oyster	<i>Crassostrea virginica</i>	Eastern oyster
	<i>Ostrea angasi</i>	Australian mud oyster		
	<i>Ostrea chilensis</i>	Chilean flat oyster		
	<i>Ostrea equestris</i>	Crested oyster		
	<i>Ostrea edulis</i>	European flat oyster		
	<i>Ostrea lurida</i>	Olympia oyster		
<b>Infection with <i>Bonamia ostreae</i></b>	<b><i>SUSCEPTIBLE SPECIES</i></b> <i>Scientific names</i>	<b><i>SUSCEPTIBLE SPECIES</i></b> <i>Common names</i>	<b><i>VECTOR SPECIES</i></b> <i>Scientific names</i>	<b><i>VECTOR SPECIES</i></b> <i>Common names</i>
	<i>Crassostrea ariakensis</i>	Suminoe oyster	<i>Cerastoderma edule</i>	Common edible cockle
	<i>Ostrea chilensis</i>	Chilean flat oyster	<i>Donax trunculus</i>	Wedge shell
	<i>Ostrea edulis</i>	European flat oyster	<i>Mya arenaria</i>	Sand gaper
			<i>Mercenaria mercenaria</i>	Northern quahog
			<i>Meretrix lusoria</i>	Japanese hard clam
			<i>Pecten maximus</i>	Atlantic scallop
			<i>Ruditapes decussatus</i>	Grooved carpet shell
			<i>Ruditapes philippinarum</i>	Japanese carpet shell
			<i>Venerupis aurea</i>	European aurora venus clam
			<i>Venerupis pullastra</i>	Pullet carpet shell
			<i>Venus verrucosa</i>	Warty venus

<b>Infection with <i>Marteilia refringens</i></b>	<b>SUSCEPTIBLE SPECIES</b> <i>Scientific names</i>	<b>SUSCEPTIBLE SPECIES</b> <i>Common names</i>	<b>VECTOR SPECIES</b> <i>Scientific names</i>	<b>VECTOR SPECIES</b> <i>Common names</i>
	<i>Ostrea angasi</i>	Australian mud oyster	<i>Cerastoderma edule</i>	Common edible cockle
	<i>Ostrea chilensis</i>	Chilean flat oyster	<i>Donax trunculus</i>	Wedge shell
	<i>Ostrea edulis</i>	European flat oyster	<i>Mya arenaria</i>	Sand gaper
	<i>Ostrea puelchana</i>	Argentinean oyster	<i>Mercenaria mercenaria</i>	Northern quahog
			<i>Meretrix lusoria</i>	Japanese hard clam
			<i>Ruditapes decussatus</i>	Grooved carpet shell
			<i>Ruditapes philippinarum</i>	Japanese carpet shell
			<i>Venerupis aurea</i>	European aurora venus clam
			<i>Venerupis pullastra</i>	Pullet carpet shell
			<i>Venus verrucosa</i>	Warty venus
<b>Infection with Taura syndrome virus</b>	<b>SUSCEPTIBLE SPECIES</b> <i>Scientific names</i>	<b>SUSCEPTIBLE SPECIES</b> <i>Common names</i>	<b>VECTOR SPECIES</b> <i>Scientific names</i>	<b>VECTOR SPECIES</b> <i>Common names</i>
	<i>Metapenaeus ensis</i>	Greasyback shrimp	<i>Atrina</i> spp.	Pen shells spp.
	<i>Penaeus aztecus</i>	Northern brown shrimp	<i>Buccinum undatum</i>	Whelk
	<i>Penaeus monodon</i>	Giant tiger prawn	<i>Brachyura</i> spp.	Marine crabs spp.
	<i>Penaeus setiferus</i>	Northern white shrimp	<i>Cherax destructor</i>	Yabby crayfish
	<i>Penaeus stylirostris</i>	Blue shrimp	<i>Crassostrea angulata</i>	Portuguese cupped oyster
	<i>Penaeus vannamei</i>	Whiteleg shrimp	<i>Cerastoderma edule</i>	Common edible cockle
			<i>Crassostrea gigas</i>	Pacific cupped oyster
			<i>Crassostrea virginica</i>	American cupped oyster
			<i>Donax trunculus</i>	Truncate donax
			<i>Haliotis discus hannai</i>	Japanese abalone
			<i>Haliotis tuberculata</i>	Tuberculate abalone
			<i>Homarus gammarus</i>	European lobster
			<i>Littorina littorea</i>	Common periwinkle
			<i>Macrobrachium rosenbergii</i>	Giant river prawn
			<i>Mercenaria mercenaria</i>	Northern quahog



			<i>Meretrix lusoria</i>	Japanese hard clam
			<i>Mya arenaria</i>	Sand gaper
			<i>Mytilus edulis</i>	Blue mussel
			<i>Mytilus galloprovincialis</i>	Mediterranean mussel
			<i>Octopus vulgaris</i>	Common octopus
			<i>Ostrea edulis</i>	European flat oyster
			<i>Palinurus</i> spp	Palinurid spiny lobsters spp.
			<i>Portunus puber</i>	Swimming crab
			<i>Pecten maximus</i>	Great Atlantic scallop
			<i>Penaeus indicus</i>	Indian white prawn
			<i>Penaeus japonicus</i>	Kuruma prawn
			<i>Penaeus kerathurus</i>	Caramote prawn
			<i>Ruditapes decussatus</i>	Grooved carpet shell
			<i>Ruditapes philippinarum</i>	Japanese carpet shell
			<i>Scylla serrata</i>	Indo-Pacific swamp crab
			<i>Sepia officinalis</i>	Common cuttlefish
			<i>Strombus</i> spp	Stromboid conchs spp.
			<i>Venerupis aurea</i>	Golden carpet shell
			<i>Venerupis pullastra</i>	Pullet carpet shell
			<i>Venus verrucosa</i>	Warty venus
<b>Infection with yellow head virus</b>	<b><i>SUSCEPTIBLE SPECIES</i></b> <i>Scientific names</i>	<b><i>SUSCEPTIBLE SPECIES</i></b> <i>Common names</i>	<b><i>VECTOR SPECIES</i></b> <i>Scientific names</i>	<b><i>VECTOR SPECIES</i></b> <i>Common names</i>
	<i>Metapenaeus affinis</i>	Jinga shrimp	<i>Atrina</i> spp.	Pen shells spp.
	<i>Penaeus monodon</i>	Giant tiger prawn	<i>Buccinum undatum</i>	Whelk
	<i>Palaemonetes pugio</i>	Daggerblade grass shrimp	<i>Crassostrea angulata</i>	Portuguese cupped oyster
	<i>Penaeus stylirostris</i>	Blue shrimp	<i>Cerastoderma edule</i>	Common edible cockle
	<i>Penaeus vannamei</i>	Whiteleg shrimp	<i>Crassostrea gigas</i>	Pacific cupped oyster
			<i>Crassostrea virginica</i>	American cupped oyster
			<i>Donax trunculus</i>	Truncate donax
			<i>Haliotis discus hannai</i>	Japanese abalone

			<i>Haliotis tuberculata</i>	Tuberculate abalone
			<i>Littorina littorea</i>	Common periwinkle
			<i>Mercenaria mercenaria</i>	Northern quahog
			<i>Meretrix lusoria</i>	Japanese hard clam
			<i>Mya arenaria</i>	Sand gaper
			<i>Mytilus edulis</i>	Blue mussel
			<i>Mytilus galloprovincialis</i>	Mediterranean mussel
			<i>Octopus vulgaris</i>	Common octopus
			<i>Ostrea edulis</i>	European flat oyster
			<i>Pecten maximus</i>	Great Atlantic scallop
			<i>Ruditapes decussatus</i>	Grooved carpet shell
			<i>Ruditapes philippinarum</i>	Japanese carpet shell
			<i>Sepia officinalis</i>	Common cuttlefish
			<i>Strombus</i> spp.	Stromboid conchs spp.
			<i>Venerupis aurea</i>	Golden carpet shell
			<i>Venerupis pullastra</i>	Pullet carpet shell
			<i>Venus verrucosa</i>	Warty venus
<b>Infection with white spot syndrome virus</b>	<b><i>SUSCEPTIBLE SPECIES</i></b> <i>Scientific names</i>	<b><i>SUSCEPTIBLE SPECIES</i></b> <i>Common names</i>	<b><i>VECTOR SPECIES</i></b> <i>Scientific names</i>	<b><i>VECTOR SPECIES</i></b> <i>Common names</i>
	All decapod crustaceans (order Decapoda)	Decapod spp.	<i>Atrina</i> spp	Pen shells spp.
			<i>Buccinum undatum</i>	Whelk
			<i>Crassostrea angulata</i>	Portuguese cupped oyster
			<i>Cerastoderma edule</i>	Common edible cockle
			<i>Crassostrea gigas</i>	Pacific cupped oyster
			<i>Crassostrea virginica</i>	American cupped oyster
			<i>Donax trunculus</i>	Truncate donax
			<i>Haliotis discus hannai</i>	Japanese abalone
			<i>Haliotis tuberculata</i>	Tuberculate abalone
			<i>Littorina littorea</i>	Common periwinkle

		<i>Mercenaria mercenaria</i>	Northern quahog
		<i>Meretrix lusoria</i>	Japanese hard clam
		<i>Mya arenaria</i>	Sand gaper
		<i>Mytilus edulis</i>	Blue mussel
		<i>Mytilus galloprovincialis</i>	Mediterranean mussel
		<i>Octopus vulgaris</i>	Common octopus
		<i>Ostrea edulis</i>	European flat oyster
		<i>Pecten maximus</i>	Great Atlantic scallop
		<i>Ruditapes decussatus</i>	Grooved carpet shell
		<i>Ruditapes philippinarum</i>	Japanese carpet shell
		<i>Sepia officinalis</i>	Common cuttlefish
		<i>Strombus</i> spp.	Stromboid conchs spp.
		<i>Venerupis aurea</i>	Golden carpet shell
		<i>Venerupis pullastra</i>	Pullet carpet shell
		<i>Venus verrucosa</i>	Warty venus