

SANCO/10472/2014

Programmes for the eradication, control and monitoring of certain animal diseases and zoonoses

## The programme for the control of certain zoonotic salmonella in breeding, laying and broiler flocks of Gallus gallus and in flocks of turkeys (Meleagris gallopavo)

Slovenia

Approved\* for 2013 by Commission Decision 2012/761/EU

\* in accordance with Council Decision 2009/470/EC

version: 2.2

### PROGRAMME for ERADICATION:

#### ANNEX II - PART A + B

Member States seeking a financial contribution from the Community for national programmes for the control and monitoring of salmonellosis (zoonotic salmonella), shall submit applications containing at least the information set out in this form.

The central data base keeps all submissions. However only the information in the last submission is shown when viewing and used when processing the data.

If encountering difficulties, please contact <u>SANCO-BO@ec.europa.eu</u>

*Instructions to complete the form:* 

1) In order to fill in and submit this form you must have <u>at least</u> the ADOBE version

## Acrobat Reader 8.1.3

(example: 8.1.3, 8.1.4, 8.1.7, 9.1, 9.2,...), otherwise you will not be able to use the form.

Your version of Acrobat Reader is: 10.104

- 2) Please provide as much information as possible. If you have no data for some fields then put the text "NA" (Not applicable) in this field or 0 if it is a numeric field. If you need clarifications on some of the information requested, then please contact <a href="mailto:SANCO-BO@ec.europa.eu">SANCO-BO@ec.europa.eu</a>.
- 3) To verify your data entry while filling your form, you can use the "verify form" button at the top of each page. If the form is not properly and completely filled in, an alert box will appear indicating the number of incorrect fields. Please use the "verify form" button untill all fields are correctly filled in. It is mandatory to fill in the box about Animal populations to make the rest of the questions visible. If you still have any difficulties, please contact SANCO-BO@ec.europa.eu.
- 4) When you have finished filling the form, verify that your internet connection is active and then click on the "submit notification" button below. If the form is properly filled in, the notification will be submitted to the server and a submission number + submission date will appear in the corresponding field.
- 5) IMPORTANT: Regularly save the pdf when you fill it out. After you have received the Submission number, DO NOT FORGET TO SAVE THE PDF ON YOUR COMPUTER FOR YOUR RECORDS!

1335444679862-1244

version: 2.2

### ANNEX II - PART A

## General requirements for the national salmonella control programmes

Member state: SLOVENIJA

## (a) State the aim of the programme

(max. 32000 chars):

Aim of the national Salmonella spp. control programme in the poultry breeding flocks is a reduction to 1% or less of the maximum percentage of adult breeding flocks of Gallus gallus remaining positive for Salmonella Enteritidis, Salmonella Infantis, Salmonella Hadar, Salmonella Typhimurium, including monophasic Salmonella Typhimurium with the antigenic formula 1,4,[5],12:i:-, and Salmonella Virchow. National Salmonella spp. control programme in breeding flocks covers all breeding flocks in the territory of the Republic of Slovenia.

# (b) Animal population and phases of production which sampling must cover

Demonstrate the evidence that it complies with the minimum sampling requirements laid down in part B of Annex II to Regulation (EC) No 2160/2003 of the European Parliament and of the Council OJ L 325, 12.12.2003, p. 1. indicating the relevant animal population and phases of production which sampling must cover

It is mandatory to fill in the box about Animal populations to make the rest of the questions visible.

Animal population Breeding flocks of Gallus gallus

version: 2.2

## (c) Specific requirements

Demonstrate the evidence that it complies with the specific requirements laid down in Parts C, D and E of Annex II to Regulation (EC) No 2160/2003

### (max. 32000 chars):

Measures taken in the adult breeding flocks in the case of detection of serovars Salmonella Enteritidis and Salmonella Typhimurium are conducted in compliance with Part C of Annex II to Regulation (EC) No 2160/2003 and in compliance with the Rules on monitoring and control of Salmonella in poultry of Gallus Gallus (UL RS 97/2010).

## (d) Specification of the following points:

### (d)1. General

# (d) 1.1 A short summary referring to the occurrence of Salmonellosis (Zoonotic Salmonella)

A short summary referring to the occurrence of the salmonellosis [zoonotic salmonella] in the Member State with specific reference to the results obtained in the framework of monitoring in accordance with Article 4 of Directive 2003/99/EC of the European Parliament and of the Council OJ L 325, 12.12.2003, p. 31., particularly highlighting the prevalence values of the salmonella serovars targeted in the salmonella control programmes.

### (max. 32000 chars):

Monitoring of the zoonotic Salmonella spp. is conducted in Slovenia on the basis of the Monitoring of zoonoses and zoonotic agents, which is prepared every year by the Veterinary Administration of the Republic of Slovenia (VARS), Health Inspectorate of the Republic of Slovenia (HIRS), and the Institute of Public Health of the Republic of Slovenia (IPH). The Programme includes the monitoring of the zoonotic Salmonella spp. in the human population, in food and in animals. Monitoring and control of Salmonella spp. in breeding flocks, in laying-hen flocks, in broiler flocks and turkey flocks is conducted in compliance with the EU legislation and in compliance with the national regulations.

### Occurrence of salmonellosis in humans:

By 2008, Salmonella was the most frequent agent of enteritises in humans. In 2009 and in 2010, Campylobacter was the most frequent agent of bacterial enteritises.

The number of reported Salmonella cases in humans increased in Slovenia in the period 1999-2000, reaching the culmination in 2003, where the incidence amounted to 201/100,000 inhabitants. Since 2004, the number of reported salmonellosis cases has been decreasing. As compared to 2003, the

version: 2.2

number of reported cases in 2004 decreased by 17 %, and in 2005 and 2006, even by 62 %. In 2008, the incidence of salmonelloses amounted to 53.89/100,000 inhabitants. In 2009 and 2010, the number of Salmonella infections in humans decreased even further, as there were 627 cases in 2009 (incidence 31/100,000 inhabitants) and 347 cases in 2010 (incidence 17/100,000 inhabitants) reported. Also in 2010, most frequently isolated was S.Enteritidis, representing 53 % of all the Salmonellas isolated (in 2009, 72 %). The share of S.Typhimurium amounted to 13 % (in 2009, 6.5 %). S.Coeln constituted 6 % of all the Salmonellas, and the shares of other serovars were equal to or less than 3 %. Final data for 2011 on infectious diseases in humans are not known as yet, as the Institute of Public Health of the Republic of Slovenia (IVZ RS), which collects data on infectious diseases in humans, has not published the Report on the epidemiological monitoring of communicable diseases of 2011. According to data collected and not finalised, 385 Salmonella enteritis cases were reported in 2011 (source: monthly eNBOZ news of 2011, publishing the data on the number of notified communicable diseases per particular months).

The number of Salmonella outbreaks has gradually been decreasing ever since 2005. The number of Salmonella food-borne infections decreased by 50 % in 2008 (7 outbreaks), as compared to 2007 (13 outbreaks). In 2009, 4 Salmonella outbreaks were reported, and eggs were the supposed source of infection in all these cases. Based on a notification by the public health service on a salmonellosis outbreak in humans, the Veterinary Administration of the Republic of Slovenia conducted the official sampling at holdings keeping laying hens, and S.Enteritidis was confirmed in two cases. In 2010, 72 infectious disease outbreaks were reported in the Republic of Slovenia, and thereof, 3 outbreaks were foodborne, representing 4 % of all the outbreaks. No outbreak was caused by Salmonella.

Considering the data in the eNBOZ news of 2011, including the framework data on the number of outbreaks of communicable diseases reported, there were 71 communicable disease outbreaks reported in 2011. According to the preliminary data collected, in 6 of the 69 outbreaks, Salmonella was found as the cause of disease (S.Enteritidis – 4x, S.Java – 1x). In five outbreaks caused by S.Enteritidis, 4 outbreaks were foodborne, and one outbreak was caused by contact. In 2 outbreaks, a final report has not been issued to date.

### Monitoring in animals (excluding poultry) and in food:

In the period 2006 - 2009, within the national monitoring of zoonoses in the approved establishments for the production of foodstuffs of animal origin, there were 4683 samples taken for testing for the presence of Salmonella spp. in animals and in the fresh meat. Sampling was conducted in the bovine animals, porcine, ovine animals and in poultry, and the presence of Salmonella spp. was monitored also in the fresh meat, lymph nodes, the skin, carcass swabs and in faeces of poultry, small ruminants and pigs. From a total number of samples taken, 99 % of samples tested negative. Most frequently, poultry skin was contaminated by Salmonella, and in the second place there were the lymph nodes of pigs. Sampling for the presence of Salmonella spp. in foodstuffs of animal origin was conducted in the period 2006 - 2009 also in the approved establishments for the production of foodstuffs of animal origin and in the registered butcher's shops. In total, there were 1164 analyses conducted for the presence of Salmonella spp. The agent of disease was identified in the non-poultry meat preparations (meat rolls, sausage for broiling, pork cutlets, grilling sausages, roasted meat) and minced meat. The prevalence in minced meat is 1.2 %, and in the non-poultry preparations 1.5 %. Salmonella spp. was not detected in the RTE meat products, meat preparations or in milk and milk products which had been sampled. In 2010, within the national monitoring of zoonoses in the approved establishments for the production of foodstuffs of animal origin, there were 2031 samples taken for testing for the presence of Salmonella spp. in animals and in the fresh meat. Sampling was conducted in the porcine where lymph nodes, faeces and meat juice samples were taken and in the poultry where skin samples were taken. Salmonella

version: 2.2

spp. was monitored also in fresh bovine, porcine and poultry meat. From a total number of animal samples taken, 92,5% of samples were tested negative. Majority of positive samples were due to positive serological tests in porcine and secondly due to positive samples of porcine faeces and lymph nodes. From a total number of fresh meat samples taken, 99,7% of samples were tested negative. 0,3% of fresh broiler meat samples were contaminated by Salmonella.

In retail sale, the foodstuffs of animal origin, as well as foodstuffs of non-animal origin were sampled for the presence of Salmonella spp. In the period 2006 - 2009, 8199 foodstuffs were sampled in retail sale. The percentage with the presence of Salmonella identified ranged between 0.5 and 0.8 % (in the years 2006, 2007 0.5 %, in 2008 0.8 %, and in 2009 0.6 %). Salmonella was most frequently identified in fresh poultry meat (24 samples), thereafter in minced meat obtained from red meat (15 samples), bovine meat and eggs (3 samples) and in pork meat (1 sample). In milk and milk products, fishery products, meat products, delicatessen foods, fruits and vegetables and in other foodstuffs, Salmonella was not identified in the period 2006 - 2009.

In 2010, sampling of 295 samples for the presence of Salmonella spp. in foodstuffs of animal origin was conducted in the approved and registered establishments for the production of foodstuffs of animal origin, at dispatch centres for shellfishes and at processing plants. RTE meat products, fishery products and dairy products were sampled. All samples were found negative.

In 2010, 43 samples of foodstuffs of animal origin were taken at retail (at catering) for the presence of Salmonella spp. RTE deli dishes were sampled (sliced cooked meat products and sausages, sliced cheeses etc.). In addition, 729 samples of foodstuffs of non-animal origin and foodstuffs intended for particular nutritional uses were taken. Sampling was conducted at producer, wholesalers and at retail level (including catering). Dried infant formulae, dried dietary foods for special medical purposes, pre-cut RTE fruits and vegetables, unpasteurised fruit and vegetable juices (RTE), ice cream, RTE cakes, deserts and pastry, sprouting seeds, tea, spices, frozen fruits and vegetables (RTE) and RTE deli dishes were sampled.

All samples were found negative for the presence of Salmonella spp.

### Poultry:

### **BREEDING FLOCKS**

In the period 2003-2006, Salmonella monitoring and control programme in breeding flocks was carried out in compliance with national legislation in the Republic of Slovenia.

In the period 2003-2005, Salmonella monitoring in breeding flocks confirmed the presence of Salmonella serovars, for which the Community target had been set, in a total of 5 adult breeding flocks, in all the five flocks S.Enteritidis was identified. Salmonella spp. was not detected; neither in adult breeding flocks, nor in rearing breeding flocks in 2006.

In 2007, 86 rearing breeding flocks and in 118 adult breeding flocks were included in the national Salmonella control programme. Salmonella was not confirmed in any of the adult breeding flocks nor in any of the rearing breeding flocks.

In 2008, 91 rearing breeding flocks and 151 adult breeding flocks were sampled for the presence of Salmonella. Salmonella was detected neither in eggshell samples taken in adult breeding flocks, nor in rearing breeding flocks. In one adult breeding flock – meat production line, the Salmonella Typhimurium serovar was detected during the official routine sampling at the holding in the beginning of the production period.

In 2009, a total of 155 adult breeding flocks, and 118 rearing breeding flocks were tested. Salmonella was confirmed in one rearing breeding flock (Salmonella Newport).

In 2010, Salmonella spp. was identified in five rearing breeding flocks of a total of 122 rearing breeding

version: 2.2

flocks tested. However, Salmonella serovars for which the Union target had been set were not identified in any rearing flock. Of a total of 165 adult flocks tested, Salmonella was not identified in any flock at the holding. In adult breeding flocks, S.Saintpaul was identified in eggshell samples in two flocks; however, the presence of Salmonella was not confirmed by the confirmatory official sampling of both the flocks at the holding.

In 2011, the national control programme included 116 rearing flocks and 160 adult breeding flocks. Salmonella spp. was identified in five rearing breeding flocks of a total of 116 flocks tested. In all the rearing flocks, S.Ohio was identified, and that, in samples of transport box linings as well as in samples of day-old chick dead bodies. In case of adult breeding flocks, of a total of 160 adult breeding flocks sampled, Salmonella was detected in 2 flocks during the official routine sampling at the holding. In both the flocks, S.Typhimurium was identified. Salmonella was not detected at sampling of adult breeding flocks at the hatchery.

In the period from 2007 by the end of 2010, the Republic of Slovenia achieved the Union target for breeding flocks, as the maximum percentage of adult breeding flocks remaining positive for S.Enteritidis, S.Typhimurium, S.Hadar, S.Virchow and S.Infantis was below 1 % in all the four years. In the same period, also the percentage of adult breeding flocks remaining positive for Salmonella spp. in the adult breeding flocks was below 1 %.

In 2011, S.Typhimurium was detected in 2 adult breeding flocks during the official routine sampling at the end of production cycle. Considering the total number of adult breeding flocks included in the national Salmonella control programme, in 2011, the percentage of adult breeding flocks which may remain positive for S.Enteritidis, S.Typhimurium, S.Hadar, S.Virchow and S.Infantis, was higher than 1 %.

### LAYING HEN FLOCKS

Within the baseline study conducted in the period 2004 – 2005, the presence of Salmonella spp. was detected in 19.4 % of the flocks, and thereof, the presence of S.Enteritidis was detected in 9.2 % laying hen flocks. S.Typhimurium was not detected in the adult laying hen flocks.

In the period 2005 – 2007, S.Enteritidis was detected in a total of 16 flocks during Salmonella spp. monitoring in laying hen flocks. Percentage of positive flocks was highest in 2005, where the presence of S.Enteritidis was detected in 5.6 % of adult laying hen flocks. In 2006, S.Enteritidis was detected in 1 adult laying hen flock (0.60 % prevalence), and in 2007, in 9 flocks (3.65 % prevalence). In the period 2005 – 2007, S.Typhimurium was not detected in the adult laying hen flocks.

In 2008, 99 rearing and 172 adult laying hen flocks were included in the national Salmonella control programme in laying hen flocks. Salmonella was detected in 18 adult laying hen flocks (10.5 %). S. Enteritidis was confirmed in 15 adult laying hen flocks (8.7 %). S. Ohio, S. Montevideo and S. Infantis were detected in 1 flock each.

In 2008, S.Enteritidis was detected in 8.7 % of the adult laying hen flocks, meaning that the percentage of adult laying hen flocks was by 0.4 % higher than the Community target that the Republic of Slovenia was supposed to achieve in 2008.

In 2009, 209 adult laying hen flocks and 129 rearing laying hen flocks were sampled. Salmonella was confirmed in 19 adult laying hen flocks, where S.Enteritidis was detected in 7 flocks. S. Typhimurium was not detected in the adult laying hen flocks. In rearing flocks, the S.Enteritidis/S. Typhimurium serovar was not detected in any of the flocks. In 2009, S.Enteritidis was detected in 3.3 % of the adult laying hen flocks.

There were 202 adult laying hen flocks, and 153 rearing laying hen flocks included in the Salmonella

version: 2.2

Control Programme of 2010. Salmonella spp. was identified in 9 adult laying hen flocks, and in 12 rearing flocks. Salmonella Enteritidis was identified in 1 adult laying hen flock, and in rearing laying hen flocks the infection with Salmonella Enteritidis/Salmonella Typhimurium was not identified at all.

In 2011, 185 adult laying-hen flocks and 140 rearing laying-hen flocks were sampled. Salmonella was detected in a single rearing laying-hen flock (S.Saintpaul) and in a single adult laying-hen flock (S.Ohio). In 2011, the number of flocks included into the National Salmonella Control Programme was somewhat lower as compared to 2009 and 2010. The main reason for a lesser number of flocks is linked to the ban on rearing laying hens in non-enriched cages, applicable as from 1.1.2012. For this reason, by the middle of 2011, laying hen flocks were not housed at certain holdings, as the business operators decided to discontinue laying-hen rearing in certain facilities, or the laying hen flocks were not housed on account of renovation of the facilities (houses and cages).

In 2010, Salmonella Enteritidis was identified in 1 adult laying hen flocks, and in 2011, Salmonella Enteritidis was not identified in adult laying hen flocks. S.Typhimurium has not been detected in laying hen flocks ever since 2004.

As compared to 2008, where the Republic of Slovenia did not fully achieve the EU targets, the Union target were fully met in the period 2009 – 2011, as the number of adult laying hen flocks with identified Salmonella Enteritidis or Salmonella Typhimurium decreased by more than 10 % in each year.

### **BROILERS**

Within the baseline study, 326 broiler flocks were sampled in the Republic of Slovenia. Salmonella spp. was identified in 10 flocks (3.1 %), and that, in 9 flocks the Salmonella Enteritidis serovar (2.8 %) and in 1 flock the Salmonella Infantis serovar (0.3 %). In the light of results obtained, the estimated prevalence of Salmonella Enteritidis/Salmonella Typhimurium in broiler flocks in the Republic of Slovenia amounted to 1.6 %, and the prevalence of the remaining Salmonella serovars amounted to 0.2 %.

In the period 2006 – 2008, within the Salmonella spp. monitoring in broilers, in accordance with national legislation, in the period of 3 weeks prior to slaughter, there were 1748 flocks sampled in 2006, 2491 flocks in 2007, and 3036 flocks in 2008. In 2006, Salmonella was isolated from 9 flocks (0.5 %), in 2007 from 44 flocks (1.76 %) and in 2008 from 10 flocks (0.33 %). Salmonella Enteritidis was identified in 2006 in 6 flocks and in 2007 in 4 flocks. In 2008, Salmonella Enteritidis was not detected. Salmonella Typhimurium has not been detected in broiler flocks ever since 2005.

In the beginning of 2009, the national Salmonella control programme in broiler flocks began to be implemented. In 2009, there were 3080 broiler flocks in total sampled prior to slaughter. Salmonella was identified in 23 flocks, but in no flock the presence of Salmonella Enteritidis/Salmonella Typhimurium was identified. Monitoring results of 2009, as well as of the preceding years, show that the Republic of Slovenia will achieve the required EU goal for broiler flocks.

In 2010, from a total of 2153 broiler flocks submitted to testing, Salmonella spp. was identified in 24 broiler flocks, and thereof, in one flock S.Typhimurium was identified. Despite the identification of S. Typhimurium, Slovenia achieved the required goal in broiler flocks, as the prevalence of Salmonella Enteritidis/Salmonella Typhimurium in broiler flocks was less than 1 %.

### **TURKEYS**

Monitoring of Salmonella spp. in turkey flocks up to 2010 had not been laid down in the legislation, and despite this fact, the business operators, in accordance with their own monitoring programmes, implemented the sampling of broiler flocks prior to slaughter. Based on business operators' own programmes, there were in 2007 prior to slaughter 121 turkey flocks sampled, and in 2008, 190 turkey

version: 2.2

flocks. In 2007, Salmonella was identified in 4 flocks (4x S. Infantis), and in 2008 in 5 flocks. Within the baseline study, there were in the Republic of Slovenia 131 broiler flocks sampled, and thereof, the presence of Salmonella spp. was identified in 29 flocks (22.1 %) at 18 holdings. Serovar Salmonella Enteritidis was identified in 4 flocks, and serovar Salmonella Typhimurium in 1 flock. Most frequently identified was the serovar Salmonella Infantis, and that, in 11 flocks. In the light of the results obtained in the Republic of Slovenia, the estimated prevalence of Salmonella spp. amounted to 21.1 %, and the prevalence of Salmonella Enteritidis/Salmonella Typhimurium amounted to 4.7 %, and the prevalence of the remaining serovars of Salmonella spp. amounted to 14.5 %.

In 2009, the sampling prior to slaughter was conducted in 159 turkey flocks. In 2009, the presence of Salmonella spp. was not identified in turkey flocks. In 2010, within the national control programme prior to slaughter, 112 turkey flocks were subjected to testing, and the presence of Salmonella spp. was identified in a single turkey flock (S.Saintpaul). Results of monitoring in 2010, and also in the preceding years, show that the Republic of Slovenia in the 3-year transitional period will have achieved the required EU aim for turkey flocks.

# (d) 1.2 The structure and organization of the relevant competent authorities.

Please refer to the information flow between bodies involved in the implementation of the programme.

(max. 32000 chars):

Veterinary Administration of the Republic of Slovenia (VARS)

VARS is a body within the Ministry of Agriculture and of the Environment (MAE) and is the Competent Authority for the provision of compliance with the veterinary legislation and food production legislation and for the implementation of the official veterinary controls in the Republic of Slovenia. VARS competences and tasks are laid down in the Veterinary Compliance Criteria Act (UL RS 93/2005).

VARS is the Competent Authority in accordance with Article 3 of Regulation (EC) No 2160/2003, and responsible for:

- preparation of national control programmes and of amendments thereto in compliance with Regulation (EC) No 2160/2003,
- implementation of official controls at business operators, including the official sampling within the national control programmes,
- collection of data for the valuation of results, and for the annual submission of such data to the European Commission.

VARS includes: VARS Main Office, Office for Internal Official Control (including 10 VARS Regional Offices), and Office for Border Official Control (including 6 Border Inspection Posts)

- a) VARS Main Office
- b) 10 VARS Regional Offices
- c) 6 Border Inspection Posts

version: 2.2

a) VARS Main Office (Food Safety, Animal Feed and Veterinary Medicinal Products Division) is responsible for the preparation of the national control programmes and amendments thereto, for collecting data on the number of flocks sampled, and on positive flocks within the national control programmes, and for the submission of data to the European Commission (EFSA).

b) VARS Regional Offices are responsible for the implementation of checks at poultry rearing holdings and at hatcheries, for the control of implementation of the national control programme by the business operators, for the implementation of official sampling, and for instituting and controlling the implementation of measures in case of identification of Salmonella spp. Official sampling is conducted by official veterinarians.

See Annex 1: VARS Organigram

Laboratories conducting tests on samples taken by business operators, at least once a month for the preceding month submit the results on investigation of samples by business operators, jointly with the sampling protocol, to VARS Main Office.

Designated laboratories conducting tests on official samples, submit the investigation results on samples to the competent VARS Regional Office, to the official veterinarian, who had conducted the sampling, and at least once a month for the preceding month, to VARS Main Office.

In case of identification of the serovars Salmonella Enteritidis, Salmonella Typhimurium, Salmonella Hadar, Salmonella Virchow or Salmonella Infantis in the breeding flocks, or the serovars Salmonella Enteritidis or Salmonella Typhimurium in laying-hen flocks, broiler flocks or turkey flocks, the laboratories shall submit the investigation results on the day following the completed serotyping, at the latest, by e-mail or by fax to VARS Regional Office that is competent for control of the particular holding, where the relevant flock is kept. In case of identification of the remaining Salmonella serovars, the laboratories shall submit the investigation results within three working days from completion of investigation, at the latest.

Based on investigation results of samples taken by business operators and of the official samples submitted by the laboratories, VARS Main Office shall keep records on the breeding flocks subjected to sampling, and on breeding flocks found positive, and on the official samplings that had been carried out.

See Annex 2: Organisation of implementation of SNCP

# (d) 1.3 Approved laboratories where samples collected within the programme are analysed.

(max. 32000 chars):

Laboratories involved in national control programme

I. Investigations of samples taken within the implementation of the national control programme by business operators may be conducted by laboratories which are entered by VARS into the list of designated laboratories involved in the national Salmonella spp. control programme. The list of approved laboratories kept by VARS Main Office includes 9 laboratories.

version: 2.2

II. Investigations of official samples are conducted by laboratories which have in accordance with Regulation (EC) No 882/2004 been designated for the implementation of investigations within the official controls. Investigations of official samples are conducted by three Units of the National Veterinary Institute (NVI - Unit for the Diagnostics of Contagious and Other Diseases, NVI Maribor-Ptuj Unit, and NVI Nova Gorica Unit). In case of official confirmatory sampling, the investigations of official samples are conducted at the National Reference Laboratories.

National Reference Laboratories - NRL - for Salmonella spp.: University of Ljubljana, Veterinary Faculty, National Veterinary Institute

National Reference Laboratories is accredited according to SIST EN ISO/IEC 17025 and has in place the accredited method of isolation of Salmonella spp. (ISO 6579/Amd 1) and strain serotyping (Kauffmann-White-Le Minor Scheme (WHO).

Laboratories entered in the list of approved laboratories:

- 1 NVI Unit for Diagnostics of Contagious and Other Diseases
- 2 NVI CELJE Unit
- 3 NVI MARIBOR-PTUJ Unit
- 4 NVI MURSKA SOBOTA Unit
- 5 NVI KRANJ Unit
- 6 NVI NOVA GORICA Unit
- 7 NVI NOVO MESTO Unit
- 8 Microbiological Laboratory, PIVKA PERUTNINARSTVO d.d.
- 9 Microbiological Laboratory, PERUTNINA PTUJ d.d.

LLaboratories cooperating in the Salmonella Control Programme and carrying out investigations on samples for the presence of Salmonella spp. shall comply with the requirements of Article 12 of Regulation (EC) No 2160/2003 of the European Parliament and of the Council of 17 November 2003 on the control of salmonella and other specified food-borne zoonotic agents. The method of analysis used by the laboratories for the detection of presence of Salmonella spp. shall be validated, so as to facilitate the determination of the level of detection, sensitivity and specificity.

NVI Units of Celje, Maribor-Ptuj, Murska Sobota, Kranj, Nova Gorica and Novo mesto are the Regional Units of the University of Ljubljana, Veterinary Faculty, National Veterinary Institute (VF, NVI) and have been accredited according to SIST EN ISO/IEC 17025. All the NVI Regional Units are subjected to inspection on an annual basis by the VF, NVI, within the internal auditing, and audited by the Slovenian Accreditation (SA) within the external auditing procedure for the granting of the accreditation. Microbiological Laboratory of Pivka Perutninarstvo d.d. and Microbiological Laboratory of Perutnina Ptuj d.d. are the internal laboratories of the poultry rearing business operators. Both the laboratories have in place and are applying the quality assurance systems. The business operators of Perutnina Ptuj d.d and Pivka Perutninarstvo d.d. are complying with the requirements of the ISO 9001:2000 standard. VARS conducted the inspection, in cooperation of the NRL representative, of both the laboratories in 2007, 2008 and in 2012.

NRL for Salmonella organises the collaborative testing for Salmonella spp., i.e. isolation (detection) and biochemical confirmation, and serotyping up to serological group (not conducted by all the laboratories). All the laboratories involved in the Salmonella control programme regularly participate in the collaborative testing.

version: 2.2

# (d) 1.4 Methods used in the examination of the samples in the framework of the programme.

### (max. 32000 chars):

Investigation of samples - types of diagnostic methods

All the laboratories conduct the testing of samples in accordance with Commission Regulation 200/2010/EC (point 3 of Annex to Regulation).

Serotyping is always conducted at the National Reference Laboratory.

### Method of detection

For tests on samples taken within the National Control Programme, the method according to Amendment 1 of EN/ISO 6579 "Microbiology of food and animal feeding stuffs – Horizontal method for the detection of Salmonella spp. – Amendment 1: Annex D: Detection of Salmonella spp. in animal faeces and in environmental samples from the primary production stage" of the International Organization for Standardization is applied.

### Serotyping

Certain laboratories conduct also the serotyping up to serological group, serotyping up to serovar is conducted by the NRL only. NRL conducts the serotyping according to the Kauffmann-White-Le Minor Scheme (WHO).

# (d) 1.5 Official controls (including sampling schemes) at feed, flock and/or herd level.

(max. 32000 chars):

### I. OFFICIAL CONTROL OF ANIMAL FEED

Official control of animal feed in the Republic of Slovenia is conducted by the Veterinary Administration of the Republic of Slovenia (VARS) and by the Inspectorate of the Republic of Slovenia for Agriculture, Forestry and Food (IRSAFF). Feed control is conducted on the basis of the Animal Feed Control and Monitoring Programme, which is prepared jointly by VARS and IRSAFF.

Animal Feed Control and Monitoring Programme includes the inspection and control of feed business operators (FBOs), as well as a feed sampling programme.

Commission Regulation 142/2011/EU lays down the EU microbiological criteria for Salmonella (absence

version: 2.2

in 25 g: n = 5, c = 0, m = 0, M = 0) in the feed products as referred to hereinafter:

- feed materials obtained from the processing of animal by-products (excluding only the rendered fats and fish oil);
- dog chews, processed pet food, and raw pet food.

Rules on feed safety criteria (UL RS 58/2011) are laying down the national microbiological criteria for Salmonella in animal feed. Feed business operators carrying out the activity of feed production are obliged to ensure, based on the annual plans of internal controls, the compliance of raw materials and products with the microbiological criteria for animal feed.

Where a feed business operator at implementation of internal controls establishes that the feed does not comply with the microbiological criteria, he shall immediately notify thereof the competent VARS Regional Office, and take action in accordance with Article 20 of Regulation 178/2002/EC.

See Annex 4A: National microbiological criteria for animal feed, as laid down in the Rules on feed safety criteria

Official sampling of animal feed for the presence of Salmonella spp. is conducted within the Animal Feed Control and Monitoring Programme.

Based on the Animal Feed Control and Monitoring Programme, the official veterinarian prepares for the FBO's establishments, which are entered in the register of the approved and registered establishments, a programme of testing the animal feed for the current year. Official samples of animal feed are taken by the official veterinarians at animal feed producers, importers and intermediaries, and at agricultural holdings.

A total of 95 feed samples were taken in 2011 for Salmonella testing. Salmonella spp. was not isolated from any of the official feed samples taken.

### II. OFFICIAL CONTROL IN BREEDING FLOCKS

Official sampling is conducted by official veterinarians in accordance with Commission Regulation (EC) No 200/2010, at the hatcheries and at the holdings rearing the breeding flocks. Official sampling at the hatchery substitutes the sampling on the initiative of business operator.

- 1) Official routine sampling of adult breeding flocks is conducted:
- (i) every 16 weeks at the hatchery. Sampling is conducted by the method referred to in point 2.2.1 of Annex to Regulation (EC) No 200/2010.
- (ii) twice during the production cycle; official sampling in every adult breeding flock is conducted within four weeks after the onset of the laying phase or after transfer to the laying unit, and the other mentioned sampling is conducted towards the end of the brooding phase, but not earlier than 8 weeks prior to the end of production cycle. Samples are taken by the method referred to in point 2.2.2.1 of Annex to Regulation (EC) No 200/2010.
- 2. Official confirmatory sampling of adult breeding flocks is conducted in the following cases: (i) where the Salmonella Enteritidis, Salmonella Typhimurium, Salmonella Infantis, Salmonella Hadar and/or Salmonella Virchow is identified in samples of eggshells taken at the hatchery on the initiative of business operator or during the official routine sampling at the hatchery, the official confirmatory sampling of the breeding flock is conducted at the holding, in accordance with point 2.1.2.1 (c) of Annex to Regulation (EC) No 200/2010. Samples are taken by the method referred to in point 2.2.2.2 (b) of the same Regulation. During the official confirmatory sampling of adult breeding flocks there are

version: 2.2

additionally taken also samples (5 animals or 12 eggs) for the detection of presence of antimicrobials, or the re-sampling of the flock or the progeny for the presence of Salmonella spp. is conducted. (ii) Where the presence of Salmonella spp. was identified in samples taken at the holding during the official sampling in accordance with point 2.1.2.1(b) or point 2.1.2.1(c) of Annex to Commission Regulation (EC) No 200/2010, the re-testing of the flock is conducted in exceptional cases only, where the VARS official veterinarian has substantiated grounds for suspecting false results, i.e. false positive or false negative results. Re-sampling is conducted in accordance with point 2.2.2.2(b) of Annex to Commission Regulation (EC) No 200/2010.

Once a year, official inspection is conducted at all the holdings rearing the breeding flocks, and at the hatcheries.

## (d)2. Food and business covered by the programme

# (d)2.1 The structure of the production of the given species and products thereof.

(max. 32000 chars):

### Structure of production of breeding flocks

In the Republic of Slovenia there are 3 major establishments whose activity comprises the entire production chain: breeding and/or rearing of breeding flocks, hatcheries, breeding and/or rearing of production animals, collection centres and/or packaging centres for eggs, and slaughterhouses. Two (2) establishments conduct the rearing of breeding flocks for the purpose of rearing broilers, and in one (1) establishment, where laying hens are reared for the production of table eggs, and breeding flocks are kept for the broiler rearing purposes.

Breeding flock rearing within a lesser extent is conducted at one (1) higher education and research establishment, whose production is primarily intended for the research activity and for education purposes.

As compared to 2011, in 2012 the number of holdings rearing the breeding flocks will be smaller, as by the end of 2011 the production of breeding flocks was concluded at one holding with breeding flocks, and at one holding with the adult breeding flocks. And in 2012, one holding with adult breeding flocks is going to discontinue the production.

The skeleton production of breeding flocks in the Republic of Slovenia amounts to approximately 850,000 adult animals/year.

version: 2.2

Currently there are no grandparent flocks in Slovenia and therefore the business operators purchase for the needs of their own breeding the day-old chicks of breeding flocks outside the country.

See Annex 3: Structure of breeding-flock business operators, January 2012

## (d)2.2 Structure of the production of feed

(max. 32000 chars):

Business operators carrying out the activity of feed production and/or storage and/or placing on the market and/or transport and/or import, shall be approved or registered with the Veterinary Administration of the Republic of Slovenia, or registered with the Ministry of Agriculture and the Environment (MAE)1 (depending on the type of activity). With MAE shall be registered the activity of production of compound feeds for the needs of the business operator's own agricultural holding, without the use of feed additives, or premixes from additives (excluding the silage additives), of production of compound feeds for the needs of the business operator's own agricultural holding, with the use of feed additives, or premixes from additives (excluding the use of zootechnical additives listed in Chapter 3 of Annex IV to Regulation 183/2005/EC), the feeding of food producing animals exclusively with purchased feed, primary production of foodstuffs, and transport of primary products of plant origin from the place of production up to the establishment/plant.

On 25.1.2012, the registers of the Veterinary Administration of the Republic of Slovenia included 131 approved and/or registered feed producers, and the MAE register included in the beginning of 2012 - 59,097 agricultural holdings carrying out the activity of feed production. All the 3 major businesses involved in rearing the breeding poultry flocks in Slovenia have their own establishments for the production of poultry feeds.

See Annex 4B: Number of registered and approved feed producers kept by VARS and MAE See Annex 4C: Feed production in Slovenia in 2011

(d)2.3 Relevant guidelines for good animal husbandry practices or other guidelines (mandatory or voluntary) on biosecurity measures defining at least

## (d)2.3.1 Hygiene management at farms

version: 2.2

(max. 32000 chars):

Business operators, who are rearing the breeding flocks, have in place their internal instructions covering the hygiene issues and biosecurity conditions at farms, including the procedures of transporting animals between farms.

There are no national guidelines in place for hygene management at farms.

# (d)2.3.2 Measures to prevent incoming infections carried by animals, feed, drinking water, people working at farms

(max. 32000 chars) :

Slovenian Feed Manufacturers' Association adopted the FEFAC guidelines (FEFAC = The European Feed Manufacturers' Federation)

Directorate for Food Safety within the Ministry of Agriculture and Environment of the Republic of Slovenia has prepared and published on their website the "Guidelines on the Use of Feed Additives".

Chamber of Agriculture and Forestry of Slovenia prepared the "Guidelines on Good Practice in Primary Production of Food and Feed", intended for farmers as guides in primary production of food and feed in compliance with national and EU legislation.

Guidelines are accessible via MAE website:

http://www.mkgp.gov.si/si/o\_ministrstvu/direktorati/direktorat\_za\_varno\_hrano/ starasektor\_za\_varnost\_in\_kakovost\_hrane\_in\_krmemednarodni\_projekt\_krepitev\_varne\_hrane\_v\_pri marni\_proizvodnji/projekt\_eu\_krepitev\_varne\_hrane\_v\_primarni\_proizvodnji/

### (d)2.3.3 Hygiene in transporting animals to and from farms

(max. 32000 chars) :

Business operators, who are rearing the breeding flocks, have in place their internal instructions covering the hygiene issues and biosecurity conditions at farms, including the procedures of transporting animals between farms.

There are no national guidelines in place on hygene in transporting animals to and from farms.

version: 2.2

## (d)2.4 Routine veterinary supervision of farms

(max. 32000 chars):

1.Official control of implementation of Salmonella spp. monitoring and control

Official control of implementation of SNCP is conducted by the official veterinarians on the basis of the VARS Work Plan. Official control is conducted on an annual basis at all the holdings rearing the adult and rearing flocks and at all the hatcheries. Additionally, all the holdings with the identified S.Enteritidis, S. Typhimurium, S.Hadar, S.Virchow or S.Infantis are inspected, where the inspection is conducted 6 months after the identification of presence of Salmonella spp.

At inspection of holdings keeping breeding flocks and hatcheries, the official veterinarians use checklists, which are accessible via VARS internal portal.

Checklist for holdings keeping breeding flocks and for hatcheries includes, in addition to verification of implementation of Salmonella monitoring, the verification of biosecurity conditions at the holding, including the conditions as laid down in Chapters I and II of Annex II to Council Directive 2009/158/EEC on animal health conditions governing intra-Community trade in, and imports from third countries of, poultry and hatching eggs.

Official veterinarians conduct checks at holdings so as to verify their compliance with the animal health and welfare legislation, the use and traceability of veterinary medicinal products, and legislation in the feed sector.

### 2. Other checks at holdings

In addition to the above checks at holdings, which are conducted by official veterinarians, the Veterinary Compliance Criteria Act (UL RS 136/06) is laying down also the regular veterinary checks to be conducted by veterinarians of veterinary organisations with concession on the holdings rearing domestic biungulates, Equidae, poultry, lagomorphs, and farmed game, which are intended for circulation and trade or food production. Based on certain criteria, VARS prepares for every particular year a selection of holdings, where the above inspections are to be conducted.

The following shall be verified during such checks: categories and number of animals kept at the holding, logbook of veterinary treatments, register of animals kept at the holding and the prescribed identification of animals (identification requirements do not apply to poultry), compliance with the requirements for the protection of animals kept for farming purposes, and the state of health of the animals kept at the holding.

version: 2.2

## (d)2.5 Registration of farms

#### (max. 32000 chars):

Records of establishments of breeding flock rearing business operators are kept at the Veterinary Administration of the Republic of Slovenia. All these business operators are trading also in the territory of the EU and are therefore, in compliance with the Rules on veterinary conditions for the trade in poultry, day-old chicks and hatching eggs in the territory of EU and for import from third countries, approved by VARS and entered in the List of establishments for poultry.

List of establishments for poultry (Directive 2009/158/EC) is accessible via VARS website: http://www.vurs.gov.si/en/registers\_and\_lists/establishments\_in\_the\_veterinary\_field/

In addition to the registration of holdings, the business operators shall notify the relevant VARS Regional Office of any new housing or culling of the breeding flocks. VARS Regional Office shall be notified of new housing of an adult breeding flock at least 2 weeks prior to the envisaged housing, and of the culling at least 8 weeks prior to the envisaged culling of a flock.

### (d)2.6 Record keeping at farm

### (max. 32000 chars) :

Business operators shall keep records on the flocks kept at the holding, which shall include at least the following data:

- poultry species kept (breeding flock, laying-hen flock, broiler flock);
- designation or identification of the flock;
- identification of the house or facility/premises where the flock is kept;
- date of first housing of the flock, or of the culling of the flock, and the age of animals at first housing and at culling;
- number of animals at housing and at culling;
- data on the business operator, from whom the animals have been brought to the holding, and the data of the business operator, to whom the animals are dispatched from the holding.

For every particular poultry flock, the business operator shall keep records of sampling for Salmonella. Records shall include at least the following data:

date of sampling;

version: 2.2

- identification of the flock, from which the samples have been taken;

- type of sample;
- age of flock at sampling;
- investigation results.

Business operators shall keep also:

- records required in Annex II to Council Directive 2009/158/EC of 30 November 2009 on animal health conditions governing intra-Community trade in, and imports from third countries of, poultry and hatching eggs, and
- register (logbook) of veterinary treatments, which is kept at the holding and in which the data on animal treatments and therapies by the veterinarian, and on any instructions by the veterinarian are recorded.

## (d)2.7 Documents to accompany animals when dispatched

(max. 32000 chars):

#### 1. IntraTrade certificate:

After notification of a consignment of live poultry to another Member State, the official veterinarian shall check at the holding whether live poultry complies with the requirements of Directive 2009/158/EEC on animal health conditions governing intra-Community trade in, and imports from third countries of, poultry and hatching eggs. In case of compliance with the required conditions, the official veterinarian shall issue the IntraTrade certificate, and enter the trading into the TRACES web application.

2. Veterinary health certificate for exports into third countries:

After notification of a consignment of live poultry to a third country, the official veterinarian shall check at the holding whether live poultry complies with the requirements for export to the third country of destination, and in case of compliance with the required conditions, the official veterinarian shall issue the veterinary health certificate.

3. Veterinary health certificate for imports from third countries:

In case of imports of live poultry from third countries, the official veterinarian in the place of destination shall be notified of the consignment through the TRACES System. He/she shall be notified by the Border Inspection Post (BIP) of entry of the consignment. At the place of unloading of the consignment of live poultry, the official veterinarian may conduct the additional checks on the consignment if suspecting any non-compliances.

version: 2.2

## (d)2.8 Other relevant measures to ensure the tracebility of animals

(max. 32000 chars) :	
There are no other required conditions at present.	

version: 2.2

### ANNEX II - PART B

## 1. Identification of the programme

Disease	Zoonotic Salmonella
Animal population :	Breeding flocks of Gallus gallus
Request of Community co-financing for year of implementation :	2 015

### 1.1 Contact

Name: Maja Bajt

Phone: 00386 01 300 13 51

Fax.: 00386 01 300 13 56

Email: maja.bajt@gov.si

## 2. Historical data on the epidemiological evolution of the disease

A concise description is given with data on the target population (species, number of herds and animals present and under the programme), the main measures (testing, testing and slaughter, testing and killing, qualification of herds and animals). The information is given for distinct periods if the measures were substantially modified. The information is documented by relevant summary epidemiological tables, graphs or maps.

(max. 32000 chars) :

Monitoring and control of Salmonella spp. in the past

In the period 2003-2006, Salmonella monitoring and control programme in breeding flocks was carried out in compliance with national legislation in the Republic of Slovenia. National legislations are transposing Council Directive 92/117/EEC of 17 December 1992 concerning measures for protection against specified zoonoses and specified zoonotic agents in animals and products of animal origin in order to prevent outbreaks of food-borne infections and intoxications.

Monitoring of Salmonella spp. in breeding flocks had in the Republic of Slovenia been conducted already before the beginning of implementation of the National Control Programme, at the hatcheries, every 2 weeks. Also in case of identification of S.Enteritidis or S.Typhimurium there were measures implemented in accordance with Regulation (EC) No 2160/2003. In breeding flocks, the official

version: 2.2

confirmatory sampling was conducted in case of identification of Salmonella spp. at the hatchery, whilst the official routine sampling in breeding flocks up to the commencement of the National Control Programme had not been carried out.

By the end of 2006, in case of identification of the Salmonella Enteritidis, Salmonella Typhimurium, Salmonella Hadar, Salmonella Virchow and Salmonella Infantis serovars in breeding flocks, also the treatment in accordance with the required conditions was authorised.

Since January 2007, the national Salmonella control programme in breeding flocks has been conducted in the Republic of Slovenia in accordance with Commission Regulation (EC) No 1003/2005 (since 2010 in accordance with Commission Regulation (EC) No 200/2010) and Regulation (EC) No 2160/2003 of the European Parliament and of the Council, taking into account the requirements of Commission Regulation (EC) No 1177/2006, which is prohibiting the use of antimicrobials as a method of control of Salmonella spp. in breeding flocks.

Commencing with the implementation of the National Control Programme, also the national legislation in the field of Salmonella spp. monitoring and control in poultry has appropriately been amended.

Results on occurrence of Salmonella spp. in breeding flocks

In the period 2003-2005, Salmonella monitoring in breeding flocks confirmed the presence of Salmonella serovars, for which the Community target had been set, in a total of 5 adult breeding flocks, in all the five flocks S.Enteritidis was identified. Salmonella spp. was not detected; neither in adult breeding flocks, nor in rearing breeding flocks in 2006.

In 2007, 6 rearing breeding flocks and in 7 adult breeding flocks – egg production line, and in 80 rearing breeding flocks and in 111 adult breeding flocks – meat production line were included in the national Salmonella control programme. Salmonella was identified in eggshell samples taken on the initiative of business operators in 4 adult breeding flocks, i.e. twice the S.Saintpaul serovar, and twice the S.Chartres serovar. In sampling adult breeding flocks at holdings, Salmonella was not detected.

In 2008, 91 rearing breeding flocks and 151 adult breeding flocks were sampled for the presence of Salmonella. Salmonella was detected neither in eggshell samples taken in adult breeding flocks, nor in rearing breeding flocks. In one adult breeding flock – meat production line, the Salmonella Typhimurium serovar was detected during the official routine sampling at the holding in the beginning of the production period.

In 2009, a total of 155 adult breeding flocks (6 flocks – egg production line, and 149 flocks – meat production line), and 118 rearing breeding flocks (1 flock – egg production line, and 117 flocks – meat production line) were tested. Salmonella was confirmed in one rearing breeding flock (Salmonella Newport), whilst in 2009, Salmonella was not confirmed in the adult breeding flocks.

In 2010, Salmonella spp. was identified in five rearing breeding flocks of a total of 122 rearing breeding flocks tested. In 1 breeding flock, in day-old chicks, the S.Cotham and S.Derby serovars were identified, and three weeks later, in official faeces sampling, also the S.Tennessee serovars; in the other four breeding flocks, in day-old chicks, S.Montevideo was identified, and in transport linings, Salmonella O:6,7 was identified. During sampling at the age of 4 weeks, Salmonella was not detected in any of the breeding flocks anymore. Of a total of 165 adult breeding flocks tested, Salmonella was not identified in any flock at the holding. In adult parent flocks, S.Saintpaul was identified in eggshell samples in two flocks; however, the presence of Salmonella was not confirmed by the confirmatory official sampling of both the flocks at the holding.

In 2011, the national control programme included 116 rearing flocks and 160 adult breeding flocks. Salmonella spp. was identified in five rearing breeding flocks of a total of 116 flocks tested. In all the

version: 2.2

rearing flocks, S.Ohio was identified, and that, in samples of transport box linings as well as in samples of day-old chick dead bodies. During sampling at the age of 4 weeks, Salmonella was not detected in any of the rearing flocks anymore.

In case of adult breeding flocks, of a total of 160 adult breeding flocks sampled, Salmonella was detected in 2 flocks during the official routine sampling at the holding. In both the flocks, S.Typhimurium was identified. Salmonella was not detected at sampling of adult breeding flocks at the hatchery.

In the period from 2007 by the end of 2010, the Republic of Slovenia achieved the Union target for breeding flocks, as the maximum percentage of adult breeding flocks remaining positive for S.Enteritidis, S.Typhimurium, S.Hadar, S.Virchow and S.Infantis was below 1 % in all the four years. In the same period, also the percentage of adult breeding flocks remaining positive for Salmonella spp. in the adult breeding flocks was below 1 %.

In 2011, S.Typhimurium was detected in 2 adult breeding flocks during the official routine sampling at the end of production cycle. Considering the total number of adult breeding flocks included in the national Salmonella control programme, in 2011, the percentage of adult breeding flocks which may remain positive for S.Enteritidis, S.Typhimurium, S.Hadar, S.Virchow and S.Infantis, was higher than 1 %. As the Union target has been exceeded by less than 0.5 %, and as the infection with S.Typhimurium was linked to a single holding, where the production of breeding flocks will conclude in 2012, we envisage that in the following year, the Republic of Slovenia will again achieve the Union target of decreasing Salmonella prevalence in adult breeding flocks.

## 3. Description of the submitted programme

A concise description of the programme is given with the main objective(s) (monitoring, control, eradication, qualification of herds and/or regions, reducing prevalence and incidence), the main measures (testing, testing and slaughter, testing and killing, qualification of herds and animals, vaccination), the target animal population and the area(s) of implementation and the definition of a positive case.

(max. 32000 chars):

### I. Scope of programme

Scope of the national Salmonella spp. control programme in the poultry breeding flocks is a reduction to 1% or less of the maximum percentage of adult breeding flocks of Gallus Gallus remaining positive for Salmonella Enteritidis, Salmonella Infantis, Salmonella Hadar, Salmonella Typhimurium, including monophasic Salmonella Typhimurium with the antigenic formula 1,4,[5],12:i:-, and Salmonella Virchow. National Salmonella spp. Control Programme in breeding flocks covers all breeding flocks in the territory of the Republic of Slovenia.

#### II. Case definition

- 1. Positive flock for the purposes of monitoring means a flock in which the presence of Salmonella spp. has been detected:
- In case of rearing breeding flocks, a positive flock means a flock in which the presence of S.Enteritidis/S. Typhimurium (other than vaccine strains) has been detected in samples of internal linings of the boxes in which the chicks are delivered to the holding, or on carcasses of day-old chicks taken during the implementation of the Salmonella monitoring and control plan by the business operator, and the rearing flock in which the presence of S.Enteritidis / S.Typhimurium / S.Hadar / S.Virchow /S.Infantis has

version: 2.2

been detected in one or more samples of faeces taken at the holding while implementing the confirmatory official sampling;

• In case of adult breeding flocks, a flock is positive in cases referred to in point 4 of Annex to Regulation 200/2010/EC;

### 2. Suspect flock means:

- rearing breeding flock in which the presence of S.Hadar / S.Virchow /S.Infantis has been isolated from samples of internal linings of the boxes in which the chicks are delivered to the holding, or on carcasses of day-old chicks taken during the implementation of the Salmonella monitoring and control plan by the business operator or rearing breeding flock in which the presence of S.Enteritidis / S.Typhimurium / S. Hadar / S.Virchow /S.Infantis has been isolated in one or more samples of faeces taken at the holding while implementing the Salmonella monitoring and control plan by the business operator;
- adult breeding flock in which Salmonella Enteritidis, Salmonella Typhimurium, Salmonella Hadar,
  Salmonella Virchow or Salmonella Infantis has been isolated from samples of egg shells taken at the
  hatchery or in one or more samples of faeces taken at the holding while implementing the Salmonella
  monitoring and control plan by the business operator, or from samples of egg shells taken during the
  official routine sampling in the hatchery;

III. Monitoring in breeding flocks is conducted in accordance with the requirements of the Regulation (EC) No 200/2010/EC and of the Rules on monitoring and control of Salmonella in poultry of Gallus Gallus. Sampling of adult breeding takes place at the hatchery (point 2.1.1 (a) of Annex to Regulation (EU) No 200/2010/EC).

Sampling at the initiative of the food business operator: is conducted as set out in point 4.4.7. Official sampling: is conducted as set out in Part A, point 1.5 (II).

Investigations of samples taken by business operators may be conducted by the laboratories only, which are entered by VARS into the list of designated laboratories. Investigations of official samples are conducted by the designated laboratories (Article 12 of Regulation (EC) No 882/2004).

### IV. Measures in case of positive results

Measures in case of identification of Salmonella spp. in breeding flocks are set out in point 4.4.4.

#### V. Use of vaccines and antimicrobials

In the Republic of Slovenia, the vaccination programme in breeding flocks is not carried out. As vaccination against Salmonella is not prohibited under national legislation, business operators may decide for voluntary vaccination, where all the costs linked to vaccination are fully against animal owners' accounts. Business operators conduct vaccination according to recommendations by veterinary clinic veterinarians.

Antimicrobials are not used as a specific Salmonella control method in poultry. Antimicrobials may be used only in exceptional circumstances specified in Article 2(2), points (a), (b) and (c) of Regulation (EC) No 1177/2006.

Use of antimicrobials and vaccines in parent flocks and laying hen flocks is authorised in accordance with Commission Regulation (EC) No 1177/2006 implementing Regulation (EC) No 2160/2003 of the European Parliament and of the Council as regards requirements for the use of specific control methods in the framework of the national programmes for the control of salmonella in poultry. Please see also point 4.4.7.

version: 2.2

### VII. Reporting

Results of sampling and results of tests conducted within the National Sampling Programme are reported in compliance with point 4 of Annex to Regulation 200/2010/EC, and taking into account the guidelines by the European Commission on the notification of Salmonella spp. in poultry flocks (document SANCO/5542/2009).

### 4. Measures of the submitted programme

Measures taken by the competent authorities with regard to animals or products in which the presence of Salmonella spp. have been detected, in particular to protect public health, and any preventive measures taken, such as vaccination.

### (max. 32000 chars):

I. Measures in case of detection of salmonella spp. in parent flocks

A) Where Salmonella Enteritidis, Salmonella Typhimurium, Salmonella Infantis, Salmonella Hadar and/or Salmonella Virchow (hereinafter referred to as relevant Salmonella serovars) is detected in eggshell samples taken at the hatchery on the initiative of the business operator, or during the official routine sampling at the hatchery, there shall be conducted at the holding:

- official confirmatory sampling of relevant parent flock in compliance with point 2.1.2.1 (c) of Annex to Regulation (EU) No 200/2010. Samples shall be taken by the method detailed in point 2.2.2.2 (b) of the same Regulation. In official confirmatory sampling of adult parent flocks there shall additionally be taken the samples (5 animals or 12 eggs) for detecting the presence of antimicrobials;
- epizootiological investigation with the objective of establishing the source of infection;
- feed sampling for tests for the presence of Salmonella spp., where applicable for establishing the source of infection.

In addition to official confirmatory sampling that is conducted by VARS official veterinarian, there shall apply the following measures for the "suspect flock":

- ban on animal movements from the suspect flock, unless for slaughter or destruction of the flock;
- ban on circulation of, trade in and export of eggs from the suspect flock, unless handled as defined in point 3 of Part C of Annex II to Regulation (EC) No 2160/2003;
- ban on placing eggs from suspect flock into the hatcher in case of detected Salmonella Enteritidis or Salmonella Typhimurium;
- where eggs from a suspect flock in which the Salmonella Hadar, Salmonella Virchow or Salmonella Infantis serovars have been detected are placed into the hatcher, the business operator shall ensure that hatching is carried out in segregated hatchers and provide for the traceability of such hatching eggs.

version: 2.2

Measures instituted in "suspect" parent flocks shall apply pending the results of official confirmatory sampling.

- B) Where Salmonella Enteritidis and/or Salmonella Typhimurium is detected in the samples taken at the holding during official routine sampling at the holding in compliance with point 2.1.2.1(b) or during official confirmatory sampling in compliance with point 2.1.2.1 (c) of Annex to Regulation (EU) No 200/201, measures laid down in Annex II, Part C, to Regulation (EC) No 2160/2003 shall be carried out:
- 1) Non-incubated eggs from the flock must be destroyed. However, such eggs may be used for human consumption under the following conditions:
- Eggs must me marked as defined in point 2(b) Part D Annex II of Regulation (EC) No 2160/2003;
- Eggs may be delivered only to approved egg processing establishment and must be treated in a manner that guarantees the elimination of Salmonella;
- 2) Incubated eggs, still present in a hatchery, must be destroyed or treated in accordance with Regulation (EC) No 1774/2002.
- 3) All birds, including day-old chicks, in the flock must be slaughtered or destroyed so as to reduce as much as possible the risk of spreading salmonella. At slaughter or destruction of a flock, business operator shall carry out the following measures:
- a. Slaughtering must be carried out in accordance with Community legislation on food hygiene, where the business operator of food business activity of slaughter shall ensure that the slaughter of animals originating from the positive flock is conducted as the last series in the slaughter process of that production day. Products derived from such birds may be placed on the market for human consumption if they are treated in a manner that guarantees the elimination of Salmonella. If not destined for human consumption, such products must be used or disposed of in accordance with Regulation (EC) No 1774/2002;
- b. At killing or destruction of the flock, the business operator shall ensure that the killing and destruction are conducted in compliance with the regulations governing animal welfare in accordance with Regulation (EC) No 1774/2002.
- 4) Upon removal or dispatch of the flock in which Salmonella spp. has been identified, the manure and/ or bedding shall be removed in accordance with regulations governing the handling of animal byproducts and thorough cleaning and disinfection must be carried out; before restocking, the bacteriological control shall be carried out as to the effectiveness of cleaning and disinfection, with negative results.
- C) In case of detection of Salmonella Infantis, Salmonella Hadar and/or Salmonella Virchow during sampling at the holding, the business operator shall prepare for the positive breeding flock a sanitisation programme, and provide for the implementation of all the flock sanitisation measures. The flock sanitisation programme shall be submitted to the relevant VARS Regional Office by the business operator via mail, fax or e-mail.
- By conclusion of the sanitisation measures, the following measures shall apply for the relevant breeding flock:
- (i) business operator shall provide for the hatching of eggs in the separate hatchers and for the traceability of eggs and of the day-old chicks;

version: 2.2

(ii) movements of hatched day-old chicks shall be authorised to the laying-hen rearing holdings only, from which the animals are moved to holdings with the registered houses, or to the broiler rearing holdings, from which the broilers are intended for slaughter and transported to the approved slaughterhouses.

On conclusion of sanitisation of the particular flock, the VARS official veterinarian shall conduct the official sampling by the method referred to in point 2.2.2.1 of Annex to Regulation (EC) No 200/2010. In case that Salmonella was not isolated from the official samples, and that the presence of antimicrobials has not been established, the measures referred to in point (i) and (ii) shall be lifted.

### II. Use of antimicrobials and vaccines

Use of antimicrobials and vaccines in parent flocks and in laying hen flocks is authorised in accordance with Commission Regulation (EC) No 1177/2006 implementing Regulation (EC) No 2160/2003 of the European Parliament and of the Council as regards requirements for the use of specific control methods in the framework of the national programmes for the control of Salmonella in poultry.

### A) Use of antimicrobials

- Antimicrobials are not used as a specific method for the control of Salmonella in poultry;
- Authorised is the use of antimicrobials only, which have had the marketing authorisation for circulation in the Republic of Slovenia;
- Antimicrobials may be used in exceptional circumstances only, specified in Article 2(2), points (a), (b) and (c) of Regulation (EC) No 1177/2006. Use of antimicrobials in exceptional circumstances shall be authorised on the basis of a specific authorisation granted by VARS. However, treatment without prior authorisation by VARS may be allowed in cases, where animals are in excessive pain by the clinical signs of disease, or where the omission of treatment would cause the animal disease to spread, or major economic loss;
- Use of antimicrobials shall be based wherever possible on the results of bacteriological sampling and of susceptibility testing;
- On conclusion of treatment, the veterinary organisation with concession that had conducted the treatment under exceptional circumstances, shall submit a report in writing to the relevant VARS Regional office, which shall include the data of the flock under treatment, data of the use of antimicrobials, results of resistance testing if it had been carried out, and reasons for use of antimicrobials;

### B) Use of vaccines

In the Republic of Slovenia, the programme of vaccination against Salmonella in breeding flocks is not conducted.

As vaccination against Salmonella is not prohibited under national legislation, business operators may decide on performing voluntary vaccination, where the full expenses in conjunction with vaccination are charged to animal owners' accounts. Vaccination by business operators is conducted on the basis of recommendations obtained from veterinary clinic veterinarians.

Currently, breeding flocks are vaccinated against S.Enteritidis only in the Republic of Slovenia.
Use of vaccines against Salmonella is allowed under the observation of requirements of Regulation (EC)
No 1177/2006:

- Live salmonella vaccines may be used only if the manufacturer provides an appropriate method to distinguish bacteriologically wild-type strains of Salmonella from vaccine strains;
- Live salmonella vaccines may be used in laying hens during production if the safety of the use has been demonstrated and they are authorised for such purpose in accordance with Directive 2001/82/EC;

version: 2.2

- Authorised is the use of vaccines only, which have had the marketing authorisation for circulation in the Republic of Slovenia;
- Vaccination of animals may be prescribed and/or conducted by veterinary practitioners of veterinary clinics. However, the veterinary practitioner may dispense vaccines, along with instructions in writing on their use, to animal owner, who then administers or continues administering the vaccines to the animal. Animal owner shall be required to follow the veterinarian's instructions.

Voluntary vaccination against Salmonella is conducted in all breeding flocks. Business operators conduct the vaccination exclusively during the rearing period (rearing flocks only are vaccinated). In most breeding flocks, vaccination is conducted three times, where the vaccination with live vaccine administered through water for watering is conducted twice, and inactivated vaccine is used (once) as booster vaccination and administered i/m to every individual animal. At a single business operator, flocks are vaccinated three times, where the inactivated vaccine is used in all the three vaccinations. The last (third) vaccination is conducted at the age of 16-18 weeks. Vaccination is carried out against S. Enteritidis and S.Typhimurium.

### 4.1 Summary of measures under the programme

programme: 2015
Measures
⊠ Slaughter of animals tested positive
⊠ Killing of animals tested positive
Vaccination
☑ Treatment of animal products
☑ Disposal of products
Monitoring or surveillance
Other, please specify

version : 2.2

## 4.2 Designation of the central authority in charge of supervising and coordinating the departments responsible for implementing the programme

Describe the authorities in charge of supervising and coordinating the departments responsible for implementing the programme and the different operators involved. Descrive the responsabilities of all involved.

### (max. 32000 chars):

Competent authority under Article 3 of Regulation (EC) No 2160/2003 is the Veterinary Administration of the Republic of Slovenia (VARS).

In accordance with Regulation (EC) No 882/2004, VARS is the competent authority for official control of verification of compliance with the applicable legislation in the field of:

- animal feed (in the part referring to feed safety),
- foodstuffs of animal origin in the entire food chain, excluding public catering facilities.
- animal health and welfare.

VARS includes: VARS Main Office, Office for Internal Official Control (including 10 VARS Regional Offices), and Office for Border Official Control (including 6 Border Inspection Posts).

- a) VARS Main Office (Food Safety, Animal Feed and Veterinary Medicinal Products Division) is responsible for the preparation of the national control programmes and amendments thereto, for collecting data on the number of flocks sampled, and on positive flocks within the national control programmes, and for the submission of data to the European Commission (EFSA).
- b) VARS Regional Offices are responsible for the implementation of checks at poultry rearing holdings and at hatcheries, for the control of implementation of the national control programme by the business operators, for the implementation of official sampling, and for instituting and controlling the implementation of measures in case of identification of Salmonella spp. Official sampling is conducted by official veterinarians.

## 4.3 Description and delimitation of the geographical and administrative areas in which the programme is to be implemented

Describe the name and denomination, the administrative boundaries, and the surface of the administrative and geographical areas in which the programme is to be applied. Illustrate with maps.

#### (max. 32000 chars):

The programme is conducted in the entire territory of the Republic of Slovenia. Business operators have breeding flocks within the competence of 4 VARS Regional Offices, i.e.:

- VARS RO of Postoina
- VARS RO of Ljubjana
- VARS RO of Ptui
- VARS RO of Murska Sobota

version: 2.2

See Annex 5: Map of locations of holdings with breeding flocks, and of hatcheries
4.4 Measures implemented under the programme
Where appropriate Community legislation is mentioned. Otherwise the national legislation is mentioned.
4.4.1 Measures and applicable legislation as regards the registration of holdings
(max. 32000 chars):
The Veterinary Compliance Criteria Act lays down in Article 11 that animal owners shall notify VARS of the breeding, possession of livestock, a hotel for animals or a shelter for abandoned animals, and the activities of collection, sale, transport, circulation of or trade in animals, and any amendments thereof, and that VARS shall keep records and registers thereof.
The Rules on veterinary conditions for the trade in poultry, day-old chicks and hatching eggs in the territory of EU and for import from third countries, which are transposing the provisions of Directive 2009/158/EC, are laying down that the trade on the territory of the EU in the hatching eggs, day-old chick, breeding and production poultry flocks shall be authorised only if the relevant establishment or holding is registered with VARS and entered in the List of approved establishments kept by the European Commission.
All the business operators, who are rearing the breeding flocks in accordance with the Rules on veterinary conditions for the trade in poultry, day-old chicks and hatching eggs in the territory of EU and for import from third countries, shall be registered with VARS and entered in the List of approved establishments kept by the European Commission. Records of business operators, who are rearing the breeding flocks, shall be kept by the Veterinary Administration of the Republic of Slovenia.
4.4.2 Measures and applicable legislation as regards the identification of animals
Not applicable for poultry
(max. 32000 chars) :
N/A in case of poultry

version: 2.2

## 4.4.3 Measures and applicable legislation as regards the notification of the disease

(max. 32000 chars):

### I) Obligations of business operators

The Rules on monitoring and control of Salmonella in poultry of Gallus Gallus (UL RS 97/2010) are laying down in Article 7:

- that in case of detection of presence of the Salmonella Enteritidis, Salmonella Typhimurium, Salmonella Hadar, Salmonella Virchow or Salmonella Infantis serovars in breeding flocks, the business operator shall notify, either by phone, fax or e-mail, the relevant VARS Regional Office, no later than within two working days of acceptance of the laboratory report;
- II) Obligations of laboratories conducting the testing within the national control programmes The Rules on monitoring and control of Salmonella in poultry of Gallus Gallus (UL RS 97/2010) are laying down in Article 13:
- that the laboratory conducting the testing of samples of business operators, or the designated laboratory conducting the testing of the official samples shall, on having identified the presence of the Salmonella Enteritidis, Salmonella Typhimurium, Salmonella Hadar, Salmonella Virchow or Salmonella Infantis serovars in the breeding flocks, submit a report on the investigation results no later than on the following working day from conclusion of serotyping, either by e-mail or by fax notify the relevant VARS Regional Office, which is competent for control of the holding of the affected flock.
- that in case of identification of serovars other than those referred to in the preceding paragraph, the laboratory conducting the testing of samples of business operators, or the designated laboratory, shall submit a report on the investigation results no later than within three working days from conclusion of serotyping, to the relevant VARS Regional Office, which is competent for control of the holding of the affected flock.

# 4.4.4 Measures and applicable legislation as regards the measures in case of a positive result

A short description is provided of the measures as regards positive animals (slaughter, destination of carcasses, use or treatment of animal products, the destruction of all products which could transmit the disease or the treatment of such products to avoid any possible contamination, a procedure for the disinfection of infected holdings, a procedure for the restocking with healthy animals of holdings which have been depopulated by slaughter

(max. 32000 chars):

In case of a positive result in a parent flock, measures shall be carried out that are laid down in:

- Regulation (EC) No 2160/2003 of the European Parliament and of the Council of 17 November 2003 on the control of salmonella and other specified food-borne zoonotic agents
- Commission Regulation (EU) No 200/2010 of 10 March 2010 implementing Regulation (EC) No 2160/2003 of the European Parliament and of the Council as regards a Union target for the reduction of the prevalence of Salmonella serotypes in adult breeding flocks of Gallus gallus
- Rules on monitoring and control of Salmonella in poultry of Gallus Gallus (UL RS 97/10)

version: 2.2

I. Measures in case Salmonella Enteritidis, Salmonella Typhimurium, Salmonella Infantis, Salmonella Hadar and/or Salmonella Virchow is detected in eggshell samples (suspect flock)

Where Salmonella Enteritidis, Salmonella Typhimurium, Salmonella Infantis, Salmonella Hadar and/or Salmonella Virchow (hereinafter referred to as relevant Salmonella serovars) is detected in eggshell samples taken at the hatchery on the incentive of the business operator, or during the official routine sampling at the hatchery, there shall be conducted at the holding:

- official confirmatory sampling of relevant parent flock in compliance with point 2.1.2.1 (c) of Annex to Regulation (EU) No 200/2010. Samples shall be taken by the method detailed in point 2.2.2.2 (b) of the same Regulation. In official confirmatory sampling of adult breeding flocks there shall additionally be taken the samples (5 animals or 12 eggs) for detecting the presence of antimicrobials;
- epizootiological investigation with the objective of establishing the source of infection;
- feed sampling for tests for the presence of Salmonella spp., where applicable for establishing the source of infection.

In addition to official confirmatory sampling that is conducted by VARS official veterinarian, there shall apply the following measures for the "suspect flock":

- ban on animal movements from the suspect flock, unless for slaughter or destruction of the flock;
- ban on circulation of, trade in and export of eggs from the suspect flock, unless handled as defined in point 3 of Part C of Annex II to Regulation (EC) No 2160/2003;
- ban on placing eggs from suspect flock into the hatcher in case of detected Salmonella Enteritidis or Salmonella Typhimurium;
- where eggs from a suspect flock in which the Salmonella Hadar, Salmonella Virchow or Salmonella Infantis serovars have been detected are placed into the hatcher, the business operator shall ensure that hatching is carried out in segregated hatchers and provide for the traceability of such hatching eggs. Measures instituted in "suspect" breeding flocks shall apply pending the results of official confirmatory sampling.
- II. Measures in case Salmonella Enteritidis or/and Salmonella Typhimurium is detected (positive flock) Where Salmonella enteritidis and/or Salmonella typhimurium is detected in a positive breeding flock, measures laid down in Annex II, Part C, to Regulation (EC) No 2160/2003 shall be carried out:
- 1) Non-incubated eggs from the flock must be destroyed. However, such eggs may be used for human consumption under the following conditions:
- Eggs must me marked as defined in point 2(b) Part D Annex II of Regulation (EC) No 2160/2003;
- Eggs may be delivered only to approved egg processing establishment and must be treated in a manner that guarantees the elimination of Salmonella;
- 2) Incubated eggs, still present in a hatchery, must be destroyed or treated in accordance with Regulation (EC) No 1774/2002.
- 3) All birds, including day-old chicks, in the flock must be slaughtered or destroyed so as to reduce as much as possible the risk of spreading salmonella. At slaughter or destruction of a flock, business operator shall carry out the following measures:
- a. Slaughtering must be carried out in accordance with Community legislation on food hygiene, where the business operator of food business activity of slaughter shall ensure that the slaughter of animals originating from the positive flock is conducted as the last series in the slaughter process of that

version: 2.2

production day. Products derived from such birds may be placed on the market for human consumption if they are treated in a manner that guarantees the elimination of Salmonella. If not destined for human consumption, such products must be used or disposed of in accordance with Regulation (EC) No 1774/2002;

- b. At killing or destruction of the flock, the business operator shall ensure that the killing and destruction are conducted in compliance with the regulations governing animal welfare in accordance with Regulation (EC) No 1774/2002.
- 4) Upon removal or dispatch of the flock in which Salmonella spp. has been identified, the manure and/ or bedding shall be removed in accordance with regulations governing the handling of animal by-products and thorough cleaning and disinfection must be carried out;

before restocking, the bacteriological control shall be carried out as to the effectiveness of cleaning and disinfection, with negative results.

III. Measures in case Salmonella Infantis, Salmonella Hadar and/or Salmonella Virchow is detected (positive flock)

In case of detection of Salmonella Infantis, Salmonella Hadar and/or Salmonella Virchow in a positive breeding flock, the business operator shall prepare the flock sanitisation programme and provide for the implementation of all the measures required for sanitising the flock. The flock sanitisation programme shall be submitted by the business operator either by mail, fax or e-mail to the relevant VARS Regional Office.

Pending the conclusion of the sanitisation, also the following measures shall apply to the breeding flock: (iii) business operator shall provide for the hatching of eggs in separate hatchers, and for the traceability of eggs and day-old chicks;

(iv) movements of the hatched day-old chicks shall be authorised to holdings only, which are intended for the rearing of laying hens, and from which holdings the animals are transported to holdings with the registered facilities, or to holdings for the rearing of broilers, which are intended for slaughter and transported from these holdings to the approved slaughterhouses.

On conclusion of flock sanitisation, VARS official veterinarian shall conduct the official sampling by the method referred to in point 2.2.2.1 of Annex to Regulation (EC) No 200/2010. If Salmonella is not isolated from the official samples, and the presence of antimicrobials is not identified, then the measures referred to in point (i) and (ii) shall be lifted.

## 4.4.5 Measures and applicable legislation as regards the different qualifications of animals and herds

(max. 32000 chars):

The Rules on monitoring and control of Salmonella in poultry of Gallus Gallus are laying down in Article 14 that the sampling for the purposes of monitoring Salmonella spp. shall be carried out in all the breeding flocks in the territory of the Republic of Slovenia.

'Flock' means all poultry of the same health status kept on the same premises or in the same enclosure and constituting a single epidemiological unit; in the case of housed poultry, this includes all birds sharing the same airspace.

version: 2.2

# 4.4.6 Control procedures and in particular rules on the movement of animals liable to be affected or contaminated by a given disease and the regular inspection of the holdings or areas concerned

A short description of the control procedures and in particular rules on the movement of animals liable to be affected or contaminated by a given disease and the regular inspection of the holdings or areas is provided

### (max. 32000 chars):

The Rules on monitoring and control of Salmonella in poultry of Gallus Gallus (UL RS 97/2010) are laying down in Article 8 that:

- movements of poultry and hatching eggs shall be banned if the animals or hatching eggs originate from suspect flocks, positive flocks or flocks of unknown health status, except in cases where the movements are authorised in accordance with the national or EU legislation.
- eggs may be placed on the market under the conditions referred to in the first and second paragraphs of Part D of Annex II to Regulation 2160/2003/EC.
- at slaughter of poultry in which the presence of Salmonella Enteritidis or Salmonella Typhimurium has been identified, the official veterinarian shall conduct the ante mortem inspection at the holding and, in addition to the veterinary certificate for live animals, fill in a special Annex to the veterinary certificate.

Where the presence of Salmonella Enteritidis, Salmonella Typhimurium, Salmonella Infantis, Salmonella Hadar and/or Salmonella Virchow is identified in samples of eggshells, the safeguard measures are laid down in point 4.4.4. (I).

In case of positive breeding flocks the safeguard measures are set out in point 4.4.4.(II) or (III).

## 4.4.7 Measures and applicable legislation as regards the control (testing, vaccination, ...) of the disease

National legislation relevant to the implementation of the programmes, including any national provisions concerning the activities set out in the programme.

### (max. 32000 chars):

SAMPLING IN BREEDING FLOCKS is conducted on the basis of the Rules on monitoring and control of Salmonella in poultry of Gallus Gallus, the Regulation 200/2010/EC, and in accordance with the requirements laid down in Part B of Annex II to Regulation (EC) No 2160/2003.

- A) Sampling at the initiative of business operators Sampling in breeding flocks is conducted at least:
- when the chicks are one day old (day-old chicks),
- when hens are four weeks old, and

version: 2.2

– two weeks prior to transfer into the unit for adult animals, or two weeks prior the onset of the laying phase of the pullets.

a) in case of the day-old chicks, for every consignment of animals arriving to the holding in the same means of transport and from the same hatchery, at least one pooled sample shall be taken of the internal linings of transport boxes in which the animals have arrived to the holding, or bodies of animals whose death has been ascertained on arrival; one pooled sample of internal linings of transport boxes shall be composed so as to take at random per ever 500 day-old chicks 1 visibly soiled lining, but not more than 10 linings;

b) in case of the four weeks old hens, and two weeks prior the onset of the laying phase or prior to transfer into the unit for adult laying hens, faeces samples shall be taken by the method referred to in point 2.2.2. of Annex to Regulation 200/2010/EC. For the investigation, the samples may be pooled into two pooled samples.

Sampling of adult breeding flocks shall be conducted every 2 weeks at the hatchery by the method referred to in point 2.2.1 of Annex to Regulation 200/2010/EC. For every flock, a pooled sample may be taken of the eggshells, weighing 250 g, from 25 hatchers, or a sample (swab) with a moistened cloth on the surface of at least 900 cm2 from five hatchers.

In case of trade in hatching eggs, the flock sampling shall be conducted at the holding by the method referred to in point 2.2.2.1. of Annex to Regulation 200/2010/EC.

### B. Official sampling

Official sampling of adult breeding flocks shall be conducted in accordance with point 2.1.2.1 of Annex to Regulation 200/2010/EC. Samples are taken by the method referred to in point 2.2.2.2 of Annex to Regulation 200/2010/EC. In addition to official sampling, the inspection of all the holdings with breeding flocks shall be carried out once per year.

Official sampling in breeding flocks is set out in point 1.5. (II).

### C. Transport of the samples

Samples taken by business operator or official samples shall, where possible, be delivered to laboratory within 24 hours after sampling. If samples are not delivered to the laboratory within 24 hours after sampling, they shall be kept refrigerated. Samples may be transported at the ambient temperature if not exposed to excessive heat (above 25 °C) or sunlight. In laboratories, samples shall be kept refrigerated pending the investigation, which shall commence within 48 hours of acceptance, and within 96 hours of sampling.

### USE OF ANTIMICROBIALS AND VACCINATION

In the Republic of Slovenia, the vaccination programme in breeding flocks is not carried out. As vaccination against Salmonella is not prohibited under national legislation, business operators may decide for voluntary vaccination, where all the costs linked to vaccination are fully against animal owners' accounts. Business operators conduct vaccination according to recommendations by veterinary clinic veterinarians.

Use of antimicrobials and vaccines in breeding flocks is authorised in accordance with Commission Regulation (EC) No 1177/2006 implementing Regulation (EC) No 2160/2003 of the European Parliament and of the Council as regards requirements for the use of specific control methods in the framework of the national programmes for the control of salmonella in poultry:

### A) Use of antimicrobials

Antimicrobials are not used as a specific Salmonella control method in poultry;

version: 2.2

- Used may be those antimicrobials only, which have a marketing authorisation in the Republic of Slovenia;
- Antimicrobials may be used only in exceptional circumstances specified in Article 2(2), points (a), (b) and (c) of Regulation (EC) No 1177/2006. Use of antimicrobials in exceptional circumstances is allowed only on the basis of authorisation by Veterinary Administration of the Republic of Slovenia. However, treatment without prior authorisation by VARS shall be permissible in cases of excessive animal suffering on account of clinical signs of disease, or where the omission of treatment could lead to spreading the disease or to great economic losses;
- Use of antimicrobials shall be based wherever possible on the results of bacteriological sampling and of susceptibility testing.
- On conclusion of treatment, the veterinary organisation with concession, which had conducted the
  treatment, shall on account of exceptional circumstances send a report in writing to relevant VARS
  Regional Office, including the data on the flock under treatment, data on the use of antimicrobials,
  resistance testing results if conducted, and reasons for having used relevant antimicrobials;

### B) Use of vaccines

In the Republic of Slovenia, the vaccination programme in breeding flocks is not carried out. As vaccination against Salmonella is not prohibited under national legislation, business operators may decide for voluntary vaccination, where all the costs linked to vaccination are fully against animal owners' accounts. Business operators conduct vaccination according to recommendations by veterinary clinic veterinarians. Voluntary vaccination against Salmonella is conducted in all breeding flocks. Business operators, who are breeding flocks, conduct the vaccination exclusively during the rearing period (rearing flocks only are vaccinated). Vaccination is conducted three times, where the vaccination with live vaccine administered through water for watering is conducted twice, and inactivated vaccine is used (once) as booster vaccination and administered i/m to every individual animal. The last (third) vaccination is conducted at the age of 18-19 weeks.

Vaccination with live vaccine is conducted against S.Enteritidis only, and vaccination with inactivated vaccine is conducted since 2010 against S.Enteritidis or against S.Enteritidis and S.Typhimurium. Use of vaccines against Salmonella shall be authorised under observation of requirements as laid down in Regulation (EC) No 1177/2006:

- Live salmonella vaccines may be used only if the manufacturer provides an appropriate method to distinguish bacteriologically wild-type strains of salmonella from vaccine strains;
- Live salmonella vaccines may be used in laying hens during production if the safety of the use has been demonstrated and they are authorised for such purpose in accordance with Directive 2001/82/EC;
- Authorised shall be the use of vaccines only, which have marketing authorisation for circulation in the Republic of Slovenia;
- Vaccination of animals may be prescribed or conducted by a veterinary clinic veterinarian. However, the
  veterinarian may dispense the vaccines accompanied by written use instructions to the animal owner,
  who may himself administer or continue administering vaccines to the animals. Animal owner shall
  follow the veterinarian's instructions.

Central database on the use of vaccines has not been set up to date in the Republic of Slovenia. Under national legislation, wholesalers in medicinal products are bound to submit annual reports to VARS on the quantities of medicinal products sold in the Republic of Slovenia, which includes also vaccines. Based on such reports, VARS Main Office prepares a common report on the sale of medicinal products, including vaccines, in the Republic of Slovenia for every particular year. Veterinary clinics are bound to keep records on the use of medicinal products, including vaccines. At present, data on the use of

version: 2.2

medicinal products, including vaccines, are neither collected nor processed centrally. Veterinary clinics are bound to present their records for inspection on the request of official veterinarian, who is competent for inspection and control.

## 4.4.8 Measures and applicable legislation as regards the compensation for owners of slaughtered and killed animals

Any financial assistance provided to food and feed businesses in the context of the programme.

### (max. 32000 chars):

Within the national control programme for decreasing the prevalence of Salmonella spp. in breeding flocks, the financial assistance to business operators, who are rearing the breeding flocks, has been envisaged. In case of identified presence of the Salmonella Enteritidis or Salmonella Typhimurium serovars in the adult breeding flocks, the business operator is paid a compensation for the animals killed or slaughtered, in accordance with the regulation governing the compensations in the veterinary sector.

Conditions and procedure for payment of compensations and the level of compensations are laid down in Article 29 of the Rules on the monitoring and control of Salmonella in poultry of Gallus Gallus (UL RS 97/10), and in Articles 8 and 10 of the Rules on compensations in the veterinary sector (UL RS 105/2007).

In compliance with Article 29 of the Rules on the monitoring and control of Salmonella in poultry of Gallus Gallus the business operator is entitled to payment of compensation, where an adult breeding flock is killed or slaughtered on account of detected presence of the Salmonella Enteritidis or Salmonella Typhimurium serovars, provided that business operator has:

- in the prescribed manner notified VARS of detection of Salmonella in the flock,
- been conducting the required samplings for the presence of Salmonella, and
- conducted all the measures required in case of detection of Salmonella.

Level of compensation for every particular animal to be paid to business operator is defined in the Rules on the monitoring and control of Salmonella in poultry of Gallus Gallus. These Rules with all pertaining amendments are published in the Official Gazette of the Republic of Slovenia (UL RS), which is accessible to the public at Official Gazette website, as well as via VARS website.

Rules on fees in the veterinary sector (UL RS105/2007) are laying down the compensation payment procedure, as follows:

Slaughter or killing of animals, or destruction of objects or raw materials on account of animal diseases under these Rules shall be carried out in the presence of official veterinarian. A protocol shall be kept of the action done.

The compensation payment procedure shall be instituted on the animal owner's request, who shall submit to the relevant Regional Office of the VARS an application in writing, comprising:

- animal owner's personal data (personal name and address or company name and address, and the individual taxpayer identification number ITIN);
- amount of compensation required to cover the damage, and a description of damage incurred by the measure instituted by the official veterinarian;
- particulars of the bank, etc., whereto the compensation is to be remitted.

version: 2.2

Animal owner shall enclose to the application an attestation of the possible sale and value of the usable portion of animals, objects or raw materials that are the subject of compensation payment claim. The compensation payment application for animals killed or slaughtered may be lodged by the animal owner within a 15-day period of time form the date of killing or slaughter of the animals. Where the official veterinarian decides in favour of the claim, he/she shall issue a relevant decision laying down the level of compensation.

## 4.4.9 Information and assessment on bio-security measures management and infrastructure in place in the flocks/holdings involved

#### (max. 32000 chars):

In accordance with the Rules on veterinary conditions for the trade in poultry, day-old chicks and hatching eggs in the territory of EU and for import from third countries, business operators shall take into account at least the following requirements concerning the facilities and rearing of animals.

### Facilities:

- there shall be adequate conditions of hygiene in the facilities, which shall facilitate the monitoring and inspection of the state of health of the animals;
- equipment shall be compatible with the type of production, enabling the effective cleaning and disinfection of the premises and means of transport for conveying poultry, and the disinfection of hatching eggs. Equipment and the cleaning and disinfection agents shall be kept in a specific room.

### Poultry rearing:

- The method of rearing shall be adapted so as to take account of the regulations governing the protection of animals, and that all the poultry batches are exchanged simultaneously ("All In All Out");
- Before restocking a new poultry batch, the manure and bedding of the preceding batches shall be removed and followed by the thorough mechanical cleaning and disinfection of the facilities and equipment;
- Centres for the selection, reproduction and rearing of poultry shall rear the poultry only, which:
- originates from the centre itself;
- originates from another selection, reproduction or rearing centre in the territory of the EU, which is entered in the EU List;
- has been imported from third countries complying with the prescribed requirements;
- veterinary-sanitary order shall be defined by the authorised veterinarian within the establishment.

Additional requirements shall be defined by the management of the establishment (for instance, that the staff shall wear appropriate clothing at the work posts, and that visitors to the establishment shall wear protective clothing);

- facilities, boxes and equipment shall be appropriate and maintained in good repair;
- eggs shall be collected several times in a day, and disinfected within the shortest possible time;
- breeder shall duly notify the authorised veterinarian of any changes in the production process and of any signs showing the suspicion of presence of a contagious poultry disease. Where the authorised veterinarian confirms the suspected presence of disease, the samples shall be submitted to the authorised laboratories within the shortest possible time;

version: 2.2

- the herd book, the prescribed records and protocols of every batch of poultry shall be kept for two years at least, and shall include:

- dates of arrivals and departures of poultry flocks;
- production capacity;
- morbidities and mortalities, indicating the cause of death with the latter;
- numbers of laboratories tests conducted, along with their results;
- place of origin of poultry;
- usability of eggs (hatching or table eggs);

In addition to the above requirements, the business operators rearing parent poultry flocks have in place the internal work instructions in the field of bio-security, so as to protect the animals against external impacts as much as possible.

Compliance with the above conditions is verified by the official veterinarians on the basis of the annual VARS Work Plan. At inspection of holdings keeping breeding flocks and hatcheries, the official veterinarians use checklists, which are accessible via VARS internal portal.

Checklist for holdings keeping breeding flocks and for hatcheries includes, in addition to verification of implementation of Salmonella monitoring, the verification of biosecurity conditions at the holding, including the conditions as laid down in Chapters I and II of Annex II to Council Directive 2009/158/EEC on animal health conditions governing intra-Community trade in, and imports from third countries of, poultry and hatching eggs.

### Guidelines available:

Slovenian Feed Manufacturers' Association adopted the FEFAC guidelines (FEFAC = The European Feed Manufacturers' Federation)

Directorate for Food Safety within the Ministry of Agriculture, Forestry and Food of the Republic of Slovenia has prepared and published on their website the "Guidelines on the Use of Feed Additives". Food Safety Directorate, which operates within the Ministry of Agriculture and the Environment of the Republic of Slovenia, has prepared and made available to public the "Guidelines on the Use of Feed Additives".

Chamber of Agriculture and Forestry of Slovenia prepared the "Guidelines on Good Practice in Primary Production of Food and Feed", intended for farmers as guides in primary production of food and feed in compliance with national and EU legislation.

Guidelines on Good Practice in Primary Production of Food and Feed and Guidelines on the Use of Feed Additives are accessible via MAE website:

http://www.mkgp.gov.si/si/o\_ministrstvu/direktorati/direktorat\_za\_varno\_hrano/starasektor\_za\_varnost\_in\_kakovost\_hrane\_in\_krme mednarodni\_projekt\_krepitev\_varne\_hrane\_v\_primarni\_proizvodnji/ projekt\_eu\_krepitev\_varne\_hrane\_v\_primarni\_proizvodnji/

version: 2.2

## 5. General description of the costs and benefits of the programme

A description is provided of all costs for the authorities and society and the benefits for farmers and society in general

#### (max. 32000 chars):

Salmonella national control programme of breeding flocks of Gallus Gallus is conducted with the purpose of decreasing the prevalence of certain Salmonella spp. serovars in breeding flocks. Through the decreased prevalence of Salmonella spp. in breeding flocks, representing the top of the pyramid, the transmission of infection with Salmonella spp. into the laying-hen flocks and broiler flocks is avoided, and as a result, also:

- decreased prevalence of Salmonella spp. in laying-hen flocks and in broiler flocks,
- decreased quantity of foodstuffs of animal origin (eggs and meat), contaminated with Salmonella and thus posing a public health risk;
- decreased number of Salmonella outbreaks and infections in humans, and consequences of infections and treatment expenses.

The skeleton evaluation of costs of investigations of official samples, and costs for payment of compensations to business operators for the animals culled amounts to approximately: EUR 57,450.65

Annex 6: Estimation of costs of investigations of official samples, and costs for payment of compensations to business operators for the animals culled for 2013

The costs include the following envisaged items:

- laboratory testing of official samples of faeces taken at holdings during routine samplin (360) and of official samples of eggshells at the hatcheries (170) and tests on samples for the presence of antimicrobials. Additionally, approximately 50 tests on official samples are envisaged for the confirmatory sampling of the adult flocks and rearing breeding flocks. Number of tests is estimated on the basis of the number of tests conducted in 2010 and 2011. In 2013, it is envisaged that somewhat less tests of official samples will be conducted, as the production of breeding flocks will be concluded at two holding with breeding flocks.
- compensations paid to business operators for animals culled; the number of flocks with the S.Enteritidis or S.Typhimurium identified ranging between 0 to 2 positive flock per year (0 flocks in 2007, 1 flock in 2008, 0 flocks in 2009 and in 2010, 2 flocks in 2011). On account of a possibility that in breeding flocks in 2013 the presence of S.Enteritidis or S.Typhimurium might be identified, the Community co-financing of compensations for animals culled for 1 flock is requested (mean value of a single adult breeding flock is 5500 animals). The envisaged value of compensation for a single animal amounts to EUR 8,00.

Standard requirement for the submission of programme for eradication, control and monitoring version: 2.2	
6. Data on the epidemiological evolution during the last five years	
Data already submitted via the online system for the years 2009 - 2012 :  yes	
The date on the evalution of reporting colongrallesis are provided according to the tables where convenients	
The data on the evolution of zoonotic salmonellosis are provided according to the tables where appropriate  6.1 Evolution of the zoonotic salmonellosis	
6.1.1 Data on evolution of zoonotic salmonellosis for year: <b>2013</b>	
	Page 40 of 50

Region		of flocks	number	number of flocks	Total number of animals under the programme	Number of flocks checked (b)	Serotype	Number of positive flocks (c)	Number of flocks depopulat	d or	kg/number ( eggs destroyed)	eggs	d to egg		
SLOVENIA - ADULT FLOCK	Breeding flocks o	160	856 03		856 038		salmonella typhimurium	2	2	8 916	kg	912	kg	0	х
SLOVENIA - REARING FLO	Breeding flocks o	116	704 40	116	704 406	116	salmonella ohio	5	0	0	kg	0	kg	0	х
Total		276	1 560 444	276	1 560 444	276		7	2	8 916					
												ADD	A NEW	ROW	

- (a) Including eligible and non eligible flocks for the programme
- (b) Check means to perform a flock level test under the porgramme for the presence of salmonella. In this column a flock must not be counted twice even if it has been checked more than one.
- (c) If a flock has been checked, in accordance with footnote (b), more then once, a positive sample must be taken into account only once.
- (d) Flocks or herds or as appropriate

### Stratified data on surveillance and laboratory tests

Stratified data on surveillance and laboratory tests for year: 6.2.1 2013

Region	Test Type	Test Description	Number of samples tested	Number of positive samples	
SLOVENIA - ADULT FLOCKS	microbiological test	official routine sampling - boot	438	3	х
SLOVENIA - ADULT FLOCKS	microbiological test	official routine sampling - eggs	174	0	х
SLOVENIA - ADULT FLOCKS	serological test	official routine sampling - boot	3	3	X
SLOVENIA - REARING FLOCK	microbiological test	business operators - DOC, boot	470	5	X
SLOVENIA - ADULT FLOCKS	microbiological test	bussiness operators - eggshells	1 215	0	X
6.3 Data on infect	ion for year : 2013		2 300	11	
0.5 Data on micet	2013		ADD A N	EW ROW	
Region	Number of herds infected	Number of animals infected			

Region		Number of herds infected	Number of animals infected	
SLOVENIA - ADULT FLOCKS		2	8 916	X
SLOVENIA - REARING FLOCKS		5	36 304	X
	Total	7	45 220	
			Add a new row	

### 6.4 Data on vaccination or treatment programmes for year: 2013

			Number of herds in	Number of herds	Number of animals	Number of doses of	
	Total number of	Total number of	vaccination or	vaccinated or	vaccinated or	vaccine or treatment	
Region	herds	animals	treatment programme	treated	treated	administered	

					Add a	new row	
Total	116	704 406	0	0	0	0	
SLOVENIA - REARING FLOCKS	116	704 406	0	0	0	0	X

- 7. Targets
- 7.1 Targets related to testing (one table for each year of implementation)

### 7.1.1 Targets on diagnostic tests for year: **2015**

Region	Type of the test (description)	Target population (categories and species targeted)	Type of sample	Objective	Number of planned tests	
SLOVENIA - ADULT FLOCKS	BACTERIOLOGICAL DETECTION TEST IN FRAME	Breeding flocks of Gallus gallus	Faeces	surveillance, monitoring	360	x
SLOVENIA - ADULT FLOCKS	BACTERIOLOGICAL DETECTION TEST IN FRAME	Breeding flocks of Gallus gallus	eggshells	surveillance, monitoring	170	x
SLOVENIA - ADULT FLOCKS	BACTERIOLOGICAL DETECTION TEST IN FRAME	Breeding flocks of Gallus gallus	Faeces	confirmation of suspected cases	25	x
SLOVENIA - REARING FLOCKS	BACTERIOLOGICAL DETECTION TEST IN FRAME	Breeding flocks of Gallus gallus	Faeces	confirmation of suspected cases	25	x
SLOVENIA - REARING AND ADULT	SEROTYPING IN THE FRAME OF OFFICIAL SAMPL	Breeding flocks of Gallus gallus	isolates	surveillance, monitoring, confirmation	5	x
SLOVENIA - REARING AND ADULT	AMR/BIH tests	Breeding flocks of Gallus gallus	eggs, birds	surveillance, monitoring, confirmation	5	x
				Total	590	
				Total AMR/BIH tests	5	
	Total BACTERIOLOG	GICAL DETECTION T	EST IN FRAME	OF OFFICIAL SAMPLING	580	
		Total SEROTYPING	IN THE FRAME	OF OFFICIAL SAMPLING	5	
				Add a new r	'ow	

### 7.1.2 Targets on testing of flocks for year:

2015

Region	Type of flock (d)	number of	Total number of	herds under the	Total number of animals under the programme	Number of flocks checked (b)	Serotype	Number of positive flocks (c)	Number of flocks depopulated	Total number of animals slaughtered or destroyed	Quantity of eggs destroyed (number)	Quantity of eggs channelled to egg product (number)	
SLOVENIA - ADULT FLOO	Breeding flocks	155	800 000	155	800 000	155	salmonella enteritidi	1	1	5 500	25 000	0	X
Total		155	800 000	155	800 000	155		1	1	5 500	25 000	0	
										Add	d a new ro	ow	

- (a) Including eligible and non eligible flocks for the programme
- (b) Check means to perform a flock level test under the porgramme for the presence of salmonella. In this column a flock must not be counted twice even if it has been checked more than one.
- (c) If a flock has been checked, in accordance with footnote (b), more then once, a positive sample must be taken into account only once.
- (d) Flocks or herds or as appropriate

### 7.2 Targets on vaccination or treatment

### 7.2.1 Targets on vaccination or treatment for year: **2015**

			Tarç	gets on vaccination or	treatment progra	mme	
NUTS Region	Total number of herds in vaccination or treatment programme	Total number of animals in vaccination or treatment programme	Number of herds or flocks in vaccination or treatment programme	Number of herds or flocks expected to be vaccinated or treated	Number of animals expected to be vaccinated or treated	Number of doses of vaccine or treatment expected to be administered	
SLOVENIA	0	0	0	0	0	0	х
Total	0	0	0	0	0	0	
					Add a	new row	

## 8. Detailed analysis of the cost of the programme for year: 2015

1. Testing										
Cost related to	<u>Specification</u>	Number of tests	Unitary cost in EUR	Total amount in EUR	Union funding requested					
Cost of analysis	BACTERIOLOGICAL DETECTION TEST IN FRAME (	580	20.95	12151	yes	X				
Cost of analysis	SEROTYPING IN THE FRAME OF OFFICIAL SAMPLI	5	63.76	318.8	yes	х				
Cost of analysis	AMR/BiH tests	5	196.17	980.85	yes	x				
Add a new row										
2. Vaccination (if you ask cofinancing for purchase of vaccins, you should also fill in 6.4 and 7.2)										
Cost related to	<u>Specification</u>	Number of vaccine dosis	Unitary cost in EUR	Total amount in EUR	Union funding requested					
Vaccination	Purchase of vaccine doses	0	0	0	no	X				
				Add a	new row					
3. Slaughter and destruction (without a	ny salaries)									
Cost related to	<u>Specification</u>	Number of units	Unitary cost in EUR	Total amount in EUR	Union funding requested					
Slaughter and destruction	Compensation of animals	5 500	8	44000	yes	X				
				Add a	new row					
4.Cleaning and disinfection										

Cost related to	<u>Specification</u>	Number of units	Unitary cost in EUR	Total amount in EUR	Union funding requested	
CLEANING/DESINFECTION	NA	0	0	0	no	X
				Add a	new row	
5. Salaries (staff contracted for the pro	gramme only)					
Cost related to	<u>Specification</u>	Number of units	Unitary cost in EUR	Total amount in EUR	Union funding requested	
Salaries	Salaries	0	0	0	no	X
				Add a	new row	
6. Consumables and specific equipment	nt					
Cost related to	<u>Specification</u>	Number of units	Unitary cost in EUR	Total amount in EUR	Union funding requested	
Consumables and specific equipment	NA	0	0	0	no	X
				Add a	new row	
7.Other costs						
Cost related to	<u>Specification</u>	Number of units	Unitary cost in EUR	Total amount in EUR	Union funding requested	
Other costs	NA	0	0	0	no	X
				Add a	new row	
8. Cost of official sampling						
Cost related to	<u>Specification</u>	Number of units	Unitary cost in EUR	Total amount in EUR	Union funding requested	
Cost of official sampling	Cost of official sampling	1 200	0.5	600	yes	X
				Add a	new row	

Total	6 090	57450.65	

### **Attachments**

### IMPORTANT:

- 1) The more files you attach, the longer it takes to upload them .

- 2) This attachment files should have one of the format listed here: zip, jpg, jpeg, tiff, tif, xls, doc, bmp, pna.

  3) The total file size of the attached files should not exceed 2 500Kb (+- 2.5 Mb). You will receive a message while attaching when you try to load too much.

  4) IT CAN TAKE SEVERAL MINUTES TO UPLOAD ALL THE ATTACHED FILES. Don't interrupt the uploading by closing the pdf and wait until you have received a Submission Number!
- 5) Zip files cannot be opened (by clicking on the Open button). All other file formats can be opened.

version: 2.2

### PROGRAMME for ERADICATION:

#### ANNEX II - PART A + B

Member States seeking a financial contribution from the Community for national programmes for the control and monitoring of salmonellosis (zoonotic salmonella), shall submit applications containing at least the information set out in this form.

The central data base keeps all submissions. However only the information in the last submission is shown when viewing and used when processing the data.

If encountering difficulties, please contact SANCO-BO@ec.europa.eu

Instructions to complete the form:

1) In order to fill in and submit this form you must have <u>at least</u> the ADOBE version

## Acrobat Reader 8.1.3

(example: 8.1.3, 8.1.4, 8.1.7, 9.1, 9.2,...), otherwise you will not be able to use the form.

Your version of Acrobat Reader is: 10.104

- 2) Please provide as much information as possible. If you have no data for some fields then put the text "NA" (Not applicable) in this field or 0 if it is a numeric field. If you need clarifications on some of the information requested, then please contact <a href="mailto:SANCO-BO@ec.europa.eu">SANCO-BO@ec.europa.eu</a>.
- 3) To verify your data entry while filling your form, you can use the "verify form" button at the top of each page. If the form is not properly and completely filled in, an alert box will appear indicating the number of incorrect fields. Please use the "verify form" button untill all fields are correctly filled in. It is mandatory to fill in the box about Animal populations to make the rest of the questions visible. If you still have any difficulties, please contact SANCO-BO@ec.europa.eu.
- 4) When you have finished filling the form, verify that your internet connection is active and then click on the "submit notification" button below. If the form is properly filled in, the notification will be submitted to the server and a submission number + submission date will appear in the corresponding field.
- 5) IMPORTANT: Regularly save the pdf when you fill it out. After you have received the Submission number, DO NOT FORGET TO SAVE THE PDF ON YOUR COMPUTER FOR YOUR RECORDS!

1335460253269-1260

version: 2.2

### ANNEX II - PART A

## General requirements for the national salmonella control programmes

Member state: SLOVENIJA

## (a) State the aim of the programme

(max. 32000 chars):

Aim of the Salmonella spp. control programme in the laying-hen flocks is to decrease the prevalence of the Salmonella Enteritidis and Salmonella Typhimurium serovars in the adult laying-hen flocks of the species Gallus gallus. The objective of the Salmonella spp. control programme is to decrease the number of adult laying flocks with the identified Salmonella Enteritidis or Salmonella Typhimurium for at least 10 % every year.

The National Salmonella spp. Control Programme in Laying-Hen Flocks includes all the adult laying-hen flocks, which are reared for the purpose of production of eggs intended for the placing on the market for public consumption, excluding the laying-hen flocks at holdings producing minor quantities of table eggs and eggs intended for direct sale to final consumers exclusively at the point of production.

# (b) Animal population and phases of production which sampling must cover

Demonstrate the evidence that it complies with the minimum sampling requirements laid down in part B of Annex II to Regulation (EC) No 2160/2003 of the European Parliament and of the Council OJ L 325, 12.12.2003, p. 1. indicating the relevant animal population and phases of production which sampling must cover

It is mandatory to fill in the box about Animal populations to make the rest of the questions visible.

Animal population La	lying flocks of Gallus gallus
rearing flocks	☑ day-old chicks
lavina flocks	<ul> <li>✓ pullets two weeks before moving to laying phase or unit</li> <li>✓ every 15 weeks during the laying phase</li> </ul>

version: 2.2

## (c) Specific requirements

Demonstrate the evidence that it complies with the specific requirements laid down in Parts C, D and E of Annex II to Regulation (EC) No 2160/2003

### (max. 32000 chars):

Sampling of laying-hen flocks is conducted in accordance with Part B of Annex II to Regulation (EC) No 2160/2003, Commission Regulation (EC) No 517/2011, and the Rules on monitoring and control of Salmonella in poultry of Gallus Gallus (UL RS 97/2010).

Measures taken in the adult laying-hen flocks in the case of detection of serovars Salmonella Enteritidis and Salmonella Typhimurium are conducted in compliance with Part D of Annex II to Regulation (EC) No 2160/2003 and with the Rules on monitoring and control of Salmonella in poultry of Gallus Gallus (UL RS 97/2010).

## (d) Specification of the following points:

### (d)1. General

# (d) 1.1 A short summary referring to the occurrence of Salmonellosis (Zoonotic Salmonella)

A short summary referring to the occurrence of the salmonellosis [zoonotic salmonella] in the Member State with specific reference to the results obtained in the framework of monitoring in accordance with Article 4 of Directive 2003/99/EC of the European Parliament and of the Council OJ L 325, 12.12.2003, p. 31., particularly highlighting the prevalence values of the salmonella serovars targeted in the salmonella control programmes.

#### (max. 32000 chars):

Monitoring of the zoonotic Salmonella spp. is conducted in Slovenia on the basis of the Monitoring of zoonoses and zoonotic agents, which is prepared every year by the Veterinary Administration of the Republic of Slovenia (VARS), Health Inspectorate of the Republic of Slovenia (HIRS), and the Institute of Public Health of the Republic of Slovenia (IPH). The Programme includes the monitoring of the zoonotic Salmonella spp. in the human population, in food and in animals. Monitoring and control of Salmonella spp. in breeding flocks, in laying-hen flocks, in broiler flocks and turkey flocks is conducted in compliance with the EU legislation and in compliance with the national regulations.

### Occurrence of salmonellosis in humans:

By 2008, Salmonella was the most frequent agent of enteritises in humans. In 2009 and in 2010, Campylobacter was the most frequent agent of bacterial enteritises.

version: 2.2

The number of reported Salmonella cases in humans increased in Slovenia in the period 1999-2000, reaching the culmination in 2003, where the incidence amounted to 201/100,000 inhabitants. Since 2004, the number of reported salmonellosis cases has been decreasing. As compared to 2003, the number of reported cases in 2004 decreased by 17 %, and in 2005 and 2006, even by 62 %. In 2008, the incidence of salmonelloses amounted to 53.89/100,000 inhabitants. In 2009 and 2010, the number of Salmonella infections in humans decreased even further, as there were 627 cases in 2009 (incidence 31/ 100,000 inhabitants) and 347 cases in 2010 (incidence 17/100,000 inhabitants) reported. Also in 2010, most frequently isolated was S.Enteritidis, representing 53 % of all the Salmonellas isolated (in 2009, 72 %). The share of S.Typhimurium amounted to 13 % (in 2009, 6.5 %). S.Coeln constituted 6 % of all the Salmonellas, and the shares of other serovars were equal to or less than 3 %. Final data for 2011 on infectious diseases in humans are not known as yet, as the Institute of Public Health of the Republic of Slovenia (IVZ RS), which collects data on infectious diseases in humans, has not published the Report on the epidemiological monitoring of communicable diseases of 2011. According to data collected and not finalised, 385 Salmonella enteritis cases were reported in 2011 (source: monthly eNBOZ news of 2011, publishing the data on the number of notified communicable diseases per particular months).

The number of Salmonella outbreaks has gradually been decreasing ever since 2005. The number of Salmonella food-borne infections decreased by 50 % in 2008 (7 outbreaks), as compared to 2007 (13 outbreaks). In 2009, 4 Salmonella outbreaks were reported, and eggs were the supposed source of infection in all these cases. Based on a notification by the public health service on a salmonellosis outbreak in humans, the Veterinary Administration of the Republic of Slovenia conducted the official sampling at holdings keeping laying hens, and S.Enteritidis was confirmed in two cases. In 2010, 72 infectious disease outbreaks were reported in the Republic of Slovenia, and thereof, 3 outbreaks were foodborne, representing 4 % of all the outbreaks. No outbreak was caused by Salmonella.

Considering the data in the eNBOZ news of 2011, including the framework data on the number of outbreaks of communicable diseases reported, there were 71 communicable disease outbreaks reported in 2011. According to the preliminary data collected, in 6 of the 69 outbreaks, Salmonella was found as the cause of disease (S.Enteritidis – 4x, S.Java – 1x). In five outbreaks caused by S.Enteritidis, 4 outbreaks were foodborne, and one outbreak was caused by contact. In 2 outbreaks, a final report has not been issued to date.

Monitoring in animals (excluding poultry) and in food:

In the period 2006 - 2009, within the national monitoring of zoonoses in the approved establishments for the production of foodstuffs of animal origin, there were 4683 samples taken for testing for the presence of Salmonella spp. in animals and in the fresh meat. Sampling was conducted in the bovine animals, porcine, ovine animals and in poultry, and the presence of Salmonella spp. was monitored also in the fresh meat, lymph nodes, the skin, carcass swabs and in faeces of poultry, small ruminants and pigs. From a total number of samples taken, 99 % of samples tested negative. Most frequently, poultry skin was contaminated by Salmonella, and in the second place there were the lymph nodes of pigs. Sampling for the presence of Salmonella spp. in foodstuffs of animal origin was conducted in the period 2006 2009 also in the approved establishments for the production of foodstuffs of animal origin and in the registered butcher's shops. In total, there were 1164 analyses conducted for the presence of Salmonella spp. The agent of disease was identified in the non-poultry meat preparations (meat rolls, sausage for broiling, pork cutlets, grilling sausages, roasted meat) and minced meat. The prevalence in minced meat is 1.2 %, and in the non-poultry preparations 1.5 %. Salmonella spp. was not detected in the RTE meat products, meat preparations or in milk and milk products which had been sampled. In 2010, within the national monitoring of zoonoses in the approved establishments for the production

version: 2.2

of foodstuffs of animal origin, there were 2031 samples taken for testing for the presence of Salmonella spp. in animals and in the fresh meat. Sampling was conducted in the porcine where lymph nodes, faeces and meat juice samples were taken and in the poultry where skin samples were taken. Salmonella spp. was monitored also in fresh bovine, porcine and poultry meat. From a total number of animal samples taken, 92,5% of samples were tested negative. Majority of positive samples were due to positive serological tests in porcine and secondly due to positive samples of porcine faeces and lymph nodes. From a total number of fresh meat samples taken, 99,7% of samples were tested negative. 0,3% of fresh broiler meat samples were contaminated by Salmonella.

In retail sale, the foodstuffs of animal origin, as well as foodstuffs of non-animal origin were sampled for the presence of Salmonella spp. In the period 2006 - 2009, 8199 foodstuffs were sampled in retail sale. The percentage with the presence of Salmonella identified ranged between 0.5 and 0.8 % (in the years 2006, 2007 0.5 %, in 2008 0.8 %, and in 2009 0.6 %). Salmonella was most frequently identified in fresh poultry meat (24 samples), thereafter in minced meat obtained from red meat (15 samples), bovine meat and eggs (3 samples) and in pork meat (1 sample). In milk and milk products, fishery products, meat products, delicatessen foods, fruits and vegetables and in other foodstuffs, Salmonella was not identified in the period 2006 - 2009.

In 2010, sampling of 295 samples for the presence of Salmonella spp. in foodstuffs of animal origin was conducted in the approved and registered establishments for the production of foodstuffs of animal origin, at dispatch centres for shellfishes and at processing plants. RTE meat products, fishery products and dairy products were sampled. All samples were found negative.

In 2010, 43 samples of foodstuffs of animal origin were taken at retail (at catering) for the presence of Salmonella spp. RTE deli dishes were sampled (sliced cooked meat products and sausages, sliced cheeses etc.). In addition, 729 samples of foodstuffs of non-animal origin and foodstuffs intended for particular nutritional uses were taken. Sampling was conducted at producer, wholesalers and at retail level (including catering). Dried infant formulae, dried dietary foods for special medical purposes, pre-cut RTE fruits and vegetables, unpasteurised fruit and vegetable juices (RTE), ice cream, RTE cakes, deserts and pastry, sprouting seeds, tea, spices, frozen fruits and vegetables (RTE) and RTE deli dishes were sampled.

All samples were found negative for the presence of Salmonella spp.

### Poultry:

### **BREEDING FLOCKS**

In the period 2003-2006, Salmonella monitoring and control programme in breeding flocks was carried out in compliance with national legislation in the Republic of Slovenia.

In the period 2003-2005, Salmonella monitoring in breeding flocks confirmed the presence of Salmonella serovars, for which the Community target had been set, in a total of 5 adult breeding flocks, in all the five flocks S.Enteritidis was identified. Salmonella spp. was not detected; neither in adult breeding flocks, nor in rearing breeding flocks in 2006.

In 2007, 86 rearing breeding flocks and in 118 adult breeding flocks were included in the national Salmonella control programme. Salmonella was not confirmed in any of the adult breeding flocks nor in any of the rearing breeding flocks.

In 2008, 91 rearing breeding flocks and 151 adult breeding flocks were sampled for the presence of Salmonella. Salmonella was detected neither in eggshell samples taken in adult breeding flocks, nor in rearing breeding flocks. In one adult breeding flock – meat production line, the Salmonella Typhimurium serovar was detected during the official routine sampling at the holding in the beginning of the production period.

version: 2.2

In 2009, a total of 155 adult breeding flocks, and 118 rearing breeding flocks were tested. Salmonella was confirmed in one rearing breeding flock (Salmonella Newport).

In 2010, Salmonella spp. was identified in five rearing breeding flocks of a total of 122 rearing breeding flocks tested. However, Salmonella serovars for which the Union target had been set were not identified in any rearing flock. Of a total of 165 adult flocks tested, Salmonella was not identified in any flock at the holding. In adult breeding flocks, S.Saintpaul was identified in eggshell samples in two flocks; however, the presence of Salmonella was not confirmed by the confirmatory official sampling of both the flocks at the holding.

In 2011, the national control programme included 116 rearing flocks and 160 adult breeding flocks. Salmonella spp. was identified in five rearing breeding flocks of a total of 116 flocks tested. In all the rearing flocks, S.Ohio was identified, and that, in samples of transport box linings as well as in samples of day-old chick dead bodies. In case of adult breeding flocks, of a total of 160 adult breeding flocks sampled, Salmonella was detected in 2 flocks during the official routine sampling at the holding. In both the flocks, S.Typhimurium was identified. Salmonella was not detected at sampling of adult breeding flocks at the hatchery.

In the period from 2007 by the end of 2010, the Republic of Slovenia achieved the Union target for breeding flocks, as the maximum percentage of adult breeding flocks remaining positive for S.Enteritidis, S.Typhimurium, S.Hadar, S.Virchow and S.Infantis was below 1 % in all the four years. In the same period, also the percentage of adult breeding flocks remaining positive for Salmonella spp. in the adult breeding flocks was below 1 %.

In 2011, S.Typhimurium was detected in 2 adult breeding flocks during the official routine sampling at the end of production cycle. Considering the total number of adult breeding flocks included in the national Salmonella control programme, in 2011, the percentage of adult breeding flocks which may remain positive for S.Enteritidis, S.Typhimurium, S.Hadar, S.Virchow and S.Infantis, was higher than 1 %.

### LAYING HEN FLOCKS

Within the baseline study conducted in the period 2004 – 2005, the presence of Salmonella spp. was detected in 19.4 % of the flocks, and thereof, the presence of S.Enteritidis was detected in 9.2 % laying hen flocks. S.Typhimurium was not detected in the adult laying hen flocks.

In the period 2005 – 2007, S.Enteritidis was detected in a total of 16 flocks during Salmonella spp. monitoring in laying hen flocks. Percentage of positive flocks was highest in 2005, where the presence of S.Enteritidis was detected in 5.6 % of adult laying hen flocks. In 2006, S.Enteritidis was detected in 1 adult laying hen flock (0.60 % prevalence), and in 2007, in 9 flocks (3.65 % prevalence). In the period 2005 – 2007, S.Typhimurium was not detected in the adult laying hen flocks.

In 2008, 99 rearing and 172 adult laying hen flocks were included in the national Salmonella control programme in laying hen flocks. Salmonella was detected in 18 adult laying hen flocks (10.5 %). S. Enteritidis was confirmed in 15 adult laying hen flocks (8.7 %). S. Ohio, S. Montevideo and S. Infantis were detected in 1 flock each. In 2008, S.Enteritidis was detected in 8.7 % of the adult laying hen flocks, meaning that the percentage of adult laying hen flocks was by 0.4 % higher than the Community target that the Republic of Slovenia was supposed to achieve in 2008.

In 2009, 209 adult laying hen flocks and 129 rearing laying hen flocks were sampled. Salmonella was confirmed in 19 adult laying hen flocks, where S.Enteritidis was detected in 7 flocks. S. Typhimurium was not detected in the adult laying hen flocks. In rearing flocks, the S.Enteritidis/S. Typhimurium serovar was not detected in any of the flocks. In 2009, S.Enteritidis was detected in 3.3 % of the adult laying hen flocks.

There were 202 adult laying hen flocks, and 153 rearing laying hen flocks included in the Salmonella

version: 2.2

Control Programme of 2010. Salmonella spp. was identified in 9 adult laying hen flocks, and in 12 rearing flocks. Salmonella Enteritidis was identified in 1 adult laying hen flock, and in rearing laying hen flocks the infection with Salmonella Enteritidis/Salmonella Typhimurium was not identified at all.

In 2011, 185 adult laying-hen flocks and 140 rearing laying-hen flocks were sampled. Salmonella was detected in a single rearing laying-hen flock (S.Saintpaul) and in a single adult laying-hen flock (S.Ohio). In 2011, the number of flocks included into the National Salmonella Control Programme was somewhat lower as compared to 2009 and 2010. The main reason for a lesser number of flocks is linked to the ban on rearing laying hens in non-enriched cages, applicable as from 1.1.2012. For this reason, by the middle of 2011, laying hen flocks were not housed at certain holdings, as the business operators decided to discontinue laying-hen rearing in certain facilities, or the laying hen flocks were not housed on account of renovation of the facilities (houses and cages).

In 2010, Salmonella Enteritidis was identified in 1 adult laying hen flocks, and in 2011, Salmonella Enteritidis was not identified in adult laying hen flocks. S.Typhimurium has not been detected in laying hen flocks ever since 2004.

As compared to 2008, where the Republic of Slovenia did not fully achieve the EU targets, the Union target were fully met in the period 2009 – 2011, as the number of adult laying hen flocks with identified Salmonella Enteritidis or Salmonella Typhimurium decreased by more than 10 % in each year.

### **BROILERS**

Within the baseline study, 326 broiler flocks were sampled in the Republic of Slovenia. Salmonella spp. was identified in 10 flocks (3.1 %), and that, in 9 flocks the Salmonella Enteritidis serovar (2.8 %) and in 1 flock the Salmonella Infantis serovar (0.3 %). In the light of results obtained, the estimated prevalence of Salmonella Enteritidis/Salmonella Typhimurium in broiler flocks in the Republic of Slovenia amounted to 1.6 %, and the prevalence of the remaining Salmonella serovars amounted to 0.2 %.

In the period 2006 – 2008, within the Salmonella spp. monitoring in broilers, in accordance with national legislation, in the period of 3 weeks prior to slaughter, there were 1748 flocks sampled in 2006, 2491 flocks in 2007, and 3036 flocks in 2008. In 2006, Salmonella was isolated from 9 flocks (0.5 %), in 2007 from 44 flocks (1.76 %) and in 2008 from 10 flocks (0.33 %). Salmonella Enteritidis was identified in 2006 in 6 flocks and in 2007 in 4 flocks. In 2008, Salmonella Enteritidis was not detected. Salmonella Typhimurium has not been detected in broiler flocks ever since 2005.

In the beginning of 2009, the national Salmonella control programme in broiler flocks began to be implemented. In 2009, there were 3080 broiler flocks in total sampled prior to slaughter. Salmonella was identified in 23 flocks, but in no flock the presence of Salmonella Enteritidis/Salmonella Typhimurium was identified. Monitoring results of 2009, as well as of the preceding years, show that the Republic of Slovenia will achieve the required EU goal for broiler flocks.

In 2010, from a total of 2153 broiler flocks submitted to testing, Salmonella spp. was identified in 24 broiler flocks, and thereof, in one flock S. Typhimurium was identified. Despite the identification of S. Typhimurium, Slovenia achieved the required goal in broiler flocks, as the prevalence of Salmonella Enteritidis/Salmonella Typhimurium in broiler flocks was less than 1 %.

### **TURKEYS**

Monitoring of Salmonella spp. in turkey flocks up to 2010 had not been laid down in the legislation, and despite this fact, the business operators, in accordance with their own monitoring programmes, implemented the sampling of broiler flocks prior to slaughter. Based on business operators' own programmes, there were in 2007 prior to slaughter 121 turkey flocks sampled, and in 2008, 190 turkey flocks. In 2007, Salmonella was identified in 4 flocks (4x S. Infantis), and in 2008 in 5 flocks.

version: 2.2

Within the baseline study, there were in the Republic of Slovenia 131 turkey flocks sampled, and thereof, the presence of Salmonella spp. was identified in 29 flocks (22.1 %) at 18 holdings. Serovar Salmonella Enteritidis was identified in 4 flocks, and serovar Salmonella Typhimurium in 1 flock. Most frequently identified was the serovar Salmonella Infantis, and that, in 11 flocks. In the light of the results obtained in the Republic of Slovenia, the estimated prevalence of Salmonella spp. amounted to 21.1 %, and the prevalence of Salmonella Enteritidis/Salmonella Typhimurium amounted to 4.7 %, and the prevalence of the remaining serovars of Salmonella spp. amounted to 14.5 %.

In 2009, the sampling prior to slaughter was conducted in 159 turkey flocks. In 2009, the presence of Salmonella spp. was not identified in turkey flocks. In 2010, within the national control programme prior to slaughter, 112 turkey flocks were subjected to testing, and the presence of Salmonella spp. was identified in a single turkey flock (S.Saintpaul). Results of monitoring in 2010, and also in the preceding years, show that the Republic of Slovenia in the 3-year transitional period will have achieved the required EU target for turkey flocks.

# (d) 1.2 The structure and organization of the relevant competent authorities.

Please refer to the information flow between bodies involved in the implementation of the programme.

### (max. 32000 chars):

Veterinary Administration of the Republic of Slovenia (VARS)

VARS is a body within the Ministry of Agriculture and of the Environment (MAE) and is the Competent Authority for the provision of compliance with the veterinary legislation and food production legislation and for the implementation of the official veterinary controls in the Republic of Slovenia. VARS competences and tasks are laid down in the Veterinary Compliance Criteria Act (UL RS 93/2005). VARS is the Competent Authority in accordance with Article 3 of Regulation (EC) No 2160/2003, and responsible for:

- preparation of national control programmes and of amendments thereto in compliance with Regulation (EC) No 2160/2003,
- implementation of official controls at business operators, including the official sampling within the national control programmes,
- collection of data for the valuation of results, and for the annual submission of such data to the European Commission.

VARS includes: VARS Main Office, Office for Internal Official Control (including 10 VARS Regional Offices), and Office for Border Official Control (including 6 Border Inspection Posts)

- a) VARS Main Office
- b) 10 VARS Regional Offices
- c) 6 Border Inspection Posts
- a) VARS Main Office (Food Safety, Animal Feed and Veterinary Medicinal Products Division) is responsible for the preparation of the national control programmes and amendments thereto, for collecting data on the number of flocks sampled, and on positive flocks within the national control programmes, and for the submission of data to the European Commission (EFSA).

version: 2.2

b) VARS Regional Offices are responsible for the implementation of checks at poultry rearing holdings and at hatcheries, for the control of implementation of the national control programme by the business operators, for the implementation of official sampling, and for instituting and controlling the implementation of measures in case of identification of Salmonella spp. Official sampling is conducted by official veterinarians.

See Annex 1: Organigram VARS

Laboratories conducting tests on samples taken by business operators, at least once a month for the preceding month submit the results on investigation of samples by business operators, jointly with the sampling protocol, to VARS Main Office.

Designated laboratories conducting tests on official samples, submit the investigation results on samples to the competent VARS Regional Office, to the official veterinarian, who had conducted the sampling, and at least once a month for the preceding month, to VARS Main Office.

In case of identification of the serovars Salmonella Enteritidis, Salmonella Typhimurium, Salmonella Hadar, Salmonella Virchow or Salmonella Infantis in the breeding flocks, or the serovars Salmonella Enteritidis or Salmonella Typhimurium in laying-hen flocks, broiler flocks or turkey flocks, the laboratories shall submit the investigation results on the day following the completed serotyping, at the latest, by e-mail or by fax to VARS Regional Office that is competent for control of the particular holding, where the relevant flock is kept. In case of identification of the remaining Salmonella serovars, the laboratories shall submit the investigation results within three working days from completion of investigation, at the latest.

Based on investigation results of samples taken by business operators and of the official samples submitted by the laboratories, VARS Main Office shall keep records on the breeding flocks subjected to sampling, and on breeding flocks found positive, and on the official samplings that had been carried out.

See Annex 2: Organisation of implementation of SNCP

# (d) 1.3 Approved laboratories where samples collected within the programme are analysed.

(max. 32000 chars):

Laboratories involved in national control programme

I. Investigations of samples taken within the implementation of the national control programme by business operators may be conducted by laboratories which are entered by VARS into the list of designated laboratories involved in the national Salmonella spp. control programme. The list of approved laboratories kept by VARS Main Office includes 9 laboratories.

II. Investigations of official samples are conducted by laboratories which have in accordance with Regulation (EC) No 882/2004 been designated for the implementation of investigations within the official controls. Investigations of official samples are conducted by three Units of the National Veterinary Institute (NVI - Unit for the Diagnostics of Contagious and Other Diseases, NVI Maribor-Ptuj Unit, and NVI Nova Gorica Unit). In case of official confirmatory sampling, the investigations of official samples are conducted at the National Reference Laboratories.

version: 2.2

National Reference Laboratories - NRL - for Salmonella spp.: University of Ljubljana, Veterinary Faculty, National Veterinary Institute

National Reference Laboratories is accredited according to SIST EN ISO/IEC 17025 and has in place the accredited method of isolation of Salmonella spp. (ISO 6579/Amd 1) and strain serotyping (Kauffmann-White-Le Minor Scheme (WHO).

Laboratories entered in the list of approved laboratories:

1 NVI Unit for Diagnostics of Contagious and Other Diseases

2 NVI CELJE Unit

3 NVI MARIBOR-PTUJ Unit

4 NVI MURSKA SOBOTA Unit

5 NVI KRANJ Unit

6 NVI NOVA GORICA Unit

7 NVI NOVO MESTO Unit

8 Microbiological Laboratory, PIVKA PERUTNINARSTVO d.d.

9 Microbiological Laboratory, PERUTNINA PTUJ d.d.

Laboratories cooperating in the Salmonella Control Programme and carrying out investigations on samples for the presence of Salmonella spp. shall comply with the requirements of Article 12 of Regulation (EC) No 2160/2003 of the European Parliament and of the Council of 17 November 2003 on the control of salmonella and other specified food-borne zoonotic agents. The method of analysis used by the laboratories for the detection of presence of Salmonella spp. shall be validated, so as to facilitate the determination of the level of detection, sensitivity and specificity.

NVI Units of Celje, Maribor-Ptuj, Murska Sobota, Kranj, Nova Gorica and Novo mesto are the Regional Units of the University of Ljubljana, Veterinary Faculty, National Veterinary Institute (VF, NVI) and have been accredited according to SIST EN ISO/IEC 17025. All the NVI Regional Units are subjected to inspection on an annual basis by the VF, NVI, within the internal auditing, and audited by the Slovenian Accreditation (SA) within the external auditing procedure for the granting of the accreditation. Microbiological Laboratory of Pivka Perutninarstvo d.d. and Microbiological Laboratory of Perutnina Ptuj d.d. are the internal laboratories of the poultry rearing business operators. Both the laboratories have in place and are applying the quality assurance systems. The business operators of Perutnina Ptuj d.d and Pivka Perutninarstvo d.d. are complying with the requirements of the ISO 9001:2000 standard. VARS conducted the inspection, in cooperation of the NRL representative, of both the laboratories in 2007, 2008 and 2012.

NRL for Salmonella organises the collaborative testing for Salmonella spp., i.e. isolation (detection) and biochemical confirmation, and serotyping up to serological group (not conducted by all the laboratories). All the laboratories involved in the Salmonella control programme regularly participate in the collaborative testing.

version: 2.2

# (d) 1.4 Methods used in the examination of the samples in the framework of the programme.

### (max. 32000 chars):

Investigation of samples - types of diagnostic methods

All the laboratories conduct the testing of samples in accordance with Commission Regulation 200/2010/EC (point 3 of Annex to Regulation).

Serotyping is always conducted at the National Reference Laboratory.

Method of detection

For tests on samples taken within the National Control Programme, the method according to Amendment 1 of EN/ISO 6579 "Microbiology of food and animal feeding stuffs – Horizontal method for the detection of Salmonella spp. – Amendment 1: Annex D: Detection of Salmonella spp. in animal faeces and in environmental samples from the primary production stage" of the International Organization for Standardization is applied.

### Serotyping

Certain laboratories conduct also the serotyping up to serological group, serotyping up to serovar is conducted by the NRL only. NRL conducts the serotyping according to the Kauffmann-White-Le Minor Scheme (WHO).

# (d)1.5 Official controls (including sampling schemes) at feed, flock and/or herd level.

(max. 32000 chars):

### I. OFFICIAL CONTROL OF ANIMAL FEED

Official control of animal feed in the Republic of Slovenia is conducted by the Veterinary Administration of the Republic of Slovenia (VARS) and by the Inspectorate of the Republic of Slovenia for Agriculture, Forestry and Food (IRSAFF). Feed control is conducted on the basis of the Animal Feed Control and Monitoring Programme, which is prepared jointly by VARS and IRSAFF.

Animal Feed Control and Monitoring Programme includes the inspection and control of feed business operators (FBOs), as well as a feed sampling programme.

Commission Regulation 142/2011/EU lays down the EU microbiological criteria for Salmonella (absence in 25 g: n = 5, c = 0, m = 0, M = 0) in the feed products as referred to hereinafter:

version: 2.2

- feed materials obtained from the processing of animal by-products (excluding only the rendered fats and fish oil);

- dog chews, processed pet food, and raw pet food.

Rules on feed safety criteria (UL RS 58/2011) are laying down the national microbiological criteria for Salmonella in animal feed. Feed business operators carrying out the activity of feed production are obliged to ensure, based on the annual plans of internal controls, the compliance of raw materials and products with the microbiological criteria for animal feed.

Where a feed business operator at implementation of internal controls establishes that the feed does not comply with the microbiological criteria, he shall immediately notify thereof the competent VARS Regional Office, and take action in accordance with Article 20 of Regulation 178/2002/EC.

See Annex 4A: National microbiological criteria for animal feed

Official sampling of animal feed for the presence of Salmonella spp. is conducted within the Animal Feed Control and Monitoring Programme.

Based on the Animal Feed Control and Monitoring Programme, the official veterinarian prepares for the FBO's establishments, which are entered in the register of the approved and registered establishments, a programme of testing the animal feed for the current year. Official samples of animal feed are taken by the official veterinarians at animal feed producers, importers and intermediaries, and at agricultural holdings.

A total of 95 feed samples were taken in 2011 for Salmonella testing. Salmonella spp. was not isolated from any of the official feed samples taken.

### II. OFFICIAL SAMPLING OF LAYING-HEN FLOCKS

Official sampling of laying-hen flocks is conducted by official veterinarians in accordance with Commission Regulation (EC) No 517/2011.

### II.1. Official sampling of the adult laying-hen flocks

Official sampling is conducted in the following cases:

- a) routine sampling in at least one flock annually at holdings keeping at least 1000 hens.
- b) at the age of 24 +/- 2 weeks, in laying-hen flocks in houses, where Salmonella had been detected in the preceding flock,
- c) in every case of suspected infection with Salmonella Enteritidis or Salmonella Typhimurium as a result of epidemiological investigation of a food-borne disease outbreak,
- d) in all the other laying-hen flocks at the holding if the presence of Salmonella Enteritidis or Salmonella Typhimurium has been established in one laying-hen flock at the holding,
- e) in all the other cases, where the official veterinarian deems that to be appropriate.

Official sampling may substitute the sampling conducted by business operator.

Official sampling referred to in point 2.1.(a), (b), (d) and (e) of Annex to Regulation 517/2011/EC shall be conducted by the method as laid down in point 2.2.2. of the same Annex. Sampling as referred to in point 2.1.(c) shall be conducted by the method as laid down in point 4(b) of Part D to Annex II to Regulation (EC) No 2160/2003. During the official sampling of the adult laying hen flocks referred to in point 2.1 (a) of Annex to Regulation 517/2011/EC, for the laboratory investigation the faeces samples are pooled into a single pooled sample, and the investigation of the additional faeces sample is conducted separately. During the official sampling as referred to in point 2.1 (b), (d) and (e) of Annex to Regulation 517/2011/EC, and in point 4(b) of Part D to Annex II to Regulation (EC) No 2160/2003, the investigation of samples shall be conducted separately for every individual sample.

version: 2.2

During the official sampling of the adult laying hen flocks referred to in point 2.1.(b), (c), (d) and (e) of Annex to Regulation 517/2011/EC, for the detection of presence of antimicrobials also a random sample shall be taken of at least five hens in every house, where the hens had been kept, or at least 12 eggs. In order to exclude false-positive initial results if S.Enteritidis and/or S.Typhimurium is detected in samples taken by business operators, VARS official veterinarian shall carry out official sampling, using the sampling protocol defined in point 4(b)(i, ii or iii) of Part D of Annex II to Regulation (EC) No 2160/2003. In addition to sampling in point 4(b), samples to verify the absence of use of antimicrobials, potentially affecting the results of analyses of sampling, shall be taken.

### II.2. Official sampling of rearing laying-hen flocks

Official sampling of rearing laying-hens shall be conducted in compliance with the Rules on monitoring and control of Salmonella in poultry of Gallus Gallus, in cases, where in one or several faeces samples taken by the business operator, S.Enteritidis/S.Typhimurium has been isolated.

Sampling shall be conducted in the following way:

- in case of the free-range or barn (extensive indoor) rearing of animals, two pairs of boot swabs, without changing the protective slip, where approximately 50% of surface where animals are kept shall be covered by walking in every pair of boots;
- in case of flocks kept in cages, two faeces samples of 150 g each, taken from all the conveyor belts or scraping devices within the house after the start-up of the manure-removal system, and in facilities without the conveyor belts or scraping devices, two samples of 150 g each of fresh faeces shall be taken from a total of 60 different points in the excrement pits;

Investigation shall be conducted separately for each sample.

Official inspections at holdings rearing laying-hen flocks shall be conducted on the basis of risk assessment prepared for each holding separately on the basis of criteria prepared by VARS Main Office.

## (d)2. Food and business covered by the programme

# (d)2.1 The structure of the production of the given species and products thereof.

(max. 32000 chars):

Structure of production of breeding flocks and laying hens

a) In the Republic of Slovenia there are 3 major establishments whose activity comprises the entire

version: 2.2

production chain: breeding and/or rearing of breeding flocks, hatcheries, breeding and/or rearing of production animals, collection centres and/or packaging centres for eggs, and slaughterhouses. Two (2) establishments conduct the rearing of breeding flocks for the purpose of rearing broilers, and in one (1) establishment, where laying hens are reared for the production of table eggs, and breeding flocks are kept for the broiler rearing purposes.

Breeding flock rearing within a lesser extent is conducted at one (1) higher education and research establishment, whose production is primarily intended for the research activity and for education purposes.

b) Holdings rearing laying hens are distributed throughout the territory of the Republic of Slovenia. Certain holdings rearing the adult laying hens are organisationally linked to the particular agricultural cooperatives that are organising the rearing, or the holdings are the subcontractors of major business operators. Other registered holdings rearing the adult laying hens are operating fully autonomously. In January 2011 we had in the Republic of Slovenia 97 holdings rearing the adult laying hens with a total of 127 registered houses. The number of holdings is approximately the same as in 2010, and in 2012, a decrease in the number of holdings is expected and/or the number of registered houses if the business operators do not succeed in complying with the animal welfare requirements.

In 2011, rearing flocks were reared at 43 holdings with 62 houses. In 2011, at approximately 30% holdings the rearing of pullets took place for the needs of their own rearing and for sale to other business operators, and at 15% of holdings for the needs of their own rearing of adult laying hen flocks only, and at 55 % of holdings exclusively for the sale of pullets to other business operators.

See Annex 3: Number of holdings rearing the adult laying hens per VARS Regional Offices, April 2012:

### (d)2.2 Structure of the production of feed

(max. 32000 chars):

Business operators carrying out the activity of feed production and/or storage and/or placing on the market and/or transport and/or import, shall be approved or registered with the Veterinary Administration of the Republic of Slovenia, or registered with the Ministry of Agriculture and the Environment (MAE) (depending on the type of activity). With MAE shall be registered the activity of production of compound feeds for the needs of the business operator's own agricultural holding, without the use of feed additives, or premixes from additives (excluding the silage additives), of production of compound feeds for the needs of the business operator's own agricultural holding, with the use of feed additives, or premixes from additives (excluding the use of zootechnical additives listed in Chapter 3 of Annex IV to Regulation 183/2005/EC), the feeding of food producing animals exclusively with purchased feed, primary production of foodstuffs, and transport of primary products of plant origin from the place of production up to the establishment/plant.

On 25.1.2012, the registers of the Veterinary Administration of the Republic of Slovenia included 131 approved and/or registered feed producers, and the MAE register included in the beginning of 2012 -

version: 2.2

59,097 agricultural holdings carrying out the activity of feed production. All the 3 major businesses involved in rearing the breeding poultry flocks in Slovenia have their own establishments for the production of poultry feeds.

See Annex 4B: Number of registered and approved feed producers kept at VARS and MAE See Annex 4C: Feed production in Slovenia in 2011

(d)2.3 Relevant guidelines for good animal husbandry practices or other guidelines (mandatory or voluntary) on biosecurity measures defining at least

## (d)2.3.1 Hygiene management at farms

(max. 32000 chars):

Business operators carrying out primary production shall comply with the general hygene provisions as laid down in Part A of Annex I to Regulation (EC) No 852/2004 on the hygiene of foodstuffs.

Chamber of Agriculture and Forestry of Slovenia prepared the "Guidelines on Good Practice in Primary Production of Food and Feed", intended for farmers as guides in primary production of food and feed in compliance with national and EU legislation.

Guidelines are accessible via MAE website:

http://www.mkgp.gov.si/si/o\_ministrstvu/direktorati/direktorat\_za\_varno\_hrano/starasektor\_za\_varnost\_in\_kakovost\_hrane\_in\_krme/mednarodni\_projekt\_krepitev\_varne\_hrane\_v\_primarni\_proizvodnji/projekt\_eu\_krepitev\_varne\_hrane\_v\_primarni\_proizvodnji/

# (d)2.3.2 Measures to prevent incoming infections carried by animals, feed, drinking water, people working at farms

(max. 32000 chars):

Slovensko združenje proizvajalcev krme je povzelo FEFAC smernice. FEFAC= evropsko združenje proizvajalcev krmil

Food Safety Directorate, which operates within the Ministry of Agriculture and Environment (MAE) of the Republic of Slovenia, has prepared and made available to public the "Guidelines on the Use of Feed

version: 2.2

### Additives".

Guidelines are accessible via MAE website:

http://www.mkgp.gov.si/si/o\_ministrstvu/direktorati/direktorat\_za\_varno\_hrano/starasektor\_za\_varnost\_in\_kakovost\_hrane\_in\_krme/mednarodni\_projekt\_krepitev\_varne\_hrane\_v\_primarni\_proizvodnji/projekt\_eu\_krepitev\_varne\_hrane\_v\_primarni\_proizvodnji/

Certain business operators – mostly major ones – have in place their own instructions for the prevention of introduction of infection with Salmonella through other animals, animal feed, water, and staff.

## (d)2.3.3 Hygiene in transporting animals to and from farms

### (max. 32000 chars):

There are no compulsory or voluntary national guidelines in place.

Certain business operators – mostly major ones – have in place their own instructions, which in part or fully cover the field of hygiene and transport of animals to and from farm.

Business operators may use also the EU guidelines on good hygiene practice in laying hen flocks.

## (d)2.4 Routine veterinary supervision of farms

### (max. 32000 chars):

Official control of implementation of monitoring and control of Salmonella spp.

Official routine control at holdings, which comprises the review of the monitoring and control plan; control of implementation of monitoring by the business operators, and control of records to be kept by business operator, is conducted by official veterinarians.

Frequency of official checks at holdings rearing laying hens is defined by the relevant VARS Regional Office, taking into account the criteria for risk assessment, which are defined by VARS Main Office and constitute an Annex to VARS Work Plan. Additionally, control is conducted also at all holdings where in the past year the presence of S.Enteritidis / S.Typhimurium had been identified. At laying hen holdings which are newly registered in a current year, and for which the data required for risk assessment preparation are as yet not available, the first official control is conducted 6 months after registration.

version: 2.2

At inspection of holdings keeping laying hen flocks, the official veterinarians use checklists, which are accessible via VARS internal portal.

Checklist for holdings keeping laying hen flocks includes, in addition to verification of implementation of Salmonella monitoring, the verification of biosecurity conditions at the holding, including the conditions as laid down in Part A of Annex I to Regulation (EC) No 852/2004 (general provisions on hygiene for primary production) and conditions as laid down in Chapter I of Section X of Annex II to Regulation (EC) No 853/2004 (specific hygiene requirements for eggs).

Other official controls at holdings

Official veterinarians conduct controls at holdings salso for the verification of compliance with the animal welfare legislation, animal health protection, use and traceability of veterinary medicinal products, and feed law.

### Other checks at holdings

In addition to the above checks at holdings, which are conducted by official veterinarians, the Veterinary Compliance Criteria Act (UL RS 136/06) is laying down also the regular veterinary checks to be conducted by veterinarians of veterinary organisations with concession on the holdings rearing domestic biungulates, Equidae, poultry, lagomorphs, and farmed game, which are intended for circulation and trade or food production. Based on certain criteria, VARS prepares for every particular year a selection of holdings, where the above inspections are to be conducted.

The following shall be verified during such checks: categories and number of animals kept at the holding, logbook of veterinary treatments, register of animals kept at the holding and the prescribed identification of animals (identification requirements do not apply to poultry), compliance with the requirements for the protection of animals kept for farming purposes, and the state of health of the animals kept at the holding.

## (d)2.5 Registration of farms

(max. 32000 chars):

Business operators producing table eggs are entered in the register of establishments involved in primary food production, which is kept by VARS.

Procedure of registration of establishments involved in primary food production is laid down in the Rules on the establishments carrying out activities involving food of animal origin (UL RS 51/06 and 66/07). Among establishments which are in accordance with these Rules required to be registered belong also (establishments) holdings producing table eggs. Registration shall not be required for those establishments producing table eggs only that supply minor quantities of table eggs directly to end consumers at the place of production.

A minor quantity of eggs intended for delivery directly to end consumers shall be considered if the business operator rears less than 350 laying hens.

version: 2.2

Establishments producing table eggs, which shall be registered, need to comply with the requirements for primary production as laid down in Regulation 852/2004/EC on the hygiene of foodstuffs. In addition, all business operators with 350 or more laying hens have registered houses in accordance with the Rules on the protection of animals kept for farming purposes (UL RS 51/2010 and 70/2010) and are entered in the register of laying hen rearing establishments, which is kept by VARS as well. Registration of laying hen rearing houses is required also for holdings with less than 350 laying hens, where so required for the identification of eggs in compliance with Regulation 1234/2007/EC and Regulation 589/2008/EC. Within the procedure of registration of laying hen rearing establishments, the houses are given the registration number or the co-called producer code that is used for the identification of eggs.

Register of laying hen rearing establishments is accessible at VARS website: http://www.vurs.gov.si/en/registers\_and\_lists/establishments\_in\_the\_veterinary\_field/

## (d)2.6 Record keeping at farm

(max. 32000 chars):

Business operators shall keep records on the flocks kept at the holding, which shall include at least the following data:

- poultry species kept (breeding flock, laying-hen flock, broiler flock);
- designation or identification of the flock;
- identification of the house or facility/premises where the flock is kept;
- date of first housing of the flock, or of the culling of the flock, and the age of animals at first housing and at culling;
- number of animals at housing and at culling;
- data on the business operator, from whom the animals have been brought to the holding, and the data of the business operator, to whom the animals are dispatched from the holding.

For every particular poultry flock, the business operator shall keep records of sampling for Salmonella. Records shall include at least the following data:

- date of sampling;
- identification of the flock, from which the samples have been taken;
- type of sample;
- age of flock at sampling;
- investigation results.

Business operators shall keep also:

- records required in Annex I, Part A to Regulation 852/2004/EC on the hygene of foodstuffs, and
- register (logbook) of veterinary treatments, which is kept at the holding and in which the data on animal treatments and therapies by the veterinarian, and on any instructions by the veterinarian are

version: 2.2

recorded.			

## (d)2.7 Documents to accompany animals when dispatched

(max. 32000 chars):

### - IntraTrade certificate:

After notification of a consignment of live poultry to another Member State, the official veterinarian shall check at the holding whether live poultry complies with the requirements of Directive 2009/158/EEC on animal health conditions governing intra-Community trade in, and imports from third countries of, poultry and hatching eggs. In case of compliance with the required conditions, the official veterinarian shall issue the IntraTrade certificate, and enter the trading into the TRACES web application.

- Veterinary health certificate for exports into third countries:

After notification of a consignment of live poultry to a third country, the official veterinarian shall check at the holding whether live poultry complies with the requirements for export to the third country of destination, and in case of compliance with the required conditions, the official veterinarian shall issue the veterinary health certificate.

- Veterinary health certificate for imports from third countries:

In case of imports of live poultry from third countries, the official veterinarian in the place of destination shall be notified of the consignment through the TRACES System. He/she shall be notified by the Border Inspection Post (BIP) of entry of the consignment. At the place of unloading of the consignment of live poultry, the official veterinarian may conduct the additional checks on the consignment if suspecting any non-compliances.

## (d)2.8 Other relevant measures to ensure the tracebility of animals

(max. 32000 chars):

For the time being, there are no other legislative requirements.

version: 2.2

### ANNEX II - PART B

## 1. Identification of the programme

Disease	Zoonotic Salmonella
Animal population :	Laying flocks of Gallus gallus
uest of Community co-financing for year of implementation :	2 015

### 1.1 Contact

Request

Name: Maja Bajt

Phone: 00386 01 300 13 51

Fax.: 00386 01 300 13 56

Email: maja.bajt@gov.si

## 2. Historical data on the epidemiological evolution of the disease

A concise description is given with data on the target population (species, number of herds and animals present and under the programme), the main measures (testing, testing and slaughter, testing and killing, qualification of herds and animals). The information is given for distinct periods if the measures were substantially modified. The information is documented by relevant summary epidemiological tables, graphs or maps.

(max. 32000 chars) :

Till 2008, Salmonella monitoring and control programme in laying hen flocks was carried out in compliance with national legislation in the Republic of Slovenia.

In accordance with the national legislation the monitoring of Salmonella spp. in laying hen flocks in the Republic of Slovenia had already prior to the commencement of implementation of the National Control Programme been conducted at holdings every 15 weeks. Thus, in case of detection of S.Enteritidis or S. Typhimurium, measures required in Regulation (EC) No 2160/2003 are implemented. Official routine sampling had prior to the implementation of the National Control Programme not been conducted.

By the end of 2007, in case of identification of the Salmonella Enteritidis or Salmonella Typhimurium serovars in the rearing laying hen flocks there was allowed the treatment under the required conditions.

version: 2.2

Since January 2008, the national Salmonella control programme in laying hen flocks has been conducted in the Republic of Slovenia in accordance with Commission Regulation (EC) No 1168/2006 (since 2011 in accordance with Commission Regulation (EC) No 517/2011) and Regulation (EC) No 2160/2003 of the European Parliament and of the Council, taking into account the requirements of Commission Regulation (EC) No 1177/2006, which is prohibiting the use of antimicrobials as a method of control of Salmonella spp. in laying hen flocks.

Results on the prevalence of Salmonella spp. in laying hen flocks

Within the baseline study conducted in the period 2004 – 2005, the presence of Salmonella spp. was detected in 19.4 % of the flocks, and thereof, the presence of S.Enteritidis was detected in 9.2 % laying hen flocks. S.Typhimurium was not detected in the adult laying hen flocks.

In the period 2005 – 2007, S.Enteritidis was detected in a total of 16 flocks during Salmonella spp. monitoring in laying hen flocks. Percentage of positive flocks was highest in 2005, where the presence of S.Enteritidis was detected in 5.6 % of adult laying hen flocks. In 2006, S.Enteritidis was detected in 1 adult laying hen flock (0.60 % prevalence), and in 2007, in 9 flocks (3.65 % prevalence). In the period 2005 – 2007, S.Typhimurium was not detected in the adult laying hen flocks.

In 2008, 99 rearing and 172 adult laying hen flocks were included in the national Salmonella control programme in laying hen flocks. Salmonella was detected in 18 adult laying hen flocks (10.5 %). S. Enteritidis was confirmed in 15 adult laying hen flocks (8.7 %). S. Ohio, S. Montevideo and S. Infantis were detected in 1 flock each. S.Typhimurium was not detected in the adult laying hen flocks.

In 2008, S.Enteritidis was detected in 8.7 % of the adult laying hen flocks, meaning that the percentage of adult laying hen flocks was by 0.4 % higher than the Community target that the Republic of Slovenia was supposed to achieve in 2008.

In 2009, 209 adult laying hen flocks and 129 rearing laying hen flocks were sampled. Salmonella was confirmed in 19 adult laying hen flocks, where S.Enteritidis was detected in 7 flocks. S. Typhimurium was not detected in the adult laying hen flocks. In rearing flocks, Salmonella was confirmed in 8 flocks; however, the S.Enteritidis/S. Typhimurium serovar was not detected in any of the flocks. In 2009, the prevalence of S.Enteritidis was detected in 3.3 % of the adult laying hen flocks, meaning in comparison with 2008 by nearly 40 % lower prevalence of S.Enteritidis / S. Typhimurium in the adult

laying hen flocks.
There were 202 adult laying hen flocks, and 153 rearing laying hen flocks included in the Salmonella control programme of 2010. In adult laying hen flocks, S.Tennessee was identified in 4 flocks, and S. Montevideo in 2 flocks, and S.Infantis, S.Chartres and S.Enteritidis in a single flock each. Salmonella Enteritidis/Salmonella Typhimurium was not detected in rearing flocks.

The declining trend of infections with Salmonella Enteritidis/Salmonella Typhimurium in laying hen flocks continued also in 2010, as S.Enteritidis was identified in a single adult laying hen flock.

In 2011, 185 adult laying-hen flocks and 140 rearing laying-hen flocks were sampled. Salmonella was detected in a single rearing laying-hen flock (S.Saintpaul) and in a single adult laying-hen flock (S.Ohio). In 2011, the number of flocks included into the National Salmonella Control Programme was somewhat lower as compared to 2009 and 2010. The main reason for a lesser number of flocks is linked to the ban on rearing laying hens in non-enriched cages, applicable as from 1.1.2012. For this reason, by the middle of 2011, laying hen flocks were not housed at certain holdings, as the business operators decided to discontinue laying-hen rearing in certain facilities, or the laying hen flocks were not housed on account of renovation of the facilities (houses and cages).

In 2010, Salmonella Enteritidis was identified in 1 adult laying hen flocks, and in 2011, Salmonella Enteritidis was not identified in adult laying hen flocks. S.Typhimurium has not been detected in laying

version: 2.2

hen flocks ever since 2004.

As compared to 2008, where the Republic of Slovenia did not fully achieve the EU targets, the Union target were fully met in the period 2009 – 2011, as the number of adult laying hen flocks with identified Salmonella Enteritidis or Salmonella Typhimurium decreased by more than 10 % in each year.

Reasons for a decrease in the prevalence of Salmonella spp. in laying hen flocks are most probably to be attributed to the improved biosafety conditions at holdings, greater use of thermally treated feed, and to vaccination of flocks against Salmonella spp. Though the laying hen flock vaccination programme is not implemented in the Republic of Slovenia, more and more breeders decide to vaccinate their flocks.

### 3. Description of the submitted programme

A concise description of the programme is given with the main objective(s) (monitoring, control, eradication, qualification of herds and/or regions, reducing prevalence and incidence), the main measures (testing, testing and slaughter, testing and killing, qualification of herds and animals, vaccination), the target animal population and the area(s) of implementation and the definition of a positive case.

(max. 32000 chars) :

#### I. Scope of programme

Scope of the Salmonella spp. control programme in the laying-hen flocks is to decrease the prevalence of the Salmonella Enteritidis and Salmonella Typhimurium serovars in the adult laying-hen flocks of the species Gallus gallus. The objective of the Salmonella spp. control programme is to decrease the number of adult laying flocks with the identified Salmonella Enteritidis or Salmonella Typhimurium for at least 10 % every year.

The National Salmonella spp. Control Programme in Laying-Hen Flocks includes all the adult laying-hen flocks, which are reared for the purpose of production of eggs intended for the placing on the market for public consumption, excluding the laying-hen flocks at holdings producing minor quantities of table eggs and eggs intended for direct sale to final consumers exclusively at the point of production.

#### II. Case definition

- 1. Positive flock for the purposes of monitoring and control:
- in case of rearing laying hens, a flock is positive, where the S.Enteritidis or S.Typhimurium serovars have been identified during the confirmatory official sampling;
- in case of adult laying hens, a flock is positive, where the presence of the Salmonella Enteritidis or Salmonella Typhimurium serotypes (other than vaccine strains) has been detected in one or more samples taken in the flock, even if the relevant Salmonella serotype is only detected in the dust sample or dust swab.

The adult laying hen flock is not considered positive if S.Enteritidis and/or S.Typhimurium is detected in samples taken by business operators, and initial results has not been confirmed by official sampling, using the sampling protocol defined in point 4 of Part D of Annex II to Regulation (EC) No 2160/2003.

#### 2. A suspect flock is:

- a laying hen flock, where Salmonella spp. has been isolated from one or several samples during the implementation of the monitoring and control plan carried out by the business operator.

Since the detection of Salmonellae in samples taken by business operators, and until the results of

version: 2.2

official sampling are obtained, the flock is considered as suspect flock and the protective measures as set out in first, second and third paragraph of point 1.6./I of part I(A) shall apply to the flock.

For the purposes of verification of compliance with the EU goals, as a positive flock shall be reported also a flock in which the presence of S.Enteritidis or S.Typhimurium has not been detected, but in which the presence of antimicrobials or bacterial growth retardant effects have been detected.

III. Monitoring in laying hen flocks is conducted in accordance with the requirements of the Regulation (EU) No 517/2011 and of the Rules on the monitoring and control of Salmonella in poultry of Gallus gallus (UL RS, št. 97/2010).

Sampling by busines operators is conducted as laid down in point 4.4.7.

Official sampling is conducted by official veterinarians, and is set out in 1.5 (II).

Investigations of samples taken by business operators may be conducted by laboratories only, which are entered by VARS in the list of designated laboratories. Investigations of official samples are conducted by designated laboratories (Article 12 of Regulation (EC) No 882/2004).

#### IV. Measures in case of positive results

In case of a positive result in a laying hen flock, measures shall be carried out that are laid down in:

- Regulation (EC) No 2160/2003 of the European Parliament and of the Council of 17 November 2003 on the control of salmonella and other specified food-borne zoonotic agents
- Commission Regulation (EC) No 517/2011 implementing Regulation (EC) No 2160/2003 of the European Parliament and of the Council as regards a Union target for the reduction of the prevalence of certain Salmonella serotypes in laying hens of Gallus gallus and amending Regulation (EC) No 2160/2003 and Commission Regulation (EU) No 200/2010
- Rules on the monitoring and control of Salmonella spp. in poultry of Gallus gallus (UL.RS 97/10).
   Measures taken in case of identification of Salmonella spp. in laying hen flocks are detailed in point 4.4.4.
   V. Vaccination programme

Vaccination programme referred to in Article 3(3) is not applied in the Republic of Slovenia as the prevalence of S.Enteritidis/S.Typhimurium in laying hen flocks is below 10 %.

As vaccination against Salmonella is not prohibited under national legislation, business operators may decide for voluntary vaccination, where all the costs linked to vaccination are fully against animal owners' accounts. Business operators conduct vaccination according to recommendations by veterinary clinic veterinarians.

Use of vaccines is authorised in accordance with Commission Regulation (EC) No 1177/2006 implementing Regulation (EC) No 2160/2003 of the European Parliament and of the Council as regards requirements for the use of specific control methods in the framework of the national programmes for the control of salmonella in poultry.

#### VI. Use of antimicrobials

Use of antimicrobials is authorised in accordance with Commission Regulation (EC) No 1177/2006 implementing Regulation (EC) No 2160/2003 of the European Parliament and of the Council as regards requirements for the use of specific control methods in the framework of the national programmes for the control of salmonella in poultry.

Antimicrobials are not used as a specific method for the control of Salmonella in poultry. Antimicrobials may be used in exceptional circumstances only, specified in Article 2(2), points (a), (b) and (c) of Regulation (EC) No 1177/2006.

#### VI. Reporting

version: 2.2

Results of sampling performed and investigation results within the National Sampling Programme are reported in compliance with point 4 of Annex to Regulation 517/2011/EC, and taking into account the guidelines by the European Commission on the notification of Salmonella spp. in poultry flocks (document SANCO/5542/2009).

### 4. Measures of the submitted programme

Measures taken by the competent authorities with regard to animals or products in which the presence of Salmonella spp. have been detected, in particular to protect public health, and any preventive measures taken, such as vaccination.

(max. 32000 chars):

I. Measures in case of detection of salmonella spp. in a laying hen flocks:

Where S.Enteritidis or S.Typhimurium is detected, the competent VARS Regional Office shall require the following measures to be implemented:

- 1) ban on animal movements from the positive flock, unless for slaughter or destruction of the flock. All birds in the flock must be slaughtered or destroyed so as to reduce as much as possible the risk of spreading Salmonella. If the flock is slaughtered or destroyed, the business operator shall provide for the following measures:
- a. Slaughtering must be carried out in accordance with Community legislation on food hygiene, where the business operator of food business activity of slaughter shall ensure that the slaughter of animals originating from the positive flock is conducted as the last series in the slaughter process of that production day. Products derived from such birds may be placed on the market for human consumption if they are treated in a manner that guarantees the elimination of Salmonella. If not destined for human consumption, such products must be used or disposed of in accordance with Regulation (EC) No 1774/2002;
- b. At killing or destruction of the flock, the business operator shall ensure that the killing and destruction are conducted in compliance with the regulations governing animal welfare in accordance with Regulation (EC) No 1774/2002.
- 2) eggs must not be placed on the market for human consumption. However eggs may be used for human consumption under the following conditions:
- eggs are considered as Class B eggs as defined in Article 2(4) of Commission Regulation (EC) No 557/2007 laying down detailed rules for implementing Council Regulation (EC) No 1028/2006 on marketing standards for eggs;
- eggs must be marked with the indication referred to in Article 10 of Commission Regulation (EC) No 557/2007 which clearly distinguishes them from Class A eggs prior to being placed on the market;
- eggs must not be delivered to packaging centres unless the VARS is satisfied with the measures to

version: 2.2

prevent possible cross-contamination of eggs from other flocks;

- eggs may be delivered only to approved egg processing establishment and must be treated in a manner that guarantees the elimination of Salmonella;
- 3) at the holding, epizootiological investigation shall be conducted and feed samples taken for testing for the presence of Salmonellae, where applicable for establishing the source of infection.
- 4) In order to exclude false-positive initial results if S.Enteritidis and/or S.Typhimurium is detected in samples taken by business operators, VARS official veterinarian shall carry out official sampling, using the sampling protocol defined in point 4(b)(i, ii or iii) of Part D of Annex II to Regulation (EC) No 2160/2003. In addition to sampling in point 4(b), samples to verify the absence of use of antimicrobials, potentially affecting the results of analyses of sampling, shall be taken by official veterinarian.
- 5) In case that Salmonella enteritidis or Salmonella typhimurium is detected in a single laying flock at the holding, official sampling is carried out in all the other laying hen flocks at the holding. Official sampling shall be carried out according to point 2.2.2. of Annex 1 of Regulation (EC) No. 517/2011/ES. In addition to sampling in point 2.2.2, samples to verify the absence of use of antimicrobials, potentially affecting the results of analyses of sampling, shall be taken by official veterinarian.
- 6) upon removal or dispatch of the flock in which Salmonella spp. has been identified, the manure and/ or bedding shall be removed in accordance with regulations governing the handling of animal byproducts and thorough cleaning and disinfection must be carried out; before restocking, the bacteriological control shall be carried out as to the effectiveness of cleaning and disinfection, with negative results.

#### II. Use of antimicrobials and vaccines

Use of antimicrobials and vaccines in breeding flocks and in laying hen flocks is authorised in accordance with Commission Regulation (EC) No 1177/2006 implementing Regulation (EC) No 2160/2003 of the European Parliament and of the Council as regards requirements for the use of specific control methods in the framework of the national programmes for the control of Salmonella in poultry.

#### A) Use of antimicrobials

- Antimicrobials are not used as a specific method for the control of Salmonella in poultry;
- Authorised is the use of antimicrobials only, which have had the marketing authorisation for circulation in the Republic of Slovenia;
- Antimicrobials may be used in exceptional circumstances only, specified in Article 2(2), points (a), (b) and (c) of Regulation (EC) No 1177/2006. Use of antimicrobials in exceptional circumstances shall be authorised on the basis of a specific authorisation granted by VARS. However, treatment without prior authorisation by VARS may be allowed in cases, where animals are in excessive pain by the clinical signs of disease, or where the omission of treatment would cause the animal disease to spread, or major economic loss;
- Use of antimicrobials shall be based wherever possible on the results of bacteriological sampling and of susceptibility testing;
- On conclusion of treatment, the veterinary organisation with concession that had conducted the treatment under exceptional circumstances, shall submit a report in writing to the relevant VARS Regional office, which shall include the data of the flock under treatment, data of the use of antimicrobials, results of resistance testing if it had been carried out, and reasons for use of

version: 2.2

#### antimicrobials;

#### B) Use of vaccines

Vaccination programme referred to in Article 3(3) is not applied in the Republic of Slovenia as the prevalence of S.Enteritidis/S.Typhimurium in laying hen flocks is below 10 %.

Vaccination against Salmonella is not prohibited by national legislation, and therefore, business operators may decide on the voluntary vaccination, where the full vaccination-related expenses are to be borne by animal owners. Business operators conduct vaccination in compliance with the recommendations of veterinary practitioners of veterinary clinics.

Use of vaccines against Salmonella is allowed under the observation of requirements of Regulation (EC) No 1177/2006:

- Live salmonella vaccines may be used only if the manufacturer provides an appropriate method to distinguish bacteriologically wild-type strains of Salmonella from vaccine strains;
- Live salmonella vaccines may be used in laying hens during production if the safety of the use has been demonstrated and they are authorised for such purpose in accordance with Directive 2001/82/EC;
- Authorised is the use of vaccines only, which have had the marketing authorisation for circulation in the Republic of Slovenia;
- Vaccination of animals may be prescribed and/or conducted by veterinary practitioners of veterinary clinics. However, the veterinary practitioner may dispense vaccines, along with instructions in writing on their use, to animal owner, who then administers or continues administering the vaccines to the animal. Animal owner shall be required to follow the veterinarian's instructions.

Based on data obtained through inspection of laying-hen holdings in 2010 and 2011, approximately on 71 % of the holdings, flocks are vaccinated against Salmonella, and on 17,5% of the holdings, flocks are not vaccinated, and for 11,5% of holdings, data on vaccination were not available. Vaccination is carried out against S.Enteritidis only. Live vaccine only is used in the vaccination of laying hen flocks, which is conducted during the rearing phase (rearing flocks). In most laying hen flocks, vaccination is conducted three times.

### 4.1 Summary of measures under the programme

Year of implementation of the	
programme:	2015

version: 2.2

Magguras

Medsures
Slaughter of animals tested positive
$\boxtimes$ Killing of animals tested positive
Vaccination
☑ Disposal of products
Monitoring or surveillance
Other, please specify

### 4.2 Designation of the central authority in charge of supervising and coordinating the departments responsible for implementing the programme

Describe the authorities in charge of supervising and coordinating the departments responsible for implementing the programme and the different operators involved. Descrive the responsabilities of all involved.

#### (max. 32000 chars):

Competent authority under Article 3 of Regulation (EC) No 2160/2003 is the Veterinary Administration of the Republic of Slovenia (VARS).

In accordance with Regulation (EC) No 882/2004, VARS is the competent authority for official control of verification of compliance with the applicable legislation in the field of:

- animal feed (in the part referring to feed safety),
- foodstuffs of animal origin in the entire food chain, excluding public catering facilities.
- animal health and welfare.

VARS includes: VARS Main Office, Office for Internal Official Control (including 10 VARS Regional Offices), and Office for Border Official Control (including 6 Border Inspection Posts).

- a) VARS Main Office (Food Safety, Animal Feed and Veterinary Medicinal Products Division) is responsible for the preparation of the national control programmes and amendments thereto, for collecting data on the number of flocks sampled, and on positive flocks within the national control programmes, and for the submission of data to the European Commission (EFSA).
- b) VARS Regional Offices are responsible for the implementation of checks at poultry rearing holdings

version: 2.2

and at hatcheries, for the control of implementation of the national control programme by the business operators, for the implementation of official sampling, and for instituting and controlling the implementation of measures in case of identification of Salmonella spp. Official sampling is conducted by official veterinarians.

### 4.3 Description and delimitation of the geographical and administrative areas in which the programme is to be implemented

Describe the name and denomination, the administrative boundaries, and the surface of the administrative and geographical areas in which the programme is to be applied. Illustrate with maps.

#### (max. 32000 chars):

Programme is conducted in the territory of entire Republic of Slovenia, as the laying hen rearing holdings are distributed throughout the territory of Slovenia. In April 2012, there were in the Republic of Slovenia 77 holdings rearing the adulty laying hens, with 95 registered houses. Pullet rearing is carried out at 43 holdings with 62 houses.

See Annex 3: Number of holdings rearing the adult laying hens

### 4.4 Measures implemented under the programme

Where appropriate Community legislation is mentioned. Otherwise the national legislation is mentioned.

### 4.4.1 Measures and applicable legislation as regards the registration of holdings

#### (max. 32000 chars):

The Veterinary Compliance Criteria Act lays down in Article 11 that animal owners shall notify VARS of the breeding, possession of livestock, a hotel for animals or a shelter for abandoned animals, and the activities of collection, sale, transport, circulation of or trade in animals, and any amendments thereof, and that VARS shall keep records and registers thereof

In accordance with Article 4 of the Rules on the establishments carrying out activities involving food of animal origin (UL RS 51/06 and 66/07), the registration shall be mandatory for the establishments involved in primary food production. The Register of primary food production establishments is kept by VARS.

Registration shall not be mandatory for establishments only, which are producing table eggs and where minot quantities of table eggs are delivered directly to end consumers at the place of production. A minor quantity of eggs is considered to be the quantity of eggs intended for delivery to end consumers at the place of production if the food business operator rears less than 350 laying hens. Establishments producing table eggs, for whom the registration is required, shall comply with the requirements for primary production as laid down in Regulation 852/2004/EC on the hygiene of

version: 2.2

#### foodstuffs.

In addition, all holdings keeping 350 or more laying hens shall have houses registered in accordance with the Rules on the protection of animals kept for farming purposes (UL RS 51/2010 and 70/2010). Within the procedure of registration of laying hen rearing establishments, the houses are given the registration number or the co-called producer code that is used for the identification of eggs, and they are entered into the register of laying hen rearing establishments kept ba VARS. Registered houses shall have also holdings with less than 350 laying hens if the eggs are not sold exclusively on their own holding diractly to end consumers, on account of the class A egg identification requirements.

Holdings rearing laying hens, which trade in poultry on the territory of the EU, shall be registered with VARS and entered in the List of approved establishments by the European Commission, in accordance with the Rules on veterinary conditions for the trade in poultry, day-old chicks and hatching eggs in the territory of EU and for import from third countries, which are transposing the provisions of Directive 2009/158/EC.

### 4.4.2 Measures and applicable legislation as regards the identification of animals

Not applicable for poultry

(max. 32000 chars):

Not applicable for poultry.

## 4.4.3 Measures and applicable legislation as regards the notification of the disease

(max. 32000 chars):

#### I) Obligations of business operators

The Rules on monitoring and control of Salmonella in poultry of Gallus Gallus (UL RS 97/2010) are laying down in Article 7:

- that in case of detection of presence of the Salmonella Enteritidis or Salmonella Typhimurium serovars in laying hen flocks, the business operator shall notify, either by phone, fax or e-mail, the relevant VARS Regional Office, no later than within two working days of acceptance of the laboratory report;
- II) Obligations of laboratories conducting the testing within the national control programmes
  The Rules on monitoring and control of Salmonella in poultry of Gallus Gallus (UL RS 97/2010) are laying
  down in Article 13:
- that the laboratory conducting the testing of samples of business operators, or the designated laboratory conducting the testing of the official samples shall, on having identified the presence of the Salmonella Enteritidis or Salmonella Typhimurium serovars in the laying hen flocks, submit a report on

version: 2.2

the investigation results no later than on the following working day from conclusion of serotyping, either by e-mail or by fax notify the relevant VARS Regional Office, which is competent for control of the holding of the affected flock.

- that in case of identification of serovars other than those referred to in the preceding paragraph, the laboratory conducting the testing of samples of business operators, or the designated laboratory, shall submit a report on the investigation results no later than within three working days from conclusion of serotyping, to the relevant VARS Regional Office, which is competent for control of the holding of the affected flock.

### 4.4.4 Measures and applicable legislation as regards the measures in case of a positive result

A short description is provided of the measures as regards positive animals (slaughter, destination of carcasses, use or treatment of animal products, the destruction of all products which could transmit the disease or the treatment of such products to avoid any possible contamination, a procedure for the disinfection of infected holdings, a procedure for the restocking with healthy animals of holdings which have been depopulated by slaughter

#### (max. 32000 chars):

In case of a positive result in a laying hen flock, measures shall be carried out that are laid down in:

- Regulation (EC) No 2160/2003 of the European Parliament and of the Council of 17 November 2003 on the control of salmonella and other specified food-borne zoonotic agents
- Regulation (EC) No 517/2011 implementing Regulation (EC) No 2160/2003 of the European Parliament and of the Council as regards a Union target for the reduction of the prevalence of certain Salmonella serotypes in laying hens of Gallus gallus and amending Regulation (EC) No 2160/2003 and Commission Regulation (EU) No 200/2010
- Rules on the monitoring and control of Salmonella spp. in poultry of Gallus gallus (UL.RS 97/10).

Where S.Enteritidis or S.Typhimurium is detected, the competent VARS Regional Office shall require the following measures to be implemented:

- 1) ban on animal movements from the positive flock, unless for slaughter or destruction of the flock. All birds in the flock must be slaughtered or destroyed so as to reduce as much as possible the risk of spreading Salmonella. If the flock is slaughtered or destroyed, the business operator shall provide for the following measures:
- a. Slaughtering must be carried out in accordance with Community legislation on food hygiene, where the business operator of food business activity of slaughter shall ensure that the slaughter of animals originating from the positive flock is conducted as the last series in the slaughter process of that production day. Products derived from such birds may be placed on the market for human consumption if they are treated in a manner that guarantees the elimination of Salmonella. If not destined for human consumption, such products must be used or disposed of in accordance with Regulation (EC) No 1774/2002;
- b. At killing or destruction of the flock, the business operator shall ensure that the killing and destruction are conducted in compliance with the regulations governing animal welfare in accordance with Regulation (EC) No 1774/2002.
- 2) eggs must not be placed on the market for human consumption. However eggs may be used for

version: 2.2

human consumption under the following conditions:

- a) eggs are considered as Class B eggs as defined in Article 2(4) of Commission Regulation (EC) No 557/2007 laying down detailed rules for implementing Council Regulation (EC) No 1028/2006 on marketing standards for eggs;
- b) eggs must be marked with the indication referred to in Article 10 of Commission Regulation (EC) No 557/2007 which clearly distinguishes them from Class A eggs prior to being placed on the market;
- c) eggs must not be delivered to packaging centres unless the VARS is satisfied with the measures to prevent possible cross-contamination of eggs from other flocks;
- d) eggs may be delivered only to approved egg processing establishment and must be treated in a manner that guarantees the elimination of Salmonella;
- 3) at the holding, epizootiological investigation shall be conducted and feed samples taken for testing for the presence of Salmonellae, where applicable for establishing the source of infection.
- 4) In order to exclude false-positive initial results if S.Enteritidis and/or S.Typhimurium is detected in samples taken by business operators, VARS official veterinarian shall carry out official sampling, using the sampling protocol defined in point 4(b)(i, ii or iii) of Part D of Annex II to Regulation (EC) No 2160/2003. In addition to sampling in point 4(b), samples to verify the absence of use of antimicrobials, potentially affecting the results of analyses of sampling, shall be taken by official veterinarian.
- 5) In case that Salmonella enteritidis or Salmonella typhimurium is detected in a single laying flock at the holding, official sampling is carried out in all the other laying hen flocks at the holding. Official sampling shall be carried out according to point 2.2 of Annex 1 of Regulation (EC) No. 1168/2006. In addition to sampling in point 2.2., samples to verify the absence of use of antimicrobials, potentially affecting the results of analyses of sampling, shall be taken by official veterinarian.
- 6) upon removal or dispatch of the flock in which Salmonella spp. has been identified, the manure and/ or bedding shall be removed in accordance with regulations governing the handling of animal byproducts and thorough cleaning and disinfection must be carried out; before restocking, the bacteriological control shall be carried out as to the effectiveness of cleaning and disinfection, with negative results.

.Since the detection of relevant Salmonellae in laying hen flocks sampled by business operators, and until the results of official sampling in accordance with point 4 above are obtained, the flock is considered as suspect flock and the protective measures as set out in point 1., 2., and 3. above shall apply to the flock.

### 4.4.5 Measures and applicable legislation as regards the different qualifications of animals and herds

(max. 32000 chars):

The Rules on monitoring and control of Salmonella in poultry of Gallus Gallus (UL RS 97/2010) are laying down in Article 19 the laying hen flocks which are included into the national control programme.

Business operator shall for the Salmonella sampling purposes carry out in:

- all the adult laying hen flocks, except in flocks the eggs whereof are used for the holding's own domestic consumption, in the flocks with 50 or less laying hens if the eggs are sold on the market directly to end consumers, and in flocks producing lesser quantities of eggs intended for sale directly to

version: 2.2

end consumers at the place of production, in accordance with the regulation governing the establishments carrying out activities involving food of animal origin;

- all rearing flocks of laying hens, except in flocks with less than 350 hens, where the hens are intended exclusively for sale to keepers of animals for the production of eggs for their own domestic consumption. Rules on the establishments carrying out activities involving food of animal origin (UL RS 51/06, 66/07) are laying down that a minor quantity of table eggs is the quantity produced by 350 or less laying hens.

A "flock" means all the poultry of the same health status that is kept at the same location or in the same enclosure and which constitutes a single epidemiological unit. In case of poultry in enclosed premises, this includes all the birds which are sharing the same air space.

# 4.4.6 Control procedures and in particular rules on the movement of animals liable to be affected or contaminated by a given disease and the regular inspection of the holdings or areas concerned

A short description of the control procedures and in particular rules on the movement of animals liable to be affected or contaminated by a given disease and the regular inspection of the holdings or areas is provided

#### (max. 32000 chars):

The Rules on monitoring and control of Salmonella in poultry of Gallus Gallus (UL RS 97/2010) are laying down in Article 8 that:

- movements of poultry and hatching eggs shall be banned if the animals or hatching eggs originate from suspect flocks, positive flocks or flocks of unknown health status, except in cases where the movements are authorised in accordance with the national or EU legislation.
- eggs may be placed on the market under the conditions referred to in the first and second paragraphs of Part D of Annex II to Regulation 2160/2003/EC.
- at slaughter of poultry in which the presence of Salmonella Enteritidis or Salmonella Typhimurium has been identified, the official veterinarian shall conduct the ante mortem inspection at the holding and, in addition to the veterinary certificate for live animals, fill in a special Annex to the veterinary certificate. In case of positive laying hen flocks, the safeguard measures are set out in point 4.4.4.

## 4.4.7 Measures and applicable legislation as regards the control (testing, vaccination, ...) of the disease

National legislation relevant to the implementation of the programmes, including any national provisions concerning the activities set out in the programme.

version: 2.2

#### (max. 32000 chars):

#### I. TESTING

Sampling in laying hen flocks is conducted in accordance with the Rules on monitoring and control of Salmonella in poultry of Gallus Gallus, Commission Regulation (EC) No 517/2011/EC, and in accordance with the requirements laid down in Part B of Annex II to Regulation (EC) No 2160/2003.

A) Sampling at the initiative of business operators

Sampling in the rearing flocks of laying hens is conducted:

- when the chicks are one day old (day-old chicks),
- two weeks prior to the onset of the laying phase of the pullets.

In case of the day-old chicks, for every consignment of animals arriving to the holding in the same means of transport and from the same hatchery, at least one pooled sample shall be taken of the internal linings of transport boxes in which the animals have arrived to the holding, or bodies of animals whose death has been ascertained on arrival; one pooled sample of internal linings of transport boxes shall be composed so as to take at random per ever 500 day-old chicks 1 visibly soiled lining, but not more than 10 linings.

Two weeks prior the onset of the laying phase or prior to transfer into the unit for adult laying hens, faeces samples shall be taken by the method referred to in point 2.2 of Annex to Regulation 517/2011/EC. For the investigation, the faeces samples may be pooled into a single pooled sample.

Sampling in the adult laying hen flocks

Adult laying hen flocks shall be sampled at the holding by the method as laid down in the Annex to Commission Regulation (EC) No 517/2011.

First sampling of adulty laying hen flocks shall be conducted at the age of 24 +/- 2 weeks, and thereafter, the sampling shall be conducted at least every 15 weeks. Sampling shall be conducted by the method defined in point 2.2. of Annex to Commission Regulation (EC) No 1168/2006.

#### B. Official sampling

Official sampling in the laying hen flocks is conducted in cases laid down in point 2.1.(a-e) of Commission Regulation (EC) No 517/2011. Samples shall bet aken by the method as laid down in point 2.2.2 of Annex to Commission Regulation (EC) No 517/2011.

Official sampling for the purpose of ruling out the false positive preliminary results of samples taken by business operator shall be conducted by the method as laid down in point 4(b)(i-iii) of Part D of Annex II to Regulation 2160/2003.

Official sampling in the laying hen flocks is set out also in point 1.5. (II).

#### C. Storage and transport of samples

Samples taken by business operator or official samples shall, where possible, be delivered to laboratory within 24 hours after sampling. If samples are not delivered to the laboratory within 24 hours after sampling, they shall be kept refrigerated. Samples may be transported at the ambient temperature if not exposed to excessive heat (above 25 °C) or sunlight. In laboratories, samples shall be kept refrigerated pending the investigation, which shall commence within 48 hours of acceptance, and within 96 hours of sampling.

#### II. USE OF ANTIMICROBIALS AND VACCINES

Vaccination programme referred to in Article 3(3) is not applied in the Republic of Slovenia as the

version: 2.2

prevalence of S.Enteritidis/S.Typhimurium in laying hen flocks is below 10 %. In the Republic of Slovenia, the vaccination programme in breeding flocks is not carried out, either.

As vaccination against Salmonella is not prohibited under national legislation, business operators may decide for voluntary vaccination, where all the costs linked to vaccination are fully against animal owners' accounts. Business operators conduct vaccination according to recommendations by veterinary clinic veterinarians.

Use of antimicrobials and vaccines in laying hen flocks is authorised in accordance with Commission Regulation (EC) No 1177/2006 implementing Regulation (EC) No 2160/2003 of the European Parliament and of the Council as regards requirements for the use of specific control methods in the framework of the national programmes for the control of salmonella in poultry:

#### A) Use of antimicrobials

- Antimicrobials are not used as a specific Salmonella control method in poultry;
- Used may be those antimicrobials only, which have a marketing authorisation in the Republic of Slovenia;
- Antimicrobials may be used only in exceptional circumstances specified in Article 2(2), points (a), (b) and (c) of Regulation (EC) No 1177/2006. Use of antimicrobials in exceptional circumstances is allowed only on the basis of authorisation by Veterinary Administration of the Republic of Slovenia. However, treatment without prior authorisation by VARS shall be permissible in cases of excessive animal suffering on account of clinical signs of disease, or where the omission of treatment could lead to spreading the disease or to great economic losses;
- Use of antimicrobials shall be based wherever possible on the results of bacteriological sampling and of susceptibility testing.
- On conclusion of treatment, the veterinary organisation with concession, which had conducted the
  treatment, shall on account of exceptional circumstances send a report in writing to relevant VARS
  Regional Office, including the data on the flock under treatment, data on the use of antimicrobials,
  resistance testing results if conducted, and reasons for having used relevant antimicrobials;

#### B) Use of vaccines

Vaccination programme referred to in Article 3(3) is not applied in the Republic of Slovenia as the prevalence of S.Enteritidis/S.Typhimurium in laying hen flocks is below 10 %.

Vaccination against Salmonella is not prohibited under national legislation, and thus, business operators may decide on performing voluntary vaccination, where the full expenses in conjunction with vaccination are charged to animal owners' accounts. Vaccination by business operators is conducted on the basis of recommendations obtained from veterinary clinic veterinarians.

Use of vaccines against Salmonella shall be authorised under observation of requirements as laid down in Regulation (EC) No 1177/2006:

- Live salmonella vaccines may be used only if the manufacturer provides an appropriate method to distinguish bacteriologically wild-type strains of salmonella from vaccine strains;
- Live salmonella vaccines may be used in laying hens during production if the safety of the use has been demonstrated and they are authorised for such purpose in accordance with Directive 2001/82/EC;
- Authorised shall be the use of vaccines only, which have marketing authorisation for circulation in the Republic of Slovenia;
- Vaccination of animals may be prescribed or conducted by a veterinary clinic veterinarian. However, the
  veterinarian may dispense the vaccines accompanied by written use instructions to the animal owner,
  who may himself administer or continue administering vaccines to the animals. Animal owner shall
  follow the veterinarian's instructions.

Central database on the use of vaccines has not been set up to date in the Republic of Slovenia.

version: 2.2

Under national legislation, wholesalers in medicinal products are bound to submit annual reports to VARS on the quantities of medicinal products sold in the Republic of Slovenia, which includes also vaccines. Based on such reports, VARS Main Office prepares a common report on the sale of medicinal products, including vaccines, in the Republic of Slovenia for every particular year.

Veterinary clinics are bound to keep records on the use of medicinal products, including vaccines. At present, data on the use of medicinal products, including vaccines, are neither collected nor processed centrally. Veterinary clinics are bound to present their records for inspection on the request of official veterinarian, who is competent for inspection and control.

### 4.4.8 Measures and applicable legislation as regards the compensation for owners of slaughtered and killed animals

Any financial assistance provided to food and feed businesses in the context of the programme.

#### (max. 32000 chars):

Within the national control programme for decreasing the prevalence of Salmonella spp. in laying hen flocks, the financial assistance to business operators, who are rearing the laying hen flocks, has been envisaged. In case of identified presence of the Salmonella Enteritidis or Salmonella Typhimurium serovars in the adult laying hen flocks, the business operator is paid a compensation for the animals killed or slaughtered, in accordance with the regulation governing the compensations in the veterinary sector.

Conditions and procedure for payment of compensations and the level of compensations are laid down in Article 29 of the Rules on the monitoring and control of Salmonella spp. in poultry of Gallus gallus (UL RS 97/2010), and in Articles 8. 10. and 11 of the Rules on compensation in the veterinary sector (UL RS 105/2007).

In compliance with Article 29 of the Rules on the monitoring and control of Salmonella spp., the business operator is entitled to payment of compensation, where an adult laying hen flock is killed or slaughtered on account of detected presence of the Salmonella Enteritidis or Salmonella Typhimurium serovars, provided that business operator has:

- in the prescribed manner notified VARS of detection of Salmonella in the flock,
- been conducting the required samplings for the presence of Salmonellae, and
- conducted all the measures required in case of Salmonella infection.

Level of compensation for every particular animal to be paid to business operator is defined in the Rules on the monitoring and control of Salmonella spp. These Rules with all pertaining amendments are published in the Official Gazette of the Republic of Slovenia (UL RS), which is accessible to the public at Official Gazette website, as well as via VARS website.

Rules on fees in the veterinary sector (UL RS105/2007) are laying down the compensation payment procedure, as follows:

Slaughter or killing of animals, or destruction of objects or raw materials on account of animal diseases under these Rules shall be carried out in the presence of official veterinarian. A protocol shall be kept of the action done.

The compensation payment procedure shall be instituted on the animal owner's request, who shall submit to the relevant Regional Office of the VARS an application in writing, comprising:

version: 2.2

- animal owner's personal data (personal name and address or company name and address, and the individual taxpayer identification number ITIN);
- amount of compensation required to cover the damage, and a description of damage incurred by the measure instituted by the official veterinarian;
- particulars of the bank, etc., whereto the compensation is to be remitted.

Animal owner shall enclose to the application an attestation of the possible sale and value of the usable portion of animals, objects or raw materials that are the subject of compensation payment claim. The compensation payment application for animals killed or slaughtered may be lodged by the animal owner within a 15-day period of time form the date of killing or slaughter of the animals. Where the official veterinarian decides in favour of the claim, he/she shall issue a relevant decision laying down the level of compensation.

## 4.4.9 Information and assessment on bio-security measures management and infrastructure in place in the flocks/holdings involved

(max. 32000 chars):

The Chamber of Agriculture and Forestry, in cooperation with the Veterinary Administration of the Republic of Slovenia and with the Veterinary Faculty, organised in 2009 two training sessions for laying hen breeders. The two training sessions included following lectures:

- salmonella sampling in laying hen flocks,
- Biosecurity measures
- Cleaning and disinfection of houses

Holdings producing table eggs and for whom the registration is required, shall comply with the primary production requirements laid down in Part A of Annex I to Regulation (EC) No 852/2004 of the European Parliament and of the Council of 29 April 2004 on the hygiene of foodstuffs. No additional biosecurity measures for the keepers of laying hens are prescribed.

Major keepers of laying hens at most holdings have in place their own biosecurity instruction for the staff. In general, biosecurity measures at a less strict level apply to holdings with less than 1000 animals and where egg production constitutes an additional source of income, and not the basic activity. In addition to the less strict biosecurity measures, at most small holdings, neither the vaccination against Salmonella is carried out.

Compliance with the above conditions is verified by the official veterinarians on the basis of the annual VARS Work Plan. At inspection of holdings keeping breeding flocks and hatcheries, the official veterinarians use checklists, which are accessible via VARS internal portal. Checklist for holdings keeping laying hen flocks includes, in addition to verification of implementation of Salmonella monitoring, the verification of biosecurity conditions at the holding, including the conditions as laid down in Part A of Annex I to Regulation (EC) No 852/2004 (general provisions on hygiene for primary production) and conditions as laid down in Chapter I of Section X of Annex II to Regulation (EC) No 853/2004 (specific hygiene requirements for eggs).

Guidelines available:

- Food Safety Directorate, which operates within the Ministry of Agriculture and Environment (MAE) of

version: 2.2

the Republic of Slovenia, has prepared and made available to public the "Guidelines on the Use of Feed Additives".

- Chamber of Agriculture and Forestry of Slovenia prepared the "Guidelines on Good Practice in Primary Production of Food and Feed", intended for farmers as guides in primary production of food and feed in compliance with national and EU legislation.
- Guidelines on Good Practice in Primary Production of Food and Feed and Guidelines on the Use of Feed Additives are accessible via MAFF website:

http://www.mkgp.gov.si/si/o\_ministrstvu/direktorati/direktorat\_za\_varno\_hrano/starasektor\_za\_varnost\_in\_kakovost\_hrane\_in\_krme/mednarodni\_projekt\_krepitev\_varne\_hrane\_v\_primarni\_proizvodnji/projekt\_eu\_krepitev\_varne\_hrane\_v\_primarni\_proizvodnji/

- EU guidelines on good hygiene practice in laying hen flocks

### 5. General description of the costs and benefits of the programme

A description is provided of all costs for the authorities and society and the benefits for farmers and society in general

#### (max. 32000 chars):

Salmonella national control programme of laying hen flocks of Gallus Gallus is conducted with the purpose of decreasing the prevalence of certain Salmonella spp. serovars in laying hen flocks. Decreased prevalence of S.Enteritidis and S.Typhimurium, which are still most frequently isolated in humans, result in:

- decreased quantity of foodstuffs of animal origin (eggs and meat), contaminated with Salmonella and thus posing a public health risk;
- decreased number of Salmonella outbreaks and infections in humans, and consequences of infections and treatment expenses.

The skeleton evaluation of costs of investigations of official samples, and costs for payment of compensations to business operators for the animals culled amounts to approximately: EUR 70,842.93

See Annex 5: Estimation of costs of investigations of official samples, and costs for payment of compensations to business operators for the animals culled

The costs include the following envisaged items:

- laboratory testing of official samples of faeces taken at holdings with the adult and rearing laying hen flocks, and investigations of samples for the identification of presence of antimicrobials. Number of tests is estimated on the basis of the number of tests conducted in 2010.
- compensations paid for anumals culled: Despite good results in 2011, when on account of identification of S.Enteritidis a single flock was culled, it is realistic to expect that in 2013 the number of laying hens with identified S.Enteritidis/S.Typhimurium will be higher. Therefore, the evaluation of costs for payment of compensations is based on the presupposition that in 2013 on account of identification of S.Enteritidis or S.Typhimurium there will be 2 flocks culled, and in such a case, the Republic of Slovenia will still comply with the EU target, if in 2012 the Salmonella Control Programme will include

version: 2.2

approximately 200 flocks, the prevalence of S.Enteritidis/S.Typhimurium will amount to 2 % or less. In the computation of costs for compensations, an average flock size of 7500 animals has been taken into account. At evaluation of the number of animals to be culled, there may be a greater difference between the envisaged and factual cost for the number of animals to be culled, as the size of adult laying hen flocks varies rather in the Republic of Slovenia, i.e. from flocks with only 300 adult laying hens, and up to flocks with 90,000 adult laying hens.

Standard requirement for the submission of programme for eradication, control and monitoring version: 2.2	
6. Data on the epidemiological evolution during the last five years	
Data already submitted via the online system for the years 2009 - 2012 :  yes	
The data on the evolution of zoonotic salmonellosis are provided according to the tables where appropriate	
6.1 Evolution of the zoonotic salmonellosis	
6.1.1 Data on evolution of zoonotic salmonellosis for year: 2013	
	Page 39 of 49

Region		number of flocks	Total number of animals	flocks	Total number of animals under the programme	Number of flocks checked (b)	Serotype	Number of positive flocks (c)		d or	( eggs	Quantity of eggs destroyed	( eggs channelle d to egg		
SLOVENIA - ADULT FLOC	Laying flocks of C	185	1 137 7		1 137 784		salmonella ohio	1	0	0	kg	0	kg	0	х
SLOVENIA - REARING FLC	Laying flocks of G	140	0	140	0	140	salmonella saintpaul	1	0	0	kg	0	kg	0	х
Total		325	1 137 784	325	1 137 784	325		2	0	0					
												ADD	A NEW	ROW	

- (a) Including eligible and non eligible flocks for the programme
- (b) Check means to perform a flock level test under the porgramme for the presence of salmonella. In this column a flock must not be counted twice even if it has been checked more than one.
- (c) If a flock has been checked, in accordance with footnote (b), more then once, a positive sample must be taken into account only once.
- (d) Flocks or herds or as appropriate

### 6.2 Stratified data on surveillance and laboratory tests

6.2.1 Stratified data on surveillance and laboratory tests for year: 2013

Region	Test Type	Test Description	Number of samples tested	Number of positive samples	
SLOVENIA - ADULT FLOCKS	microbiological test	Official routine sampling	134	1	х
SLOVENIA - ADULT FLOCKS	microbiological test	Official sampling-Part D, point 4	7	0	х
SLOVENIA - REARING FLOCKS	microbiological test	Official confirmatory sampling	2	0	Х
SLOVENIA - ADULT and REAR	serological test	Official sampling	2	2	Х
SLOVENIA - ADULT FLOCKS	other test	Official sampling	1	0	х
6.3 Data on infect	ion for year : 2013		146	3	
5.5 Bata on micet	2013		ADD A N	EW ROW	

Region		Number of herds infected	Number of animals infected	
SLOVENIA - ADULT FLOCKS		1	1 800	X
SLOVENIA - REARING FLOCKS		1	25 470	x
	Total	2	27 270	
			Add a new row	

### 6.4 Data on vaccination or treatment programmes for year: 2013

- [								1
- 1				Number of herds in	Number of herds	Number of animals	Number of doses of	
- 1		Total number of	Total number of	vaccination or	vaccinated or	vaccinated or	vaccine or treatment	
- 1	Region	herds	animals	treatment programme	treated	treated	administered	

SLOVENIA - REARING FLOCKS	140	0	0	0	0	0	X
Total	140	0	0	0	0	0	
					Add a	new row	

- 7. Targets
- 7.1 Targets related to testing (one table for each year of implementation)

2015

### 7.1.1 Targets on diagnostic tests for year:

Region	Type of the test (description)	Target population (categories and species targeted)	Type of sample	Objective	Number of planned tests				
SLOVENIA - ADULT FLOCKS	BACTERIOLOGICAL DETECTION TEST IN FRAME	Laying flocks of Gallus gallus	Faeces	monitoring, surveillance	120	х			
SLOVENIA - ADULT FLOCKS	BACTERIOLOGICAL DETECTION TEST IN FRAME	Laying flocks of Gallus gallus	Faeces, dust	surveillance	34	х			
SLOVENIA - REARING FLOCKS	BACTERIOLOGICAL DETECTION TEST IN FRAME	Laying flocks of Gallus gallus	Faeces	confirmation of suspected cases	6	х			
SLOVENIA - ADULT AND REARING FL	SEROTYPING IN THE FRAME OF OFFICIAL SAMPLE	Laying flocks of Gallus gallus	isolates	monitoring, surveillance, confirmation	8	х			
SLOVENIA - ADULT FLOCKS	AMR/BIH tests	Laying flocks of Gallus gallus	eggs, birds	surveillance	5	x			
Total									
	Total AMR/BIH tests	5							
	160								
	8								
Add a new r									

7.1.2 Targets on testing of flocks for year:

2015

4104		2	
ver		4.	_

Region	Type of flock (d)		Total number of	herds under the	Total number of animals under the programme	Number of flocks checked (b)	Serotype	Number of positive flocks (c)	Number of flocks depopulated	Total number of animals slaughtered or destroyed	Quantity of eggs destroyed (number)	Quantity of eggs channelled to egg product (number)	
SLOVENIA	Laying flocks of	200	1 200 000	200	200	200	salmonella enteritidi	2	2	15 000	73 000	0	X
Total		200	1 200 000	200	200	200		2	2	15 000	73 000	0	
										Ad	d a new ro	ow .	

- (a) Including eligible and non eligible flocks for the programme
- (b) Check means to perform a flock level test under the porgramme for the presence of salmonella. In this column a flock must not be counted twice even if it has been checked more than one.
- (c) If a flock has been checked, in accordance with footnote (b), more then once, a positive sample must be taken into account only once.
- (d) Flocks or herds or as appropriate

### 7.2 Targets on vaccination or treatment

#### 7.2.1 Targets on vaccination or treatment for year: **2015**

	Targets on vaccination or treatment programme	

NUTS Region	Total number of herds in vaccination or treatment programme	Total number of animals in vaccination or treatment programme	Number of herds or flocks in vaccination or treatment programme	Number of herds or flocks expected to be vaccinated or treated	expected to be vaccinated or	Number of doses of vaccine or treatment expected to be administered	
SLOVENIA	0	0	0	0	0	0	X
Total	0	0	0	0	0	0	
					Add a new row		

### 8. Detailed analysis of the cost of the programme for year: 2015

1. Testing								
Cost related to	<u>Specification</u>	Number of tests	Unitary cost in EUR	Total amount in EUR	Union funding requested			
Cost of analysis	BACTERIOLOGICAL DETECTION TEST IN FRAME (	160	20.95	3352	yes	X		
Cost of analysis	SEROTYPING IN THE FRAME OF OFFICIAL SAMPLI	8	63.76	510.08	yes	X		
Cost of analysis	AMR/BIH tests	5	196.17	980.85	yes	X		
					Add a new row			
2. Vaccination (if you ask cofinancing f	2. Vaccination (if you ask cofinancing for purchase of vaccins, you should also fill in 6.4 and 7.2)							
Cost related to	<u>Specification</u>	Number of vaccine dosis	Unitary cost in EUR	Total amount in EUR	Union funding requested			
Vaccination	Purchase of vaccine doses	0	0	0	no	X		
			Add a new row					
3. Slaughter and destruction (without any salaries)								
Cost related to	<u>Specification</u>	Number of units	Unitary cost in EUR	Total amount in EUR	Union funding requested			
Slaughter and destruction Compensation of animals		15 000	4.4	66000	yes	X		
				Add a new row				
4.Cleaning and disinfection								

Cost related to	<u>Specification</u>	Number of units	Unitary cost in EUR	Total amount in EUR	Union funding requested			
CLEANING/DESINFECTION	CLEANING/DESINFECTION	0	0	0 no		х		
				Add a	new row			
5. Salaries (staff contracted for the pro	5. Salaries (staff contracted for the programme only)							
Cost related to	<u>Specification</u>	Number of units	Unitary cost in EUR	Total amount in EUR	Union funding requested			
Salaries	Salaries	0	0	0	no	X		
					Add a new row			
6. Consumables and specific equipmen	6. Consumables and specific equipment							
Cost related to	<u>Specification</u>	Number of units	Unitary cost in EUR	Total amount in EUR	Union funding requested			
Consumables and specific equipment	Consumables and specific equipment	0	0	0 no		X		
				Add a new row				
7.Other costs	7.Other costs							
Cost related to	<u>Specification</u>	Number of units	Unitary cost in EUR	Total amount in EUR	Union funding requested			
Other costs	Other costs	0 0		0 no		X		
					Add a new row			
8. Cost of official sampling								
Cost related to	<u>Specification</u>	Number of units	Unitary cost in EUR	Total amount in EUR	Union funding requested			
Cost of official sampling	Cost of official sampling	220	0.5	110	yes	X		
				Add a	new row			

Total	15 173	70842.93	

#### **Attachments**

#### IMPORTANT:

- 1) The more files you attach, the longer it takes to upload them .

- 2) This attachment files should have one of the format listed here: zip, jpg, jpeg, tiff, tif, xls, doc, bmp, pna.

  3) The total file size of the attached files should not exceed 2 500Kb (+- 2.5 Mb). You will receive a message while attaching when you try to load too much.

  4) IT CAN TAKE SEVERAL MINUTES TO UPLOAD ALL THE ATTACHED FILES. Don't interrupt the uploading by closing the pdf and wait until you have received a Submission Number!
- 5) Zip files cannot be opened (by clicking on the Open button). All other file formats can be opened.